




#### **Test Data**


### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-3.924	0	-3.924	30	Pass
NVNT	BLE	2442	Ant1	-4.525	0	-4.525	30	Pass
NVNT	BLE	2480	Ant1	-3.849	0	-3.849	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.681	0.5	Pass
NVNT	BLE	2442	Ant1	0.683	0.5	Pass
NVNT	BLE	2480	Ant1	0.68	0.5	Pass













# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.053043117	
NVNT	BLE	2442	Ant1	1.053930225	
NVNT	BLE	2480	Ant1	1.053446714	














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.426	8	Pass
NVNT	BLE	2442	Ant1	-11.047	8	Pass
NVNT	BLE	2480	Ant1	-10.384	8	Pass















### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.99	-20	Pass
NVNT	BLE	2480	Ant1	-48.58	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-41.89	-20	Pass
NVNT	BLE	2442	Ant1	-41.15	-20	Pass
NVNT	BLE	2480	Ant1	-42.42	-20	Pass







