




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-5.313	30	Pass
NVNT	BLE	2442	Ant2	-3.933	30	Pass
NVNT	BLE	2480	Ant2	-3.981	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant2	0.854	0.5	Pass
NVNT	BLE	2442	Ant2	0.864	0.5	Pass
NVNT	BLE	2480	Ant2	0.856	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant2	2.053	
NVNT	BLE	2442	Ant2	2.057	
NVNT	BLE	2480	Ant2	2.052	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-27.689	8	Pass
NVNT	BLE	2442	Ant2	-26.363	8	Pass
NVNT	BLE	2480	Ant2	-26.397	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-39.56	-20	Pass
NVNT	BLE	2480	Ant2	-41.15	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-34.89	-20	Pass
NVNT	BLE	2442	Ant2	-35.91	-20	Pass
NVNT	BLE	2480	Ant2	-36.24	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant2 Ref

-47.61 dBm -48.34 dBm -47.73 dBm

-40.93 dBm

N N N

5.006 GHz 7.177 GHz 9.718 GHz

215 MHz

Jan 09, 2023 7:49:56 PM



