




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-5.247	30	Pass
NVNT	BLE	2442	Ant2	-3.935	30	Pass
NVNT	BLE	2480	Ant2	-3.944	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant2	0.656	0.5	Pass
NVNT	BLE	2442	Ant2	0.653	0.5	Pass
NVNT	BLE	2480	Ant2	0.651	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant2	1.018	
NVNT	BLE	2442	Ant2	1.017	
NVNT	BLE	2480	Ant2	1.017	









Tel: +86-755-23118282, Fax: +86-755-23116366







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-11.649	8	Pass
NVNT	BLE	2442	Ant2	-10.297	8	Pass
NVNT	BLE	2480	Ant2	-10.342	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-38.57	-20	Pass
NVNT	BLE	2480	Ant2	-41.85	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-35.51	-20	Pass
NVNT	BLE	2442	Ant2	-37.21	-20	Pass
NVNT	BLE	2480	Ant2	-35.94	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant2 Ref

-7.974 dBm

-47.50 dBm -48.97 dBm -48.32 dBm

-41.56 dBm

Function

Function Width

Trace

Mode

Z Z Z Scale

Function Value

5.024 GHz 7.496 GHz 9.793 GHz

205 MHz

Jan 09, 2023 7:36:48 PM



