




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	1.186	30	Pass
NVNT	BLE	2442	Ant7	1.848	30	Pass
NVNT	BLE	2480	Ant7	1.752	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant7	0.661	0.5	Pass
NVNT	BLE	2442	Ant7	0.662	0.5	Pass
NVNT	BLE	2480	Ant7	0.665	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant7	1.015	
NVNT	BLE	2442	Ant7	1.014	
NVNT	BLE	2480	Ant7	1.014	

Project No.: JYTSZR2301002













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-5.274	8	Pass
NVNT	BLE	2442	Ant7	-4.493	8	Pass
NVNT	BLE	2480	Ant7	-4.59	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-46.57	-20	Pass
NVNT	BLE	2480	Ant7	-47.64	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-42.04	-20	Pass
NVNT	BLE	2442	Ant7	-43.15	-20	Pass
NVNT	BLE	2480	Ant7	-42.99	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant7 Ref

-0.05247 dBm

-47.81 dBm -49.36 dBm -47.95 dBm

-41.54 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

4.999 GHz 7.296 GHz 9.693 GHz

205 MHz

Jan 06, 2023 5:27:28 PM



