




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-1.129	30	Pass
NVNT	BLE	2442	Ant1	2.274	30	Pass
NVNT	BLE	2480	Ant1	2.08	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.665	0.5	Pass
NVNT	BLE	2442	Ant1	0.665	0.5	Pass
NVNT	BLE	2480	Ant1	0.658	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Occupied Channel Bandwidth


Cond	Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
IVN	IT	BLE	2402	Ant1	1.018	
IVN	IT	BLE	2442	Ant1	1.015	
NVI	IT	BLE	2480	Ant1	1.015	

Project No.: JYTSZR2301033














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-7.611	8	Pass
NVNT	BLE	2442	Ant1	-4.168	8	Pass
NVNT	BLE	2480	Ant1	-4.276	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.33	-20	Pass
NVNT	BLE	2480	Ant1	-45.22	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.85	-20	Pass
NVNT	BLE	2442	Ant1	-45.59	-20	Pass
NVNT	BLE	2480	Ant1	-44.61	-20	Pass







