


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-1.147	30	Pass
NVNT	BLE	2442	Ant1	2.243	30	Pass
NVNT	BLE	2480	Ant1	2.027	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.691	0.5	Pass
NVNT	BLE	2442	Ant1	0.681	0.5	Pass
NVNT	BLE	2480	Ant1	0.685	0.5	Pass







Spectrum Ai Occupied B		• +					
	HT Input: RF Coupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 2.480000000 GHz Avg Hold: 1000/1000 Radio Std: None		
1 Graph	•			Ref LvI Offset 8.	60 dB	Mkr3 2.4803	
Scale/Div 1	0.0 dB			Ref Value 28.60			-7.50 dBm
Log 18.6							
8.60			2	<u></u>	3		
-1.40			25 million				
-21.4						-	
	-n-h-hh					- when	
-41.4							
-61.4							
Center 2.48 #Res BW 10				#Video BW 300.0	0 kHz	Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metrics	•						
	Occupied Ba	andwidth					
		1.0558 MHz			Total Power	4.88 dBm	
	Transmit Fre		-1.288 kHz		% of OBW Power	99.00 %	
	x dB Bandwi	dth	685.4 kHz		x dB	-6.00 dB	
۲		Feb 02, 2023 3:44:41 PM					



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.056
NVNT	BLE	2442	Ant1	1.051
NVNT	BLE	2480	Ant1	1.05











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-7.461	8	Pass
NVNT	BLE	2442	Ant1	-4.084	8	Pass
NVNT	BLE	2480	Ant1	-4.227	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.3	-20	Pass
NVNT	BLE	2480	Ant1	-44.54	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-38.18	-20	Pass
NVNT	BLE	2442	Ant1	-42.14	-20	Pass
NVNT	BLE	2480	Ant1	-42.22	-20	Pass











