




### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant13	3.128	30	Pass
NVNT	BLE	2442	Ant13	5.256	30	Pass
NVNT	BLE	2478	Ant13	4.262	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant13	1.235	0.5	Pass
NVNT	BLE	2442	Ant13	1.217	0.5	Pass
NVNT	BLE	2478	Ant13	1.159	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant13	2.065	
NVNT	BLE	2442	Ant13	2.079	
NVNT	BLE	2478	Ant13	2.074	









Tel: +86-755-23118282, Fax: +86-755-23116366







# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant13	-14.079	8	Pass
NVNT	BLE	2442	Ant13	-11.921	8	Pass
NVNT	BLE	2478	Ant13	-12.934	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant13	-57.93	-20	Pass
NVNT	BLE	2478	Ant13	-60.65	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant13	-50.28	-20	Pass
NVNT	BLE	2442	Ant13	-52.85	-20	Pass
NVNT	BLE	2478	Ant13	-51.67	-20	Pass









Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz Sweep ~2.57 s (1001 pts) #Video BW 300 kHz 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 0.6549 dBm 4.980 GHz 7.177 GHz 9.639 GHz -53.30 dBm -55.53 dBm N N 3 4 5 6 N -55.21 dBm 26.156 GHz -48.69 dBm Dec 08, 2023 1:19:49 PM 

Tx. Spurious NVNT BLE 2478MHz Ant13 Ref



