



### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	2.915	30	Pass
NVNT	BLE	2442	Ant13	5.259	30	Pass
NVNT	BLE	2480	Ant13	4.29	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant13	0.68	0.5	Pass
NVNT	BLE	2442	Ant13	0.681	0.5	Pass
NVNT	BLE	2480	Ant13	0.682	0.5	Pass














## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant13	1.044	
NVNT	BLE	2442	Ant13	1.047	
NVNT	BLE	2480	Ant13	1.047	

Project No.: JYTSZR2311068









Tel: +86-755-23118282, Fax: +86-755-23116366







# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant13	-12.129	8	Pass
NVNT	BLE	2442	Ant13	-9.751	8	Pass
NVNT	BLE	2480	Ant13	-10.732	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-58.55	-20	Pass
NVNT	BLE	2480	Ant13	-60.4	-20	Pass















# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant13	-51.67	-20	Pass
NVNT	BLE	2442	Ant13	-54.17	-20	Pass
NVNT	BLE	2480	Ant13	-51.65	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant13 Ref

3.440 dBm -52.33 dBm -55.57 dBm -55.85 dBm

-49.71 dBm

Function

**Function Width** 

Trace

Mode

N N

Scale

Function Value

5.024 GHz 7.271 GHz 9.569 GHz

23.926 GHz



