



Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	3.047	30	Pass
NVNT	BLE	2442	Ant14	4.489	30	Pass
NVNT	BLE	2480	Ant14	4.202	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant14	0.682	0.5	Pass
NVNT	BLE	2442	Ant14	0.683	0.5	Pass
NVNT	BLE	2480	Ant14	0.68	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant14	1.044	
NVNT	BLE	2442	Ant14	1.048	
NVNT	BLE	2480	Ant14	1.049	

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2311068















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	-12.035	8	Pass
NVNT	BLE	2442	Ant14	-10.527	8	Pass
NVNT	BLE	2480	Ant14	-10.796	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-58.24	-20	Pass
NVNT	BLE	2480	Ant14	-59.79	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-51.93	-20	Pass
NVNT	BLE	2442	Ant14	-53.1	-20	Pass
NVNT	BLE	2480	Ant14	-52.25	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant14 Ref

2.472 dBm

-53.83 dBm -55.49 dBm

-49.43 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

4.974 GHz 7.221 GHz 9.818 GHz

24.026 GHz

Dec 01, 2023 4:05:18 PM



