


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant14	3.309	30	Pass
NVNT	BLE	2442	Ant14	4.492	30	Pass
NVNT	BLE	2478	Ant14	4.382	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant14	1.142	0.5	Pass
NVNT	BLE	2442	Ant14	1.151	0.5	Pass
NVNT	BLE	2478	Ant14	1.105	0.5	Pass











Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant14	2.068	
NVNT	BLE	2442	Ant14	2.082	
NVNT	BLE	2478	Ant14	2.08	












Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant14	-13.916	8	Pass
NVNT	BLE	2442	Ant14	-12.682	8	Pass
NVNT	BLE	2478	Ant14	-12.798	8	Pass











Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant14	-59.76	-20	Pass
NVNT	BLE	2478	Ant14	-58.49	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant14	-51.31	-20	Pass
NVNT	BLE	2442	Ant14	-51.11	-20	Pass
NVNT	BLE	2478	Ant14	-51.98	-20	Pass











