



Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	2.992	30	Pass
NVNT	BLE	2442	Ant14	4.449	30	Pass
NVNT	BLE	2480	Ant14	4.198	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant14	0.692	0.5	Pass
NVNT	BLE	2442	Ant14	0.694	0.5	Pass
NVNT	BLE	2480	Ant14	0.693	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant14	1.061	
NVNT	BLE	2442	Ant14	1.066	
NVNT	BLE	2480	Ant14	1.067	

Project No.: JYTSZR2311068













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	-3.289	8	Pass
NVNT	BLE	2442	Ant14	-1.812	8	Pass
NVNT	BLE	2480	Ant14	-2.07	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-55.7	-20	Pass
NVNT	BLE	2480	Ant14	-57.11	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-48.6	-20	Pass
NVNT	BLE	2442	Ant14	-50.55	-20	Pass
NVNT	BLE	2480	Ant14	-49.59	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant14 Ref

-49.83 dBm

23.951 GHz

Dec 01, 2023 4:20:29 PM



