

FCC Part 22H

RF power output

n5

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	21.54	11.99	0.016	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	17.92	8.37	0.007	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	21.07	11.52	0.014	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	22.87	13.32	0.021	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	22.84	13.29	0.021	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	23.02	13.47	0.022	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	21.48	11.93	0.016	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM 16 QAM_RB25@0	22.59	13.04	0.02	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM 256 QAM_RB25@0	20.03	10.48	0.011	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	24.48	14.93	0.031	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@23	24.44	14.89	0.031	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	24.46	14.91	0.031	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB25@0	24.02	14.47	0.028	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB1@1	24.50	14.95	0.031	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB1@23	24.42	14.87	0.031	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB12@6	24.48	14.93	0.031	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB25@0	23.53	13.98	0.025	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	21.56	12.01	0.016	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	17.95	8.4	0.007	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	21.02	11.47	0.014	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.65	13.1	0.02	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	22.84	13.29	0.021	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	23.01	13.46	0.022	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	21.48	11.93	0.016	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM 16 QAM_RB25@0	22.60	13.05	0.02	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM 256 QAM_RB25@0	20.02	10.47	0.011	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM 64 QAM_RB25@0	22.03	12.48	0.018	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	24.39	14.84	0.03	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	24.41	14.86	0.031	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.50	14.95	0.031	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.97	14.42	0.028	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.47	14.92	0.031	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	24.42	14.87	0.031	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	24.55	15	0.032	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	23.52	13.97	0.025	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	21.39	11.84	0.015	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	17.84	8.29	0.007	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	20.88	11.33	0.014	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	22.64	13.09	0.02	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	22.61	13.06	0.02	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	22.91	13.36	0.022	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	21.28	11.73	0.015	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.53	12.98	0.02	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.94	10.39	0.011	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.96	12.41	0.017	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.27	14.72	0.03	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	24.26	14.71	0.03	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.35	14.8	0.03	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.88	14.33	0.027	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	24.40	14.85	0.031	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	24.30	14.75	0.03	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	24.45	14.9	0.031	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	23.40	13.85	0.024	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	21.28	11.73	0.015	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	17.84	8.29	0.007	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	20.75	11.2	0.013	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	22.73	13.18	0.021	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	22.73	13.18	0.021	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	22.78	13.23	0.021	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	21.30	11.75	0.015	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	22.38	12.83	0.019	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	19.81	10.26	0.011	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	21.85	12.3	0.017	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.27	14.72	0.03	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	24.22	14.67	0.029	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.39	14.84	0.03	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.82	14.27	0.027	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	24.26	14.71	0.03	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	24.20	14.65	0.029	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	24.36	14.81	0.03	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	23.36	13.81	0.024	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	21.26	11.71	0.015	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	17.84	8.29	0.007	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	20.72	11.17	0.013	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.48	12.93	0.02	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	22.68	13.13	0.021	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	22.79	13.24	0.021	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	21.29	11.74	0.015	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	22.30	12.75	0.019	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.81	10.26	0.011	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.79	12.24	0.017	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.15	14.6	0.029	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	24.24	14.69	0.029	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.33	14.78	0.03	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.79	14.24	0.027	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.19	14.64	0.029	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	24.22	14.67	0.029	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	24.40	14.85	0.031	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_836.5MHz_DFT-s-OFDM_QPSK_RB50@0	23.29	13.74	0.024	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_16_QAM_RB52@0	21.20	11.65	0.015	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_256_QAM_RB52@0	17.76	8.21	0.007	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_64_QAM_RB52@0	20.73	11.18	0.013	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_QPSK_RB1@1	22.59	13.04	0.02	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_QPSK_RB1@50	22.44	12.89	0.019	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_QPSK_RB26@13	22.70	13.15	0.021	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM_QPSK_RB52@0	21.24	11.69	0.015	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_16_QAM_RB50@0	22.31	12.76	0.019	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_256_QAM_RB50@0	19.74	10.19	0.01	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_64_QAM_RB50@0	21.74	12.19	0.017	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	24.22	14.67	0.029	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_PI/2_BPSK_RB1@50	24.10	14.55	0.029	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_PI/2_BPSK_RB25@12	24.25	14.7	0.03	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_PI/2_BPSK_RB50@0	23.69	14.14	0.026	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_QPSK_RB1@1	24.19	14.64	0.029	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_QPSK_RB1@50	24.09	14.54	0.028	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_QPSK_RB25@12	24.29	14.74	0.03	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM_QPSK_RB50@0	23.24	13.69	0.023	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_16_QAM_RB79@0	21.52	11.97	0.016	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_256_QAM_RB79@0	18.03	8.48	0.007	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_64_QAM_RB79@0	21.02	11.47	0.014	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_QPSK_RB1@1	22.84	13.29	0.021	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_QPSK_RB1@77	22.75	13.2	0.021	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_QPSK_RB39@19	23.04	13.49	0.022	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM_QPSK_RB79@0	21.54	11.99	0.016	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM_16_QAM_RB75@0	22.55	13	0.02	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM_256_QAM_RB75@0	20.09	10.54	0.011	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM_64_QAM_RB75@0	22.09	12.54	0.018	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	24.47	14.92	0.031	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.37	14.82	0.03	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.51	14.96	0.031	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	24.11	14.56	0.029	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	24.42	14.87	0.031	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	24.38	14.83	0.03	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	24.56	15.01	0.032	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	23.63	14.08	0.026	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	21.44	11.89	0.015	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	17.95	8.4	0.007	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	20.87	11.32	0.014	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.85	13.3	0.021	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	22.72	13.17	0.021	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	22.99	13.44	0.022	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	21.43	11.88	0.015	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.44	12.89	0.019	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.93	10.38	0.011	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.96	12.41	0.017	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.37	14.82	0.03	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.30	14.75	0.03	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.52	14.97	0.031	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.94	14.39	0.027	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.36	14.81	0.03	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	24.33	14.78	0.03	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	24.53	14.98	0.031	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	23.50	13.95	0.025	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	21.36	11.81	0.015	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	17.89	8.34	0.007	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	20.82	11.27	0.013	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	22.77	13.22	0.021	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	22.73	13.18	0.021	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	22.86	13.31	0.021	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	21.35	11.8	0.015	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.38	12.83	0.019	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.93	10.38	0.011	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.93	12.38	0.017	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.33	14.78	0.03	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.21	14.66	0.029	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.39	14.84	0.03	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.88	14.33	0.027	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	24.29	14.74	0.03	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	24.24	14.69	0.029	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	24.42	14.87	0.031	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	23.40	13.85	0.024	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	21.56	12.01	0.016	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	18.05	8.5	0.007	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	21.00	11.45	0.014	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	22.85	13.3	0.021	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	22.64	13.09	0.02	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	21.59	12.04	0.016	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	23.10	13.55	0.023	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	22.60	13.05	0.02	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	20.08	10.53	0.011	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	22.10	12.55	0.018	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.41	14.86	0.031	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.30	14.75	0.03	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	24.03	14.48	0.028	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.52	14.97	0.031	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	24.39	14.84	0.03	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	24.25	14.7	0.03	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	23.59	14.04	0.025	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	24.54	14.99	0.032	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	21.44	11.89	0.015	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	17.98	8.43	0.007	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	20.94	11.39	0.014	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.82	13.27	0.021	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	22.66	13.11	0.02	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	21.50	11.95	0.016	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	23.00	13.45	0.022	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	22.52	12.97	0.02	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	19.96	10.41	0.011	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	22.02	12.47	0.018	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.38	14.83	0.03	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.25	14.7	0.03	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.96	14.41	0.028	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.49	14.94	0.031	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.31	14.76	0.03	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	24.21	14.66	0.029	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	23.51	13.96	0.025	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	24.46	14.91	0.031	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	21.37	11.82	0.015	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	17.85	8.3	0.007	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	20.83	11.28	0.013	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	22.72	13.17	0.021	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	22.58	13.03	0.02	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	21.39	11.84	0.015	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	22.94	13.39	0.022	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	22.41	12.86	0.019	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	19.89	10.34	0.011	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	21.93	12.38	0.017	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.30	14.75	0.03	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.23	14.68	0.029	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.87	14.32	0.027	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.45	14.9	0.031	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	24.30	14.75	0.03	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	24.29	14.74	0.03	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	23.41	13.86	0.024	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	24.50	14.95	0.031	7.00	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.05	13.5	0.022	7.00	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd) = GT(dBi) - 2.15

n5:

1.Ant Gain =-6.9 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

FCC Part 27

RFpower output

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	21.27	12.62	0.018	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	17.74	9.09	0.008	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	20.79	12.14	0.016	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	22.68	14.03	0.025	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	22.58	13.93	0.025	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	22.70	14.05	0.025	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	21.16	12.51	0.018	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 16 QAM_RB25@0	22.36	13.71	0.023	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 256 QAM_RB25@0	19.75	11.1	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 64 QAM_RB25@0	21.77	13.12	0.021	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	24.30	15.65	0.037	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@23	24.13	15.48	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	24.26	15.61	0.036	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB25@0	23.71	15.06	0.032	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@1	24.33	15.68	0.037	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@23	24.15	15.5	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB12@6	24.31	15.66	0.037	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB25@0	23.23	14.58	0.029	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	21.21	12.56	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	17.66	9.01	0.008	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	20.77	12.12	0.016	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.58	13.93	0.025	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	22.57	13.92	0.025	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	22.68	14.03	0.025	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	21.13	12.48	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 16 QAM_RB25@0	22.24	13.59	0.023	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 256 QAM_RB25@0	19.68	11.03	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 64 QAM_RB25@0	21.69	13.04	0.02	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.16	15.51	0.036	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	24.12	15.47	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.12	15.47	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.63	14.98	0.031	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.20	15.55	0.036	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	24.08	15.43	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	24.22	15.57	0.036	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	23.13	14.48	0.028	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	21.12	12.47	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	17.60	8.95	0.008	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	20.66	12.01	0.016	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	22.52	13.87	0.024	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	22.37	13.72	0.024	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	22.59	13.94	0.025	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	21.06	12.41	0.017	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.21	13.56	0.023	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.63	10.98	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.62	12.97	0.02	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	15.39	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.94	15.29	0.034	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.03	15.38	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.57	14.92	0.031	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	24.16	15.51	0.036	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.91	15.26	0.034	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	24.15	15.5	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	23.09	14.44	0.028	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	21.01	12.36	0.017	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	17.57	8.92	0.008	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	20.47	11.82	0.015	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	22.53	13.88	0.024	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	22.37	13.72	0.024	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	22.55	13.9	0.025	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	21.05	12.4	0.017	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	22.04	13.39	0.022	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	19.53	10.88	0.012	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	21.58	12.93	0.02	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.08	15.43	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.90	15.25	0.033	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.09	15.44	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.47	14.82	0.03	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	24.10	15.45	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	23.89	15.24	0.033	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	24.06	15.41	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	23.02	14.37	0.027	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	20.98	12.33	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	17.57	8.92	0.008	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	20.46	11.81	0.015	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.37	13.72	0.024	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	22.39	13.74	0.024	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	22.53	13.88	0.024	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	21.00	12.35	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	22.03	13.38	0.022	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.44	10.79	0.012	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.51	12.86	0.019	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.97	15.32	0.034	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.89	15.24	0.033	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.99	15.34	0.034	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.46	14.81	0.03	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.02	15.37	0.034	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	23.88	15.23	0.033	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_707.5MHz_DFT-s-OFDMQPSK_RB25@12	24.05	15.4	0.035	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDMQPSK_RB50@0	22.97	14.32	0.027	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	20.97	12.32	0.017	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	17.50	8.85	0.008	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	20.38	11.73	0.015	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	22.42	13.77	0.024	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	22.21	13.56	0.023	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	22.44	13.79	0.024	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	20.94	12.29	0.017	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	21.99	13.34	0.022	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	19.42	10.77	0.012	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	21.48	12.83	0.019	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.95	15.3	0.034	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.78	15.13	0.033	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.97	15.32	0.034	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.42	14.77	0.03	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	23.95	15.3	0.034	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	23.69	15.04	0.032	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	24.01	15.36	0.034	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	22.97	14.32	0.027	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	21.17	12.52	0.018	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	17.69	9.04	0.008	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	20.60	11.95	0.016	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	22.59	13.94	0.025	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	22.37	13.72	0.024	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	22.66	14.01	0.025	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	21.15	12.5	0.018	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.12	13.47	0.022	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.61	10.96	0.012	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.69	13.04	0.02	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.21	15.56	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.00	15.35	0.034	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.18	15.53	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.66	15.01	0.032	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	24.19	15.54	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.97	15.32	0.034	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	24.18	15.53	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	23.17	14.52	0.028	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	21.19	12.54	0.018	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	17.68	9.03	0.008	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	20.64	11.99	0.016	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.56	13.91	0.025	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	22.39	13.74	0.024	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.66	14.01	0.025	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	21.18	12.53	0.018	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.18	13.53	0.023	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.62	10.97	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.69	13.04	0.02	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.14	15.49	0.035	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.96	15.31	0.034	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.17	15.52	0.036	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.63	14.98	0.031	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.10	15.45	0.035	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.97	15.32	0.034	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	24.16	15.51	0.036	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	23.14	14.49	0.028	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	21.17	12.52	0.018	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	17.63	8.98	0.008	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	20.63	11.98	0.016	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	22.53	13.88	0.024	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	22.39	13.74	0.024	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	22.66	14.01	0.025	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	21.15	12.5	0.018	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.17	13.52	0.022	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.61	10.96	0.012	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.69	13.04	0.02	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.10	15.45	0.035	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.88	15.23	0.033	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.15	15.5	0.035	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.62	14.97	0.031	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	24.13	15.48	0.035	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	23.86	15.21	0.033	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	24.15	15.5	0.035	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	23.16	14.51	0.028	3.00	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd) = GT(dBi) - 2.15

n12:

1.Ant Gain =-6 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	21.03	20.83	0.121	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	17.60	17.4	0.055	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	20.59	20.39	0.109	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	22.60	22.4	0.174	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	22.63	22.43	0.175	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	22.58	22.38	0.173	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	21.08	20.88	0.122	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	22.07	21.87	0.154	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	19.65	19.45	0.088	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	21.57	21.37	0.137	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.01	23.81	0.24	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.01	23.81	0.24	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.11	23.91	0.246	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.63	23.43	0.22	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	23.93	23.73	0.236	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	23.97	23.77	0.238	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	24.08	23.88	0.244	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	23.08	22.88	0.194	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	21.06	20.86	0.122	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	17.57	17.37	0.055	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	20.53	20.33	0.108	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.49	22.29	0.169	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	22.46	22.26	0.168	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	22.51	22.31	0.17	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	20.98	20.78	0.12	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	22.03	21.83	0.152	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	19.65	19.45	0.088	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	21.49	21.29	0.135	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.96	23.76	0.238	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.90	23.7	0.234	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.16	23.96	0.249	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.56	23.36	0.217	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.89	23.69	0.234	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	23.97	23.77	0.238	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	24.05	23.85	0.243	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	23.10	22.9	0.195	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	20.98	20.78	0.12	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	17.57	17.37	0.055	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	20.52	20.32	0.108	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	22.53	22.33	0.171	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	22.52	22.32	0.171	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	22.50	22.3	0.17	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	20.98	20.78	0.12	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	21.95	21.75	0.15	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	19.52	19.32	0.086	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	21.53	21.33	0.136	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.92	23.72	0.236	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.00	23.8	0.24	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.98	23.78	0.239	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.55	23.35	0.216	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	23.85	23.65	0.232	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	23.94	23.74	0.237	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	24.06	23.86	0.243	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	23.04	22.84	0.192	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	21.01	20.81	0.121	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	17.54	17.34	0.054	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	20.50	20.3	0.107	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	22.57	22.37	0.173	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	22.55	22.35	0.172	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	22.49	22.29	0.169	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	20.97	20.77	0.119	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	22.09	21.89	0.155	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.46	19.26	0.084	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.61	21.41	0.138	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.99	23.79	0.239	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	24.00	23.8	0.24	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.06	23.86	0.243	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.57	23.37	0.217	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	23.96	23.76	0.238	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	23.96	23.76	0.238	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	24.17	23.97	0.249	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	23.05	22.85	0.193	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	20.99	20.79	0.12	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	17.51	17.31	0.054	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	20.45	20.25	0.106	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.47	22.27	0.169	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	22.54	22.34	0.171	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	22.49	22.29	0.169	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	20.99	20.79	0.12	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	22.08	21.88	0.154	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	19.46	19.26	0.084	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	21.56	21.36	0.137	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.95	23.75	0.237	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.92	23.72	0.236	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.99	23.79	0.239	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.57	23.37	0.217	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.86	23.66	0.232	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	23.95	23.75	0.237	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	24.06	23.86	0.243	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	23.07	22.87	0.194	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	20.99	20.79	0.12	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	17.45	17.25	0.053	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	20.43	20.23	0.105	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	22.54	22.34	0.171	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	22.53	22.33	0.171	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	22.44	22.24	0.167	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	20.92	20.72	0.118	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	22.00	21.8	0.151	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.39	19.19	0.083	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.55	21.35	0.136	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.88	23.68	0.233	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.92	23.72	0.236	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.00	23.8	0.24	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.56	23.36	0.217	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	23.87	23.67	0.233	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	23.91	23.71	0.235	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	24.07	23.87	0.244	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	22.99	22.79	0.19	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	21.10	20.9	0.123	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	17.55	17.35	0.054	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	20.45	20.25	0.106	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	22.45	22.25	0.168	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	22.48	22.28	0.169	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	22.55	22.35	0.172	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	21.04	20.84	0.121	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	22.10	21.9	0.155	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	19.50	19.3	0.085	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	21.54	21.34	0.136	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.90	23.7	0.234	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.95	23.75	0.237	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.13	23.93	0.247	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.52	23.32	0.215	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	23.88	23.68	0.233	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	23.92	23.72	0.236	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	24.21	24.01	0.252	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	23.05	22.85	0.193	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	20.98	20.78	0.12	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	17.55	17.35	0.054	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	20.44	20.24	0.106	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.53	22.33	0.171	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	22.44	22.24	0.167	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	22.53	22.33	0.171	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	21.03	20.83	0.121	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	22.01	21.81	0.152	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	19.41	19.21	0.083	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	21.53	21.33	0.136	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.91	23.71	0.235	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.89	23.69	0.234	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.08	23.88	0.244	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.58	23.38	0.218	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.96	23.76	0.238	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	23.90	23.7	0.234	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	24.06	23.86	0.243	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	23.02	22.82	0.191	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	20.98	20.78	0.12	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	17.44	17.24	0.053	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	20.45	20.25	0.106	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	22.40	22.2	0.166	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	22.39	22.19	0.166	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	22.56	22.36	0.172	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	21.00	20.8	0.12	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	21.97	21.77	0.15	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	19.44	19.24	0.084	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	21.50	21.3	0.135	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.83	23.63	0.231	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.84	23.64	0.231	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.99	23.79	0.239	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.54	23.34	0.216	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	23.86	23.66	0.232	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	23.88	23.68	0.233	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2610MHz_DFT-s-OFDMQPSK_RB25@12	24.03	23.83	0.242	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDMQPSK_RB50@0	23.03	22.83	0.192	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n38:

1. Ant Gain = -0.2 dBi;

2. CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n40_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2310MHz_CP-OFDM 16 QAM_RB52@0	21.07	20.57	0.114	0.25	Pass
10MHz_15kHz_2310MHz_CP-OFDM 256 QAM_RB52@0	17.61	17.11	0.051	0.25	Pass
10MHz_15kHz_2310MHz_CP-OFDM 64 QAM_RB52@0	20.69	20.19	0.104	0.25	Pass
10MHz_15kHz_2310MHz_CP-OFDM QPSK_RB1@1	22.32	21.82	0.152	0.25	Pass
10MHz_15kHz_2310MHz_CP-OFDM QPSK_RB1@50	22.16	21.66	0.147	0.25	Pass
10MHz_15kHz_2310MHz_CP-OFDM QPSK_RB26@13	22.47	21.97	0.157	0.25	Pass
10MHz_15kHz_2310MHz_CP-OFDM QPSK_RB52@0	21.11	20.61	0.115	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM 16 QAM_RB50@0	22.00	21.50	0.141	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM 256 QAM_RB50@0	19.58	19.08	0.081	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM 64 QAM_RB50@0	21.46	20.96	0.125	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.70	23.20	0.209	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.71	23.21	0.209	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.89	23.39	0.218	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.31	22.81	0.191	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM QPSK_RB1@1	23.65	23.15	0.207	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM QPSK_RB1@50	23.64	23.14	0.206	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM QPSK_RB25@12	23.90	23.40	0.219	0.25	Pass
10MHz_15kHz_2310MHz_DFT-s-OFDM QPSK_RB50@0	22.85	22.35	0.172	0.25	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n40_1:

1. Ant Gain = -0.5 dBi;

2. CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n40_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2355MHz_CP-OFDM 16 QAM_RB52@0	20.94	20.44	0.111	0.25	Pass
10MHz_15kHz_2355MHz_CP-OFDM 256 QAM_RB52@0	17.30	16.80	0.048	0.25	Pass
10MHz_15kHz_2355MHz_CP-OFDM 64 QAM_RB52@0	20.55	20.05	0.101	0.25	Pass
10MHz_15kHz_2355MHz_CP-OFDM QPSK_RB1@1	22.41	21.91	0.155	0.25	Pass
10MHz_15kHz_2355MHz_CP-OFDM QPSK_RB1@50	22.27	21.77	0.150	0.25	Pass
10MHz_15kHz_2355MHz_CP-OFDM QPSK_RB26@13	22.47	21.97	0.157	0.25	Pass
10MHz_15kHz_2355MHz_CP-OFDM QPSK_RB52@0	20.95	20.45	0.111	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM 16 QAM_RB50@0	21.92	21.42	0.139	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM 256 QAM_RB50@0	19.47	18.97	0.079	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM 64 QAM_RB50@0	21.51	21.01	0.126	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.80	23.30	0.214	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.62	23.12	0.205	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.86	23.36	0.217	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	23.37	22.87	0.194	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM QPSK_RB1@1	23.72	23.22	0.210	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM QPSK_RB1@50	23.68	23.18	0.208	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM QPSK_RB25@12	23.88	23.38	0.218	0.25	Pass
10MHz_15kHz_2355MHz_DFT-s- OFDM QPSK_RB50@0	23.05	22.55	0.180	0.25	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n40_2:

1. Ant Gain = -0.5 dBi;

2. CL = signalattenuationintheconnectingcable
betweenthe transmitter and antenna in 0dB

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2501.01MHz_CP- OFDM 16 QAM_RB24@0	21.98	22.68	0.185	2.00	Pass
10MHz_30kHz_2501.01MHz_CP- OFDM 256 QAM_RB24@0	18.47	19.17	0.083	2.00	Pass
10MHz_30kHz_2501.01MHz_CP- OFDM 64 QAM_RB24@0	21.45	22.15	0.164	2.00	Pass
10MHz_30kHz_2501.01MHz_CP- OFDM QPSK_RB1@1	23.16	23.86	0.243	2.00	Pass
10MHz_30kHz_2501.01MHz_CP- OFDM QPSK_RB1@22	23.41	24.11	0.258	2.00	Pass
10MHz_30kHz_2501.01MHz_CP- OFDM QPSK_RB12@6	23.42	24.12	0.258	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	21.97	22.67	0.185	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	22.88	23.58	0.228	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	20.51	21.21	0.132	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	22.48	23.18	0.208	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.73	25.43	0.349	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.80	25.5	0.355	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.90	25.6	0.363	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	24.43	25.13	0.326	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	24.66	25.36	0.344	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	24.74	25.44	0.35	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	24.95	25.65	0.367	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	23.94	24.64	0.291	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	21.66	22.36	0.172	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	18.29	18.99	0.079	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	21.26	21.96	0.157	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	23.11	23.81	0.24	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	23.18	23.88	0.244	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	23.27	23.97	0.249	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	21.73	22.43	0.175	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	22.74	23.44	0.221	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	20.23	20.93	0.124	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	22.21	22.91	0.195	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.63	25.33	0.341	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.61	25.31	0.34	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.73	25.43	0.349	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	24.28	24.98	0.315	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.74	25.44	0.35	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	24.55	25.25	0.335	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	24.69	25.39	0.346	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	23.80	24.5	0.282	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	21.99	22.69	0.186	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	18.67	19.37	0.086	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	21.52	22.22	0.167	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	23.24	23.94	0.248	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	23.38	24.08	0.256	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	23.47	24.17	0.261	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	21.97	22.67	0.185	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	22.99	23.69	0.234	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	20.55	21.25	0.133	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	22.55	23.25	0.211	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.79	25.49	0.354	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.91	25.61	0.364	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	25.08	25.78	0.378	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	24.56	25.26	0.336	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	24.82	25.52	0.356	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	24.92	25.62	0.365	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	25.12	25.82	0.382	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	24.05	24.75	0.299	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	21.92	22.62	0.183	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	18.38	19.08	0.081	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	21.42	22.12	0.163	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	23.24	23.94	0.248	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	23.30	24	0.251	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	23.45	24.15	0.26	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	21.86	22.56	0.18	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	22.98	23.68	0.233	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	20.32	21.02	0.126	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	22.44	23.14	0.206	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.68	25.38	0.345	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	24.76	25.46	0.352	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.89	25.59	0.362	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	24.46	25.16	0.328	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	24.71	25.41	0.348	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	24.78	25.48	0.353	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	24.93	25.63	0.366	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	23.91	24.61	0.289	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	21.67	22.37	0.173	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	18.27	18.97	0.079	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	21.18	21.88	0.154	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	23.18	23.88	0.244	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	23.09	23.79	0.239	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	23.24	23.94	0.248	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	21.75	22.45	0.176	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	22.81	23.51	0.224	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	20.18	20.88	0.122	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	22.27	22.97	0.198	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.58	25.28	0.337	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	24.59	25.29	0.338	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.76	25.46	0.352	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	24.30	25	0.316	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.61	25.31	0.34	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	24.59	25.29	0.338	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	24.76	25.46	0.352	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	23.76	24.46	0.279	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	21.95	22.65	0.184	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	18.48	19.18	0.083	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	21.46	22.16	0.164	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	23.33	24.03	0.253	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	23.14	23.84	0.242	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	23.37	24.07	0.255	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	21.93	22.63	0.183	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	22.99	23.69	0.234	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	20.40	21.1	0.129	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	22.52	23.22	0.21	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.71	25.41	0.348	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	24.89	25.59	0.362	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.92	25.62	0.365	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	24.49	25.19	0.33	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	24.69	25.39	0.346	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	24.84	25.54	0.358	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	24.99	25.69	0.371	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	23.97	24.67	0.293	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	21.94	22.64	0.184	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	18.43	19.13	0.082	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	21.38	22.08	0.161	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	23.30	24	0.251	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	23.36	24.06	0.255	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	23.40	24.1	0.257	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	21.91	22.61	0.182	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	22.93	23.63	0.231	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	20.34	21.04	0.127	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	22.43	23.13	0.206	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.66	25.36	0.344	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	24.73	25.43	0.349	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.85	25.55	0.359	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	24.38	25.08	0.322	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	24.69	25.39	0.346	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	24.70	25.4	0.347	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	24.95	25.65	0.367	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	23.92	24.62	0.29	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	21.74	22.44	0.175	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	18.20	18.9	0.078	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	21.17	21.87	0.154	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	23.02	23.72	0.236	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	23.04	23.74	0.237	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	23.30	24	0.251	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	21.74	22.44	0.175	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	22.79	23.49	0.223	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	20.23	20.93	0.124	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	22.29	22.99	0.199	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.55	25.25	0.335	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	24.54	25.24	0.334	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.87	25.57	0.361	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	24.29	24.99	0.316	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.51	25.21	0.332	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	24.55	25.25	0.335	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	24.79	25.49	0.354	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	23.81	24.51	0.282	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	21.96	22.66	0.185	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	18.45	19.15	0.082	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	21.39	22.09	0.162	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	23.28	23.98	0.25	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	23.46	24.16	0.261	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	23.50	24.2	0.263	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	21.96	22.66	0.185	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	23.00	23.7	0.234	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	20.38	21.08	0.128	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	22.43	23.13	0.206	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.59	25.29	0.338	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	24.76	25.46	0.352	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	25.00	25.7	0.372	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	24.51	25.21	0.332	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	24.62	25.32	0.34	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	24.84	25.54	0.358	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	25.03	25.73	0.374	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	24.02	24.72	0.296	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	21.90	22.6	0.182	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	18.35	19.05	0.08	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	21.31	22.01	0.159	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	22.85	23.55	0.226	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	22.90	23.6	0.229	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	21.76	22.46	0.176	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	23.35	24.05	0.254	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	22.78	23.48	0.223	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	20.36	21.06	0.128	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	22.35	23.05	0.202	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.32	25.02	0.318	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.33	25.03	0.318	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	24.35	25.05	0.32	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.91	25.61	0.364	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	24.23	24.93	0.311	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	24.35	25.05	0.32	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	23.80	24.5	0.282	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	24.93	25.63	0.366	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	21.58	22.28	0.169	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	18.12	18.82	0.076	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	21.11	21.81	0.152	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.75	23.45	0.221	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	22.79	23.49	0.223	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	21.58	22.28	0.169	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2592.99MHz_CP-OFDMQPSK_RB53@26	23.21	23.91	0.246	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	22.63	23.33	0.215	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	20.08	20.78	0.12	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	22.15	22.85	0.193	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.16	24.86	0.306	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.19	24.89	0.308	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	24.14	24.84	0.305	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.76	25.46	0.352	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.13	24.83	0.304	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	24.13	24.83	0.304	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	23.63	24.33	0.271	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	24.74	25.44	0.35	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	21.72	22.42	0.175	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	18.24	18.94	0.078	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	21.25	21.95	0.157	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	22.67	23.37	0.217	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	22.88	23.58	0.228	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	21.70	22.4	0.174	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	23.33	24.03	0.253	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	22.82	23.52	0.225	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	20.16	20.86	0.122	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	22.25	22.95	0.197	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.05	24.75	0.299	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.46	25.16	0.328	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	24.31	25.01	0.317	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.80	25.5	0.355	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	24.08	24.78	0.301	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	24.46	25.16	0.328	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	23.78	24.48	0.281	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	24.91	25.61	0.364	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	21.88	22.58	0.181	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	18.40	19.1	0.081	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	21.47	22.17	0.165	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	23.16	23.86	0.243	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	22.97	23.67	0.233	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	21.82	22.52	0.179	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	23.43	24.13	0.259	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	22.96	23.66	0.232	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	20.32	21.02	0.126	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	22.45	23.15	0.207	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.61	25.31	0.34	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.58	25.28	0.337	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	24.35	25.05	0.32	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.92	25.62	0.365	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	24.61	25.31	0.34	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	24.55	25.25	0.335	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	23.96	24.66	0.292	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	25.04	25.74	0.375	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	21.64	22.34	0.171	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	18.17	18.87	0.077	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	21.20	21.9	0.155	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.94	23.64	0.231	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	23.00	23.7	0.234	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	21.67	22.37	0.173	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	23.26	23.96	0.249	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	22.68	23.38	0.218	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	20.20	20.9	0.123	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	22.20	22.9	0.195	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.43	25.13	0.326	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.47	25.17	0.329	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	24.17	24.87	0.307	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.81	25.51	0.356	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.38	25.08	0.322	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	24.48	25.18	0.33	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	23.69	24.39	0.275	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	24.79	25.49	0.354	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	21.78	22.48	0.177	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	18.32	19.02	0.08	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	21.24	21.94	0.156	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	22.87	23.57	0.228	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	23.28	23.98	0.25	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	21.77	22.47	0.177	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	23.34	24.04	0.254	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	22.79	23.49	0.223	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	20.25	20.95	0.124	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	22.30	23	0.2	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.38	25.08	0.322	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.68	25.38	0.345	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	24.30	25	0.316	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.89	25.59	0.362	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	24.31	25.01	0.317	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	24.74	25.44	0.35	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	23.83	24.53	0.284	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	24.85	25.55	0.359	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	21.87	22.57	0.181	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	18.38	19.08	0.081	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	21.42	22.12	0.163	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	23.07	23.77	0.238	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	22.94	23.64	0.231	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	21.92	22.62	0.183	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	23.41	24.11	0.258	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	22.97	23.67	0.233	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	20.46	21.16	0.131	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	22.49	23.19	0.208	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.45	25.15	0.327	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	24.35	25.05	0.32	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	24.42	25.12	0.325	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	24.95	25.65	0.367	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	24.52	25.22	0.333	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	24.45	25.15	0.327	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	23.96	24.66	0.292	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	24.95	25.65	0.367	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	21.61	22.31	0.17	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	18.10	18.8	0.076	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	21.09	21.79	0.151	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.89	23.59	0.229	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	23.13	23.83	0.242	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	21.60	22.3	0.17	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	23.23	23.93	0.247	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	22.66	23.36	0.217	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	20.11	20.81	0.121	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	22.11	22.81	0.191	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.33	25.03	0.318	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	24.46	25.16	0.328	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	24.16	24.86	0.306	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	24.76	25.46	0.352	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.30	25	0.316	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	24.44	25.14	0.327	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	23.67	24.37	0.274	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	24.79	25.49	0.354	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	21.71	22.41	0.174	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	18.21	18.91	0.078	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	21.24	21.94	0.156	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	22.81	23.51	0.224	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	23.19	23.89	0.245	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	21.66	22.36	0.172	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	23.27	23.97	0.249	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	22.80	23.5	0.224	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	20.22	20.92	0.124	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	22.25	22.95	0.197	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.20	24.9	0.309	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	24.77	25.47	0.352	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	24.26	24.96	0.313	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	24.81	25.51	0.356	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	24.16	24.86	0.306	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	24.72	25.42	0.348	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	23.78	24.48	0.281	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	24.82	25.52	0.356	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	21.76	22.46	0.176	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	18.37	19.07	0.081	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	21.35	22.05	0.16	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	23.04	23.74	0.237	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	23.01	23.71	0.235	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	23.41	24.11	0.258	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	21.93	22.63	0.183	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	22.86	23.56	0.227	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	20.22	20.92	0.124	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	22.31	23.01	0.2	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.45	25.15	0.327	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	24.35	25.05	0.32	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.96	25.66	0.368	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	24.37	25.07	0.321	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	24.41	25.11	0.324	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	24.34	25.04	0.319	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	24.97	25.67	0.369	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	23.80	24.5	0.282	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	21.66	22.36	0.172	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	18.28	18.98	0.079	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	21.12	21.82	0.152	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.78	23.48	0.223	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	22.93	23.63	0.231	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	23.28	23.98	0.25	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	21.74	22.44	0.175	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	22.70	23.4	0.219	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	20.20	20.9	0.123	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	22.20	22.9	0.195	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.25	24.95	0.313	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	24.44	25.14	0.327	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.84	25.54	0.358	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	24.19	24.89	0.308	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.25	24.95	0.313	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	24.42	25.12	0.325	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	24.86	25.56	0.36	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	23.71	24.41	0.276	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	21.83	22.53	0.179	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	18.32	19.02	0.08	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	21.24	21.94	0.156	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	22.52	23.22	0.21	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	23.12	23.82	0.241	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	23.30	24	0.251	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2649.99MHz_CP-OFDMQPSK_RB217@0	21.75	22.45	0.176	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM RB216@0	22.86	23.56	0.227	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM RB216@0	20.27	20.97	0.125	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM RB216@0	22.35	23.05	0.202	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	24.74	0.298	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	24.65	25.35	0.343	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.87	25.57	0.361	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	24.27	24.97	0.314	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	24.12	24.82	0.303	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	24.77	25.47	0.352	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	24.91	25.61	0.364	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	23.87	24.57	0.286	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	21.80	22.5	0.178	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	18.28	18.98	0.079	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	21.28	21.98	0.158	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	22.92	23.62	0.23	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	22.84	23.54	0.226	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	23.43	24.13	0.259	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	21.83	22.53	0.179	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	22.82	23.52	0.225	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	20.29	20.99	0.126	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	22.34	23.04	0.201	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.34	25.04	0.319	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	24.28	24.98	0.315	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	25.01	25.71	0.372	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	24.40	25.1	0.324	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	24.25	24.95	0.313	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	24.28	24.98	0.315	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	24.91	25.61	0.364	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	23.86	24.56	0.286	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	21.63	22.33	0.171	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	18.16	18.86	0.077	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	21.17	21.87	0.154	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.66	23.36	0.217	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	22.87	23.57	0.228	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	23.24	23.94	0.248	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	21.63	22.33	0.171	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	22.63	23.33	0.215	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	20.09	20.79	0.12	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	22.18	22.88	0.194	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.11	24.81	0.303	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	24.35	25.05	0.32	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	24.79	25.49	0.354	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	24.15	24.85	0.305	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	24.15	24.85	0.305	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	24.33	25.03	0.318	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	24.80	25.5	0.355	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	23.69	24.39	0.275	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	21.63	22.33	0.171	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	18.18	18.88	0.077	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	21.11	21.81	0.152	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	22.48	23.18	0.208	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	23.07	23.77	0.238	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	23.25	23.95	0.248	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	21.64	22.34	0.171	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	22.63	23.33	0.215	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	20.10	20.8	0.12	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	22.15	22.85	0.193	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.93	24.63	0.29	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	24.58	25.28	0.337	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	24.79	25.49	0.354	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	24.12	24.82	0.303	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	23.89	24.59	0.288	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	24.53	25.23	0.333	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	24.80	25.5	0.355	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	23.66	24.36	0.273	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	21.80	22.5	0.178	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	18.34	19.04	0.08	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	21.22	21.92	0.156	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	22.76	23.46	0.222	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	22.62	23.32	0.215	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	23.36	24.06	0.255	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	21.73	22.43	0.175	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	22.82	23.52	0.225	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	20.19	20.89	0.123	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	22.21	22.91	0.195	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.18	24.88	0.308	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	24.10	24.8	0.302	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	24.82	25.52	0.356	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	24.25	24.95	0.313	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	24.14	24.84	0.305	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	24.08	24.78	0.301	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	24.92	25.62	0.365	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	23.80	24.5	0.282	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	21.53	22.23	0.167	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	18.09	18.79	0.076	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	21.02	21.72	0.149	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.46	23.16	0.207	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	22.74	23.44	0.221	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	23.24	23.94	0.248	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2592.99MHz_CP-OFDMQPSK_RB273@0	21.54	22.24	0.167	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	22.56	23.26	0.212	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	20.00	20.7	0.117	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	22.11	22.81	0.191	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.01	24.71	0.296	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	24.22	24.92	0.31	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	24.75	25.45	0.351	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	24.06	24.76	0.299	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.96	24.66	0.292	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	24.20	24.9	0.309	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	24.73	25.43	0.349	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	23.58	24.28	0.268	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	21.57	22.27	0.169	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	18.12	18.82	0.076	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	21.03	21.73	0.149	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	22.22	22.92	0.196	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	22.95	23.65	0.232	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	23.24	23.94	0.248	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	21.51	22.21	0.166	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	22.54	23.24	0.211	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	20.02	20.72	0.118	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	22.03	22.73	0.187	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.76	24.46	0.279	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	24.49	25.19	0.33	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	24.72	25.42	0.348	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	24.03	24.73	0.297	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	23.63	24.33	0.271	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	24.58	25.28	0.337	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	24.76	25.46	0.352	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	23.56	24.26	0.267	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n41:

1. Ant Gain = 0.7 dBi;

2. CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	20.72	17.82	0.061	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	17.41	14.51	0.028	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	20.38	17.48	0.056	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	22.30	19.4	0.087	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	22.25	19.35	0.086	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	22.31	19.41	0.087	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	20.75	17.85	0.061	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.81	18.91	0.078	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.44	16.54	0.045	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.29	18.39	0.069	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	12.62	9.72	0.009	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.84	20.94	0.124	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.92	21.02	0.126	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.34	20.44	0.111	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	23.65	20.75	0.119	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	23.70	20.8	0.12	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	23.85	20.95	0.124	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	22.81	19.91	0.098	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	20.61	17.71	0.059	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	17.29	14.39	0.027	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	20.27	17.37	0.055	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.25	19.35	0.086	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	22.28	19.38	0.087	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	22.24	19.34	0.086	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	20.71	17.81	0.06	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	21.70	18.8	0.076	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	19.40	16.5	0.045	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	21.24	18.34	0.068	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.80	20.9	0.123	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.76	20.86	0.122	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.77	20.87	0.122	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.26	20.36	0.109	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.63	20.73	0.118	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	23.68	20.78	0.12	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	23.77	20.87	0.122	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	22.79	19.89	0.097	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	20.81	17.91	0.062	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	17.42	14.52	0.028	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	20.41	17.51	0.056	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	22.40	19.5	0.089	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	22.26	19.36	0.086	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	22.51	19.61	0.091	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	20.89	17.99	0.063	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.90	19	0.079	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.49	16.59	0.046	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.37	18.47	0.07	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.80	20.9	0.123	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.74	20.84	0.121	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.89	20.99	0.126	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.38	20.48	0.112	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	23.78	20.88	0.122	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	23.66	20.76	0.119	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	23.88	20.98	0.125	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	22.89	19.99	0.1	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	20.67	17.77	0.06	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	17.20	14.3	0.027	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	20.07	17.17	0.052	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	22.13	19.23	0.084	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	22.05	19.15	0.082	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	22.12	19.22	0.084	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	20.60	17.7	0.059	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM 16 QAM_RB50@0	21.66	18.76	0.075	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM 256 QAM_RB50@0	19.17	16.27	0.042	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM 64 QAM_RB50@0	21.12	18.22	0.066	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.65	20.75	0.119	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.58	20.68	0.117	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.67	20.77	0.119	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	23.13	20.23	0.105	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB1@1	23.54	20.64	0.116	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB1@50	23.47	20.57	0.114	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB25@12	23.68	20.78	0.12	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB50@0	22.65	19.75	0.094	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	20.59	17.69	0.059	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	17.18	14.28	0.027	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	19.96	17.06	0.051	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.94	19.04	0.08	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	22.14	19.24	0.084	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	22.10	19.2	0.083	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	20.54	17.64	0.058	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM 16 QAM_RB50@0	21.56	18.66	0.073	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM 256 QAM_RB50@0	19.18	16.28	0.042	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM 64 QAM_RB50@0	21.08	18.18	0.066	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.50	20.6	0.115	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.59	20.69	0.117	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.61	20.71	0.118	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.10	20.2	0.105	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.39	20.49	0.112	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	23.51	20.61	0.115	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	23.60	20.7	0.117	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	22.58	19.68	0.093	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	20.65	17.75	0.06	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	17.20	14.3	0.027	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	20.10	17.2	0.052	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	22.05	19.15	0.082	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	22.12	19.22	0.084	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	22.19	19.29	0.085	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	20.61	17.71	0.059	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	21.70	18.8	0.076	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	19.22	16.32	0.043	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	21.19	18.29	0.067	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.69	20.79	0.12	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.53	20.63	0.116	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.79	20.89	0.123	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.20	20.3	0.107	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	23.52	20.62	0.115	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	23.52	20.62	0.115	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	23.78	20.88	0.122	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	22.66	19.76	0.095	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	20.79	17.89	0.062	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	17.35	14.45	0.028	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	20.25	17.35	0.054	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	22.20	19.3	0.085	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	21.92	19.02	0.08	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	22.37	19.47	0.089	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	20.74	17.84	0.061	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.82	18.92	0.078	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.40	16.5	0.045	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.22	18.32	0.068	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.73	20.83	0.121	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.47	20.57	0.114	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.77	20.87	0.122	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.24	20.34	0.108	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	23.56	20.66	0.116	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	23.47	20.57	0.114	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	23.84	20.94	0.124	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	22.77	19.87	0.097	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	20.77	17.87	0.061	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	17.35	14.45	0.028	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	20.25	17.35	0.054	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.09	19.19	0.083	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	22.24	19.34	0.086	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	22.32	19.42	0.087	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	20.72	17.82	0.061	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	21.72	18.82	0.076	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	19.38	16.48	0.044	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	21.25	18.35	0.068	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.57	20.67	0.117	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.64	20.74	0.119	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.78	20.88	0.122	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.29	20.39	0.109	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.48	20.58	0.114	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	23.54	20.64	0.116	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	23.79	20.89	0.123	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	22.78	19.88	0.097	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	20.89	17.99	0.063	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	17.44	14.54	0.028	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	20.36	17.46	0.056	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	22.13	19.23	0.084	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	22.20	19.3	0.085	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	22.40	19.5	0.089	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	20.85	17.95	0.062	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.84	18.94	0.078	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.53	16.63	0.046	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.34	18.44	0.07	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.69	20.79	0.12	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.68	20.78	0.12	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.90	21	0.126	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.44	20.54	0.113	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	23.55	20.65	0.116	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	23.60	20.7	0.117	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	23.91	21.01	0.126	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	22.90	20	0.1	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	20.57	17.67	0.058	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	17.17	14.27	0.027	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	20.00	17.1	0.051	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	22.13	19.23	0.084	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	21.92	19.02	0.08	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	20.53	17.63	0.058	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	22.20	19.3	0.085	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.59	18.69	0.074	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	19.17	16.27	0.042	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	21.15	18.25	0.067	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.69	20.79	0.12	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.45	20.55	0.114	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.11	20.21	0.105	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.72	20.82	0.121	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	23.56	20.66	0.116	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	23.39	20.49	0.112	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	22.59	19.69	0.093	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	23.73	20.83	0.121	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	20.72	17.82	0.061	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	17.37	14.47	0.028	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	20.22	17.32	0.054	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.96	19.06	0.081	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	22.04	19.14	0.082	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	20.74	17.84	0.061	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	22.24	19.34	0.086	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	21.76	18.86	0.077	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	19.33	16.43	0.044	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	21.24	18.34	0.068	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.45	20.55	0.114	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.56	20.66	0.116	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.31	20.41	0.11	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.76	20.86	0.122	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.36	20.46	0.111	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	23.47	20.57	0.114	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	22.74	19.84	0.096	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	23.80	20.9	0.123	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	20.90	18	0.063	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	17.52	14.62	0.029	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	20.39	17.49	0.056	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	22.10	19.2	0.083	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	22.18	19.28	0.085	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	20.89	17.99	0.063	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	22.40	19.5	0.089	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	21.93	19.03	0.08	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	19.54	16.64	0.046	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	21.44	18.54	0.071	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.58	20.68	0.117	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.62	20.72	0.118	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.48	20.58	0.114	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.90	21	0.126	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	23.48	20.58	0.114	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	23.58	20.68	0.117	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	22.92	20.02	0.1	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	23.88	20.98	0.125	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	20.59	17.69	0.059	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	17.16	14.26	0.027	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	20.04	17.14	0.052	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	22.09	19.19	0.083	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	21.96	19.06	0.081	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	20.60	17.7	0.059	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	22.14	19.24	0.084	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.58	18.68	0.074	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.23	16.33	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.10	18.2	0.066	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.64	20.74	0.119	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.48	20.58	0.114	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.03	20.13	0.103	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.65	20.75	0.119	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	23.51	20.61	0.115	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	23.31	20.41	0.11	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	22.60	19.7	0.093	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	23.73	20.83	0.121	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	20.70	17.8	0.06	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	17.26	14.36	0.027	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	20.20	17.3	0.054	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.88	18.98	0.079	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	21.97	19.07	0.081	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	20.71	17.81	0.06	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	22.23	19.33	0.086	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	21.72	18.82	0.076	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	19.37	16.47	0.044	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	21.17	18.27	0.067	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	20.52	0.113	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.51	20.61	0.115	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.20	20.3	0.107	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.77	20.87	0.122	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.25	20.35	0.108	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	23.42	20.52	0.113	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	22.70	19.8	0.095	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	23.72	20.82	0.121	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	20.85	17.95	0.062	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	17.45	14.55	0.029	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	20.34	17.44	0.055	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	21.98	19.08	0.081	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	21.96	19.06	0.081	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	20.87	17.97	0.063	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	22.39	19.49	0.089	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.94	19.04	0.08	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.50	16.6	0.046	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.35	18.45	0.07	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	20.52	0.113	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.59	20.69	0.117	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.35	20.45	0.111	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.87	20.97	0.125	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	23.36	20.46	0.111	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	23.60	20.7	0.117	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	22.86	19.96	0.099	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	23.92	21.02	0.126	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	20.50	17.6	0.058	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	17.06	14.16	0.026	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	20.00	17.1	0.051	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	22.02	19.12	0.082	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	21.91	19.01	0.08	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	20.46	17.56	0.057	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	22.09	19.19	0.083	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	21.52	18.62	0.073	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	19.10	16.2	0.042	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	21.01	18.11	0.065	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.50	20.6	0.115	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.45	20.55	0.114	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.99	20.09	0.102	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.62	20.72	0.118	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	23.38	20.48	0.112	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	23.32	20.42	0.11	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	22.55	19.65	0.092	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	23.68	20.78	0.12	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	20.65	17.75	0.06	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	17.24	14.34	0.027	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	20.17	17.27	0.053	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.67	18.77	0.075	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	22.00	19.1	0.081	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	20.63	17.73	0.059	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	22.19	19.29	0.085	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	21.70	18.8	0.076	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	19.27	16.37	0.043	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	21.12	18.22	0.066	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.22	20.32	0.108	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.48	20.58	0.114	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.17	20.27	0.106	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.74	20.84	0.121	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.13	20.23	0.105	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	23.36	20.46	0.111	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	22.68	19.78	0.095	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	23.74	20.84	0.121	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	20.81	17.91	0.062	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	17.37	14.47	0.028	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	20.34	17.44	0.055	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	21.86	18.96	0.079	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	22.05	19.15	0.082	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	20.80	17.9	0.062	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	22.28	19.38	0.087	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	21.85	18.95	0.079	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	19.41	16.51	0.045	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	21.29	18.39	0.069	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	20.51	0.112	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.53	20.63	0.116	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.28	20.38	0.109	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.88	20.98	0.125	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	23.30	20.4	0.11	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	23.45	20.55	0.114	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	22.81	19.91	0.098	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	23.91	21.01	0.126	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	20.49	17.59	0.057	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	17.05	14.15	0.026	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	19.99	17.09	0.051	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	21.64	18.74	0.075	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	21.79	18.89	0.077	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	22.08	19.18	0.083	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	20.50	17.6	0.058	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM 16 QAM_RB216@0	21.54	18.64	0.073	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM 256 QAM_RB216@0	19.11	16.21	0.042	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM 64 QAM_RB216@0	21.02	18.12	0.065	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.27	20.37	0.109	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	23.27	20.37	0.109	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	23.64	20.74	0.119	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	22.96	20.06	0.101	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB1@1	23.10	20.2	0.105	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB1@214	23.20	20.3	0.107	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB108@54	23.66	20.76	0.119	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB216@0	22.53	19.63	0.092	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	20.63	17.73	0.059	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	17.26	14.36	0.027	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	20.14	17.24	0.053	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.48	18.58	0.072	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	21.85	18.95	0.079	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	22.22	19.32	0.086	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	20.65	17.75	0.06	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM 16 QAM_RB216@0	21.65	18.75	0.075	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM 256 QAM_RB216@0	19.29	16.39	0.044	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM 64 QAM_RB216@0	21.22	18.32	0.068	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.90	20	0.1	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	23.26	20.36	0.109	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.71	20.81	0.121	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.16	20.26	0.106	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.90	20	0.1	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	23.16	20.26	0.106	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	23.75	20.85	0.122	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	22.68	19.78	0.095	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	20.59	17.69	0.059	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	17.11	14.21	0.026	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	20.13	17.23	0.053	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	21.38	18.48	0.07	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	21.85	18.95	0.079	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	22.20	19.3	0.085	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	20.59	17.69	0.059	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	21.63	18.73	0.075	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	19.20	16.3	0.043	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	21.12	18.22	0.066	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.04	20.14	0.103	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.27	20.37	0.109	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.75	20.85	0.122	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.04	20.14	0.103	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	22.94	20.04	0.101	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	23.20	20.3	0.107	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	23.78	20.88	0.122	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	22.64	19.74	0.094	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n66:

1.Ant Gain =-2.1 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	20.39	16.89	0.049	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	16.68	13.18	0.021	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	19.95	16.45	0.044	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	21.75	18.25	0.067	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	21.74	18.24	0.067	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	21.91	18.41	0.069	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	20.31	16.81	0.048	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.50	18	0.063	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.82	15.32	0.034	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.91	17.41	0.055	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	19.66	0.092	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.18	19.68	0.093	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.24	19.74	0.094	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.76	19.26	0.084	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	23.18	19.68	0.093	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	23.19	19.69	0.093	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	23.32	19.82	0.096	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	22.41	18.91	0.078	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	20.41	16.91	0.049	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	16.74	13.24	0.021	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	19.97	16.47	0.044	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.76	18.26	0.067	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	21.78	18.28	0.067	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	21.87	18.37	0.069	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	20.35	16.85	0.048	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	21.49	17.99	0.063	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	18.81	15.31	0.034	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	20.92	17.42	0.055	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	19.66	0.092	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.20	19.7	0.093	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.26	19.76	0.095	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.77	19.27	0.085	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.20	19.7	0.093	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	23.18	19.68	0.093	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	23.32	19.82	0.096	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	22.40	18.9	0.078	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	20.55	17.05	0.051	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	16.95	13.45	0.022	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	20.12	16.62	0.046	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	21.92	18.42	0.07	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	21.82	18.32	0.068	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	22.08	18.58	0.072	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	20.53	17.03	0.05	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.68	18.18	0.066	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.05	15.55	0.036	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.11	17.61	0.058	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.30	19.8	0.095	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.39	19.89	0.097	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.45	19.95	0.099	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.98	19.48	0.089	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	23.30	19.8	0.095	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	23.50	20	0.1	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	23.57	20.07	0.102	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	22.64	19.14	0.082	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	20.13	16.63	0.046	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	16.61	13.11	0.02	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	19.65	16.15	0.041	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	21.56	18.06	0.064	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	21.65	18.15	0.065	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	21.65	18.15	0.065	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	20.17	16.67	0.046	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	21.19	17.69	0.059	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	18.61	15.11	0.032	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	20.69	17.19	0.052	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	19.49	0.089	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.00	19.5	0.089	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.13	19.63	0.092	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.54	19.04	0.08	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	22.96	19.46	0.088	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	22.97	19.47	0.089	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	23.15	19.65	0.092	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	22.19	18.69	0.074	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	20.25	16.75	0.047	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	16.67	13.17	0.021	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	19.70	16.2	0.042	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.59	18.09	0.064	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	21.70	18.2	0.066	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	21.72	18.22	0.066	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	20.25	16.75	0.047	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	21.29	17.79	0.06	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	18.65	15.15	0.033	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	20.74	17.24	0.053	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.01	19.51	0.089	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.01	19.51	0.089	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.13	19.63	0.092	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.58	19.08	0.081	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	22.91	19.41	0.087	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	22.98	19.48	0.089	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	23.13	19.63	0.092	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	22.26	18.76	0.075	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	20.34	16.84	0.048	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	16.84	13.34	0.022	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	19.90	16.4	0.044	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	21.83	18.33	0.068	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	21.79	18.29	0.067	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	21.86	18.36	0.069	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	20.33	16.83	0.048	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	21.45	17.95	0.062	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	18.83	15.33	0.034	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	20.88	17.38	0.055	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.11	19.61	0.091	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.23	19.73	0.094	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.28	19.78	0.095	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.75	19.25	0.084	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	23.05	19.55	0.09	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	23.23	19.73	0.094	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	23.29	19.79	0.095	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	22.39	18.89	0.077	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	20.34	16.84	0.048	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	16.78	13.28	0.021	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	19.79	16.29	0.043	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	21.69	18.19	0.066	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	21.71	18.21	0.066	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	21.93	18.43	0.07	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	20.37	16.87	0.049	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.31	17.81	0.06	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.79	15.29	0.034	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.85	17.35	0.054	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.11	19.61	0.091	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.11	19.61	0.091	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.23	19.73	0.094	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.69	19.19	0.083	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	23.05	19.55	0.09	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	23.13	19.63	0.092	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	23.26	19.76	0.095	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	22.41	18.91	0.078	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	20.39	16.89	0.049	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	16.84	13.34	0.022	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	19.87	16.37	0.043	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.75	18.25	0.067	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	21.74	18.24	0.067	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	21.92	18.42	0.07	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	20.37	16.87	0.049	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	21.31	17.81	0.06	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.81	15.31	0.034	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.85	17.35	0.054	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.14	19.64	0.092	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.17	19.67	0.093	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.24	19.74	0.094	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.75	19.25	0.084	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.13	19.63	0.092	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	23.08	19.58	0.091	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	23.23	19.73	0.094	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	22.43	18.93	0.078	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	20.55	17.05	0.051	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	16.95	13.45	0.022	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	20.02	16.52	0.045	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	21.85	18.35	0.068	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	21.91	18.41	0.069	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	22.10	18.6	0.072	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_2562.5MHz_CP-OFDMQPSK_RB79@0	20.53	17.03	0.05	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM16QAM_RB75@0	21.58	18.08	0.064	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM256QAM_RB75@0	18.97	15.47	0.035	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM64QAM_RB75@0	21.06	17.56	0.057	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMPI/2BPSK_RB1@1	23.26	19.76	0.095	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMPI/2BPSK_RB1@77	23.34	19.84	0.096	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMPI/2BPSK_RB36@18	23.40	19.9	0.098	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMPI/2BPSK_RB75@0	22.93	19.43	0.088	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMQPSK_RB1@1	23.16	19.66	0.092	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMQPSK_RB1@77	23.31	19.81	0.096	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMQPSK_RB36@18	23.38	19.88	0.097	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDMQPSK_RB75@0	22.59	19.09	0.081	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM16QAM_RB106@0	20.28	16.78	0.048	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM256QAM_RB106@0	16.67	13.17	0.021	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM64QAM_RB106@0	19.77	16.27	0.042	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDMQPSK_RB1@1	21.64	18.14	0.065	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDMQPSK_RB1@104	21.67	18.17	0.066	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDMQPSK_RB106@0	20.33	16.83	0.048	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDMQPSK_RB53@26	21.88	18.38	0.069	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM16QAM_RB100@0	21.40	17.9	0.062	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM256QAM_RB100@0	18.78	15.28	0.034	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM64QAM_RB100@0	20.87	17.37	0.055	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMPI/2BPSK_RB1@1	23.01	19.51	0.089	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMPI/2BPSK_RB1@104	23.11	19.61	0.091	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMPI/2BPSK_RB100@0	22.71	19.21	0.083	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMPI/2BPSK_RB50@25	23.23	19.73	0.094	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMQPSK_RB1@1	23.02	19.52	0.09	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMQPSK_RB1@104	23.09	19.59	0.091	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMQPSK_RB100@0	22.39	18.89	0.077	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDMQPSK_RB50@25	23.28	19.78	0.095	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	20.38	16.88	0.049	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	16.82	13.32	0.021	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	19.87	16.37	0.043	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.68	18.18	0.066	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	21.76	18.26	0.067	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	20.38	16.88	0.049	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	21.89	18.39	0.069	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM 16 QAM_RB100@0	21.41	17.91	0.062	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM 256 QAM_RB100@0	18.80	15.3	0.034	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM 64 QAM_RB100@0	20.88	17.38	0.055	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.07	19.57	0.091	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	23.14	19.64	0.092	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM PI/2 BPSK_RB100@0	22.76	19.26	0.084	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM PI/2 BPSK_RB50@25	23.27	19.77	0.095	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM QPSK_RB1@1	23.02	19.52	0.09	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM QPSK_RB1@104	23.11	19.61	0.091	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM QPSK_RB100@0	22.37	18.87	0.077	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s- OFDM QPSK_RB50@25	23.26	19.76	0.095	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	20.59	17.09	0.051	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	16.93	13.43	0.022	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	20.01	16.51	0.045	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	21.78	18.28	0.067	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	21.82	18.32	0.068	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	20.58	17.08	0.051	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	22.06	18.56	0.072	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM 16 QAM_RB100@0	21.58	18.08	0.064	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM 256 QAM_RB100@0	19.03	15.53	0.036	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM 64 QAM_RB100@0	21.09	17.59	0.057	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.14	19.64	0.092	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	23.29	19.79	0.095	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_2560MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.91	19.41	0.087	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.45	19.95	0.099	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	23.11	19.61	0.091	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	23.30	19.8	0.095	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	22.61	19.11	0.081	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	23.46	19.96	0.099	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n7:

1.Ant Gain =-2.7 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3455MHz_CP-OFDM 16 QAM_RB52@0	20.27	20.52	0.113	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM 256 QAM_RB52@0	16.93	17.18	0.052	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM 64 QAM_RB52@0	19.73	19.98	0.100	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.80	22.05	0.160	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB1@50	22.13	22.38	0.173	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB26@13	21.71	21.96	0.157	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB52@0	20.30	20.55	0.114	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM 16 QAM_RB50@0	21.26	21.51	0.142	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM 256 QAM_RB50@0	18.79	19.04	0.080	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM 64 QAM_RB50@0	20.77	21.02	0.126	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	23.54	0.226	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.21	23.46	0.222	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.27	23.52	0.225	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.79	23.04	0.201	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	23.18	23.43	0.220	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB1@50	23.11	23.36	0.217	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB25@12	23.28	23.53	0.225	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB50@0	22.30	22.55	0.180	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB52@0	20.05	20.3	0.107	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB52@0	16.73	16.98	0.050	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB52@0	19.60	19.85	0.097	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.93	22.18	0.165	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@50	21.78	22.03	0.160	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB26@13	21.65	21.9	0.155	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB52@0	20.14	20.39	0.109	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM 16 QAM_RB50@0	21.14	21.39	0.138	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM 256 QAM_RB50@0	18.63	18.88	0.077	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM 64 QAM_RB50@0	20.74	20.99	0.126	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.04	23.29	0.213	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.04	23.29	0.213	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.08	23.33	0.215	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	22.67	22.92	0.196	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB1@1	23.04	23.29	0.213	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB1@50	22.92	23.17	0.207	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB25@12	23.12	23.37	0.217	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB50@0	22.16	22.41	0.174	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 16 QAM_RB52@0	19.87	20.12	0.103	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 256 QAM_RB52@0	16.52	16.77	0.048	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 64 QAM_RB52@0	19.44	19.69	0.093	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.51	21.76	0.150	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB1@50	21.45	21.7	0.148	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB26@13	21.37	21.62	0.145	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB52@0	19.92	20.17	0.104	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s- OFDM 16 QAM_RB50@0	20.87	21.12	0.129	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s- OFDM 256 QAM_RB50@0	18.39	18.64	0.073	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s- OFDM 64 QAM_RB50@0	20.43	20.68	0.117	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.85	23.1	0.204	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	22.78	23.03	0.201	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.93	23.18	0.208	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.45	22.7	0.186	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	22.83	23.08	0.203	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB1@50	22.74	22.99	0.199	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB25@12	22.90	23.15	0.207	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB50@0	21.90	22.15	0.164	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	20.26	20.51	0.112	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	16.80	17.05	0.051	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	19.72	19.97	0.099	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.75	22	0.158	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	21.69	21.94	0.156	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	21.70	21.95	0.157	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	20.19	20.44	0.111	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	21.29	21.54	0.143	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	18.78	19.03	0.080	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	20.71	20.96	0.125	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.07	23.32	0.215	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.11	23.36	0.217	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.26	23.51	0.224	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.77	23.02	0.200	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	23.12	23.37	0.217	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	23.08	23.33	0.215	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	23.27	23.52	0.225	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	22.26	22.51	0.178	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	20.22	20.47	0.111	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	16.76	17.01	0.050	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	19.62	19.87	0.097	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.71	21.96	0.157	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	21.60	21.85	0.153	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	21.58	21.83	0.152	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	20.19	20.44	0.111	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	21.20	21.45	0.14	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	18.68	18.93	0.078	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	20.65	20.9	0.123	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.11	23.36	0.217	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.99	23.24	0.211	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.14	23.39	0.218	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.67	22.92	0.196	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.01	23.26	0.212	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	23.01	23.26	0.212	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	23.13	23.38	0.218	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	22.19	22.44	0.175	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	20.06	20.31	0.107	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	16.63	16.88	0.049	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	19.45	19.7	0.093	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.46	21.71	0.148	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.47	21.72	0.149	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	21.46	21.71	0.148	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	20.04	20.29	0.107	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	21.08	21.33	0.136	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	18.61	18.86	0.077	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	20.51	20.76	0.119	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.92	23.17	0.207	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.96	23.21	0.209	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.06	23.31	0.214	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.59	22.84	0.192	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	22.94	23.19	0.208	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	22.88	23.13	0.206	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	23.02	23.27	0.212	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	22.09	22.34	0.171	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3457.5MHz_CP-OFDM_16_QAM_RB79@0	20.26	20.51	0.112	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM_256_QAM_RB79@0	16.96	17.21	0.053	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM_64_QAM_RB79@0	19.78	20.03	0.101	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM_QPSK_RB1@1	21.71	21.96	0.157	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM_QPSK_RB1@77	21.64	21.89	0.155	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM_QPSK_RB39@19	21.75	22	0.158	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM_QPSK_RB79@0	20.27	20.52	0.113	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_16_QAM_RB75@0	21.31	21.56	0.143	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_256_QAM_RB75@0	18.77	19.02	0.08	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_64_QAM_RB75@0	20.87	21.12	0.129	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.41	23.679	0.219	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@77	23.41	23.679	0.219	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_PI/2_BPSK_RB36@18	23.49	23.758	0.223	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_PI/2_BPSK_RB75@0	22.85	23.1	0.204	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_QPSK_RB1@1	23.28	23.53	0.225	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_QPSK_RB1@77	23.27	23.52	0.225	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_QPSK_RB36@18	23.27	23.52	0.225	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM_QPSK_RB75@0	22.34	22.59	0.182	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_16_QAM_RB79@0	20.15	20.4	0.11	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_256_QAM_RB79@0	16.81	17.06	0.051	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_64_QAM_RB79@0	19.65	19.9	0.098	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_QPSK_RB1@1	21.64	21.89	0.155	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_QPSK_RB1@77	21.49	21.74	0.149	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_QPSK_RB39@19	21.66	21.91	0.155	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM_QPSK_RB79@0	20.15	20.4	0.11	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM_16_QAM_RB75@0	21.20	21.45	0.14	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM_256_QAM_RB75@0	18.66	18.91	0.078	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM_64_QAM_RB75@0	20.73	20.98	0.125	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.18	23.43	0.22	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM_PI/2_BPSK_RB1@77	23.02	23.27	0.212	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.26	23.51	0.224	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.72	22.97	0.198	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.24	23.49	0.223	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@77	23.06	23.31	0.214	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	23.21	23.46	0.222	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	22.23	22.48	0.177	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 16 QAM_RB79@0	20.06	20.31	0.107	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 256 QAM_RB79@0	16.72	16.97	0.05	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 64 QAM_RB79@0	19.55	19.8	0.095	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.46	21.71	0.148	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB1@77	21.37	21.62	0.145	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB39@19	21.51	21.76	0.15	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB79@0	20.08	20.33	0.108	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.08	21.33	0.136	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.55	18.8	0.076	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.55	20.8	0.12	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.94	23.19	0.208	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.84	23.09	0.204	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.12	23.37	0.217	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.58	22.83	0.192	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	23.06	23.31	0.214	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@77	22.98	23.23	0.21	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@18	23.10	23.35	0.216	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB75@0	22.13	22.38	0.173	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	20.27	20.52	0.113	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	16.93	17.18	0.052	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	19.84	20.09	0.102	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.73	21.98	0.158	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	21.73	21.98	0.158	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	21.77	22.02	0.159	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	20.23	20.48	0.112	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.31	21.56	0.143	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.76	19.01	0.08	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.81	21.06	0.128	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	23.42	0.22	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.16	23.41	0.219	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.30	23.55	0.226	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.82	23.07	0.203	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.11	23.36	0.217	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	23.11	23.36	0.217	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	23.27	23.52	0.225	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	22.38	22.63	0.183	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	20.09	20.34	0.108	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	16.63	16.88	0.049	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	19.67	19.92	0.098	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.77	22.02	0.159	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	21.52	21.77	0.15	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	21.70	21.95	0.157	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	20.12	20.37	0.109	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	21.18	21.43	0.139	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	18.59	18.84	0.077	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	20.63	20.88	0.122	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.10	23.35	0.216	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.99	23.24	0.211	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.23	23.48	0.223	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.66	22.91	0.195	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.17	23.42	0.22	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	22.90	23.15	0.207	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	23.19	23.44	0.221	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	22.20	22.45	0.176	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	20.05	20.3	0.107	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.66	16.91	0.049	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.56	19.81	0.096	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.52	21.77	0.15	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.35	21.6	0.145	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.49	21.74	0.149	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	20.02	20.27	0.106	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.12	21.37	0.137	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.48	18.73	0.075	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.59	20.84	0.121	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.91	23.16	0.207	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.89	23.14	0.206	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.05	23.3	0.214	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.54	22.79	0.19	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	22.89	23.14	0.206	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	22.90	23.15	0.207	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	22.99	23.24	0.211	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	22.02	22.27	0.169	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 16 QAM_RB106@0	20.36	20.61	0.115	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 256 QAM_RB106@0	16.97	17.22	0.053	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 64 QAM_RB106@0	19.88	20.13	0.103	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.71	21.96	0.157	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB1@104	21.71	21.96	0.157	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB106@0	20.29	20.54	0.113	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB53@26	21.86	22.11	0.163	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 16 QAM_RB100@0	21.32	21.57	0.144	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 256 QAM_RB100@0	18.80	19.05	0.08	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 64 QAM_RB100@0	20.89	21.14	0.13	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	23.54	0.226	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.18	23.43	0.22	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.94	23.19	0.208	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.42	23.67	0.233	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23.37	23.62	0.23	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB1@104	23.40	23.65	0.232	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB100@0	22.35	22.6	0.182	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB50@25	23.36	23.61	0.23	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.21	20.46	0.111	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	16.84	17.09	0.051	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	19.69	19.94	0.099	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.65	21.9	0.155	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.43	21.68	0.147	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.19	20.44	0.111	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB53@26	21.71	21.96	0.157	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.25	21.5	0.141	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	18.66	18.91	0.078	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	20.72	20.97	0.125	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.15	23.4	0.219	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.92	23.17	0.207	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.72	22.97	0.198	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.30	23.55	0.226	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.23	23.48	0.223	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	23.03	23.28	0.213	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.23	22.48	0.177	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.27	23.52	0.225	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 16 QAM_RB106@0	20.10	20.35	0.108	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 256 QAM_RB106@0	16.71	16.96	0.05	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 64 QAM_RB106@0	19.55	19.8	0.095	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.39	21.64	0.146	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB1@104	21.37	21.62	0.145	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB106@0	20.04	20.29	0.107	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB53@26	21.55	21.8	0.151	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 16 QAM_RB100@0	21.03	21.28	0.134	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 256 QAM_RB100@0	18.54	18.79	0.076	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 64 QAM_RB100@0	20.54	20.79	0.12	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.00	23.25	0.211	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.97	23.22	0.21	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.61	22.86	0.193	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.13	23.38	0.218	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	23.05	23.3	0.214	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB1@104	22.86	23.11	0.205	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB100@0	22.10	22.35	0.172	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB50@25	23.13	23.38	0.218	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	20.35	20.6	0.115	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	16.93	17.18	0.052	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	19.80	20.05	0.101	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.83	22.08	0.161	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	21.86	22.11	0.163	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	21.81	22.06	0.161	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	20.36	20.61	0.115	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	21.37	21.62	0.145	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	18.77	19.02	0.08	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	20.91	21.16	0.131	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	23.41	0.219	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.21	23.46	0.222	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.35	23.6	0.229	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.89	23.14	0.206	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23.14	23.39	0.218	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	23.18	23.43	0.22	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	23.36	23.61	0.23	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	22.38	22.63	0.183	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	20.15	20.4	0.11	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	16.72	16.97	0.05	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	19.61	19.86	0.097	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.59	21.84	0.153	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	21.40	21.65	0.146	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	21.68	21.93	0.156	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	20.17	20.42	0.11	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM 16 QAM_RB50@0	21.16	21.41	0.138	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM 256 QAM_RB50@0	18.64	18.89	0.077	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM 64 QAM_RB50@0	20.70	20.95	0.124	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.15	23.4	0.219	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@49	22.93	23.18	0.208	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.20	23.45	0.221	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	22.71	22.96	0.198	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@1	23.16	23.41	0.219	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@49	22.86	23.11	0.205	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB25@12	23.22	23.47	0.222	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB50@0	22.19	22.44	0.175	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	19.99	20.24	0.106	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	16.56	16.81	0.048	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	19.47	19.72	0.094	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.40	21.65	0.146	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	21.31	21.56	0.143	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	21.55	21.8	0.151	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	20.01	20.26	0.106	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s- OFDM 16 QAM_RB50@0	21.03	21.28	0.134	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s- OFDM 256 QAM_RB50@0	18.54	18.79	0.076	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s- OFDM 64 QAM_RB50@0	20.53	20.78	0.12	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.89	23.14	0.206	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s- OFDM PI/2 BPSK_RB1@49	22.84	23.09	0.204	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.08	23.33	0.215	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.56	22.81	0.191	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	22.87	23.12	0.205	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	22.79	23.04	0.201	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	23.10	23.35	0.216	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	22.03	22.28	0.169	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 16 QAM_RB160@0	20.26	20.51	0.112	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 256 QAM_RB160@0	16.93	17.18	0.052	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 64 QAM_RB160@0	19.79	20.04	0.101	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.61	21.86	0.153	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB1@158	21.47	21.72	0.149	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB160@0	20.23	20.48	0.112	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB80@40	21.81	22.06	0.161	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM 16 QAM_RB160@0	21.31	21.56	0.143	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM 256 QAM_RB160@0	18.79	19.04	0.08	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM 64 QAM_RB160@0	20.83	21.08	0.128	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.09	23.34	0.216	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.90	23.15	0.207	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.84	23.09	0.204	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.39	23.64	0.231	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	23.12	23.37	0.217	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB1@158	23.05	23.3	0.214	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB160@0	22.33	22.58	0.181	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB80@40	23.36	23.61	0.23	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB160@0	20.18	20.43	0.11	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB160@0	16.75	17	0.05	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB160@0	19.59	19.84	0.096	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.51	21.76	0.15	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@158	21.20	21.45	0.14	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB160@0	20.09	20.34	0.108	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB80@40	21.75	22	0.158	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB160@0	21.19	21.44	0.139	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB160@0	18.72	18.97	0.079	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB160@0	20.66	20.91	0.123	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.03	23.28	0.213	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.72	22.97	0.198	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.65	22.9	0.195	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.24	23.49	0.223	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.99	23.24	0.211	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@158	22.77	23.02	0.2	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB160@0	22.20	22.45	0.176	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB80@40	23.25	23.5	0.224	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 16 QAM_RB160@0	20.03	20.28	0.107	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 256 QAM_RB160@0	16.71	16.96	0.05	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 64 QAM_RB160@0	19.54	19.79	0.095	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.28	21.53	0.142	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB1@158	21.25	21.5	0.141	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB160@0	20.04	20.29	0.107	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB80@40	21.55	21.8	0.151	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 16 QAM_RB160@0	21.08	21.33	0.136	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 256 QAM_RB160@0	18.59	18.84	0.077	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 64 QAM_RB160@0	20.56	20.81	0.121	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.87	23.12	0.205	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.78	23.03	0.201	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.62	22.87	0.194	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.17	23.42	0.22	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	22.87	23.12	0.205	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB1@158	22.83	23.08	0.203	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB160@0	22.09	22.34	0.171	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB80@40	23.15	23.4	0.219	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3470MHz_CP-OFDM 16 QAM_RB216@0	20.13	20.38	0.109	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 256 QAM_RB216@0	16.76	17.01	0.05	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 64 QAM_RB216@0	19.61	19.86	0.097	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.25	21.5	0.141	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB1@214	20.97	21.22	0.132	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB108@54	21.79	22.04	0.16	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB216@0	20.11	20.36	0.109	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM 16 QAM_RB216@0	21.23	21.48	0.141	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM 256 QAM_RB216@0	18.65	18.9	0.078	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM 64 QAM_RB216@0	20.71	20.96	0.125	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.77	23.02	0.2	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	22.64	22.89	0.195	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	23.31	23.56	0.227	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	22.73	22.98	0.199	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM QPSK_RB1@1	22.81	23.06	0.202	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM QPSK_RB1@214	22.65	22.9	0.195	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM QPSK_RB108@54	23.35	23.6	0.229	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s- OFDM QPSK_RB216@0	22.23	22.48	0.177	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB216@0	20.13	20.38	0.109	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB216@0	16.69	16.94	0.049	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB216@0	19.61	19.86	0.097	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.19	21.44	0.139	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@214	20.97	21.22	0.132	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB108@54	21.66	21.91	0.155	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB216@0	20.11	20.36	0.109	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s- OFDM 16 QAM_RB216@0	21.08	21.33	0.136	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s- OFDM 256 QAM_RB216@0	18.61	18.86	0.077	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s- OFDM 64 QAM_RB216@0	20.56	20.81	0.121	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.71	22.96	0.198	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	22.46	22.71	0.187	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.19	23.44	0.221	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.58	22.83	0.192	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.78	23.03	0.201	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@214	22.49	22.74	0.188	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.21	23.46	0.222	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.13	22.38	0.173	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 16 QAM_RB216@0	19.97	20.22	0.105	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 256 QAM_RB216@0	16.59	16.84	0.048	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 64 QAM_RB216@0	19.43	19.68	0.093	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.03	21.28	0.134	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB1@214	21.05	21.3	0.135	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB108@54	21.57	21.82	0.152	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB216@0	20.01	20.26	0.106	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM 16 QAM_RB216@0	21.01	21.26	0.134	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM 256 QAM_RB216@0	18.47	18.72	0.074	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM 64 QAM_RB216@0	20.46	20.71	0.118	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.59	22.84	0.192	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.44	22.69	0.186	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.06	23.31	0.214	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.46	22.71	0.187	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	22.62	22.87	0.194	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB1@214	22.51	22.76	0.189	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB108@54	23.12	23.37	0.217	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB216@0	22.03	22.28	0.169	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	20.15	20.4	0.11	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	16.76	17.01	0.05	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	19.71	19.96	0.099	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.37	21.62	0.145	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	21.13	21.38	0.137	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	20.16	20.41	0.11	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	21.72	21.97	0.157	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	21.21	21.46	0.14	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	18.66	18.91	0.078	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	20.73	20.98	0.125	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.73	22.98	0.199	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.68	22.93	0.196	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.73	22.98	0.199	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.27	23.52	0.225	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	22.73	22.98	0.199	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	22.63	22.88	0.194	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	22.23	22.48	0.177	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	23.27	23.52	0.225	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.06	20.31	0.107	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	16.68	16.93	0.049	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	19.57	19.82	0.096	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.31	21.56	0.143	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	20.83	21.08	0.128	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.05	20.3	0.107	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	21.66	21.91	0.155	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.11	21.36	0.137	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	18.57	18.82	0.076	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	20.64	20.89	0.123	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.72	22.97	0.198	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.43	22.68	0.185	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.65	22.9	0.195	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.26	23.51	0.224	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.75	23	0.2	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	22.46	22.71	0.187	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.14	22.39	0.173	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.30	23.55	0.226	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	19.99	20.24	0.106	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	16.57	16.82	0.048	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	19.49	19.74	0.094	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.00	21.25	0.133	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	20.93	21.18	0.131	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	19.95	20.2	0.105	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	21.55	21.8	0.151	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM 16 QAM_RB100@0	21.01	21.26	0.134	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM 256 QAM_RB100@0	18.47	18.72	0.074	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM 64 QAM_RB100@0	20.49	20.74	0.119	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.59	22.84	0.192	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	22.45	22.7	0.186	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB100@0	22.51	22.76	0.189	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB50@25	23.04	23.29	0.213	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM QPSK_RB1@1	22.60	22.85	0.193	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM QPSK_RB1@104	22.50	22.75	0.188	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM QPSK_RB100@0	22.01	22.26	0.168	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM QPSK_RB50@25	23.06	23.31	0.214	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 16 QAM_RB270@0	20.17	20.42	0.11	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 256 QAM_RB270@0	16.79	17.04	0.051	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 64 QAM_RB270@0	19.68	19.93	0.098	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.52	21.77	0.15	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB1@268	21.27	21.52	0.142	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB135@67	21.71	21.96	0.157	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB270@0	20.21	20.46	0.111	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s- OFDM 16 QAM_RB270@0	21.23	21.48	0.141	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s- OFDM 256 QAM_RB270@0	18.70	18.95	0.079	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s- OFDM 64 QAM_RB270@0	20.76	21.01	0.126	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.06	23.31	0.214	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s- OFDM PI/2 BPSK_RB1@268	22.75	23	0.2	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.30	23.55	0.226	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.76	23.01	0.2	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.05	23.3	0.214	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB1@268	22.85	23.1	0.204	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB135@67	23.28	23.53	0.225	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB270@0	22.25	22.5	0.178	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB270@0	20.10	20.35	0.108	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB270@0	16.72	16.97	0.05	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB270@0	19.65	19.9	0.098	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.61	21.86	0.153	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@268	21.12	21.37	0.137	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB135@67	21.60	21.85	0.153	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB270@0	20.15	20.4	0.11	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	21.11	21.36	0.137	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	18.68	18.93	0.078	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	20.66	20.91	0.123	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.08	23.33	0.215	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	22.72	22.97	0.198	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.18	23.43	0.22	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.66	22.91	0.195	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.14	23.39	0.218	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@268	22.75	23	0.2	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.22	23.47	0.222	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.15	22.4	0.174	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 16 QAM_RB270@0	20.01	20.26	0.106	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 256 QAM_RB270@0	16.66	16.91	0.049	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 64 QAM_RB270@0	19.51	19.76	0.095	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.39	21.64	0.146	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB1@268	21.26	21.51	0.142	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB135@67	21.59	21.84	0.153	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB270@0	20.01	20.26	0.106	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM 16 QAM_RB270@0	21.06	21.31	0.135	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM 256 QAM_RB270@0	18.54	18.79	0.076	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM 64 QAM_RB270@0	20.55	20.8	0.12	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.98	23.23	0.21	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	22.68	22.93	0.196	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.08	23.33	0.215	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.60	22.85	0.193	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.02	23.27	0.212	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB1@268	22.77	23.02	0.2	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB135@67	23.10	23.35	0.216	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB270@0	22.11	22.36	0.172	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	20.18	20.43	0.11	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	16.80	17.05	0.051	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	19.70	19.95	0.099	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.58	21.83	0.152	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	21.44	21.69	0.148	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	20.21	20.46	0.111	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	21.75	22	0.158	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	21.26	21.51	0.142	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	18.72	18.97	0.079	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	20.71	20.96	0.125	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.97	23.22	0.21	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.78	23.03	0.201	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.75	23	0.2	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.29	23.54	0.226	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	22.95	23.2	0.209	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	22.79	23.04	0.201	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	22.21	22.46	0.176	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	23.27	23.52	0.225	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	20.12	20.37	0.109	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	16.71	16.96	0.05	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	19.65	19.9	0.098	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.60	21.85	0.153	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.35	21.6	0.145	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	20.12	20.37	0.109	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	21.79	22.04	0.16	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM 16 QAM_RB128@0	21.21	21.46	0.14	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM 256 QAM_RB128@0	18.69	18.94	0.078	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM 64 QAM_RB128@0	20.67	20.92	0.124	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.02	23.27	0.212	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@131	22.68	22.93	0.196	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB128@0	22.72	22.97	0.198	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB64@32	23.24	23.49	0.223	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@1	23.06	23.31	0.214	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@131	22.65	22.9	0.195	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB128@0	22.17	22.42	0.175	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB64@32	23.23	23.48	0.223	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	20.01	20.26	0.106	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	16.68	16.93	0.049	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.58	19.83	0.096	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.50	21.75	0.15	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.22	21.47	0.14	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	20.03	20.28	0.107	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.62	21.87	0.154	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s- OFDM 16 QAM_RB128@0	21.10	21.35	0.136	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s- OFDM 256 QAM_RB128@0	18.53	18.78	0.076	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s- OFDM 64 QAM_RB128@0	20.60	20.85	0.122	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.94	23.19	0.208	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s- OFDM PI/2 BPSK_RB1@131	22.74	22.99	0.199	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.58	22.83	0.192	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.15	23.4	0.219	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	22.92	23.17	0.207	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	22.70	22.95	0.197	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	22.09	22.34	0.171	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	23.13	23.38	0.218	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	20.18	20.43	0.11	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	16.82	17.07	0.051	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	19.69	19.94	0.099	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.58	21.83	0.152	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.31	21.56	0.143	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	20.17	20.42	0.11	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	21.79	22.04	0.16	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	21.19	21.44	0.139	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	18.66	18.91	0.078	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	20.69	20.94	0.124	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.92	23.17	0.207	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.62	22.87	0.194	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.73	22.98	0.199	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.35	23.6	0.229	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	22.91	23.16	0.207	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	22.56	22.81	0.191	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	22.25	22.5	0.178	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	23.31	23.56	0.227	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	20.12	20.37	0.109	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	16.73	16.98	0.05	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	19.62	19.87	0.097	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.40	21.65	0.146	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.08	21.33	0.136	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	20.08	20.33	0.108	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	21.78	22.03	0.16	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	21.19	21.44	0.139	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	18.60	18.85	0.077	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	20.63	20.88	0.122	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.94	23.19	0.208	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.59	22.84	0.192	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.67	22.92	0.196	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.25	23.5	0.224	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.92	23.17	0.207	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	22.57	22.82	0.191	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	22.13	22.38	0.173	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	23.21	23.46	0.222	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	20.07	20.32	0.108	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	16.72	16.97	0.05	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.56	19.81	0.096	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.48	21.73	0.149	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.10	21.35	0.136	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	20.05	20.3	0.107	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	21.61	21.86	0.153	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	21.14	21.39	0.138	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	18.61	18.86	0.077	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	20.56	20.81	0.121	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	23.24	0.211	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.62	22.87	0.194	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.61	22.86	0.193	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.21	23.46	0.222	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	22.92	23.17	0.207	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	22.60	22.85	0.193	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	22.12	22.37	0.173	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	23.16	23.41	0.219	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	20.04	20.29	0.107	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	16.75	17	0.05	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	19.55	19.8	0.095	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.36	21.61	0.145	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	20.87	21.12	0.129	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	21.75	22	0.158	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	20.10	20.35	0.108	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 16 QAM_RB216@0	21.10	21.35	0.136	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 256 QAM_RB216@0	18.59	18.84	0.077	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 64 QAM_RB216@0	20.62	20.87	0.122	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.75	23	0.2	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB1@215	22.33	22.58	0.181	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	23.29	23.54	0.226	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	22.65	22.9	0.195	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM QPSK_RB1@1	22.70	22.95	0.197	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM QPSK_RB1@215	22.29	22.54	0.179	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM QPSK_RB108@54	23.28	23.53	0.225	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM QPSK_RB216@0	22.13	22.38	0.173	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	20.07	20.32	0.108	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	16.76	17.01	0.05	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	19.51	19.76	0.095	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.32	21.57	0.144	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	20.88	21.13	0.13	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	21.68	21.93	0.156	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	20.08	20.33	0.108	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s- OFDM 16 QAM_RB216@0	21.08	21.33	0.136	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s- OFDM 256 QAM_RB216@0	18.57	18.82	0.076	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s- OFDM 64 QAM_RB216@0	20.58	20.83	0.121	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.68	22.93	0.196	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@215	22.31	22.56	0.18	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.26	23.51	0.224	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.58	22.83	0.192	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.74	22.99	0.199	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	22.37	22.62	0.183	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.25	23.5	0.224	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.08	22.33	0.171	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.05	20.3	0.107	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	16.75	17	0.05	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	19.54	19.79	0.095	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.43	21.68	0.147	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	20.89	21.14	0.13	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.68	21.93	0.156	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.06	20.31	0.107	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	21.04	21.29	0.135	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	18.55	18.8	0.076	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.59	20.84	0.121	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.77	23.02	0.2	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.39	22.64	0.184	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.25	23.5	0.224	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.62	22.87	0.194	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	22.72	22.97	0.198	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.35	22.6	0.182	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	23.25	23.5	0.224	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	22.07	22.32	0.171	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	19.98	20.23	0.105	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	16.70	16.95	0.05	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.51	19.76	0.095	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.21	21.46	0.14	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	20.68	20.93	0.124	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.68	21.93	0.156	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	19.97	20.22	0.105	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	21.04	21.29	0.135	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	18.48	18.73	0.075	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	20.53	20.78	0.12	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.57	22.82	0.191	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.10	22.35	0.172	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.26	23.51	0.224	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.56	22.81	0.191	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	22.53	22.78	0.19	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	22.06	22.31	0.17	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	23.21	23.46	0.222	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	22.02	22.27	0.169	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.01	20.26	0.106	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	16.70	16.95	0.05	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.53	19.78	0.095	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.13	21.38	0.137	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	20.74	20.99	0.126	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	21.82	22.07	0.161	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.00	20.25	0.106	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	21.06	21.31	0.135	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	18.48	18.73	0.075	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	20.56	20.81	0.121	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.60	22.85	0.193	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.12	22.37	0.173	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.25	23.5	0.224	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.61	22.86	0.193	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.56	22.81	0.191	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	22.16	22.41	0.174	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	23.23	23.48	0.223	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	22.09	22.34	0.171	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.07	20.32	0.108	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	16.72	16.97	0.05	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	19.51	19.76	0.095	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.16	21.41	0.138	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	20.87	21.12	0.129	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	21.70	21.95	0.157	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.03	20.28	0.107	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	21.08	21.33	0.136	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	18.53	18.78	0.076	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	20.60	20.85	0.122	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.70	22.95	0.197	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.25	22.5	0.178	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.21	23.46	0.222	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.61	22.86	0.193	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	22.67	22.92	0.196	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	22.16	22.41	0.174	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	23.20	23.45	0.221	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	22.12	22.37	0.173	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	19.97	20.22	0.105	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	16.62	16.87	0.049	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	19.44	19.69	0.093	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.02	21.27	0.134	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	20.51	20.76	0.119	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	21.66	21.91	0.155	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	19.96	20.21	0.105	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	20.97	21.22	0.132	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	18.35	18.6	0.072	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	20.47	20.72	0.118	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.45	22.7	0.186	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.04	22.29	0.169	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.21	23.46	0.222	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.53	22.78	0.19	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.47	22.72	0.187	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	22.08	22.33	0.171	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.20	23.45	0.221	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.00	22.25	0.168	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n77_1:

1. Ant Gain = 0.25 dBi;

2. CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3705MHz_CP-OFDM 16 QAM_RB52@0	20.45	20.7	0.117	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 256 QAM_RB52@0	17.09	17.34	0.054	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 64 QAM_RB52@0	19.91	20.16	0.104	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.96	22.21	0.166	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@50	21.88	22.13	0.163	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB26@13	21.89	22.14	0.164	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB52@0	20.46	20.71	0.118	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 16 QAM_RB50@0	21.51	21.76	0.15	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 256 QAM_RB50@0	18.94	19.19	0.083	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 64 QAM_RB50@0	20.95	21.2	0.132	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.45	23.7	0.234	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.44	23.69	0.234	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.49	23.74	0.237	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.01	23.26	0.212	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.45	23.7	0.234	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB1@50	23.37	23.62	0.23	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB25@12	23.47	23.72	0.236	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB50@0	22.46	22.71	0.187	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB52@0	20.22	20.47	0.111	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB52@0	16.99	17.24	0.053	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB52@0	19.83	20.08	0.102	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.76	22.01	0.159	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@50	21.87	22.12	0.163	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB26@13	21.83	22.08	0.161	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB52@0	20.23	20.48	0.112	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM 16 QAM_RB50@0	21.37	21.62	0.145	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM 256 QAM_RB50@0	18.82	19.07	0.081	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM 64 QAM_RB50@0	20.87	21.12	0.129	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.33	23.58	0.228	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.27	23.52	0.225	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.45	23.7	0.234	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	22.88	23.13	0.206	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM QPSK_RB1@1	23.52	23.77	0.238	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM QPSK_RB1@50	23.35	23.6	0.229	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM QPSK_RB25@12	23.29	23.54	0.226	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM QPSK_RB50@0	22.38	22.63	0.183	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 16 QAM_RB52@0	20.31	20.56	0.114	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 256 QAM_RB52@0	16.96	17.21	0.053	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 64 QAM_RB52@0	19.84	20.09	0.102	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB1@1	21.67	21.92	0.156	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB1@50	21.79	22.04	0.16	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB26@13	21.81	22.06	0.161	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB52@0	20.31	20.56	0.114	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s- OFDM 16 QAM_RB50@0	21.32	21.57	0.144	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s- OFDM 256 QAM_RB50@0	18.82	19.07	0.081	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s- OFDM 64 QAM_RB50@0	20.83	21.08	0.128	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.25	23.5	0.224	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.32	23.57	0.228	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.31	23.56	0.227	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.83	23.08	0.203	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	23.23	23.48	0.223	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB1@50	23.31	23.56	0.227	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB25@12	23.33	23.58	0.228	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB50@0	22.37	22.62	0.183	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	20.83	21.08	0.128	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	17.57	17.82	0.061	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	20.35	20.6	0.115	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	22.26	22.51	0.178	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	22.22	22.47	0.177	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	22.35	22.6	0.182	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	20.90	21.15	0.13	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	21.90	22.15	0.164	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	19.50	19.75	0.094	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	21.37	21.62	0.145	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.81	24.06	0.255	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.83	24.08	0.256	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.96	24.21	0.264	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.56	23.81	0.24	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.83	24.08	0.256	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	23.74	23.99	0.251	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	23.93	24.18	0.262	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	22.94	23.19	0.208	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	20.59	20.84	0.121	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	17.41	17.66	0.058	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	20.22	20.47	0.111	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.24	22.49	0.177	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	22.12	22.37	0.173	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	22.23	22.48	0.177	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	20.57	20.82	0.121	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	21.77	22.02	0.159	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	19.25	19.5	0.089	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	21.21	21.46	0.14	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.67	23.92	0.247	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.72	23.97	0.249	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.80	24.05	0.254	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.29	23.54	0.226	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.91	24.16	0.261	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	23.66	23.91	0.246	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	23.88	24.13	0.259	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	22.78	23.03	0.201	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	20.54	20.79	0.12	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	17.25	17.5	0.056	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	20.04	20.29	0.107	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	22.01	22.26	0.168	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	22.13	22.38	0.173	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	22.06	22.31	0.17	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	20.59	20.84	0.121	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	21.65	21.9	0.155	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	19.15	19.4	0.087	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	21.04	21.29	0.135	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.52	23.77	0.238	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.54	23.79	0.239	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.65	23.9	0.245	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.20	23.45	0.221	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	23.48	23.73	0.236	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	23.54	23.79	0.239	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	23.65	23.9	0.245	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	22.61	22.86	0.193	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3707.5MHz_CP-OFDM 16 QAM_RB79@0	20.62	20.87	0.122	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 256 QAM_RB79@0	17.19	17.44	0.055	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 64 QAM_RB79@0	20.08	20.33	0.108	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	22.08	22.33	0.171	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@77	21.98	22.23	0.167	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB39@19	22.09	22.34	0.171	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB79@0	20.58	20.83	0.121	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.62	21.87	0.154	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.10	19.35	0.086	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.15	21.4	0.138	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.49	23.74	0.237	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.56	23.81	0.24	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.61	23.86	0.243	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.13	23.38	0.218	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.55	23.8	0.24	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.47	23.72	0.236	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.63	23.88	0.244	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.62	22.87	0.194	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB79@0	20.40	20.65	0.116	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB79@0	17.18	17.43	0.055	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB79@0	20.14	20.39	0.109	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.99	22.24	0.167	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@77	22.03	22.28	0.169	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB39@19	21.94	22.19	0.166	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB79@0	20.42	20.67	0.117	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	21.62	21.87	0.154	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	19.08	19.33	0.086	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	21.03	21.28	0.134	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	23.66	0.232	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.46	23.71	0.235	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.54	23.79	0.239	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.05	23.3	0.214	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.37	23.62	0.23	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@77	23.50	23.75	0.237	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	23.82	24.07	0.255	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	22.57	22.82	0.191	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 16 QAM_RB79@0	20.47	20.72	0.118	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 256 QAM_RB79@0	17.08	17.33	0.054	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 64 QAM_RB79@0	19.97	20.22	0.105	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.71	21.96	0.157	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB1@77	21.79	22.04	0.16	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB39@19	21.87	22.12	0.163	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB79@0	20.36	20.61	0.115	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.37	21.62	0.145	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.85	19.1	0.081	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.95	21.2	0.132	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	23.5	0.224	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.36	23.61	0.23	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.43	23.68	0.233	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.94	23.19	0.208	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	23.22	23.47	0.222	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@77	23.35	23.6	0.229	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@18	23.39	23.64	0.231	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB75@0	22.44	22.69	0.186	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	20.82	21.07	0.128	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	17.50	17.75	0.06	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	20.43	20.68	0.117	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	22.22	22.47	0.177	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	22.07	22.32	0.171	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	22.39	22.64	0.184	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	20.85	21.1	0.129	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.92	22.17	0.165	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.37	19.62	0.092	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.52	21.77	0.15	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.78	24.03	0.253	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.70	23.95	0.248	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.92	24.17	0.261	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.39	23.64	0.231	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.75	24	0.251	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	23.74	23.99	0.251	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	23.88	24.13	0.259	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	22.96	23.21	0.209	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	20.89	21.14	0.13	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	17.43	17.68	0.059	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	20.25	20.5	0.112	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.15	22.4	0.174	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	22.17	22.42	0.175	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	22.23	22.48	0.177	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	20.49	20.74	0.119	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	21.80	22.05	0.16	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	19.23	19.48	0.089	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	21.19	21.44	0.139	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.66	23.91	0.246	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.68	23.93	0.247	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.82	24.07	0.255	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.28	23.53	0.225	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.58	23.83	0.242	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	23.64	23.89	0.245	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	23.77	24.02	0.252	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	22.79	23.04	0.201	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	20.56	20.81	0.121	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	17.13	17.38	0.055	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	20.04	20.29	0.107	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.91	22.16	0.164	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	21.87	22.12	0.163	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	22.04	22.29	0.169	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	20.51	20.76	0.119	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.54	21.79	0.151	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.03	19.28	0.085	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.05	21.3	0.135	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	23.66	0.232	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.51	23.76	0.238	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.57	23.82	0.241	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.01	23.26	0.212	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	23.39	23.64	0.231	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	23.52	23.77	0.238	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	23.54	23.79	0.239	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	22.62	22.87	0.194	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 16 QAM_RB106@0	20.52	20.77	0.119	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 256 QAM_RB106@0	17.18	17.43	0.055	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 64 QAM_RB106@0	20.09	20.34	0.108	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.94	22.19	0.166	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB1@104	21.90	22.15	0.164	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB106@0	20.56	20.81	0.121	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB53@26	22.03	22.28	0.169	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 16 QAM_RB100@0	21.56	21.81	0.152	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 256 QAM_RB100@0	19.01	19.26	0.084	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 64 QAM_RB100@0	21.08	21.33	0.136	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.51	23.76	0.238	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.43	23.68	0.233	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.10	23.35	0.216	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.58	23.83	0.242	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	23.46	23.71	0.235	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB1@104	23.39	23.64	0.231	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB100@0	22.59	22.84	0.192	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB50@25	23.63	23.88	0.244	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	20.43	20.68	0.117	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	17.15	17.4	0.055	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	19.98	20.23	0.105	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.82	22.07	0.161	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@104	21.84	22.09	0.162	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB106@0	20.45	20.7	0.117	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB53@26	21.94	22.19	0.166	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	21.53	21.78	0.151	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	18.96	19.21	0.083	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	21.05	21.3	0.135	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	23.62	0.23	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.40	23.65	0.232	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.08	23.33	0.215	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.58	23.83	0.242	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.61	23.86	0.243	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	23.40	23.65	0.232	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	22.55	22.8	0.191	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	23.48	23.73	0.236	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 16 QAM_RB106@0	20.39	20.64	0.116	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 256 QAM_RB106@0	17.07	17.32	0.054	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 64 QAM_RB106@0	19.89	20.14	0.103	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.59	21.84	0.153	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB1@104	21.81	22.06	0.161	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB106@0	20.38	20.63	0.116	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB53@26	21.85	22.1	0.162	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 16 QAM_RB100@0	21.41	21.66	0.147	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 256 QAM_RB100@0	18.86	19.11	0.081	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 64 QAM_RB100@0	20.91	21.16	0.131	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	23.46	0.222	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.33	23.58	0.228	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.98	23.23	0.21	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.45	23.7	0.234	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	23.18	23.43	0.22	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB1@104	23.31	23.56	0.227	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB100@0	22.44	22.69	0.186	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB50@25	23.40	23.65	0.232	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	20.79	21.04	0.127	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	17.44	17.69	0.059	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	20.31	20.56	0.114	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	22.29	22.54	0.179	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	22.16	22.41	0.174	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	22.38	22.63	0.183	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	20.87	21.12	0.129	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	21.83	22.08	0.161	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	19.31	19.56	0.09	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	21.42	21.67	0.147	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.75	24	0.251	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.64	23.89	0.245	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.90	24.15	0.26	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.37	23.62	0.23	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	23.67	23.92	0.247	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	23.67	23.92	0.247	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	23.95	24.2	0.263	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	22.86	23.11	0.205	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	20.88	21.13	0.13	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	17.30	17.55	0.057	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	20.18	20.43	0.11	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.97	22.22	0.167	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	22.14	22.39	0.173	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	22.22	22.47	0.177	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	20.70	20.95	0.124	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM 16 QAM_RB50@0	21.72	21.97	0.157	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM 256 QAM_RB50@0	19.29	19.54	0.09	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM 64 QAM_RB50@0	21.24	21.49	0.141	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.60	23.85	0.243	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@49	23.62	23.87	0.244	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.77	24.02	0.252	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	23.30	23.55	0.226	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM QPSK_RB1@1	23.56	23.81	0.24	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM QPSK_RB1@49	23.72	23.97	0.249	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM QPSK_RB25@12	23.72	23.97	0.249	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s- OFDM QPSK_RB50@0	22.81	23.06	0.202	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	20.55	20.8	0.12	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	17.10	17.35	0.054	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	20.00	20.25	0.106	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.81	22.06	0.161	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	22.04	22.29	0.169	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	22.03	22.28	0.169	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	20.55	20.8	0.12	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s- OFDM 16 QAM_RB50@0	21.48	21.73	0.149	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s- OFDM 256 QAM_RB50@0	18.97	19.22	0.084	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s- OFDM 64 QAM_RB50@0	20.99	21.24	0.133	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.35	23.6	0.229	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s- OFDM PI/2 BPSK_RB1@49	23.44	23.69	0.234	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.63	23.88	0.244	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.02	23.27	0.212	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	23.36	23.61	0.23	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	23.40	23.65	0.232	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	23.62	23.87	0.244	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	22.59	22.84	0.192	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 16 QAM_RB160@0	20.55	20.8	0.12	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 256 QAM_RB160@0	17.16	17.41	0.055	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 64 QAM_RB160@0	20.04	20.29	0.107	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.85	22.1	0.162	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@158	21.75	22	0.158	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB160@0	20.55	20.8	0.12	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB80@40	22.13	22.38	0.173	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 16 QAM_RB160@0	21.59	21.84	0.153	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 256 QAM_RB160@0	19.10	19.35	0.086	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 64 QAM_RB160@0	21.07	21.32	0.136	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	23.65	0.232	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.32	23.57	0.228	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.09	23.34	0.216	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.71	23.96	0.249	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	23.34	23.59	0.229	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@158	23.38	23.63	0.231	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB160@0	22.60	22.85	0.193	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB80@40	23.68	23.93	0.247	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB160@0	20.53	20.78	0.12	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB160@0	17.13	17.38	0.055	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB160@0	20.04	20.29	0.107	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.78	22.03	0.16	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@158	21.80	22.05	0.16	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB160@0	20.53	20.78	0.12	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB80@40	22.02	22.27	0.169	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB160@0	21.61	21.86	0.153	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB160@0	18.95	19.2	0.083	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB160@0	21.10	21.35	0.136	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.18	23.43	0.22	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.35	23.6	0.229	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.11	23.36	0.217	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.66	23.91	0.246	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.44	23.69	0.234	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@158	23.35	23.6	0.229	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB160@0	22.54	22.79	0.19	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB80@40	23.65	23.9	0.245	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 16 QAM_RB160@0	20.36	20.61	0.115	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 256 QAM_RB160@0	16.96	17.21	0.053	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 64 QAM_RB160@0	19.84	20.09	0.102	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB1@1	21.46	21.71	0.148	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB1@158	21.68	21.93	0.156	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB160@0	20.36	20.61	0.115	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB80@40	21.87	22.12	0.163	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 16 QAM_RB160@0	21.36	21.61	0.145	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 256 QAM_RB160@0	18.82	19.07	0.081	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 64 QAM_RB160@0	20.84	21.09	0.129	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.00	23.25	0.211	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.18	23.43	0.22	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.84	23.09	0.204	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.41	23.66	0.232	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	22.96	23.21	0.209	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB1@158	23.23	23.48	0.223	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB160@0	22.38	22.63	0.183	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB80@40	23.46	23.71	0.235	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3720MHz_CP-OFDM 16 QAM_RB216@0	20.53	20.78	0.12	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 256 QAM_RB216@0	17.16	17.41	0.055	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 64 QAM_RB216@0	20.01	20.26	0.106	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.66	21.91	0.155	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@214	21.45	21.7	0.148	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB108@54	22.09	22.34	0.171	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB216@0	20.52	20.77	0.119	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM 16 QAM_RB216@0	21.55	21.8	0.151	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM 256 QAM_RB216@0	19.02	19.27	0.085	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM 64 QAM_RB216@0	21.04	21.29	0.135	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.15	23.4	0.219	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	22.99	23.24	0.211	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	23.66	23.91	0.246	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	23.05	23.3	0.214	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM QPSK_RB1@1	23.09	23.34	0.216	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM QPSK_RB1@214	22.98	23.23	0.21	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM QPSK_RB108@54	23.64	23.89	0.245	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s- OFDM QPSK_RB216@0	22.54	22.79	0.19	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB216@0	20.49	20.74	0.119	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB216@0	17.10	17.35	0.054	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB216@0	20.04	20.29	0.107	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.48	21.73	0.149	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@214	21.56	21.81	0.152	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB108@54	22.08	22.33	0.171	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB216@0	20.46	20.71	0.118	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s- OFDM 16 QAM_RB216@0	21.56	21.81	0.152	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s- OFDM 256 QAM_RB216@0	18.98	19.23	0.084	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s- OFDM 64 QAM_RB216@0	21.02	21.27	0.134	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.00	23.25	0.211	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	23.03	23.28	0.213	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.57	23.82	0.241	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.06	23.31	0.214	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.96	23.21	0.209	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@214	23.09	23.34	0.216	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	23.61	23.86	0.243	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	22.56	22.81	0.191	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 16 QAM_RB216@0	20.33	20.58	0.114	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 256 QAM_RB216@0	16.95	17.2	0.052	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 64 QAM_RB216@0	19.80	20.05	0.101	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB1@1	21.19	21.44	0.139	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB1@214	21.65	21.9	0.155	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB108@54	21.84	22.09	0.162	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB216@0	20.33	20.58	0.114	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 16 QAM_RB216@0	21.33	21.58	0.144	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 256 QAM_RB216@0	18.85	19.1	0.081	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 64 QAM_RB216@0	20.86	21.11	0.129	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.73	22.98	0.199	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.99	23.24	0.211	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.47	23.72	0.236	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.87	23.12	0.205	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	22.74	22.99	0.199	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB1@214	23.03	23.28	0.213	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB108@54	23.44	23.69	0.234	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB216@0	22.35	22.6	0.182	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.83	22.08	0.161	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	21.30	21.55	0.143	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	23.67	0.233	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.34	23.59	0.229	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.39	23.64	0.231	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.92	24.17	0.261	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	23.43	23.68	0.233	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	23.28	23.53	0.225	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	22.84	23.09	0.204	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	23.94	24.19	0.262	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 16 QAM_RB270@0	20.54	20.79	0.12	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 256 QAM_RB270@0	17.19	17.44	0.055	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 64 QAM_RB270@0	20.03	20.28	0.107	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.86	22.11	0.163	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@268	21.79	22.04	0.16	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB135@67	22.02	22.27	0.169	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB270@0	20.54	20.79	0.12	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 16 QAM_RB270@0	21.61	21.86	0.153	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 256 QAM_RB270@0	19.08	19.33	0.086	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 64 QAM_RB270@0	21.07	21.32	0.136	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.35	23.6	0.229	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.31	23.56	0.227	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.59	23.84	0.242	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.08	23.33	0.215	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	23.32	23.57	0.228	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@268	23.27	23.52	0.225	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB135@67	23.60	23.85	0.243	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB270@0	22.62	22.87	0.194	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB270@0	20.57	20.82	0.121	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB270@0	17.23	17.48	0.056	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB270@0	20.05	20.3	0.107	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.77	22.02	0.159	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@268	21.95	22.2	0.166	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB135@67	22.07	22.32	0.171	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB270@0	20.51	20.76	0.119	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	21.61	21.86	0.153	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	19.12	19.37	0.086	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	21.06	21.31	0.135	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.28	23.53	0.225	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.51	23.76	0.238	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.58	23.83	0.242	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.11	23.36	0.217	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.22	23.47	0.222	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@268	23.49	23.74	0.237	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	23.58	23.83	0.242	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	22.63	22.88	0.194	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 16 QAM_RB270@0	20.38	20.63	0.116	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 256 QAM_RB270@0	16.96	17.21	0.053	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 64 QAM_RB270@0	19.89	20.14	0.103	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB1@1	21.48	21.73	0.149	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB1@268	21.81	22.06	0.161	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB135@67	21.88	22.13	0.163	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB270@0	20.38	20.63	0.116	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 16 QAM_RB270@0	21.38	21.63	0.146	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 256 QAM_RB270@0	18.90	19.15	0.082	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 64 QAM_RB270@0	20.88	21.13	0.13	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.03	23.28	0.213	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.35	23.6	0.229	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.42	23.67	0.233	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.91	23.16	0.207	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	23.04	23.29	0.213	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB1@268	23.31	23.56	0.227	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB135@67	23.41	23.66	0.232	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB270@0	22.41	22.66	0.185	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n77_2:

1. Ant Gain = 0.25dBi;

2. CL= signal attenuation in the connecting cable
between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	20.48	22.280	0.169	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	17.20	19.000	0.079	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	20.04	21.840	0.153	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.99	23.790	0.239	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	21.81	23.610	0.230	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	21.96	23.760	0.238	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	20.45	22.250	0.168	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM 16 QAM_RB24@0	21.46	23.260	0.212	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM 256 QAM_RB24@0	19.00	20.800	0.120	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM 64 QAM_RB24@0	20.95	22.750	0.188	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	16.57	18.370	0.069	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB1@22	23.38	25.180	0.330	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	23.59	25.390	0.346	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB24@0	23.06	24.860	0.306	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM QPSK_RB1@1	23.39	25.190	0.330	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM QPSK_RB1@22	23.35	25.150	0.327	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM QPSK_RB12@6	23.53	25.330	0.341	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s- OFDM QPSK_RB24@0	22.61	24.410	0.276	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	20.33	22.130	0.163	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	17.00	18.800	0.076	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	19.91	21.710	0.148	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.75	23.550	0.226	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	21.61	23.410	0.219	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	21.73	23.530	0.225	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	20.32	22.120	0.163	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	21.23	23.030	0.201	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	18.90	20.700	0.117	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	20.79	22.590	0.182	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.24	25.040	0.319	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.06	24.860	0.306	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.28	25.080	0.322	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.82	24.620	0.290	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.26	25.060	0.321	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	23.10	24.900	0.309	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	23.30	25.100	0.324	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	22.27	24.070	0.255	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	20.04	21.840	0.153	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	16.62	18.420	0.070	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	19.52	21.320	0.136	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.46	23.260	0.212	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.42	23.220	0.210	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	21.53	23.330	0.215	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	19.98	21.780	0.151	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	20.98	22.780	0.190	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	18.54	20.340	0.108	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	20.51	22.310	0.170	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	24.790	0.301	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.93	24.730	0.297	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.08	24.880	0.308	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.59	24.390	0.275	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	23.01	24.810	0.303	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	22.89	24.690	0.294	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	22.97	24.770	0.300	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	22.08	23.880	0.244	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	20.53	22.330	0.171	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	17.12	18.920	0.078	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	20.00	21.800	0.151	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.91	23.710	0.235	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	21.90	23.700	0.234	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	21.98	23.780	0.239	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	20.49	22.290	0.169	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.53	23.330	0.215	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.00	20.800	0.120	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.04	22.840	0.192	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	25.220	0.333	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.40	25.200	0.331	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.55	25.350	0.343	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.04	24.840	0.305	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.39	25.190	0.330	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	23.38	25.180	0.330	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	23.54	25.340	0.342	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	22.46	24.260	0.267	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	20.23	22.030	0.160	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	16.85	18.650	0.073	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	19.71	21.510	0.142	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.65	23.450	0.221	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	21.44	23.240	0.211	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	21.71	23.510	0.224	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	20.27	22.070	0.161	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	21.35	23.150	0.207	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	18.69	20.490	0.112	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	20.78	22.580	0.181	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.20	25.000	0.316	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.06	24.860	0.306	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.29	25.090	0.323	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.77	24.570	0.286	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.24	25.040	0.319	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	23.02	24.820	0.303	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	23.37	25.170	0.329	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	22.26	24.060	0.255	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	19.99	21.790	0.151	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.62	18.420	0.070	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.44	21.240	0.133	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.47	23.270	0.212	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.46	23.260	0.212	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.47	23.270	0.212	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	20.01	21.810	0.152	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.03	22.830	0.192	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.52	20.320	0.108	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.53	22.330	0.171	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	24.790	0.301	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.87	24.670	0.293	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.07	24.870	0.307	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.59	24.390	0.275	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	22.91	24.710	0.296	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	22.84	24.640	0.291	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	23.03	24.830	0.304	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	22.04	23.840	0.242	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM 16 QAM_RB65@0	20.47	22.270	0.169	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM 256 QAM_RB65@0	17.15	18.950	0.079	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM 64 QAM_RB65@0	19.98	21.780	0.151	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@1	21.93	23.730	0.236	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@63	21.82	23.620	0.230	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB33@16	22.10	23.900	0.245	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB65@0	20.50	22.300	0.170	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.51	23.310	0.214	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM 256 QAM_RB64@0	19.00	20.800	0.120	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM 64 QAM_RB64@0	21.06	22.860	0.193	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	25.140	0.327	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.26	25.060	0.321	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.59	25.390	0.346	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	23.05	24.850	0.305	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@1	23.36	25.160	0.328	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@63	23.26	25.060	0.321	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB32@16	23.59	25.390	0.346	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB64@0	22.53	24.330	0.271	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB65@0	20.18	21.980	0.158	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB65@0	16.79	18.590	0.072	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB65@0	19.75	21.550	0.143	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.67	23.470	0.222	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@63	21.30	23.100	0.204	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB33@16	21.86	23.660	0.232	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB65@0	20.22	22.020	0.159	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB64@0	21.23	23.030	0.201	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB64@0	18.70	20.500	0.112	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB64@0	20.78	22.580	0.181	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.18	24.980	0.315	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	22.87	24.670	0.293	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.35	25.150	0.327	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.76	24.560	0.286	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.10	24.900	0.309	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@63	22.89	24.690	0.294	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB32@16	23.34	25.140	0.327	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@0	22.22	24.020	0.252	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_3537.5MHz_CP-OFDM 16 QAM_RB65@0	20.01	21.810	0.152	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM 256 QAM_RB65@0	16.66	18.460	0.070	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM 64 QAM_RB65@0	19.53	21.330	0.136	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@1	21.43	23.230	0.210	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@63	21.28	23.080	0.203	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB33@16	21.58	23.380	0.218	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB65@0	19.97	21.770	0.150	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.03	22.830	0.192	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM 256 QAM_RB64@0	18.50	20.300	0.107	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM 64 QAM_RB64@0	20.56	22.360	0.172	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.94	24.740	0.298	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	22.76	24.560	0.286	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.14	24.940	0.312	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.57	24.370	0.274	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@1	22.90	24.700	0.295	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@63	22.77	24.570	0.286	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB32@16	23.11	24.910	0.310	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB64@0	22.05	23.850	0.243	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	20.35	22.150	0.164	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	16.98	18.780	0.076	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	19.94	21.740	0.149	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.75	23.550	0.226	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	21.60	23.400	0.219	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	21.91	23.710	0.235	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	20.41	22.210	0.166	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	21.43	23.230	0.210	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	18.92	20.720	0.118	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	20.94	22.740	0.188	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	25.010	0.317	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.06	24.860	0.306	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.50	25.300	0.339	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.98	24.780	0.301	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	23.17	24.970	0.314	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	23.03	24.830	0.304	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	23.49	25.290	0.338	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	22.45	24.250	0.266	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	20.20	22.000	0.158	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	16.78	18.580	0.072	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	19.69	21.490	0.141	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.62	23.420	0.220	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	21.32	23.120	0.205	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	21.82	23.620	0.230	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	20.17	21.970	0.157	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	21.23	23.030	0.201	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	18.74	20.540	0.113	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	20.70	22.500	0.178	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.06	24.860	0.306	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	22.76	24.560	0.286	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.34	25.140	0.327	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.72	24.520	0.283	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.06	24.860	0.306	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	22.75	24.550	0.285	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	23.34	25.140	0.327	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	22.23	24.030	0.253	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	19.99	21.790	0.151	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	16.61	18.410	0.069	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	19.50	21.300	0.135	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.41	23.210	0.209	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	21.25	23.050	0.202	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	21.61	23.410	0.219	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	20.01	21.810	0.152	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	21.05	22.850	0.193	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.53	20.330	0.108	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.54	22.340	0.171	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.87	24.670	0.293	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	22.70	24.500	0.282	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.13	24.930	0.311	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.57	24.370	0.274	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	22.82	24.620	0.290	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	22.68	24.480	0.281	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	23.13	24.930	0.311	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	22.05	23.850	0.243	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	20.30	22.100	0.162	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	16.95	18.750	0.075	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	19.84	21.640	0.146	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.54	23.340	0.216	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	21.34	23.140	0.206	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	20.32	22.120	0.163	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	21.95	23.750	0.237	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	21.35	23.150	0.207	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	18.84	20.640	0.116	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	20.86	22.660	0.185	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.97	24.770	0.300	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.70	24.500	0.282	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.85	24.650	0.292	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.41	25.210	0.332	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	22.94	24.740	0.298	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	22.73	24.530	0.284	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	22.35	24.150	0.260	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	23.47	25.270	0.337	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.17	21.970	0.157	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	16.75	18.550	0.072	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	19.65	21.450	0.140	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.39	23.190	0.208	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.05	22.850	0.193	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.15	21.950	0.157	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	21.74	23.540	0.226	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM 16 QAM_RB100@0	21.18	22.980	0.199	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM 256 QAM_RB100@0	18.67	20.470	0.111	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM 64 QAM_RB100@0	20.69	22.490	0.177	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.88	24.680	0.294	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	22.48	24.280	0.268	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB100@0	22.72	24.520	0.283	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB50@25	23.33	25.130	0.326	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@1	22.83	24.630	0.290	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@104	22.51	24.310	0.270	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB100@0	22.20	24.000	0.251	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB50@25	23.32	25.120	0.325	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	19.97	21.770	0.150	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	16.53	18.330	0.068	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	19.50	21.300	0.135	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.13	22.930	0.196	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	20.89	22.690	0.186	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	19.96	21.760	0.150	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	21.54	23.340	0.216	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM 16 QAM_RB100@0	21.01	22.810	0.191	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM 256 QAM_RB100@0	18.47	20.270	0.106	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM 64 QAM_RB100@0	20.53	22.330	0.171	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.68	24.480	0.281	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	22.34	24.140	0.259	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.52	24.320	0.270	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.10	24.900	0.309	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	22.64	24.440	0.278	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	22.42	24.220	0.264	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	22.00	23.800	0.240	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	23.07	24.870	0.307	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	20.33	22.130	0.163	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	16.95	18.750	0.075	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	19.85	21.650	0.146	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.75	23.550	0.226	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	21.36	23.160	0.207	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	20.34	22.140	0.164	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	21.89	23.690	0.234	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	21.40	23.200	0.209	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	18.86	20.660	0.116	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	20.88	22.680	0.185	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	24.960	0.313	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.87	24.670	0.293	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.90	24.700	0.295	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.44	25.240	0.334	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.17	24.970	0.314	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	22.86	24.660	0.292	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	22.41	24.210	0.264	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	23.47	25.270	0.337	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	20.23	22.030	0.160	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	16.83	18.630	0.073	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	19.73	21.530	0.142	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.70	23.500	0.224	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.27	23.070	0.203	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	20.15	21.950	0.157	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	21.74	23.540	0.226	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	21.24	23.040	0.201	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	18.76	20.560	0.114	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	20.77	22.570	0.181	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.12	24.920	0.310	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.70	24.500	0.282	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.71	24.510	0.282	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.29	25.090	0.323	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.22	25.020	0.318	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	22.69	24.490	0.281	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	22.24	24.040	0.254	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	23.33	25.130	0.326	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	20.07	21.870	0.154	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	16.66	18.460	0.070	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.57	21.370	0.137	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.60	23.400	0.219	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.17	22.970	0.198	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	20.02	21.820	0.152	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.57	23.370	0.217	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	21.12	22.920	0.196	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	18.61	20.410	0.110	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	20.58	22.380	0.173	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.96	24.760	0.299	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.67	24.470	0.280	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.60	24.400	0.275	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.18	24.980	0.315	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.02	24.820	0.303	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	22.64	24.440	0.278	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	22.12	23.920	0.247	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	23.13	24.930	0.311	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	20.26	22.060	0.161	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	16.93	18.730	0.075	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	19.81	21.610	0.145	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.59	23.390	0.218	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.22	23.020	0.200	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	20.26	22.060	0.161	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	21.90	23.700	0.234	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM 16 QAM_RB162@0	21.33	23.130	0.206	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM 256 QAM_RB162@0	18.78	20.580	0.114	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM 64 QAM_RB162@0	20.78	22.580	0.181	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.14	24.940	0.312	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM PI/2 BPSK_RB1@160	22.65	24.450	0.279	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM PI/2 BPSK_RB162@0	22.80	24.600	0.288	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM PI/2 BPSK_RB81@40	23.41	25.210	0.332	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM QPSK_RB1@1	23.06	24.860	0.306	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM QPSK_RB1@160	22.63	24.430	0.277	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM QPSK_RB162@0	22.34	24.140	0.259	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s- OFDM QPSK_RB81@40	23.44	25.240	0.334	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	20.16	21.960	0.157	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	16.81	18.610	0.073	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	19.68	21.480	0.141	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.58	23.380	0.218	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.18	22.980	0.199	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	20.11	21.910	0.155	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	21.76	23.560	0.227	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s- OFDM 16 QAM_RB162@0	21.20	23.000	0.200	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s- OFDM 256 QAM_RB162@0	18.62	20.420	0.110	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s- OFDM 64 QAM_RB162@0	20.66	22.460	0.176	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.07	24.870	0.307	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@160	22.55	24.350	0.272	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.73	24.530	0.284	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.29	25.090	0.323	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.02	24.820	0.303	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	22.53	24.330	0.271	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	22.21	24.010	0.252	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	23.29	25.090	0.323	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	20.07	21.870	0.154	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	16.75	18.550	0.072	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.62	21.420	0.139	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.57	23.370	0.217	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	20.96	22.760	0.189	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	20.05	21.850	0.153	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	21.66	23.460	0.222	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	21.12	22.920	0.196	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	18.62	20.420	0.110	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	20.64	22.440	0.175	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.00	24.800	0.302	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.48	24.280	0.268	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.67	24.470	0.280	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.17	24.970	0.314	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	23.03	24.830	0.304	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	22.55	24.350	0.272	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	22.15	23.950	0.248	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	23.20	25.000	0.316	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	20.23	22.030	0.160	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	16.88	18.680	0.074	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	19.78	21.580	0.144	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	21.71	23.510	0.224	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	21.04	22.840	0.192	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	20.22	22.020	0.159	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	21.90	23.700	0.234	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	21.30	23.100	0.204	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	18.77	20.570	0.114	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	20.79	22.590	0.182	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.07	24.870	0.307	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	22.44	24.240	0.265	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.78	24.580	0.287	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.43	25.230	0.333	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	23.02	24.820	0.303	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	22.49	24.290	0.269	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	22.31	24.110	0.258	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	23.43	25.230	0.333	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	20.12	21.920	0.156	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	16.81	18.610	0.073	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	19.68	21.480	0.141	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.60	23.400	0.219	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.11	22.910	0.195	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	20.11	21.910	0.155	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	21.82	23.620	0.230	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	21.21	23.010	0.200	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	18.69	20.490	0.112	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	20.70	22.500	0.178	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	24.790	0.301	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	22.40	24.200	0.263	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.70	24.500	0.282	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.34	25.140	0.327	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.06	24.860	0.306	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	22.45	24.250	0.266	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	22.26	24.060	0.255	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	23.36	25.160	0.328	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	20.13	21.930	0.156	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	16.82	18.620	0.073	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	19.63	21.430	0.139	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	21.62	23.420	0.220	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.03	22.830	0.192	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	20.15	21.950	0.157	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	21.72	23.520	0.225	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM 16 QAM_RB180@0	21.20	23.000	0.200	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM 256 QAM_RB180@0	18.66	20.460	0.111	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM 64 QAM_RB180@0	20.69	22.490	0.177	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.08	24.880	0.308	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB1@187	22.46	24.260	0.267	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB180@0	22.74	24.540	0.284	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB90@45	23.33	25.130	0.326	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB1@1	23.06	24.860	0.306	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB1@187	22.49	24.290	0.269	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB180@0	22.24	24.040	0.254	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB90@45	23.35	25.150	0.327	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	20.18	21.980	0.158	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	16.84	18.640	0.073	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	19.64	21.440	0.139	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.52	23.320	0.215	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	20.90	22.700	0.186	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	21.83	23.630	0.231	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	20.21	22.010	0.159	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 16 QAM_RB216@0	21.21	23.010	0.200	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 256 QAM_RB216@0	18.67	20.470	0.111	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 64 QAM_RB216@0	20.73	22.530	0.179	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.92	24.720	0.296	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB1@215	22.28	24.080	0.256	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.37	25.170	0.329	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.74	24.540	0.284	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	22.93	24.730	0.297	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	22.33	24.130	0.259	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	23.39	25.190	0.330	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	22.26	24.060	0.255	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	20.11	21.910	0.155	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	16.79	18.590	0.072	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	19.62	21.420	0.139	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.50	23.300	0.214	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	20.88	22.680	0.185	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	21.81	23.610	0.230	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	20.20	22.000	0.158	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	21.18	22.980	0.199	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	18.61	20.410	0.110	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	20.67	22.470	0.177	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.88	24.680	0.294	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.27	24.070	0.255	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.32	25.120	0.325	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.64	24.440	0.278	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.84	24.640	0.291	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	22.28	24.080	0.256	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.31	25.110	0.324	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.20	24.000	0.251	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.10	21.900	0.155	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	16.77	18.570	0.072	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	19.64	21.440	0.139	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.55	23.350	0.216	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	20.83	22.630	0.183	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.76	23.560	0.227	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.12	21.920	0.156	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	21.19	22.990	0.199	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	18.62	20.420	0.110	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.64	22.440	0.175	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.93	24.730	0.297	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.33	24.130	0.259	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.24	25.040	0.319	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.64	24.440	0.278	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	22.99	24.790	0.301	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.33	24.130	0.259	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	23.30	25.100	0.324	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	22.18	23.980	0.250	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	20.07	21.870	0.154	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	16.69	18.490	0.071	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.59	21.390	0.138	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.23	23.030	0.201	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	20.59	22.390	0.173	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.71	23.510	0.224	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	20.05	21.850	0.153	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	21.12	22.920	0.196	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	18.57	20.370	0.109	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	20.61	22.410	0.174	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	24.550	0.285	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.07	23.870	0.244	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.27	25.070	0.321	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.60	24.400	0.275	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	22.73	24.530	0.284	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	22.09	23.890	0.245	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	23.31	25.110	0.324	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	22.10	23.900	0.245	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.06	21.860	0.153	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	16.72	18.520	0.071	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.60	21.400	0.138	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.30	23.100	0.204	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	20.67	22.470	0.177	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	21.73	23.530	0.225	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.07	21.870	0.154	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM 16 QAM_RB243@0	21.15	22.950	0.197	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM 256 QAM_RB243@0	18.55	20.350	0.108	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM 64 QAM_RB243@0	20.63	22.430	0.175	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.70	24.500	0.282	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@243	22.12	23.920	0.247	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB120@60	23.26	25.060	0.321	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB243@0	22.60	24.400	0.275	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@1	22.69	24.490	0.281	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB1@243	22.03	23.830	0.242	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB120@60	23.29	25.090	0.323	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s- OFDM QPSK_RB243@0	22.12	23.920	0.247	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.06	21.860	0.153	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	16.76	18.560	0.072	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	19.59	21.390	0.138	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.35	23.150	0.207	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	20.79	22.590	0.182	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	21.73	23.530	0.225	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.07	21.870	0.154	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s- OFDM 16 QAM_RB243@0	21.14	22.940	0.197	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s- OFDM 256 QAM_RB243@0	18.55	20.350	0.108	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s- OFDM 64 QAM_RB243@0	20.64	22.440	0.175	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.84	24.640	0.291	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s- OFDM PI/2 BPSK_RB1@243	22.16	23.960	0.249	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.29	25.090	0.323	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.68	24.480	0.281	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	22.82	24.620	0.290	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	22.13	23.930	0.247	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	23.29	25.090	0.323	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	22.10	23.900	0.245	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	20.03	21.830	0.152	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	16.71	18.510	0.071	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	19.51	21.310	0.135	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.21	23.010	0.200	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	20.45	22.250	0.168	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	21.73	23.530	0.225	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	20.02	21.820	0.152	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	21.08	22.880	0.194	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	18.52	20.320	0.108	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	20.57	22.370	0.173	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.60	24.400	0.275	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	21.96	23.760	0.238	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.22	25.020	0.318	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.54	24.340	0.272	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.64	24.440	0.278	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	21.94	23.740	0.237	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.25	25.050	0.320	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.02	23.820	0.241	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n78_1:

1. Ant Gain = 1.8 dBi;

2. CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3705MHz_CP-OFDM 16 QAM_RB52@0	20.39	22.19	0.166	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 256 QAM_RB52@0	17.03	18.83	0.076	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 64 QAM_RB52@0	19.87	21.67	0.147	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.80	23.6	0.229	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@50	21.80	23.6	0.229	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB26@13	21.90	23.7	0.234	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB52@0	20.40	22.2	0.166	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 16 QAM_RB50@0	21.44	23.24	0.211	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 256 QAM_RB50@0	18.87	20.67	0.117	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 64 QAM_RB50@0	20.94	22.74	0.188	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	25.21	0.332	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.32	25.12	0.325	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.44	25.24	0.334	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.92	24.72	0.296	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.33	25.13	0.326	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB1@50	23.30	25.1	0.324	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB25@12	23.40	25.2	0.331	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB50@0	22.41	24.21	0.264	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM 16 QAM_RB52@0	20.32	22.12	0.163	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM 256 QAM_RB52@0	16.95	18.75	0.075	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM 64 QAM_RB52@0	19.80	21.6	0.145	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.75	23.55	0.226	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@50	21.70	23.5	0.224	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM QPSK_RB26@13	21.75	23.55	0.226	1.00	Pass
10MHz_15kHz_3750MHz_CP-OFDM QPSK_RB52@0	20.35	22.15	0.164	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	21.33	23.13	0.206	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	18.82	20.62	0.115	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	20.85	22.65	0.184	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.36	25.16	0.328	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.31	25.11	0.324	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.38	25.18	0.33	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.88	24.68	0.294	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.31	25.11	0.324	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@50	23.31	25.11	0.324	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	23.41	25.21	0.332	1.00	Pass
10MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	22.37	24.17	0.261	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM 16 QAM_RB52@0	20.38	22.18	0.165	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM 256 QAM_RB52@0	17.07	18.87	0.077	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM 64 QAM_RB52@0	19.88	21.68	0.147	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM QPSK_RB1@1	21.84	23.64	0.231	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM QPSK_RB1@50	21.84	23.64	0.231	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM QPSK_RB26@13	21.92	23.72	0.236	1.00	Pass
10MHz_15kHz_3795MHz_CP-OFDM QPSK_RB52@0	20.37	22.17	0.165	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM 16 QAM_RB50@0	21.46	23.26	0.212	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM 256 QAM_RB50@0	18.90	20.7	0.117	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM 64 QAM_RB50@0	20.97	22.77	0.189	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	25.2	0.331	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.37	25.17	0.329	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.40	25.2	0.331	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.98	24.78	0.301	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	23.36	25.16	0.328	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM QPSK_RB1@50	23.35	25.15	0.327	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM QPSK_RB25@12	23.43	25.23	0.333	1.00	Pass
10MHz_15kHz_3795MHz_DFT-s-OFDM QPSK_RB50@0	22.48	24.28	0.268	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	20.35	22.15	0.164	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	16.92	18.72	0.074	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	19.82	21.62	0.145	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.87	23.67	0.233	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	21.81	23.61	0.23	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	21.81	23.61	0.23	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	20.39	22.19	0.166	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	21.38	23.18	0.208	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	18.85	20.65	0.116	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	20.85	22.65	0.184	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.22	25.02	0.318	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.22	25.02	0.318	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.38	25.18	0.33	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.98	24.78	0.301	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.30	25.1	0.324	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	23.33	25.13	0.326	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	23.40	25.2	0.331	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	22.48	24.28	0.268	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	20.26	22.06	0.161	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	16.89	18.69	0.074	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	19.84	21.64	0.146	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.91	23.71	0.235	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	21.85	23.65	0.232	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	21.76	23.56	0.227	1.00	Pass
10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	20.35	22.15	0.164	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	21.35	23.15	0.207	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	18.78	20.58	0.114	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	20.80	22.6	0.182	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	25.09	0.323	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.30	25.1	0.324	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.34	25.14	0.327	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.86	24.66	0.292	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.32	25.12	0.325	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	23.41	25.21	0.332	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	23.34	25.14	0.327	1.00	Pass
10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	22.37	24.17	0.261	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	20.21	22.01	0.159	1.00	Pass
10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	16.92	18.72	0.074	1.00	Pass
10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	19.73	21.53	0.142	1.00	Pass
10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	21.59	23.39	0.218	1.00	Pass
10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	21.68	23.48	0.223	1.00	Pass
10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	21.77	23.57	0.228	1.00	Pass
10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	20.25	22.05	0.16	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	21.26	23.06	0.202	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	18.80	20.6	0.115	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	20.78	22.58	0.181	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.18	24.98	0.315	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.17	24.97	0.314	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.30	25.1	0.324	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.78	24.58	0.287	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	23.23	25.03	0.318	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	23.18	24.98	0.315	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	23.32	25.12	0.325	1.00	Pass
10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	22.29	24.09	0.256	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 16 QAM_RB79@0	20.50	22.3	0.17	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 256 QAM_RB79@0	17.20	19	0.079	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 64 QAM_RB79@0	20.00	21.8	0.151	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	22.01	23.81	0.24	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@77	21.98	23.78	0.239	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB39@19	22.06	23.86	0.243	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB79@0	20.54	22.34	0.171	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.60	23.4	0.219	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.04	20.84	0.121	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.07	22.87	0.194	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.50	25.3	0.339	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.50	25.3	0.339	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.56	25.36	0.344	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.13	24.93	0.311	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.46	25.26	0.336	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.41	25.21	0.332	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.60	25.4	0.347	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.61	24.41	0.276	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM 16 QAM_RB79@0	20.50	22.3	0.17	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM 256 QAM_RB79@0	17.14	18.94	0.078	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM 64 QAM_RB79@0	20.07	21.87	0.154	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@1	22.02	23.82	0.241	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@77	21.95	23.75	0.237	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM QPSK_RB39@19	21.95	23.75	0.237	1.00	Pass
15MHz_15kHz_3750MHz_CP-OFDM QPSK_RB79@0	20.52	22.32	0.171	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	21.60	23.4	0.219	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	19.09	20.89	0.123	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	21.12	22.92	0.196	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.50	25.3	0.339	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.45	25.25	0.335	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.55	25.35	0.343	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.10	24.9	0.309	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.44	25.24	0.334	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@77	23.49	25.29	0.338	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	23.52	25.32	0.34	1.00	Pass
15MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	22.61	24.41	0.276	1.00	Pass
15MHz_15kHz_3792.5MHz_CP-OFDM 16 QAM_RB79@0	20.58	22.38	0.173	1.00	Pass
15MHz_15kHz_3792.5MHz_CP-OFDM 256 QAM_RB79@0	17.19	18.99	0.079	1.00	Pass
15MHz_15kHz_3792.5MHz_CP-OFDM 64 QAM_RB79@0	20.09	21.89	0.155	1.00	Pass
15MHz_15kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	21.94	23.74	0.237	1.00	Pass
15MHz_15kHz_3792.5MHz_CP-OFDM QPSK_RB1@77	21.87	23.67	0.233	1.00	Pass
15MHz_15kHz_3792.5MHz_CP-OFDM QPSK_RB39@19	22.07	23.87	0.244	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3792.5MHz_CP-OFDM QPSK_RB79@0	20.57	22.37	0.173	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.63	23.43	0.22	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.12	20.92	0.124	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.13	22.93	0.196	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.44	25.24	0.334	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.51	25.31	0.34	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.61	25.41	0.348	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.08	24.88	0.308	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	23.41	25.21	0.332	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@77	23.45	25.25	0.335	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@18	23.60	25.4	0.347	1.00	Pass
15MHz_15kHz_3792.5MHz_DFT-s-OFDM QPSK_RB75@0	22.63	24.43	0.277	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	20.35	22.15	0.164	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	16.91	18.71	0.074	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	19.77	21.57	0.144	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.79	23.59	0.229	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	21.84	23.64	0.231	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	21.79	23.59	0.229	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	20.36	22.16	0.164	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.32	23.12	0.205	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.79	20.59	0.115	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.87	22.67	0.185	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	25.01	0.317	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.19	24.99	0.316	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.35	25.15	0.327	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.84	24.64	0.291	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.22	25.02	0.318	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	23.20	25	0.316	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	23.36	25.16	0.328	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	22.34	24.14	0.259	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	20.33	22.13	0.163	1.00	Pass
15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	16.92	18.72	0.074	1.00	Pass
15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	19.73	21.53	0.142	1.00	Pass
15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.79	23.59	0.229	1.00	Pass
15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	21.83	23.63	0.231	1.00	Pass
15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	21.81	23.61	0.23	1.00	Pass
15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	20.31	22.11	0.163	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	21.39	23.19	0.208	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	18.80	20.6	0.115	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	20.82	22.62	0.183	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.22	25.02	0.318	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.26	25.06	0.321	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.34	25.14	0.327	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.87	24.67	0.293	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.28	25.08	0.322	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	23.28	25.08	0.322	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	23.39	25.19	0.33	1.00	Pass
15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	22.35	24.15	0.26	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	20.22	22.02	0.159	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	16.84	18.64	0.073	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	19.75	21.55	0.143	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	21.68	23.48	0.223	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	21.65	23.45	0.221	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	21.74	23.54	0.226	1.00	Pass
15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	20.30	22.1	0.162	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.26	23.06	0.202	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.72	20.52	0.113	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.76	22.56	0.18	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	24.97	0.314	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.10	24.9	0.309	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.30	25.1	0.324	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.77	24.57	0.286	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	23.20	25	0.316	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	23.19	24.99	0.316	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	23.27	25.07	0.321	1.00	Pass
15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	22.26	24.06	0.255	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM 16 QAM_RB133@0	20.56	22.36	0.172	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM 256 QAM_RB133@0	17.17	18.97	0.079	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM 64 QAM_RB133@0	20.06	21.86	0.153	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM QPSK_RB1@1	21.95	23.75	0.237	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM QPSK_RB1@131	21.91	23.71	0.235	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM QPSK_RB133@0	20.58	22.38	0.173	1.00	Pass
25MHz_15kHz_3712.5MHz_CP-OFDM QPSK_RB67@33	22.10	23.9	0.245	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.61	23.41	0.219	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.12	20.92	0.124	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.13	22.93	0.196	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.52	25.32	0.34	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.44	25.24	0.334	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.09	24.89	0.308	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.69	25.49	0.354	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@1	23.48	25.28	0.337	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@131	23.38	25.18	0.33	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM QPSK_RB128@0	22.61	24.41	0.276	1.00	Pass
25MHz_15kHz_3712.5MHz_DFT-s-OFDM QPSK_RB64@32	23.66	25.46	0.352	1.00	Pass
25MHz_15kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	20.63	22.43	0.175	1.00	Pass
25MHz_15kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	17.28	19.08	0.081	1.00	Pass
25MHz_15kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	20.13	21.93	0.156	1.00	Pass
25MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.93	23.73	0.236	1.00	Pass
25MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@131	21.99	23.79	0.239	1.00	Pass
25MHz_15kHz_3750MHz_CP-OFDM QPSK_RB133@0	20.61	22.41	0.174	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_3750MHz_CP-OFDM QPSK_RB67@33	22.12	23.92	0.247	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	21.62	23.42	0.22	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	19.10	20.9	0.123	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	21.16	22.96	0.198	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.50	25.3	0.339	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.49	25.29	0.338	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.09	24.89	0.308	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.65	25.45	0.351	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.44	25.24	0.334	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	23.52	25.32	0.34	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	22.65	24.45	0.279	1.00	Pass
25MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	23.66	25.46	0.352	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM 16 QAM_RB133@0	20.73	22.53	0.179	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM 256 QAM_RB133@0	17.33	19.13	0.082	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM 64 QAM_RB133@0	20.18	21.98	0.158	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM QPSK_RB1@1	21.99	23.79	0.239	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM QPSK_RB1@131	22.04	23.84	0.242	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM QPSK_RB133@0	20.69	22.49	0.177	1.00	Pass
25MHz_15kHz_3787.5MHz_CP-OFDM QPSK_RB67@33	22.23	24.03	0.253	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.72	23.52	0.225	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.19	20.99	0.126	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.26	23.06	0.202	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.57	25.37	0.344	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.54	25.34	0.342	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.23	25.03	0.318	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.77	25.57	0.361	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM QPSK_RB1@1	23.52	25.32	0.34	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM QPSK_RB1@131	23.51	25.31	0.34	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM QPSK_RB128@0	22.78	24.58	0.287	1.00	Pass
25MHz_15kHz_3787.5MHz_DFT-s-OFDM QPSK_RB64@32	23.74	25.54	0.358	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_3712.5MHz_CP-OFDM 16 QAM_RB65@0	20.35	22.15	0.164	1.00	Pass
25MHz_30kHz_3712.5MHz_CP-OFDM 256 QAM_RB65@0	17.01	18.81	0.076	1.00	Pass
25MHz_30kHz_3712.5MHz_CP-OFDM 64 QAM_RB65@0	19.87	21.67	0.147	1.00	Pass
25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB1@1	21.84	23.64	0.231	1.00	Pass
25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB1@63	21.71	23.51	0.224	1.00	Pass
25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB33@16	21.82	23.62	0.23	1.00	Pass
25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB65@0	20.36	22.16	0.164	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.36	23.16	0.207	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM 256 QAM_RB64@0	18.83	20.63	0.116	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM 64 QAM_RB64@0	20.85	22.65	0.184	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	24.97	0.314	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.18	24.98	0.315	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.45	25.25	0.335	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.89	24.69	0.294	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@1	23.23	25.03	0.318	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@63	23.30	25.1	0.324	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB32@16	23.42	25.22	0.333	1.00	Pass
25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB64@0	22.42	24.22	0.264	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB65@0	20.39	22.19	0.166	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB65@0	17.02	18.82	0.076	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB65@0	19.87	21.67	0.147	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.85	23.65	0.232	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@63	21.94	23.74	0.237	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB33@16	21.95	23.75	0.237	1.00	Pass
25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB65@0	20.36	22.16	0.164	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB64@0	21.53	23.33	0.215	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB64@0	18.88	20.68	0.117	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB64@0	20.91	22.71	0.187	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.22	25.02	0.318	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.27	25.07	0.321	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.49	25.29	0.338	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.94	24.74	0.298	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.14	24.94	0.312	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@63	23.37	25.17	0.329	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB32@16	23.48	25.28	0.337	1.00	Pass
25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@0	22.49	24.29	0.269	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM 16 QAM_RB65@0	20.38	22.18	0.165	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM 256 QAM_RB65@0	17.10	18.9	0.078	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM 64 QAM_RB65@0	19.85	21.65	0.146	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB1@1	21.89	23.69	0.234	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB1@63	21.72	23.52	0.225	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB33@16	21.95	23.75	0.237	1.00	Pass
25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB65@0	20.40	22.2	0.166	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.47	23.27	0.212	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM 256 QAM_RB64@0	18.84	20.64	0.116	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM 64 QAM_RB64@0	20.92	22.72	0.187	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.31	25.11	0.324	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.23	25.03	0.318	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.53	25.33	0.341	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.95	24.75	0.299	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB1@1	23.28	25.08	0.322	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB1@63	23.26	25.06	0.321	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB32@16	23.47	25.27	0.337	1.00	Pass
25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB64@0	22.46	24.26	0.267	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 16 QAM_RB160@0	20.60	22.4	0.174	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 256 QAM_RB160@0	17.14	18.94	0.078	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 64 QAM_RB160@0	20.06	21.86	0.153	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.86	23.66	0.232	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@158	21.74	23.54	0.226	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB160@0	20.53	22.33	0.171	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB80@40	22.07	23.87	0.244	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 16 QAM_RB160@0	21.57	23.37	0.217	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 256 QAM_RB160@0	19.02	20.82	0.121	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 64 QAM_RB160@0	21.10	22.9	0.195	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	25.17	0.329	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.36	25.16	0.328	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.04	24.84	0.305	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.69	25.49	0.354	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	23.32	25.12	0.325	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@158	23.29	25.09	0.323	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB160@0	22.57	24.37	0.274	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB80@40	23.64	25.44	0.35	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM 16 QAM_RB160@0	20.53	22.33	0.171	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM 256 QAM_RB160@0	17.21	19.01	0.08	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM 64 QAM_RB160@0	20.00	21.8	0.151	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.87	23.67	0.233	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@158	21.77	23.57	0.228	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM QPSK_RB160@0	20.50	22.3	0.17	1.00	Pass
30MHz_15kHz_3750MHz_CP-OFDM QPSK_RB80@40	22.02	23.82	0.241	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM 16 QAM_RB160@0	21.60	23.4	0.219	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM 256 QAM_RB160@0	19.05	20.85	0.122	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM 64 QAM_RB160@0	21.06	22.86	0.193	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	25.14	0.327	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.32	25.12	0.325	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.11	24.91	0.31	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.61	25.41	0.348	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.29	25.09	0.323	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@158	23.35	25.15	0.327	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB160@0	22.59	24.39	0.275	1.00	Pass
30MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB80@40	23.61	25.41	0.348	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3785MHz_CP-OFDM 16 QAM_RB160@0	20.58	22.38	0.173	1.00	Pass
30MHz_15kHz_3785MHz_CP-OFDM 256 QAM_RB160@0	17.19	18.99	0.079	1.00	Pass
30MHz_15kHz_3785MHz_CP-OFDM 64 QAM_RB160@0	20.04	21.84	0.153	1.00	Pass
30MHz_15kHz_3785MHz_CP-OFDM QPSK_RB1@1	21.83	23.63	0.231	1.00	Pass
30MHz_15kHz_3785MHz_CP-OFDM QPSK_RB1@158	21.85	23.65	0.232	1.00	Pass
30MHz_15kHz_3785MHz_CP-OFDM QPSK_RB160@0	20.55	22.35	0.172	1.00	Pass
30MHz_15kHz_3785MHz_CP-OFDM QPSK_RB80@40	22.11	23.91	0.246	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM 16 QAM_RB160@0	21.64	23.44	0.221	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM 256 QAM_RB160@0	19.14	20.94	0.124	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM 64 QAM_RB160@0	21.11	22.91	0.195	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	25.2	0.331	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.40	25.2	0.331	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.14	24.94	0.312	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.75	25.55	0.359	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	23.31	25.11	0.324	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM QPSK_RB1@158	23.33	25.13	0.326	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM QPSK_RB160@0	22.58	24.38	0.274	1.00	Pass
30MHz_15kHz_3785MHz_DFT-s-OFDM QPSK_RB80@40	23.64	25.44	0.35	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	20.29	22.09	0.162	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	16.89	18.69	0.074	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	19.81	21.61	0.145	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.72	23.52	0.225	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	21.67	23.47	0.222	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	21.85	23.65	0.232	1.00	Pass
30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	20.32	22.12	0.163	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	21.31	23.11	0.205	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	18.88	20.68	0.117	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	20.85	22.65	0.184	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.10	24.9	0.309	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.09	24.89	0.308	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.43	25.23	0.333	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.89	24.69	0.294	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	23.19	24.99	0.316	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	23.19	24.99	0.316	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	23.42	25.22	0.333	1.00	Pass
30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	22.37	24.17	0.261	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	20.32	22.12	0.163	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	16.96	18.76	0.075	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	19.89	21.69	0.148	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.65	23.45	0.221	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	21.67	23.47	0.222	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	21.90	23.7	0.234	1.00	Pass
30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	20.33	22.13	0.163	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	21.39	23.19	0.208	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	18.94	20.74	0.119	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	20.96	22.76	0.189	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.08	24.88	0.308	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.24	25.04	0.319	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.46	25.26	0.336	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.96	24.76	0.299	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.09	24.89	0.308	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	23.22	25.02	0.318	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	23.44	25.24	0.334	1.00	Pass
30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	22.47	24.27	0.267	1.00	Pass
30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	20.33	22.13	0.163	1.00	Pass
30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	16.94	18.74	0.075	1.00	Pass
30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	19.82	21.62	0.145	1.00	Pass
30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	21.67	23.47	0.222	1.00	Pass
30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	21.63	23.43	0.22	1.00	Pass
30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	21.91	23.71	0.235	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	20.34	22.14	0.164	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	21.35	23.15	0.207	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	18.91	20.71	0.118	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	20.87	22.67	0.185	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.12	24.92	0.31	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.11	24.91	0.31	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.47	25.27	0.337	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.92	24.72	0.296	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	23.18	24.98	0.315	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	23.05	24.85	0.305	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	23.42	25.22	0.333	1.00	Pass
30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	22.37	24.17	0.261	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 16 QAM_RB216@0	20.47	22.27	0.169	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 256 QAM_RB216@0	17.09	18.89	0.077	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 64 QAM_RB216@0	19.93	21.73	0.149	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.55	23.35	0.216	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@214	21.52	23.32	0.215	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB108@54	22.03	23.83	0.242	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB216@0	20.52	22.32	0.171	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 16 QAM_RB216@0	21.51	23.31	0.214	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 256 QAM_RB216@0	19.01	20.81	0.121	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 64 QAM_RB216@0	21.00	22.8	0.191	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.07	24.87	0.307	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.96	24.76	0.299	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.61	25.41	0.348	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.02	24.82	0.303	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	23.01	24.81	0.303	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB1@214	22.97	24.77	0.3	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB108@54	23.58	25.38	0.345	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB216@0	22.53	24.33	0.271	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3750MHz_CP-OFDM 16 QAM_RB216@0	20.49	22.29	0.169	1.00	Pass
40MHz_15kHz_3750MHz_CP-OFDM 256 QAM_RB216@0	17.09	18.89	0.077	1.00	Pass
40MHz_15kHz_3750MHz_CP-OFDM 64 QAM_RB216@0	19.97	21.77	0.15	1.00	Pass
40MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.60	23.4	0.219	1.00	Pass
40MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@214	21.53	23.33	0.215	1.00	Pass
40MHz_15kHz_3750MHz_CP-OFDM QPSK_RB108@54	22.05	23.85	0.243	1.00	Pass
40MHz_15kHz_3750MHz_CP-OFDM QPSK_RB216@0	20.48	22.28	0.169	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM 16 QAM_RB216@0	21.53	23.33	0.215	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM 256 QAM_RB216@0	19.01	20.81	0.121	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM 64 QAM_RB216@0	21.05	22.85	0.193	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.05	24.85	0.305	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	23.06	24.86	0.306	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	23.60	25.4	0.347	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	23.01	24.81	0.303	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM QPSK_RB1@1	23.05	24.85	0.305	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM QPSK_RB1@214	23.06	24.86	0.306	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM QPSK_RB108@54	23.60	25.4	0.347	1.00	Pass
40MHz_15kHz_3750MHz_DFT-s- OFDM QPSK_RB216@0	22.53	24.33	0.271	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM 16 QAM_RB216@0	20.57	22.37	0.173	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM 256 QAM_RB216@0	17.15	18.95	0.079	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM 64 QAM_RB216@0	20.09	21.89	0.155	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM QPSK_RB1@1	21.57	23.37	0.217	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM QPSK_RB1@214	21.79	23.59	0.229	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM QPSK_RB108@54	22.15	23.95	0.248	1.00	Pass
40MHz_15kHz_3780MHz_CP-OFDM QPSK_RB216@0	20.55	22.35	0.172	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s- OFDM 16 QAM_RB216@0	21.58	23.38	0.218	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s- OFDM 256 QAM_RB216@0	19.08	20.88	0.122	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s- OFDM 64 QAM_RB216@0	21.11	22.91	0.195	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.09	24.89	0.308	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	23.13	24.93	0.311	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3780MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.73	25.53	0.357	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.08	24.88	0.308	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	23.06	24.86	0.306	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s-OFDM QPSK_RB1@214	23.11	24.91	0.31	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s-OFDM QPSK_RB108@54	23.67	25.47	0.352	1.00	Pass
40MHz_15kHz_3780MHz_DFT-s-OFDM QPSK_RB216@0	22.57	24.37	0.274	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	20.25	22.05	0.16	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	16.84	18.64	0.073	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	19.73	21.53	0.142	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.33	23.13	0.206	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	21.58	23.38	0.218	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	20.23	22.03	0.16	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	21.81	23.61	0.23	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.30	23.1	0.204	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	18.78	20.58	0.114	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.81	22.61	0.182	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.80	24.6	0.288	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.94	24.74	0.298	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.83	24.63	0.29	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.39	25.19	0.33	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.98	24.78	0.301	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	22.98	24.78	0.301	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	22.31	24.11	0.258	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	23.41	25.21	0.332	1.00	Pass
40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	20.25	22.05	0.16	1.00	Pass
40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	16.95	18.75	0.075	1.00	Pass
40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	19.84	21.64	0.146	1.00	Pass
40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.37	23.17	0.207	1.00	Pass
40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	21.48	23.28	0.213	1.00	Pass
40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	20.25	22.05	0.16	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	21.86	23.66	0.232	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	21.35	23.15	0.207	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	18.84	20.64	0.116	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	20.87	22.67	0.185	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.90	24.7	0.295	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.94	24.74	0.298	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.88	24.68	0.294	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.47	25.27	0.337	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.96	24.76	0.299	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	22.93	24.73	0.297	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	22.37	24.17	0.261	1.00	Pass
40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	23.46	25.26	0.336	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	20.32	22.12	0.163	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	16.97	18.77	0.075	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	19.81	21.61	0.145	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	21.55	23.35	0.216	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	21.32	23.12	0.205	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	20.32	22.12	0.163	1.00	Pass
40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	21.89	23.69	0.234	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	21.37	23.17	0.207	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	18.85	20.65	0.116	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	20.88	22.68	0.185	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.88	24.68	0.294	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.91	24.71	0.296	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.89	24.69	0.294	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.46	25.26	0.336	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	22.86	24.66	0.292	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	22.89	24.69	0.294	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	22.38	24.18	0.262	1.00	Pass
40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	23.45	25.25	0.335	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3725MHz_CP-OFDM 16 QAM_RB270@0	20.55	22.35	0.172	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 256 QAM_RB270@0	17.15	18.95	0.079	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 64 QAM_RB270@0	20.09	21.89	0.155	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.92	23.72	0.236	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@268	21.79	23.59	0.229	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB135@67	22.07	23.87	0.244	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB270@0	20.54	22.34	0.171	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 16 QAM_RB270@0	21.56	23.36	0.217	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 256 QAM_RB270@0	19.10	20.9	0.123	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 64 QAM_RB270@0	21.04	22.84	0.192	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.36	25.16	0.328	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.29	25.09	0.323	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.56	25.36	0.344	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.08	24.88	0.308	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	23.32	25.12	0.325	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@268	23.26	25.06	0.321	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB135@67	23.63	25.43	0.349	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB270@0	22.57	24.37	0.274	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM 16 QAM_RB270@0	20.61	22.41	0.174	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM 256 QAM_RB270@0	17.18	18.98	0.079	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM 64 QAM_RB270@0	20.08	21.88	0.154	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.96	23.76	0.238	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM QPSK_RB1@268	21.90	23.7	0.234	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM QPSK_RB135@67	22.09	23.89	0.245	1.00	Pass
50MHz_15kHz_3750MHz_CP-OFDM QPSK_RB270@0	20.55	22.35	0.172	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	21.65	23.45	0.221	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	19.12	20.92	0.124	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	21.13	22.93	0.196	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.36	25.16	0.328	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.44	25.24	0.334	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.69	25.49	0.354	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.20	25	0.316	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.38	25.18	0.33	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB1@268	23.36	25.16	0.328	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	23.64	25.44	0.35	1.00	Pass
50MHz_15kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	22.68	24.48	0.281	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM 16 QAM_RB270@0	20.61	22.41	0.174	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM 256 QAM_RB270@0	17.25	19.05	0.08	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM 64 QAM_RB270@0	20.08	21.88	0.154	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM QPSK_RB1@1	21.82	23.62	0.23	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM QPSK_RB1@268	22.01	23.81	0.24	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM QPSK_RB135@67	22.13	23.93	0.247	1.00	Pass
50MHz_15kHz_3775MHz_CP-OFDM QPSK_RB270@0	20.62	22.42	0.175	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM 16 QAM_RB270@0	21.67	23.47	0.222	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM 256 QAM_RB270@0	19.12	20.92	0.124	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM 64 QAM_RB270@0	21.15	22.95	0.197	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	25.21	0.332	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.36	25.16	0.328	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.73	25.53	0.357	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.20	25	0.316	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	23.18	24.98	0.315	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM QPSK_RB1@268	23.39	25.19	0.33	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM QPSK_RB135@67	23.70	25.5	0.355	1.00	Pass
50MHz_15kHz_3775MHz_DFT-s-OFDM QPSK_RB270@0	22.64	24.44	0.278	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	20.27	22.07	0.161	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	16.95	18.75	0.075	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	19.78	21.58	0.144	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.40	23.2	0.209	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.52	23.32	0.215	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	20.27	22.07	0.161	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	21.80	23.6	0.229	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	21.33	23.13	0.206	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	18.79	20.59	0.115	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	20.87	22.67	0.185	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.00	24.8	0.302	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.15	24.95	0.313	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.86	24.66	0.292	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.37	25.17	0.329	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	23.14	24.94	0.312	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	23.25	25.05	0.32	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	22.36	24.16	0.261	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	23.40	25.2	0.331	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	20.37	22.17	0.165	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	17.04	18.84	0.077	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	19.87	21.67	0.147	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.61	23.41	0.219	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	21.84	23.64	0.231	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	20.38	22.18	0.165	1.00	Pass
50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	21.89	23.69	0.234	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	21.41	23.21	0.209	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	18.84	20.64	0.116	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	20.91	22.71	0.187	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.09	24.89	0.308	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.23	25.03	0.318	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.94	24.74	0.298	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.46	25.26	0.336	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.01	24.81	0.303	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	23.25	25.05	0.32	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	22.43	24.23	0.265	1.00	Pass
50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	23.40	25.2	0.331	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	20.32	22.12	0.163	1.00	Pass
50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	17.00	18.8	0.076	1.00	Pass
50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	19.78	21.58	0.144	1.00	Pass
50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	21.64	23.44	0.221	1.00	Pass
50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	21.58	23.38	0.218	1.00	Pass
50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	20.26	22.06	0.161	1.00	Pass
50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	21.88	23.68	0.233	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM 16 QAM_RB128@0	21.33	23.13	0.206	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM 256 QAM_RB128@0	18.81	20.61	0.115	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM 64 QAM_RB128@0	20.86	22.66	0.185	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.06	24.86	0.306	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM PI/2 BPSK_RB1@131	22.97	24.77	0.3	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM PI/2 BPSK_RB128@0	22.87	24.67	0.293	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM PI/2 BPSK_RB64@32	23.44	25.24	0.334	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM QPSK_RB1@1	23.01	24.81	0.303	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM QPSK_RB1@131	23.11	24.91	0.31	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM QPSK_RB128@0	22.34	24.14	0.259	1.00	Pass
50MHz_30kHz_3775MHz_DFT-s- OFDM QPSK_RB64@32	23.37	25.17	0.329	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	20.20	22	0.158	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	16.82	18.62	0.073	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	19.67	21.47	0.14	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	21.18	22.98	0.199	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.49	23.29	0.213	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	20.20	22	0.158	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	21.59	23.39	0.218	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s- OFDM 16 QAM_RB162@0	21.19	22.99	0.199	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s- OFDM 256 QAM_RB162@0	18.56	20.36	0.109	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s- OFDM 64 QAM_RB162@0	20.66	22.46	0.176	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.81	24.61	0.289	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s- OFDM PI/2 BPSK_RB1@160	22.95	24.75	0.299	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.75	24.55	0.285	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.28	25.08	0.322	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	22.81	24.61	0.289	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	23.00	24.8	0.302	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	22.16	23.96	0.249	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	23.26	25.06	0.321	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	20.12	21.92	0.156	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	16.78	18.58	0.072	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	19.66	21.46	0.14	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.47	23.27	0.212	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	21.57	23.37	0.217	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	20.12	21.92	0.156	1.00	Pass
60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	21.89	23.69	0.234	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	21.34	23.14	0.206	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	18.81	20.61	0.115	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	20.93	22.73	0.187	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.88	24.68	0.294	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.06	24.86	0.306	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.86	24.66	0.292	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.47	25.27	0.337	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.88	24.68	0.294	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	23.07	24.87	0.307	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	22.34	24.14	0.259	1.00	Pass
60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	23.36	25.16	0.328	1.00	Pass
60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	20.19	21.99	0.158	1.00	Pass
60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	16.93	18.73	0.075	1.00	Pass
60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	19.71	21.51	0.142	1.00	Pass
60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	21.39	23.19	0.208	1.00	Pass
60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	21.48	23.28	0.213	1.00	Pass
60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	20.23	22.03	0.16	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	21.85	23.65	0.232	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	21.18	22.98	0.199	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	18.58	20.38	0.109	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	20.65	22.45	0.176	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	24.55	0.285	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.78	24.58	0.287	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.69	24.49	0.281	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.28	25.08	0.322	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	22.84	24.64	0.291	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	22.81	24.61	0.289	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	22.17	23.97	0.249	1.00	Pass
60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	23.26	25.06	0.321	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	20.25	22.05	0.16	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	16.90	18.7	0.074	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	19.75	21.55	0.143	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	21.31	23.11	0.205	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.49	23.29	0.213	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	20.24	22.04	0.16	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	21.85	23.65	0.232	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	21.09	22.89	0.195	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	18.76	20.56	0.114	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	20.82	22.62	0.183	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.66	24.46	0.279	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	22.80	24.6	0.288	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.65	24.45	0.279	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.23	25.03	0.318	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	22.60	24.4	0.275	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	22.79	24.59	0.288	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	22.11	23.91	0.246	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	23.25	25.05	0.32	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	20.33	22.13	0.163	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	16.97	18.77	0.075	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	19.78	21.58	0.144	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.44	23.24	0.211	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	21.63	23.43	0.22	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	20.31	22.11	0.163	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	21.95	23.75	0.237	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	21.43	23.23	0.21	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	18.82	20.62	0.115	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	20.88	22.68	0.185	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.84	24.64	0.291	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	22.99	24.79	0.301	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.89	24.69	0.294	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.53	25.33	0.341	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.87	24.67	0.293	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	22.95	24.75	0.299	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	22.42	24.22	0.264	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	23.51	25.31	0.34	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	20.33	22.13	0.163	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	16.99	18.79	0.076	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	19.81	21.61	0.145	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	21.52	23.32	0.215	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	21.51	23.31	0.214	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	20.24	22.04	0.16	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	21.91	23.71	0.235	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	21.33	23.13	0.206	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	18.82	20.62	0.115	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	20.86	22.66	0.185	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.88	24.68	0.294	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	22.93	24.73	0.297	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.91	24.71	0.296	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.40	25.2	0.331	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	22.90	24.7	0.295	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	22.89	24.69	0.294	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	22.36	24.16	0.261	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	23.44	25.24	0.334	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	20.28	22.08	0.161	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	16.88	18.68	0.074	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	19.78	21.58	0.144	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	21.26	23.06	0.202	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	21.39	23.19	0.208	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	21.82	23.62	0.23	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	20.26	22.06	0.161	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	21.29	23.09	0.204	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	18.79	20.59	0.115	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	20.74	22.54	0.179	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.68	24.48	0.281	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.86	24.66	0.292	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.38	25.18	0.33	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.81	24.61	0.289	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	22.80	24.6	0.288	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	22.79	24.59	0.288	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	23.41	25.21	0.332	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	22.27	24.07	0.255	1.00	Pass
80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	20.41	22.21	0.166	1.00	Pass
80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	16.99	18.79	0.076	1.00	Pass
80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	19.83	21.63	0.146	1.00	Pass
80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.30	23.1	0.204	1.00	Pass
80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	21.47	23.27	0.212	1.00	Pass
80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	22.02	23.82	0.241	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	20.34	22.14	0.164	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	21.35	23.15	0.207	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	18.80	20.6	0.115	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	20.81	22.61	0.182	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.67	24.47	0.28	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.82	24.62	0.29	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.50	25.3	0.339	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.82	24.62	0.29	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.74	24.54	0.284	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	22.86	24.66	0.292	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	23.53	25.33	0.341	1.00	Pass
80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	22.31	24.11	0.258	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	20.37	22.17	0.165	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	16.99	18.79	0.076	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	19.84	21.64	0.146	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	21.26	23.06	0.202	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	21.40	23.2	0.209	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	22.00	23.8	0.24	1.00	Pass
80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	20.33	22.13	0.163	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	21.36	23.16	0.207	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	18.79	20.59	0.115	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	20.83	22.63	0.183	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.68	24.48	0.281	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.85	24.65	0.292	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.50	25.3	0.339	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.86	24.66	0.292	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	22.70	24.5	0.282	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	22.68	24.48	0.281	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	23.46	25.26	0.336	1.00	Pass
80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	22.32	24.12	0.258	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	20.30	22.1	0.162	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	16.98	18.78	0.076	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	19.82	21.62	0.145	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	21.19	22.99	0.199	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	21.20	23	0.2	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	21.97	23.77	0.238	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	20.33	22.13	0.163	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM 16 QAM_RB243@0	21.33	23.13	0.206	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM 256 QAM_RB243@0	18.80	20.6	0.115	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM 64 QAM_RB243@0	20.82	22.62	0.183	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.62	24.42	0.277	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM PI/2 BPSK_RB1@243	22.72	24.52	0.283	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM PI/2 BPSK_RB120@60	23.45	25.25	0.335	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM PI/2 BPSK_RB243@0	22.83	24.63	0.29	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM QPSK_RB1@1	22.70	24.5	0.282	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM QPSK_RB1@243	22.76	24.56	0.286	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM QPSK_RB120@60	23.50	25.3	0.339	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s- OFDM QPSK_RB243@0	22.35	24.15	0.26	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	20.34	22.14	0.164	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	16.95	18.75	0.075	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	19.80	21.6	0.145	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.06	22.86	0.193	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	21.33	23.13	0.206	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	21.98	23.78	0.239	1.00	Pass
90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	20.32	22.12	0.163	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s- OFDM 16 QAM_RB243@0	21.35	23.15	0.207	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s- OFDM 256 QAM_RB243@0	18.81	20.61	0.115	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s- OFDM 64 QAM_RB243@0	20.81	22.61	0.182	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.58	24.38	0.274	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB1@243	22.78	24.58	0.287	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.54	25.34	0.342	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.85	24.65	0.292	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.51	24.31	0.27	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	22.76	24.56	0.286	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	23.49	25.29	0.338	1.00	Pass
90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	22.32	24.12	0.258	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	20.26	22.06	0.161	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	16.92	18.72	0.074	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	19.78	21.58	0.144	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	21.04	22.84	0.192	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	21.38	23.18	0.208	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	21.91	23.71	0.235	1.00	Pass
90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	20.27	22.07	0.161	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	21.33	23.13	0.206	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	18.73	20.53	0.113	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	20.77	22.57	0.181	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.59	24.39	0.275	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.69	24.49	0.281	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.44	25.24	0.334	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.82	24.62	0.29	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	22.67	24.47	0.28	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	22.73	24.53	0.284	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	23.48	25.28	0.337	1.00	Pass
90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	22.28	24.08	0.256	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	20.23	22.03	0.16	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	16.91	18.71	0.074	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	19.74	21.54	0.143	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.94	22.74	0.188	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.06	22.86	0.193	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	21.96	23.76	0.238	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_3750MHz_CP-OFDMQPSK_RB273@0	20.33	22.13	0.163	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	21.31	23.11	0.205	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	18.79	20.59	0.115	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	20.74	22.54	0.179	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.45	24.25	0.266	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.59	24.39	0.275	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.52	25.32	0.34	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.81	24.61	0.289	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.41	24.21	0.264	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	22.71	24.51	0.282	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	23.44	25.24	0.334	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	22.28	24.08	0.256	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n78_2:

1. Ant Gain = 1.8dBi;

2. CL= signalattenuationintheconnectingcable
between the transmitter and antenna in 0dB

FCC Part 27

RF power output

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_2582.5MHz_CP-OFDM_16_QAM_RB65@0	20.22	20.02	0.1	2.00	Pass
25MHz_30kHz_2582.5MHz_CP-OFDM_256_QAM_RB65@0	16.70	16.5	0.045	2.00	Pass
25MHz_30kHz_2582.5MHz_CP-OFDM_64_QAM_RB65@0	19.81	19.61	0.091	2.00	Pass
25MHz_30kHz_2582.5MHz_CP-OFDM_QPSK_RB1@1	21.52	21.32	0.136	2.00	Pass
25MHz_30kHz_2582.5MHz_CP-OFDM_QPSK_RB1@63	21.44	21.24	0.133	2.00	Pass
25MHz_30kHz_2582.5MHz_CP-OFDM_QPSK_RB33@16	21.84	21.64	0.146	2.00	Pass
25MHz_30kHz_2582.5MHz_CP-OFDM_QPSK_RB65@0	20.25	20.05	0.101	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_16_QAM_RB64@0	21.28	21.08	0.128	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_256_QAM_RB64@0	18.80	18.6	0.072	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_64_QAM_RB64@0	20.77	20.57	0.114	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	22.91	22.71	0.187	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@63	23.10	22.9	0.195	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_PI/2_BPSK_RB32@16	23.27	23.07	0.203	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_PI/2_BPSK_RB64@0	22.76	22.56	0.18	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_QPSK_RB1@1	22.94	22.74	0.188	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_QPSK_RB1@63	23.09	22.89	0.195	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_QPSK_RB32@16	23.34	23.14	0.206	2.00	Pass
25MHz_30kHz_2582.5MHz_DFT-s-OFDM_QPSK_RB64@0	22.30	22.1	0.162	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_16_QAM_RB65@0	20.25	20.05	0.101	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_256_QAM_RB65@0	16.78	16.58	0.045	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_64_QAM_RB65@0	19.73	19.53	0.09	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB1@1	21.72	21.52	0.142	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB1@63	21.64	21.44	0.139	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB33@16	21.82	21.62	0.145	2.00	Pass
25MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB65@0	20.24	20.04	0.101	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM_16_QAM_RB64@0	21.25	21.05	0.127	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM_256_QAM_RB64@0	18.80	18.6	0.072	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM_64_QAM_RB64@0	20.80	20.6	0.115	2.00	Pass

25MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.11	22.91	0.195	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.13	22.93	0.196	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.39	23.19	0.208	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.80	22.6	0.182	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.09	22.89	0.195	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	23.14	22.94	0.197	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	23.34	23.14	0.206	2.00	Pass
25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	22.35	22.15	0.164	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	20.22	20.02	0.1	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	16.79	16.59	0.046	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	19.76	19.56	0.09	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	21.86	21.66	0.147	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	21.52	21.32	0.136	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	21.85	21.65	0.146	2.00	Pass
25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	20.25	20.05	0.101	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.34	21.14	0.13	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	18.85	18.65	0.073	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	20.78	20.58	0.114	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.84	21.64	0.146	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.19	22.99	0.199	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.37	23.17	0.207	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.89	22.69	0.186	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	23.13	22.93	0.196	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	23.16	22.96	0.198	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	23.32	23.12	0.205	2.00	Pass
25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	22.38	22.18	0.165	2.00	Pass
30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	20.22	20.02	0.1	2.00	Pass
30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	16.70	16.5	0.045	2.00	Pass
30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	19.70	19.5	0.089	2.00	Pass
30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	21.53	21.33	0.136	2.00	Pass
30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	21.72	21.52	0.142	2.00	Pass

30MHz_30kHz_2585MHz_CP-OFDM_QPSK_RB39@19	21.80	21.6	0.145	2.00	Pass
30MHz_30kHz_2585MHz_CP-OFDM_QPSK_RB78@0	20.22	20.02	0.1	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_16_QAM_RB75@0	21.19	20.99	0.126	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_256_QAM_RB75@0	18.70	18.5	0.071	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_64_QAM_RB75@0	20.71	20.51	0.112	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	22.88	22.68	0.185	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_PI/2_BPSK_RB1@76	23.02	22.82	0.191	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_PI/2_BPSK_RB36@18	23.29	23.09	0.204	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_PI/2_BPSK_RB75@0	22.74	22.54	0.179	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_QPSK_RB1@1	22.74	22.54	0.179	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_QPSK_RB1@76	22.94	22.74	0.188	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_QPSK_RB36@18	23.35	23.15	0.207	2.00	Pass
30MHz_30kHz_2585MHz_DFT-s-OFDM_QPSK_RB75@0	22.26	22.06	0.161	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_16_QAM_RB78@0	20.15	19.95	0.099	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_256_QAM_RB78@0	16.72	16.52	0.045	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_64_QAM_RB78@0	19.73	19.53	0.09	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB1@1	21.27	21.07	0.128	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB1@76	21.74	21.54	0.143	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB39@19	21.78	21.58	0.144	2.00	Pass
30MHz_30kHz_2595MHz_CP-OFDM_QPSK_RB78@0	20.25	20.05	0.101	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_16_QAM_RB75@0	21.34	21.14	0.13	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_256_QAM_RB75@0	18.70	18.5	0.071	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_64_QAM_RB75@0	20.76	20.56	0.114	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	22.95	22.75	0.188	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_PI/2_BPSK_RB1@76	23.06	22.86	0.193	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_PI/2_BPSK_RB36@18	23.34	23.14	0.206	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_PI/2_BPSK_RB75@0	22.82	22.62	0.183	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_QPSK_RB1@1	23.04	22.84	0.192	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_QPSK_RB1@76	23.04	22.84	0.192	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_QPSK_RB36@18	23.40	23.2	0.209	2.00	Pass
30MHz_30kHz_2595MHz_DFT-s-OFDM_QPSK_RB75@0	22.34	22.14	0.164	2.00	Pass

30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	20.21	20.01	0.1	2.00	Pass
30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	16.74	16.54	0.045	2.00	Pass
30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	19.80	19.6	0.091	2.00	Pass
30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	21.64	21.44	0.139	2.00	Pass
30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	21.77	21.57	0.144	2.00	Pass
30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	21.83	21.63	0.146	2.00	Pass
30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	20.31	20.11	0.103	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	21.24	21.04	0.127	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	18.74	18.54	0.071	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	20.73	20.53	0.113	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.03	22.83	0.192	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.15	22.95	0.197	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.36	23.16	0.207	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.82	22.62	0.183	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	23.10	22.9	0.195	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	23.09	22.89	0.195	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	23.41	23.21	0.209	2.00	Pass
30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	22.37	22.17	0.165	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	20.06	19.86	0.097	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	16.55	16.35	0.043	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	19.48	19.28	0.085	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	21.25	21.05	0.127	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	20.04	19.84	0.096	2.00	Pass
40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	21.71	21.51	0.142	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	21.14	20.94	0.124	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	18.54	18.34	0.068	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	20.63	20.43	0.11	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.59	22.39	0.173	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.75	22.55	0.18	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.67	22.47	0.177	2.00	Pass

40MHz_30kHz_2590MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.20	23	0.2	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	22.60	22.4	0.174	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	22.77	22.57	0.181	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	22.13	21.93	0.156	2.00	Pass
40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	23.34	23.14	0.206	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	20.14	19.94	0.099	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	16.65	16.45	0.044	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	19.59	19.39	0.087	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	21.39	21.19	0.132	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	21.17	20.97	0.125	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	20.12	19.92	0.098	2.00	Pass
40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	21.71	21.51	0.142	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	21.17	20.97	0.125	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	18.62	18.42	0.07	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	20.72	20.52	0.113	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.73	22.53	0.179	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.84	22.64	0.184	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.73	22.53	0.179	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.28	23.08	0.203	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	22.61	22.41	0.174	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	22.79	22.59	0.182	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	22.19	21.99	0.158	2.00	Pass
40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	23.32	23.12	0.205	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	20.22	20.02	0.1	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	16.72	16.52	0.045	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	19.71	19.51	0.089	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	21.47	21.27	0.134	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	21.57	21.37	0.137	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	20.17	19.97	0.099	2.00	Pass
40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	21.77	21.57	0.144	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	21.23	21.03	0.127	2.00	Pass

40MHz_30kHz_2600MHz_DFT-s-OFDM_256_QAM_RB100@0	18.71	18.51	0.071	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_64_QAM_RB100@0	20.70	20.5	0.112	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	22.72	22.52	0.179	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	22.81	22.61	0.182	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	22.70	22.5	0.178	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	23.30	23.1	0.204	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_QPSK_RB1@1	22.75	22.55	0.18	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_QPSK_RB1@104	22.82	22.62	0.183	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_QPSK_RB100@0	22.30	22.1	0.162	2.00	Pass
40MHz_30kHz_2600MHz_DFT-s-OFDM_QPSK_RB50@25	23.34	23.14	0.206	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n38:

1.Ant Gain =-0.2 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 22H

RF power output

n5

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	19.75	11.500	0.014	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	16.22	7.970	0.006	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	19.24	10.990	0.013	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	21.08	12.830	0.019	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	21.06	12.810	0.019	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	21.22	12.970	0.020	7.00	Pass
5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	19.72	11.470	0.014	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM 16 QAM_RB25@0	20.79	12.540	0.018	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM 256 QAM_RB25@0	18.15	9.900	0.010	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.22	11.970	0.016	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.69	14.440	0.028	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@23	22.59	14.340	0.027	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	22.72	14.470	0.028	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM PI/2 BPSK_RB25@0	22.27	14.020	0.025	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB1@1	22.66	14.410	0.028	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB1@23	22.66	14.410	0.028	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB12@6	22.79	14.540	0.028	7.00	Pass
5MHz_15kHz_826.5MHz_DFT-s- OFDM QPSK_RB25@0	21.74	13.490	0.022	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	19.59	11.340	0.014	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	16.12	7.870	0.006	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	19.04	10.790	0.012	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.94	12.690	0.019	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	20.91	12.660	0.018	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	21.07	12.820	0.019	7.00	Pass
5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	19.63	11.380	0.014	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM 16 QAM_RB25@0	20.69	12.440	0.018	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM 256 QAM_RB25@0	18.19	9.940	0.010	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.07	11.820	0.015	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.55	14.300	0.027	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.55	14.300	0.027	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.61	14.360	0.027	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.12	13.870	0.024	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.68	14.430	0.028	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	22.66	14.410	0.028	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	22.69	14.440	0.028	7.00	Pass
5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	21.61	13.360	0.022	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	19.46	11.210	0.013	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	16.01	7.760	0.006	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	19.03	10.780	0.012	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	20.78	12.530	0.018	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	20.81	12.560	0.018	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	21.01	12.760	0.019	7.00	Pass
5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	19.52	11.270	0.013	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.58	12.330	0.017	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.08	9.830	0.010	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.02	11.770	0.015	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.40	14.150	0.026	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.32	14.070	0.026	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.50	14.250	0.027	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.95	13.700	0.023	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	22.37	14.120	0.026	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	22.42	14.170	0.026	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	22.54	14.290	0.027	7.00	Pass
5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	21.51	13.260	0.021	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	19.48	11.230	0.013	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	16.03	7.780	0.006	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	18.95	10.700	0.012	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	20.95	12.700	0.019	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	20.88	12.630	0.018	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	21.04	12.790	0.019	7.00	Pass
10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	19.53	11.280	0.013	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	20.56	12.310	0.017	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	18.04	9.790	0.010	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	20.08	11.830	0.015	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.52	14.270	0.027	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.44	14.190	0.026	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.58	14.330	0.027	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.06	13.810	0.024	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	22.59	14.340	0.027	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	22.41	14.160	0.026	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	22.58	14.330	0.027	7.00	Pass
10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	21.60	13.350	0.022	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	19.41	11.160	0.013	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	15.92	7.670	0.006	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	18.83	10.580	0.011	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.88	12.630	0.018	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	20.82	12.570	0.018	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	20.93	12.680	0.019	7.00	Pass
10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	19.37	11.120	0.013	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	20.41	12.160	0.016	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	17.89	9.640	0.009	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	19.91	11.660	0.015	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.26	14.010	0.025	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.32	14.070	0.026	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.45	14.200	0.026	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.89	13.640	0.023	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.39	14.140	0.026	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	22.34	14.090	0.026	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	22.50	14.250	0.027	7.00	Pass
10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	21.38	13.130	0.021	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM 16 QAM_RB52@0	19.27	11.020	0.013	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM 256 QAM_RB52@0	15.81	7.560	0.006	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM 64 QAM_RB52@0	18.74	10.490	0.011	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@1	20.72	12.470	0.018	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@50	20.55	12.300	0.017	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM QPSK_RB26@13	20.79	12.540	0.018	7.00	Pass
10MHz_15kHz_844MHz_CP-OFDM QPSK_RB52@0	19.26	11.010	0.013	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM 16 QAM_RB50@0	20.29	12.040	0.016	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM 256 QAM_RB50@0	17.78	9.530	0.009	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM 64 QAM_RB50@0	19.77	11.520	0.014	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.38	14.130	0.026	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.17	13.920	0.025	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.32	14.070	0.026	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.69	13.440	0.022	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@1	22.26	14.010	0.025	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@50	22.11	13.860	0.024	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB25@12	22.28	14.030	0.025	7.00	Pass
10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB50@0	21.27	13.020	0.020	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM 16 QAM_RB79@0	19.66	11.410	0.014	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM 256 QAM_RB79@0	16.12	7.870	0.006	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM 64 QAM_RB79@0	19.15	10.900	0.012	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@1	21.07	12.820	0.019	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@77	20.78	12.530	0.018	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB39@19	21.20	12.950	0.020	7.00	Pass
15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB79@0	19.66	11.410	0.014	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.74	12.490	0.018	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.26	10.010	0.010	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.20	11.950	0.016	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.60	14.350	0.027	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.47	14.220	0.026	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.59	14.340	0.027	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.15	13.900	0.025	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	22.56	14.310	0.027	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	22.45	14.200	0.026	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	22.69	14.440	0.028	7.00	Pass
15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	21.77	13.520	0.022	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	19.54	11.290	0.013	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	16.03	7.780	0.006	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	19.05	10.800	0.012	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.96	12.710	0.019	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	20.82	12.570	0.018	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	21.16	12.910	0.020	7.00	Pass
15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	19.54	11.290	0.013	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.58	12.330	0.017	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.11	9.860	0.010	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.09	11.840	0.015	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.52	14.270	0.027	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.37	14.120	0.026	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.64	14.390	0.027	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.10	13.850	0.024	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.58	14.330	0.027	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	22.43	14.180	0.026	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	22.64	14.390	0.027	7.00	Pass
15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	21.59	13.340	0.022	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	19.52	11.270	0.013	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	16.00	7.750	0.006	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	18.97	10.720	0.012	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	20.92	12.670	0.018	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	20.84	12.590	0.018	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	21.03	12.780	0.019	7.00	Pass
15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	19.49	11.240	0.013	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.53	12.280	0.017	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.08	9.830	0.010	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.03	11.780	0.015	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.46	14.210	0.026	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.27	14.020	0.025	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.52	14.270	0.027	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.99	13.740	0.024	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	22.43	14.180	0.026	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	22.37	14.120	0.026	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	22.52	14.270	0.027	7.00	Pass
15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	21.52	13.270	0.021	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	19.71	11.460	0.014	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	16.09	7.840	0.006	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	19.14	10.890	0.012	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	21.03	12.780	0.019	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	20.68	12.430	0.017	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	19.65	11.400	0.014	7.00	Pass
20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	21.17	12.920	0.020	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	20.76	12.510	0.018	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	18.25	10.000	0.010	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	20.18	11.930	0.016	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.62	14.370	0.027	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.34	14.090	0.026	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.18	13.930	0.025	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.70	14.450	0.028	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	22.51	14.260	0.027	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	22.40	14.150	0.026	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	21.68	13.430	0.022	7.00	Pass
20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	22.73	14.480	0.028	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	19.58	11.330	0.014	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	16.07	7.820	0.006	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	19.03	10.780	0.012	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	20.97	12.720	0.019	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	20.76	12.510	0.018	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	19.57	11.320	0.014	7.00	Pass
20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	21.11	12.860	0.019	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	20.68	12.430	0.017	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	18.07	9.820	0.010	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	20.13	11.880	0.015	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.54	14.290	0.027	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.27	14.020	0.025	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.10	13.850	0.024	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.64	14.390	0.027	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	22.55	14.300	0.027	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	22.37	14.120	0.026	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	21.60	13.350	0.022	7.00	Pass
20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	22.68	14.430	0.028	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	19.50	11.250	0.013	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	15.99	7.740	0.006	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	18.96	10.710	0.012	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	20.94	12.690	0.019	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	20.79	12.540	0.018	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	19.45	11.200	0.013	7.00	Pass
20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	21.08	12.830	0.019	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	20.60	12.350	0.017	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	18.07	9.820	0.010	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	20.07	11.820	0.015	7.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.48	14.230	0.026	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.29	14.040	0.025	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.02	13.770	0.024	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.64	14.390	0.027	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	22.55	14.300	0.027	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	22.43	14.180	0.026	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	21.54	13.290	0.021	7.00	Pass
20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	22.63	14.380	0.027	7.00	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd) = GT(dBi) - 2.15

n5:

1.Ant Gain = -6.1 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 27

RF power output

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	20.35	10.20	0.010	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	16.91	6.76	0.005	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	19.84	9.69	0.009	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	21.83	11.68	0.015	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	21.70	11.55	0.014	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	21.83	11.68	0.015	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	20.35	10.20	0.010	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 16 QAM_RB25@0	21.43	11.28	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 256 QAM_RB25@0	18.96	8.81	0.008	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.85	10.70	0.012	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.46	13.31	0.021	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@23	23.26	13.11	0.020	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	23.43	13.28	0.021	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB25@0	22.82	12.67	0.018	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@1	23.57	13.42	0.022	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@23	23.34	13.19	0.021	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB12@6	23.40	13.25	0.021	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB25@0	22.33	12.18	0.017	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	20.30	10.15	0.010	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	16.85	6.70	0.005	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	19.90	9.75	0.009	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.94	11.79	0.015	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	21.76	11.61	0.014	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	21.76	11.61	0.014	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	20.32	10.17	0.010	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 16 QAM_RB25@0	21.36	11.21	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 256 QAM_RB25@0	18.74	8.59	0.007	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.82	10.67	0.012	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.36	12.21	0.017	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.24	13.09	0.020	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.37	13.22	0.021	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.79	12.64	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.39	13.24	0.021	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	23.19	13.04	0.020	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	23.43	13.28	0.021	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	22.28	12.13	0.016	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	20.34	10.19	0.010	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	16.93	6.78	0.005	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	19.90	9.75	0.009	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	21.87	11.72	0.015	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	21.52	11.37	0.014	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	21.92	11.77	0.015	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	20.37	10.22	0.011	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.43	11.28	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.94	8.79	0.008	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.93	10.78	0.012	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.23	13.08	0.020	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.95	12.80	0.019	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.26	13.11	0.020	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.76	12.61	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	23.32	13.17	0.021	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.06	12.91	0.020	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	23.37	13.22	0.021	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	22.35	12.20	0.017	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	20.43	10.28	0.011	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	16.94	6.79	0.005	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	19.89	9.74	0.009	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	21.75	11.60	0.014	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	21.66	11.51	0.014	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	21.84	11.69	0.015	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	20.39	10.24	0.011	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	21.35	11.20	0.013	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	18.92	8.77	0.008	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	20.89	10.74	0.012	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.35	13.20	0.021	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.12	12.97	0.020	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.37	13.22	0.021	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.84	12.69	0.019	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	23.42	13.27	0.021	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	23.19	13.04	0.020	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	23.37	13.22	0.021	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	22.38	12.23	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	20.29	10.14	0.010	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	16.81	6.66	0.005	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	19.77	9.62	0.009	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.67	11.52	0.014	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	21.66	11.51	0.014	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	21.78	11.63	0.015	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	20.23	10.08	0.010	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.24	11.09	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	18.68	8.53	0.007	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	20.74	10.59	0.011	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.30	13.15	0.021	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.15	13.00	0.020	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.27	13.12	0.021	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.74	12.59	0.018	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.21	13.06	0.020	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	23.10	12.95	0.020	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_707.5MHz_DFT-s-OFDM_QPSK_RB25@12	23.35	13.20	0.021	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM_QPSK_RB50@0	22.24	12.09	0.016	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_16_QAM_RB52@0	20.17	10.02	0.010	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_256_QAM_RB52@0	16.69	6.54	0.005	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_64_QAM_RB52@0	19.66	9.51	0.009	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_QPSK_RB1@1	21.53	11.38	0.014	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_QPSK_RB1@50	21.56	11.41	0.014	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_QPSK_RB26@13	21.76	11.61	0.014	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM_QPSK_RB52@0	20.15	10.00	0.010	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_16_QAM_RB50@0	21.21	11.06	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_256_QAM_RB50@0	18.64	8.49	0.007	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_64_QAM_RB50@0	20.71	10.56	0.011	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	23.27	13.12	0.021	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_PI/2_BPSK_RB1@50	22.88	12.73	0.019	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_PI/2_BPSK_RB25@12	23.25	13.10	0.020	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_PI/2_BPSK_RB50@0	22.65	12.50	0.018	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_QPSK_RB1@1	23.30	13.15	0.021	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_QPSK_RB1@50	22.94	12.79	0.019	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_QPSK_RB25@12	23.29	13.14	0.021	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_QPSK_RB50@0	22.19	12.04	0.016	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_16_QAM_RB79@0	20.48	10.33	0.011	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_256_QAM_RB79@0	16.95	6.80	0.005	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_64_QAM_RB79@0	19.97	9.82	0.010	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_QPSK_RB1@1	21.80	11.65	0.015	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_QPSK_RB1@77	21.47	11.32	0.014	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_QPSK_RB39@19	21.99	11.84	0.015	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM_QPSK_RB79@0	20.46	10.31	0.011	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM_16_QAM_RB75@0	21.46	11.31	0.014	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM_256_QAM_RB75@0	18.93	8.78	0.008	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM_64_QAM_RB75@0	20.97	10.82	0.012	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.48	13.33	0.022	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.11	12.96	0.020	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.50	13.35	0.022	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.93	12.78	0.019	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	23.40	13.25	0.021	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.30	13.15	0.021	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	23.44	13.29	0.021	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	22.45	12.30	0.017	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	20.46	10.31	0.011	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	16.98	6.83	0.005	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	19.92	9.77	0.009	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.81	11.66	0.015	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	21.67	11.52	0.014	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.00	11.85	0.015	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	20.41	10.26	0.011	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.43	11.28	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.95	8.80	0.008	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.96	10.81	0.012	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.45	13.30	0.021	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.09	12.94	0.020	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.43	13.28	0.021	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.90	12.75	0.019	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.44	13.29	0.021	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.13	12.98	0.020	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.47	13.32	0.021	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.42	12.27	0.017	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	20.46	10.31	0.011	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	16.96	6.81	0.005	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	19.92	9.77	0.009	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	21.80	11.65	0.015	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	21.60	11.45	0.014	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	22.06	11.91	0.016	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	20.39	10.24	0.011	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.42	11.27	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.91	8.76	0.008	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.92	10.77	0.012	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	13.25	0.021	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.03	12.88	0.019	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.43	13.28	0.021	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.86	12.71	0.019	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	23.46	13.31	0.021	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	23.05	12.90	0.019	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	23.47	13.32	0.021	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	22.38	12.23	0.017	3.00	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd) = GT(dBi) - 2.15

n12:

1.Ant Gain = -8 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	18.78	14.58	0.029	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	15.40	11.20	0.013	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	18.25	14.05	0.025	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	20.17	15.97	0.040	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	20.15	15.95	0.039	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	20.31	16.11	0.041	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	18.79	14.59	0.029	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.85	15.65	0.037	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.43	13.23	0.021	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.28	15.08	0.032	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.75	17.55	0.057	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.75	17.55	0.057	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.85	17.65	0.058	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.32	17.12	0.052	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	21.74	17.54	0.057	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	21.72	17.52	0.056	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	21.85	17.65	0.058	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	20.81	16.61	0.046	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	18.66	14.46	0.028	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	15.20	11.00	0.013	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	18.08	13.88	0.024	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.11	15.91	0.039	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	20.11	15.91	0.039	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	20.04	15.84	0.038	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	18.61	14.41	0.028	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	19.62	15.42	0.035	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	17.26	13.06	0.020	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	19.14	14.94	0.031	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.67	17.47	0.056	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.66	17.46	0.056	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.69	17.49	0.056	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.12	16.92	0.049	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.67	17.47	0.056	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	21.63	17.43	0.055	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	21.68	17.48	0.056	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	20.65	16.45	0.044	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	18.53	14.33	0.027	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	15.12	10.92	0.012	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	17.99	13.79	0.024	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	19.97	15.77	0.038	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	19.79	15.59	0.036	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	20.05	15.85	0.038	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	18.52	14.32	0.027	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.56	15.36	0.034	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.13	12.93	0.020	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.05	14.85	0.031	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.49	17.29	0.054	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.35	17.15	0.052	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.55	17.35	0.054	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.03	16.83	0.048	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	21.57	17.37	0.055	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	21.42	17.22	0.053	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	21.65	17.45	0.056	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	20.58	16.38	0.043	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	18.59	14.39	0.027	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	15.13	10.93	0.012	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	18.08	13.88	0.024	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	20.01	15.81	0.038	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	19.97	15.77	0.038	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	20.13	15.93	0.039	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	18.59	14.39	0.027	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM 16 QAM_RB50@0	19.56	15.36	0.034	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM 256 QAM_RB50@0	17.18	12.98	0.020	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM 64 QAM_RB50@0	19.09	14.89	0.031	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	21.61	17.41	0.055	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	21.42	17.22	0.053	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	21.67	17.47	0.056	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	21.12	16.92	0.049	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB1@1	21.61	17.41	0.055	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB1@50	21.56	17.36	0.054	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB25@12	21.68	17.48	0.056	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s- OFDM QPSK_RB50@0	20.57	16.37	0.043	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	18.48	14.28	0.027	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	15.03	10.83	0.012	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	17.93	13.73	0.024	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.70	15.50	0.035	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	19.90	15.70	0.037	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	20.05	15.85	0.038	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	18.46	14.26	0.027	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM 16 QAM_RB50@0	19.46	15.26	0.034	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM 256 QAM_RB50@0	17.02	12.82	0.019	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM 64 QAM_RB50@0	18.99	14.79	0.030	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	21.42	17.22	0.053	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	21.42	17.22	0.053	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.51	17.31	0.054	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.96	16.76	0.047	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.41	17.21	0.053	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	21.35	17.15	0.052	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	21.48	17.28	0.053	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	20.48	16.28	0.042	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	18.34	14.14	0.026	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	14.95	10.75	0.012	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	17.74	13.54	0.023	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	19.73	15.53	0.036	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	19.68	15.48	0.035	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	19.91	15.71	0.037	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	18.29	14.09	0.026	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	19.37	15.17	0.033	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	16.95	12.75	0.019	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	18.87	14.67	0.029	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.31	17.11	0.051	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.25	17.05	0.051	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.41	17.21	0.053	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.85	16.65	0.046	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	21.22	17.02	0.050	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	21.18	16.98	0.050	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	21.47	17.27	0.053	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	20.35	16.15	0.041	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	18.65	14.45	0.028	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	15.23	11.03	0.013	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	18.15	13.95	0.025	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	20.13	15.93	0.039	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	19.81	15.61	0.036	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	20.27	16.07	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	18.66	14.46	0.028	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.72	15.52	0.036	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.24	13.04	0.020	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.21	15.01	0.032	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.63	17.43	0.055	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.49	17.29	0.054	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.79	17.59	0.057	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.21	17.01	0.050	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	21.60	17.40	0.055	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	21.41	17.21	0.053	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	21.74	17.54	0.057	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	20.75	16.55	0.045	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	18.50	14.30	0.027	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	15.08	10.88	0.012	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	18.04	13.84	0.024	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.83	15.63	0.037	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	19.83	15.63	0.037	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	20.13	15.93	0.039	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	18.50	14.30	0.027	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	19.54	15.34	0.034	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	17.12	12.92	0.020	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	19.02	14.82	0.030	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.42	17.22	0.053	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.42	17.22	0.053	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.60	17.40	0.055	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.04	16.84	0.048	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.43	17.23	0.053	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	21.36	17.16	0.052	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	21.63	17.43	0.055	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	20.55	16.35	0.043	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	18.47	14.27	0.027	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	15.02	10.82	0.012	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	18.00	13.80	0.024	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	19.79	15.59	0.036	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	19.77	15.57	0.036	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	20.04	15.84	0.038	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	18.46	14.26	0.027	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.52	15.32	0.034	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.12	12.92	0.020	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.95	14.75	0.030	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.30	17.10	0.051	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.22	17.02	0.050	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.52	17.32	0.054	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.02	16.82	0.048	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	21.37	17.17	0.052	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	21.19	16.99	0.050	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	21.58	17.38	0.055	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	20.54	16.34	0.043	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	18.48	14.28	0.027	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	15.08	10.88	0.012	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	17.91	13.71	0.023	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	20.04	15.84	0.038	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	19.73	15.53	0.036	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	18.48	14.28	0.027	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	20.08	15.88	0.039	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	19.56	15.36	0.034	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	17.12	12.92	0.020	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	19.02	14.82	0.030	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.54	17.34	0.054	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.37	17.17	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.04	16.84	0.048	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.61	17.41	0.055	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	21.49	17.29	0.054	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	21.31	17.11	0.051	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	20.56	16.36	0.043	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	21.70	17.50	0.056	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	18.50	14.30	0.027	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	15.10	10.90	0.012	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	17.94	13.74	0.024	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.67	15.47	0.035	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	19.70	15.50	0.035	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	18.49	14.29	0.027	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	20.03	15.83	0.038	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	19.54	15.34	0.034	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	17.11	12.91	0.020	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	18.99	14.79	0.030	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.30	17.10	0.051	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.31	17.11	0.051	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.04	16.84	0.048	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.55	17.35	0.054	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.30	17.10	0.051	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	21.21	17.01	0.050	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	20.54	16.34	0.043	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	21.56	17.36	0.054	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	18.46	14.26	0.027	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	15.09	10.89	0.012	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	17.94	13.74	0.024	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	19.73	15.53	0.036	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	19.78	15.58	0.036	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	18.48	14.28	0.027	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	20.00	15.80	0.038	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	19.53	15.33	0.034	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	17.13	12.93	0.020	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	18.98	14.78	0.030	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.27	17.07	0.051	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.10	16.90	0.049	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.99	16.79	0.048	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.54	17.34	0.054	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	21.23	17.03	0.050	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	21.18	16.98	0.050	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	20.48	16.28	0.042	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	21.53	17.33	0.054	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	18.44	14.24	0.027	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	15.01	10.81	0.012	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	17.92	13.72	0.024	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	19.86	15.66	0.037	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	19.72	15.52	0.036	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	18.45	14.25	0.027	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	20.00	15.80	0.038	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.49	15.29	0.034	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	17.09	12.89	0.019	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	19.00	14.80	0.030	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.51	17.31	0.054	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.31	17.11	0.051	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.02	16.82	0.048	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.62	17.42	0.055	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	21.46	17.26	0.053	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	21.25	17.05	0.051	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	20.47	16.27	0.042	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	21.58	17.38	0.055	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	18.35	14.15	0.026	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	14.93	10.73	0.012	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	17.85	13.65	0.023	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.51	15.31	0.034	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	19.52	15.32	0.034	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	18.32	14.12	0.026	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	19.87	15.67	0.037	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM 16 QAM_RB128@0	19.34	15.14	0.033	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM 256 QAM_RB128@0	16.99	12.79	0.019	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM 64 QAM_RB128@0	18.84	14.64	0.029	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	21.10	16.90	0.049	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@131	21.11	16.91	0.049	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB128@0	20.85	16.65	0.046	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB64@32	21.46	17.26	0.053	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM QPSK_RB1@1	21.17	16.97	0.050	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM QPSK_RB1@131	21.09	16.89	0.049	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM QPSK_RB128@0	20.36	16.16	0.041	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s- OFDM QPSK_RB64@32	21.43	17.23	0.053	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM 16 QAM_RB133@0	18.42	14.22	0.026	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM 256 QAM_RB133@0	15.00	10.80	0.012	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM 64 QAM_RB133@0	17.91	13.71	0.023	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM QPSK_RB1@1	19.57	15.37	0.034	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM QPSK_RB1@131	19.57	15.37	0.034	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM QPSK_RB133@0	18.43	14.23	0.026	1.00	Pass
25MHz_15kHz_1767.5MHz_CP- OFDM QPSK_RB67@33	19.97	15.77	0.038	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s- OFDM 16 QAM_RB128@0	19.43	15.23	0.033	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s- OFDM 256 QAM_RB128@0	17.10	12.90	0.019	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s- OFDM 64 QAM_RB128@0	18.94	14.74	0.030	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	21.05	16.85	0.048	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@131	20.51	16.31	0.043	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.90	16.70	0.047	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.40	17.20	0.052	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	21.08	16.88	0.049	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	21.08	16.88	0.049	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	20.40	16.20	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	21.49	17.29	0.054	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	18.35	14.15	0.026	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	14.95	10.75	0.012	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	17.88	13.68	0.023	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	19.80	15.60	0.036	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	19.64	15.44	0.035	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	18.38	14.18	0.026	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	19.96	15.76	0.038	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	19.43	15.23	0.033	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	17.02	12.82	0.019	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	18.91	14.71	0.030	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.35	17.15	0.052	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.14	16.94	0.049	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.85	16.65	0.046	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.40	17.20	0.052	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	21.27	17.07	0.051	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	21.17	16.97	0.050	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	20.39	16.19	0.042	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	21.48	17.28	0.053	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	18.29	14.09	0.026	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	14.93	10.73	0.012	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	17.84	13.64	0.023	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.39	15.19	0.033	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	19.55	15.35	0.034	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	18.33	14.13	0.026	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	19.97	15.77	0.038	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	19.39	15.19	0.033	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	16.92	12.72	0.019	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	18.88	14.68	0.029	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.02	16.82	0.048	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.12	16.92	0.049	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.85	16.65	0.046	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.41	17.21	0.053	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.03	16.83	0.048	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	21.08	16.88	0.049	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	20.35	16.15	0.041	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	21.50	17.30	0.054	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	18.40	14.20	0.026	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	14.92	10.72	0.012	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	17.89	13.69	0.023	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	19.54	15.34	0.034	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	19.50	15.30	0.034	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	18.37	14.17	0.026	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	19.97	15.77	0.038	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	19.44	15.24	0.033	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	17.02	12.82	0.019	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	18.91	14.71	0.030	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.13	16.93	0.049	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	21.00	16.80	0.048	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.91	16.71	0.047	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	21.48	17.28	0.053	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	21.06	16.86	0.049	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	20.99	16.79	0.048	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	20.41	16.21	0.042	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	21.50	17.30	0.054	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	18.43	14.23	0.026	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	15.01	10.81	0.012	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	17.86	13.66	0.023	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	19.49	15.29	0.034	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	19.63	15.43	0.035	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	19.97	15.77	0.038	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	18.43	14.23	0.026	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM 16 QAM_RB216@0	19.45	15.25	0.033	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM 256 QAM_RB216@0	17.07	12.87	0.019	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM 64 QAM_RB216@0	18.93	14.73	0.030	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	21.07	16.87	0.049	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	21.10	16.90	0.049	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	21.52	17.32	0.054	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	20.94	16.74	0.047	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB1@1	21.06	16.86	0.049	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB1@214	21.04	16.84	0.048	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB108@54	21.52	17.32	0.054	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s- OFDM QPSK_RB216@0	20.46	16.26	0.042	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	18.28	14.08	0.026	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	14.85	10.65	0.012	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	17.81	13.61	0.023	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.23	15.03	0.032	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	19.45	15.25	0.033	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	19.97	15.77	0.038	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	18.28	14.08	0.026	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM 16 QAM_RB216@0	19.33	15.13	0.033	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM 256 QAM_RB216@0	16.94	12.74	0.019	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM 64 QAM_RB216@0	18.81	14.61	0.029	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	20.78	16.58	0.045	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	20.89	16.69	0.047	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.46	17.26	0.053	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.73	16.53	0.045	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.79	16.59	0.046	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	20.92	16.72	0.047	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	21.47	17.27	0.053	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	20.30	16.10	0.041	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	18.36	14.16	0.026	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	14.92	10.72	0.012	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	17.84	13.64	0.023	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	19.29	15.09	0.032	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	19.38	15.18	0.033	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	19.93	15.73	0.037	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	18.34	14.14	0.026	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	19.37	15.17	0.033	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	16.94	12.74	0.019	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	18.85	14.65	0.029	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.88	16.68	0.047	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	20.73	16.53	0.045	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.42	17.22	0.053	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.80	16.60	0.046	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	20.73	16.53	0.045	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	20.76	16.56	0.045	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	21.44	17.24	0.053	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	20.36	16.16	0.041	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + Ant Gain

n66:

1. Ant Gain = -4.2dBi;
2. CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB