

RF power output

DC 5A n7A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	23.35(20.69 19.96)	20.4	0.11	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.12(20.75 16.43)	17.839	0.061	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	23.12(20.71 19.41)	19.967	0.099	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.37(20.73 19.96)	20.407	0.11	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	23.35(20.72 19.92)	20.373	0.109	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.33(20.7 19.91)	20.361	0.109	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.73(20.7 18.45)	19.23	0.084	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.34(20.71 19.92)	20.371	0.109	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.38(20.86 19.81)	20.314	0.107	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.32(20.69 19.89)	20.343	0.108	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.4(20.83 19.91)	20.387	0.109	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.33(20.69 19.92)	20.367	0.109	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	23.33(20.63 19.99)	20.412	0.11	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.01(20.6 16.44)	17.793	0.06	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	23.07(20.6 19.45)	19.975	0.099	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	23.36(20.62 20.06)	20.467	0.111	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.3(20.63 19.92)	20.356	0.109	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.68(20.61 18.47)	19.222	0.084	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.31(20.62 19.96)	20.386	0.109	2.00	Pass

10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.3(20.59 19.96)	20.38	0.109	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.32(20.65 19.93)	20.368	0.109	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	23.21(20.45 19.94)	20.338	0.108	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.95(20.49 16.49)	17.788	0.06	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	23.03(20.51 19.46)	19.964	0.099	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	23.29(20.43 20.13)	20.489	0.112	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	23.23(20.43 20)	20.383	0.109	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.2(20.45 19.91)	20.313	0.107	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.59(20.46 18.48)	19.193	0.083	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.22(20.45 19.96)	20.354	0.108	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	23.08(20.25 19.89)	20.26	0.106	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	23.22(20.47 19.93)	20.333	0.108	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	23.16(20.35 19.93)	20.311	0.107	2.00	Pass
10MHz 10MHz_15kHz_844MHz 256 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.24(20.53 19.9)	20.32	0.108	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.41(20.71 20.07)	20.492	0.112	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.11(20.67 16.62)	17.935	0.062	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.2(20.7 19.62)	20.13	0.103	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.42(20.61 20.2)	20.579	0.114	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.39(20.7 20.04)	20.466	0.111	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.43(20.71 20.1)	20.517	0.113	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.78(20.71 18.57)	19.322	0.086	2.00	Pass

10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.45(20.71 20.15)	20.557	0.114	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.35(20.61 20.05)	20.457	0.111	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	23.43(20.71 20.1)	20.517	0.113	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.34(20.6 20.05)	20.455	0.111	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.43(20.73 20.08)	20.504	0.112	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.42(20.68 20.13)	20.535	0.113	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.11(20.66 16.64)	17.945	0.062	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.14(20.57 19.63)	20.111	0.103	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.38(20.66 20.05)	20.467	0.111	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.36(20.6 20.08)	20.48	0.112	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.75(20.59 18.69)	19.383	0.087	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.4(20.63 20.14)	20.534	0.113	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	23.36(20.6 20.09)	20.488	0.112	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.38(20.62 20.11)	20.508	0.112	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	23.33(20.46 20.18)	20.536	0.113	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.96(20.44 16.65)	17.878	0.061	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	23.14(20.53 19.68)	20.143	0.103	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	23.47(20.68 20.22)	20.608	0.115	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	23.29(20.44 20.12)	20.483	0.112	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	23.31(20.48 20.11)	20.482	0.112	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	22.67(20.44 18.7)	19.355	0.086	2.00	Pass

10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	23.35(20.52 20.16)	20.53	0.113	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	23.28(20.4 20.14)	20.492	0.112	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	23.32(20.48 20.14)	20.506	0.112	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	23.35(20.54 20.13)	20.509	0.112	2.00	Pass
10MHz 15MHz_15kHz_844MHz 256 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	23.33(20.47 20.17)	20.529	0.113	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.43(20.72 20.1)	20.518	0.113	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.16(20.72 16.66)	17.978	0.063	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.23(20.71 19.67)	20.172	0.104	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.45(20.73 20.13)	20.545	0.113	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.45(20.72 20.14)	20.551	0.114	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.41(20.73 20.04)	20.472	0.111	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.81(20.74 18.61)	19.36	0.086	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.43(20.72 20.09)	20.51	0.112	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.46(20.76 20.11)	20.534	0.113	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.39(20.65 20.09)	20.497	0.112	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.29(20.57 19.96)	20.377	0.109	2.00	Pass
10MHz 20MHz_15kHz_829MHz 251 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.44(20.71 20.13)	20.541	0.113	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.37(20.62 20.09)	20.491	0.112	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.08(20.61 16.67)	17.948	0.062	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.19(20.63 19.68)	20.163	0.104	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.41(20.66 20.12)	20.523	0.113	2.00	Pass

10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.4(20.61 20.15)	20.538	0.113	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.76(20.62 18.67)	19.375	0.087	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.4(20.63 20.14)	20.534	0.113	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.4(20.63 20.14)	20.534	0.113	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.41(20.64 20.14)	20.536	0.113	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.31(20.48 20.11)	20.482	0.112	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	22.01(20.48 16.72)	17.938	0.062	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.12(20.47 19.71)	20.155	0.104	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	23.33(20.3 20.33)	20.632	0.116	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.37(20.53 20.18)	20.548	0.113	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.33(20.45 20.18)	20.534	0.113	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.68(20.47 18.68)	19.347	0.086	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.37(20.51 20.2)	20.561	0.114	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	23.23(20.27 20.16)	20.486	0.112	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.32(20.44 20.17)	20.524	0.113	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.46(20.74 20.13)	20.547	0.113	2.00	Pass
10MHz 20MHz_15kHz_844MHz 256 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.32(20.45 20.17)	20.526	0.113	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	23.35(20.62 20.04)	20.451	0.111	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.08(20.64 16.58)	17.898	0.062	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	23.07(20.59 19.46)	19.98	0.1	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502. 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.31(20.44 20.15)	20.507	0.112	2.00	Pass

10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	23.29(20.55 19.99)	20.397	0.11	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.31(20.5 20.1)	20.477	0.112	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.7(20.58 18.57)	19.29	0.085	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.31(20.54 20.05)	20.444	0.111	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.09(20.34 19.81)	20.211	0.105	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.05(20.26 19.8)	20.188	0.104	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.11(20.31 19.88)	20.263	0.106	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.29(20.54 20)	20.403	0.11	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	23.33(20.57 20.06)	20.458	0.111	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.03(20.57 16.6)	17.888	0.061	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	23.08(20.54 19.54)	20.033	0.101	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	23.35(20.57 20.1)	20.49	0.112	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.33(20.53 20.1)	20.483	0.112	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.68(20.55 18.56)	19.275	0.085	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.36(20.6 20.08)	20.48	0.112	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.34(20.55 20.09)	20.478	0.112	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.33(20.55 20.07)	20.462	0.111	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	23.32(20.45 20.16)	20.517	0.113	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.93(20.43 16.59)	17.834	0.061	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	23.05(20.5 19.52)	20.009	0.1	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	23.48(20.58 20.36)	20.705	0.118	2.00	Pass

10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	23.28(20.47 20.05)	20.431	0.11	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.29(20.47 20.08)	20.456	0.111	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.64(20.46 18.59)	19.276	0.085	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.3(20.44 20.13)	20.491	0.112	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	23.31(20.44 20.15)	20.507	0.112	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.29(20.44 20.11)	20.475	0.112	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	23.21(20.25 20.14)	20.466	0.111	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.28(20.45 20.08)	20.452	0.111	2.00	Pass

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_5A_n7A:

n7:

1.Ant Gain =-0.5 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

5A:

1.Ant Gain =-6.9 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;