

## FCC Part 27

## RF power output

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_701.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.23	11.08	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.26	11.11	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.11	10.96	0.012	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.66	10.51	0.011	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	23.21	11.06	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	23.18	11.03	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	23.21	11.06	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	22.24	10.09	0.01	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.25	9.1	0.008	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.69	8.54	0.007	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.74	6.59	0.005	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	21.61	9.46	0.009	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	21.69	9.54	0.009	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	21.66	9.51	0.009	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	20.13	7.98	0.006	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	20.15	8	0.006	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	19.68	7.53	0.006	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	16.69	4.54	0.003	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.18	11.03	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.15	11	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.20	11.05	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.68	10.53	0.011	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.11	10.96	0.012	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	23.20	11.05	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	23.17	11.02	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	22.20	10.05	0.01	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.22	9.07	0.008	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.72	8.57	0.007	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.67	6.52	0.004	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.69	9.54	0.009	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	21.72	9.57	0.009	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	21.69	9.54	0.009	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	20.10	7.95	0.006	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	20.04	7.89	0.006	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	19.65	7.5	0.006	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	16.76	4.61	0.003	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	11.02	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.19	11.04	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.22	11.07	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.67	10.52	0.011	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	23.15	11	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	23.22	11.07	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.16	11.01	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	22.24	10.09	0.01	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.22	9.07	0.008	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.71	8.56	0.007	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.64	6.49	0.004	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	21.69	9.54	0.009	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	21.72	9.57	0.009	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	21.59	9.44	0.009	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	20.18	8.03	0.006	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	20.19	8.04	0.006	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	19.69	7.54	0.006	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	16.82	4.67	0.003	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.23	11.08	0.013	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.12	10.97	0.013	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.07	10.92	0.012	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.59	10.44	0.011	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	23.13	10.98	0.013	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	23.20	11.05	0.013	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	23.08	10.93	0.012	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	22.13	9.98	0.01	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	21.12	8.97	0.008	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	20.66	8.51	0.007	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	18.55	6.4	0.004	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	21.61	9.46	0.009	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	21.65	9.5	0.009	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	21.53	9.38	0.009	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	20.06	7.91	0.006	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	20.09	7.94	0.006	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	19.63	7.48	0.006	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	16.61	4.46	0.003	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	11.01	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.14	10.99	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.13	10.98	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.58	10.43	0.011	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.10	10.95	0.012	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	23.20	11.05	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	23.14	10.99	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	22.05	9.9	0.01	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.12	8.97	0.008	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	20.59	8.44	0.007	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	18.60	6.45	0.004	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.62	9.47	0.009	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	21.62	9.47	0.009	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	21.54	9.39	0.009	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	20.08	7.93	0.006	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	20.06	7.91	0.006	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	19.64	7.49	0.006	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	16.70	4.55	0.003	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	11.06	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.19	11.04	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.20	11.05	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.66	10.51	0.011	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	23.11	10.96	0.012	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	23.18	11.03	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	23.16	11.01	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	22.11	9.96	0.01	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	21.13	8.98	0.008	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	20.63	8.48	0.007	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	18.64	6.49	0.004	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	21.57	9.42	0.009	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	21.63	9.48	0.009	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	21.58	9.43	0.009	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	20.12	7.97	0.006	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	20.13	7.98	0.006	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	19.64	7.49	0.006	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	16.75	4.6	0.003	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	11.02	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.18	11.03	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.05	10.9	0.012	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.60	10.45	0.011	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	23.21	11.06	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	23.23	11.08	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.14	10.99	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	22.11	9.96	0.01	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.13	8.98	0.008	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.61	8.46	0.007	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.64	6.49	0.004	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	21.68	9.53	0.009	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	21.66	9.51	0.009	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	21.72	9.57	0.009	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	20.09	7.94	0.006	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	20.11	7.96	0.006	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	19.66	7.51	0.006	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	16.69	4.54	0.003	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	11.02	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.22	11.07	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.18	11.03	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.64	10.49	0.011	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.13	10.98	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.16	11.01	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.20	11.05	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.20	10.05	0.01	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.16	9.01	0.008	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.67	8.52	0.007	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.62	6.47	0.004	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.64	9.49	0.009	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	21.71	9.56	0.009	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	21.59	9.44	0.009	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	20.18	8.03	0.006	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	20.12	7.97	0.006	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	19.69	7.54	0.006	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	16.79	4.64	0.003	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	11.02	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.22	11.07	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.22	11.07	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.72	10.57	0.011	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	23.14	10.99	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	23.20	11.05	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	23.17	11.02	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	22.23	10.08	0.01	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.19	9.04	0.008	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.64	8.49	0.007	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.64	6.49	0.004	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	21.61	9.46	0.009	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	21.66	9.51	0.009	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	21.56	9.41	0.009	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	20.16	8.01	0.006	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	20.18	8.03	0.006	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	19.67	7.52	0.006	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	16.79	4.64	0.003	3.00	Pass

**Note:**

**ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)**

**GT(dBd) = GT(dBi) - 2.15**

**n12:**

**1.Ant Gain =-9.8 dBi;**

**2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.2dB**

**n38**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.86	16.46	0.044	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.00	16.6	0.046	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.03	16.63	0.046	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.40	16	0.04	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	21.76	16.36	0.043	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	21.98	16.58	0.045	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	21.84	16.44	0.044	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	20.82	15.42	0.035	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	19.82	14.42	0.028	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	19.45	14.05	0.025	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	17.43	12.03	0.016	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	20.58	15.18	0.033	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	20.44	15.04	0.032	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	20.45	15.05	0.032	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	18.88	13.48	0.022	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	18.80	13.4	0.022	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	18.42	13.02	0.02	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	15.60	10.2	0.01	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.86	16.46	0.044	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.98	16.58	0.045	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.89	16.49	0.045	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.45	16.05	0.04	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	21.92	16.52	0.045	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	21.96	16.56	0.045	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	21.91	16.51	0.045	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	20.96	15.56	0.036	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	19.89	14.49	0.028	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	19.46	14.06	0.025	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	17.40	12	0.016	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	20.47	15.07	0.032	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	20.45	15.05	0.032	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	20.45	15.05	0.032	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	18.91	13.51	0.022	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	18.93	13.53	0.023	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	18.40	13	0.02	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	15.75	10.35	0.011	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.07	16.67	0.046	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.02	16.62	0.046	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.96	16.56	0.045	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.53	16.13	0.041	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	21.95	16.55	0.045	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	22.05	16.65	0.046	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	21.89	16.49	0.045	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	20.97	15.57	0.036	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	20.04	14.64	0.029	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	19.42	14.02	0.025	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	17.41	12.01	0.016	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	20.53	15.13	0.033	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	20.32	14.92	0.031	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	20.42	15.02	0.032	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	18.93	13.53	0.023	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	18.87	13.47	0.022	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	18.46	13.06	0.02	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	15.64	10.24	0.011	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.64	16.24	0.042	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.88	16.48	0.044	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.86	16.46	0.044	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.39	15.99	0.04	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	21.67	16.27	0.042	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	21.90	16.5	0.045	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	21.82	16.42	0.044	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	20.85	15.45	0.035	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	19.89	14.49	0.028	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	19.35	13.95	0.025	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	17.27	11.87	0.015	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	20.38	14.98	0.031	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	20.34	14.94	0.031	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	20.52	15.12	0.033	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	18.81	13.41	0.022	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	18.82	13.42	0.022	2.00	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	18.21	12.81	0.019	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	15.66	10.26	0.011	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.91	16.51	0.045	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.94	16.54	0.045	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.94	16.54	0.045	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.44	16.04	0.04	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	21.83	16.43	0.044	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	21.99	16.59	0.046	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	21.92	16.52	0.045	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	20.99	15.59	0.036	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	19.87	14.47	0.028	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	19.30	13.9	0.025	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	17.33	11.93	0.016	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	20.51	15.11	0.032	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	20.39	14.99	0.032	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	20.50	15.1	0.032	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	18.82	13.42	0.022	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	18.80	13.4	0.022	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	18.33	12.93	0.02	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	15.64	10.24	0.011	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.87	16.47	0.044	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.90	16.5	0.045	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.00	16.6	0.046	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.49	16.09	0.041	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	21.79	16.39	0.044	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	21.97	16.57	0.045	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	21.81	16.41	0.044	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	20.94	15.54	0.036	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	19.98	14.58	0.029	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	19.47	14.07	0.026	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	17.31	11.91	0.016	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	20.48	15.08	0.032	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	20.39	14.99	0.032	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	20.36	14.96	0.031	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	18.84	13.44	0.022	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	18.80	13.4	0.022	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	18.39	12.99	0.02	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	15.66	10.26	0.011	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.73	16.33	0.043	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.88	16.48	0.044	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.89	16.49	0.045	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.41	16.01	0.04	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	21.70	16.3	0.043	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	21.90	16.5	0.045	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	21.87	16.47	0.044	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	20.90	15.5	0.035	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	19.87	14.47	0.028	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	19.35	13.95	0.025	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	17.27	11.87	0.015	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	20.37	14.97	0.031	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	20.35	14.95	0.031	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	20.41	15.01	0.032	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	18.80	13.4	0.022	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	18.84	13.44	0.022	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	18.32	12.92	0.02	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	15.67	10.27	0.011	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.77	16.37	0.043	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.97	16.57	0.045	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.84	16.44	0.044	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.45	16.05	0.04	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	21.82	16.42	0.044	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	21.98	16.58	0.045	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	21.81	16.41	0.044	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	20.93	15.53	0.036	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	19.89	14.49	0.028	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	19.30	13.9	0.025	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	17.47	12.07	0.016	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	20.42	15.02	0.032	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	20.45	15.05	0.032	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	20.39	14.99	0.032	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	18.82	13.42	0.022	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	18.90	13.5	0.022	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	18.27	12.87	0.019	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	15.69	10.29	0.011	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.81	16.41	0.044	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.93	16.53	0.045	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.96	16.56	0.045	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.44	16.04	0.04	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	21.88	16.48	0.044	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	21.97	16.57	0.045	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	21.83	16.43	0.044	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	20.93	15.53	0.036	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	19.97	14.57	0.029	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	19.39	13.99	0.025	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	17.41	12.01	0.016	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	20.55	15.15	0.033	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	20.45	15.05	0.032	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	20.38	14.98	0.031	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	18.89	13.49	0.022	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	18.80	13.4	0.022	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	18.37	12.97	0.02	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	15.70	10.3	0.011	2.00	Pass

Note:

**EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)**

**n38:**

**1.Ant Gain =-5.2 dBi;**

**2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.2dB**

**n41**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.69	16.29	0.043	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.72	16.32	0.043	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.76	16.36	0.043	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.25	15.85	0.038	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	21.58	16.18	0.041	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	21.80	16.40	0.044	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	21.60	16.20	0.042	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	20.71	15.31	0.034	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	19.78	14.38	0.027	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	19.11	13.71	0.023	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	16.99	11.59	0.014	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	20.20	14.80	0.030	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	20.24	14.84	0.030	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	20.33	14.93	0.031	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	18.67	13.27	0.021	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	18.57	13.17	0.021	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	18.03	12.63	0.018	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	15.33	9.93	0.010	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.76	16.36	0.043	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.90	16.50	0.045	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.84	16.44	0.044	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.46	16.06	0.040	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.81	16.41	0.044	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	22.04	16.64	0.046	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	21.79	16.39	0.044	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	21.05	15.65	0.037	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	19.88	14.48	0.028	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	19.48	14.08	0.026	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	17.29	11.89	0.015	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.34	14.94	0.031	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	20.39	14.99	0.032	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	20.46	15.06	0.032	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	18.98	13.58	0.023	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	18.84	13.44	0.022	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	18.35	12.95	0.020	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	15.72	10.32	0.011	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.79	16.39	0.044	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.77	16.37	0.043	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	21.77	16.37	0.043	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	21.29	15.89	0.039	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	21.66	16.26	0.042	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	21.91	16.51	0.045	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	21.66	16.26	0.042	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	20.86	15.46	0.035	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	19.83	14.43	0.028	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	19.25	13.85	0.024	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	17.16	11.76	0.015	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	20.23	14.83	0.030	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	20.25	14.85	0.031	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	20.24	14.84	0.030	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	18.65	13.25	0.021	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	18.77	13.37	0.022	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	18.26	12.86	0.019	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	15.50	10.10	0.010	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.65	16.25	0.042	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.69	16.29	0.043	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.67	16.27	0.042	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.36	15.96	0.039	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	21.54	16.14	0.041	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	21.69	16.29	0.043	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	21.54	16.14	0.041	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	20.70	15.30	0.034	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	19.71	14.31	0.027	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	19.20	13.80	0.024	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	17.17	11.77	0.015	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	20.15	14.75	0.030	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	20.11	14.71	0.030	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	20.26	14.86	0.031	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	18.64	13.24	0.021	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	18.66	13.26	0.021	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	18.12	12.72	0.019	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	15.43	10.03	0.010	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.74	16.34	0.043	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.88	16.48	0.044	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.92	16.52	0.045	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.44	16.04	0.040	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.83	16.43	0.044	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	21.96	16.56	0.045	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	21.86	16.46	0.044	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	20.97	15.57	0.036	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	19.89	14.49	0.028	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	19.30	13.90	0.025	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	17.35	11.95	0.016	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.23	14.83	0.030	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	20.31	14.91	0.031	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	20.32	14.92	0.031	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	18.86	13.46	0.022	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	18.92	13.52	0.022	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	18.39	12.99	0.020	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	15.59	10.19	0.010	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.66	16.26	0.042	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	21.89	16.49	0.045	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	21.82	16.42	0.044	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	21.36	15.96	0.039	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	21.67	16.27	0.042	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	21.78	16.38	0.043	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	21.63	16.23	0.042	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	20.86	15.46	0.035	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	19.85	14.45	0.028	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	19.22	13.82	0.024	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	17.25	11.85	0.015	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	20.35	14.95	0.031	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	20.24	14.84	0.030	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	20.11	14.71	0.030	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	18.72	13.32	0.021	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	18.60	13.20	0.021	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	18.15	12.75	0.019	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	15.67	10.27	0.011	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.49	15.09	0.032	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.75	16.35	0.043	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.68	16.28	0.042	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.28	15.88	0.039	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	21.66	16.26	0.042	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	21.82	16.42	0.044	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	21.62	16.22	0.042	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	20.89	15.49	0.035	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	19.65	14.25	0.027	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	19.16	13.76	0.024	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	17.16	11.76	0.015	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	20.35	14.95	0.031	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	20.33	14.93	0.031	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	20.26	14.86	0.031	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	18.69	13.29	0.021	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	18.66	13.26	0.021	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	18.15	12.75	0.019	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	15.49	10.09	0.010	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.02	16.62	0.046	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	21.96	16.56	0.045	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.04	16.64	0.046	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.47	16.07	0.040	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.90	16.50	0.045	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	22.02	16.62	0.046	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	21.83	16.43	0.044	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	20.99	15.59	0.036	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	19.93	14.53	0.028	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	19.40	14.00	0.025	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	17.37	11.97	0.016	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.51	15.11	0.032	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	20.52	15.12	0.033	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	20.55	15.15	0.033	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	18.92	13.52	0.022	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	19.00	13.60	0.023	2.00	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	18.44	13.04	0.020	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	15.72	10.32	0.011	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.92	16.52	0.045	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.00	16.60	0.046	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	21.81	16.41	0.044	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.42	16.02	0.040	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	21.86	16.46	0.044	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	21.89	16.49	0.045	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	21.67	16.27	0.042	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	20.84	15.44	0.035	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	19.89	14.49	0.028	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	19.34	13.94	0.025	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	17.25	11.85	0.015	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	20.59	15.19	0.033	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	20.35	14.95	0.031	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	20.37	14.97	0.031	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	18.84	13.44	0.022	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	18.77	13.37	0.022	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	18.34	12.94	0.020	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	15.74	10.34	0.011	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.65	16.25	0.042	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.76	16.36	0.043	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.80	16.40	0.044	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.20	15.80	0.038	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	21.66	16.26	0.042	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	21.75	16.35	0.043	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	21.71	16.31	0.043	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	20.71	15.31	0.034	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	19.73	14.33	0.027	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	19.13	13.73	0.024	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	17.12	11.72	0.015	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	20.36	14.96	0.031	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	20.31	14.91	0.031	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	20.34	14.94	0.031	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	18.71	13.31	0.021	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	18.71	13.31	0.021	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	18.25	12.85	0.019	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	15.38	9.98	0.010	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.93	16.53	0.045	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.10	16.70	0.047	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.01	16.61	0.046	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.43	16.03	0.040	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.86	16.46	0.044	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	22.00	16.60	0.046	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	21.89	16.49	0.045	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	20.92	15.52	0.036	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	19.88	14.48	0.028	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	19.40	14.00	0.025	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	17.37	11.97	0.016	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.48	15.08	0.032	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	20.42	15.02	0.032	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	20.45	15.05	0.032	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	18.98	13.58	0.023	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	18.89	13.49	0.022	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	18.41	13.01	0.020	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	15.64	10.24	0.011	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.93	16.53	0.045	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.00	16.60	0.046	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	21.98	16.58	0.045	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.59	16.19	0.042	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	21.96	16.56	0.045	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	21.95	16.55	0.045	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	21.87	16.47	0.044	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	20.97	15.57	0.036	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	19.99	14.59	0.029	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	19.46	14.06	0.025	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	17.55	12.15	0.016	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	20.58	15.18	0.033	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	20.49	15.09	0.032	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	20.44	15.04	0.032	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	19.01	13.61	0.023	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	18.94	13.54	0.023	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	18.58	13.18	0.021	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	15.62	10.22	0.011	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.73	16.33	0.043	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.82	16.42	0.044	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.81	16.41	0.044	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.30	15.90	0.039	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	21.59	16.19	0.042	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	21.85	16.45	0.044	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	21.75	16.35	0.043	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	20.82	15.42	0.035	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	19.74	14.34	0.027	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	19.20	13.80	0.024	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	17.20	11.80	0.015	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	20.28	14.88	0.031	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	20.32	14.92	0.031	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	20.45	15.05	0.032	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	18.78	13.38	0.022	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	18.82	13.42	0.022	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	18.29	12.89	0.019	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	15.38	9.98	0.010	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.85	16.45	0.044	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.08	16.68	0.047	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.06	16.66	0.046	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.51	16.11	0.041	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.84	16.44	0.044	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	22.01	16.61	0.046	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	21.84	16.44	0.044	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	20.99	15.59	0.036	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	19.93	14.53	0.028	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	19.48	14.08	0.026	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	17.48	12.08	0.016	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.49	15.09	0.032	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	20.51	15.11	0.032	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	20.43	15.03	0.032	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	18.94	13.54	0.023	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	18.89	13.49	0.022	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	18.44	13.04	0.020	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	15.66	10.26	0.011	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.15	16.75	0.047	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	21.95	16.55	0.045	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	21.95	16.55	0.045	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	21.59	16.19	0.042	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	22.00	16.60	0.046	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	22.04	16.64	0.046	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	21.85	16.45	0.044	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	21.03	15.63	0.037	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	19.99	14.59	0.029	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	19.57	14.17	0.026	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	17.50	12.10	0.016	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	20.64	15.24	0.033	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	20.51	15.11	0.032	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	20.43	15.03	0.032	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	18.86	13.46	0.022	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	18.97	13.57	0.023	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	18.51	13.11	0.020	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	15.69	10.29	0.011	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.66	16.26	0.042	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	21.86	16.46	0.044	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	21.87	16.47	0.044	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	21.24	15.84	0.038	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	21.54	16.14	0.041	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	21.76	16.36	0.043	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	21.74	16.34	0.043	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	20.76	15.36	0.034	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	19.71	14.31	0.027	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	19.24	13.84	0.024	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	17.14	11.74	0.015	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	20.19	14.79	0.030	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	20.24	14.84	0.030	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	20.41	15.01	0.032	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	18.73	13.33	0.022	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	18.69	13.29	0.021	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	18.19	12.79	0.019	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	15.27	9.87	0.010	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.89	16.49	0.045	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	22.04	16.64	0.046	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	21.93	16.53	0.045	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	21.60	16.20	0.042	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.80	16.40	0.044	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	22.02	16.62	0.046	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	21.87	16.47	0.044	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	21.02	15.62	0.036	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	20.06	14.66	0.029	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	19.49	14.09	0.026	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	17.36	11.96	0.016	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.38	14.98	0.031	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	20.48	15.08	0.032	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	20.34	14.94	0.031	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	18.94	13.54	0.023	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	18.90	13.50	0.022	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	18.38	12.98	0.020	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	15.60	10.20	0.010	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.08	16.68	0.047	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	22.03	16.63	0.046	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	21.83	16.43	0.044	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	21.60	16.20	0.042	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	21.83	16.43	0.044	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	22.13	16.73	0.047	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	21.91	16.51	0.045	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	21.05	15.65	0.037	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	20.07	14.67	0.029	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	19.60	14.20	0.026	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	17.56	12.16	0.016	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	20.56	15.16	0.033	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	20.54	15.14	0.033	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	20.28	14.88	0.031	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	18.99	13.59	0.023	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	18.98	13.58	0.023	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	18.53	13.13	0.021	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	15.64	10.24	0.011	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.71	16.31	0.043	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	21.81	16.41	0.044	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.00	16.60	0.046	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.33	15.93	0.039	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	21.61	16.21	0.042	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	21.81	16.41	0.044	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	21.84	16.44	0.044	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	20.73	15.33	0.034	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	19.79	14.39	0.027	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	19.18	13.78	0.024	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	17.21	11.81	0.015	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	20.21	14.81	0.030	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	20.29	14.89	0.031	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	20.50	15.10	0.032	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	18.66	13.26	0.021	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	18.68	13.28	0.021	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	18.24	12.84	0.019	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	15.47	10.07	0.010	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.87	16.47	0.044	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.04	16.64	0.046	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.11	16.71	0.047	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.48	16.08	0.041	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.81	16.41	0.044	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	22.06	16.66	0.046	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	22.00	16.60	0.046	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	21.00	15.60	0.036	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	19.97	14.57	0.029	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	19.43	14.03	0.025	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	17.40	12.00	0.016	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.46	15.06	0.032	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	20.54	15.14	0.033	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	20.48	15.08	0.032	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	18.95	13.55	0.023	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	18.94	13.54	0.023	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	18.51	13.11	0.020	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	15.73	10.33	0.011	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.00	16.60	0.046	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.03	16.63	0.046	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	21.92	16.52	0.045	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	21.63	16.23	0.042	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	22.17	16.77	0.048	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	22.48	17.08	0.051	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	22.19	16.79	0.048	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	21.37	15.97	0.040	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	20.46	15.06	0.032	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	20.02	14.62	0.029	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	17.90	12.50	0.018	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	21.02	15.62	0.036	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	21.03	15.63	0.037	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	20.93	15.53	0.036	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	19.50	14.10	0.026	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	19.46	14.06	0.025	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	18.80	13.40	0.022	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	16.05	10.65	0.012	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.22	16.82	0.048	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	22.38	16.98	0.050	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.47	17.07	0.051	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	21.61	16.21	0.042	2.00	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	22.06	16.66	0.046	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	22.02	16.62	0.046	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	22.10	16.70	0.047	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	20.99	15.59	0.036	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	19.82	14.42	0.028	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	19.37	13.97	0.025	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	17.30	11.90	0.015	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	21.12	15.72	0.037	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	20.29	14.89	0.031	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	20.87	15.47	0.035	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	18.71	13.31	0.021	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	18.76	13.36	0.022	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	18.23	12.83	0.019	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	15.44	10.04	0.010	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.87	16.47	0.044	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	22.08	16.68	0.047	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.23	16.83	0.048	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	21.45	16.05	0.040	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.93	16.53	0.045	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	22.05	16.65	0.046	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	22.05	16.65	0.046	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	21.08	15.68	0.037	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	20.02	14.62	0.029	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	19.39	13.99	0.025	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	17.44	12.04	0.016	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.54	15.14	0.033	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	20.42	15.02	0.032	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	20.85	15.45	0.035	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	18.91	13.51	0.022	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	18.94	13.54	0.023	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	18.52	13.12	0.021	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	15.62	10.22	0.011	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.86	16.46	0.044	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	22.06	16.66	0.046	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	21.86	16.46	0.044	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	21.43	16.03	0.040	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	21.92	16.52	0.045	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	22.03	16.63	0.046	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	21.95	16.55	0.045	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	20.92	15.52	0.036	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	19.92	14.52	0.028	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	19.40	14.00	0.025	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	17.32	11.92	0.016	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	21.04	15.64	0.037	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	20.59	15.19	0.033	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	21.03	15.63	0.037	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	18.80	13.40	0.022	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	18.83	13.43	0.022	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	18.37	12.97	0.020	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	15.54	10.14	0.010	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.74	16.34	0.043	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	21.89	16.49	0.045	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	21.97	16.57	0.045	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	21.35	15.95	0.039	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	21.84	16.44	0.044	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	21.89	16.49	0.045	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	22.00	16.60	0.046	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	20.76	15.36	0.034	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	19.79	14.39	0.027	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	19.16	13.76	0.024	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	17.23	11.83	0.015	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	20.37	14.97	0.031	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	20.28	14.88	0.031	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	20.53	15.13	0.033	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	18.61	13.21	0.021	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	18.69	13.29	0.021	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	18.20	12.80	0.019	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	15.44	10.04	0.010	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.77	16.37	0.043	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	22.00	16.60	0.046	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.01	16.61	0.046	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	21.56	16.16	0.041	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.65	16.25	0.042	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	21.98	16.58	0.045	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	21.98	16.58	0.045	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	20.95	15.55	0.036	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	19.90	14.50	0.028	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	19.49	14.09	0.026	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	17.34	11.94	0.016	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.27	14.87	0.031	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	20.49	15.09	0.032	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	20.59	15.19	0.033	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	18.91	13.51	0.022	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	18.95	13.55	0.023	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	18.41	13.01	0.020	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	15.61	10.21	0.010	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.87	16.47	0.044	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	22.05	16.65	0.046	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	21.91	16.51	0.045	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	21.38	15.98	0.040	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	21.89	16.49	0.045	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	22.07	16.67	0.046	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	21.76	16.36	0.043	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	20.86	15.46	0.035	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	19.85	14.45	0.028	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	19.32	13.92	0.025	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	17.25	11.85	0.015	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	20.48	15.08	0.032	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	20.49	15.09	0.032	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	20.57	15.17	0.033	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	18.75	13.35	0.022	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	18.83	13.43	0.022	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	18.31	12.91	0.020	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	15.54	10.14	0.010	2.00	Pass

**Note:**

**EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)**

**n41:**

**1.Ant Gain =-5.2 dBi;**

**2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.2dB**

**n66**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.77	16.37	0.043	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.03	15.63	0.037	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	22.55	16.15	0.041	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	22.72	16.32	0.043	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	22.52	16.12	0.041	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	21.59	15.19	0.033	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.46	14.06	0.025	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.07	13.67	0.023	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.47	12.07	0.016	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	20.98	14.58	0.029	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	21.15	14.75	0.030	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	21.12	14.72	0.030	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	19.54	13.14	0.021	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	19.62	13.22	0.021	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	19.49	13.09	0.020	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	16.40	10.00	0.010	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.47	16.07	0.040	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.46	16.06	0.040	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.51	16.11	0.041	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.95	15.55	0.036	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.47	16.07	0.040	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	22.45	16.05	0.040	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	22.46	16.06	0.040	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	21.41	15.01	0.032	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	20.36	13.96	0.025	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	19.89	13.49	0.022	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	18.30	11.90	0.015	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.40	15.00	0.032	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	21.01	14.61	0.029	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	21.24	14.84	0.030	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	19.42	13.02	0.020	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	19.38	12.98	0.020	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	19.24	12.84	0.019	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	16.26	9.86	0.010	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.34	15.94	0.039	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.41	16.01	0.040	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.49	16.09	0.041	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.90	15.50	0.035	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	22.40	16.00	0.040	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	22.46	16.06	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	22.40	16.00	0.040	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	21.44	15.04	0.032	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.32	13.92	0.025	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.84	13.44	0.022	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.28	11.88	0.015	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	21.13	14.73	0.030	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	20.98	14.58	0.029	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	21.14	14.74	0.030	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	19.29	12.89	0.019	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	19.37	12.97	0.020	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	19.26	12.86	0.019	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	16.26	9.86	0.010	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.59	16.19	0.042	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.79	16.39	0.044	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.54	16.14	0.041	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.60	16.20	0.042	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.61	16.21	0.042	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.03	15.63	0.037	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	22.54	16.14	0.041	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	22.69	16.29	0.043	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	22.70	16.30	0.043	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	21.53	15.13	0.033	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	20.60	14.20	0.026	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	20.04	13.64	0.023	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	18.42	12.02	0.016	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	21.09	14.69	0.029	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	21.11	14.71	0.030	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	21.05	14.65	0.029	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	19.47	13.07	0.020	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	19.53	13.13	0.021	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	19.41	13.01	0.020	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	16.35	9.95	0.010	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.53	16.13	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.49	16.09	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.50	16.10	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.00	15.60	0.036	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.47	16.07	0.040	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	22.57	16.17	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	22.50	16.10	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	21.51	15.11	0.032	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	20.50	14.10	0.026	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	19.89	13.49	0.022	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	18.37	11.97	0.016	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.20	14.80	0.030	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	21.06	14.66	0.029	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	21.20	14.80	0.030	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	19.38	12.98	0.020	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	19.38	12.98	0.020	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	19.41	13.01	0.020	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	16.34	9.94	0.010	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.33	15.93	0.039	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.47	16.07	0.040	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.46	16.06	0.040	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.88	15.48	0.035	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	22.43	16.03	0.040	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	22.48	16.08	0.041	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	22.38	15.98	0.040	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	21.41	15.01	0.032	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	20.43	14.03	0.025	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	19.81	13.41	0.022	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	18.27	11.87	0.015	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	20.88	14.48	0.028	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	21.02	14.62	0.029	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	20.94	14.54	0.028	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	19.33	12.93	0.020	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	19.34	12.94	0.020	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	19.34	12.94	0.020	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	16.20	9.80	0.010	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.44	16.04	0.040	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.66	16.26	0.042	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.55	16.15	0.041	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.14	15.74	0.037	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	22.56	16.16	0.041	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	22.67	16.27	0.042	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	22.51	16.11	0.041	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	21.61	15.21	0.033	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.66	14.26	0.027	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.07	13.67	0.023	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.45	12.05	0.016	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	20.86	14.46	0.028	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	21.09	14.69	0.029	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	21.07	14.67	0.029	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	19.50	13.10	0.020	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	19.58	13.18	0.021	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	19.55	13.15	0.021	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	16.45	10.05	0.010	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.50	16.10	0.041	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.60	16.20	0.042	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.49	16.09	0.041	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.07	15.67	0.037	1.00	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.47	16.07	0.040	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	22.56	16.16	0.041	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	22.45	16.05	0.040	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	21.55	15.15	0.033	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	20.49	14.09	0.026	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	19.96	13.56	0.023	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	18.31	11.91	0.016	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.11	14.71	0.030	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	21.03	14.63	0.029	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	21.08	14.68	0.029	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	19.50	13.10	0.020	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	19.49	13.09	0.020	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	19.38	12.98	0.020	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	16.22	9.82	0.010	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.37	15.97	0.040	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.45	16.05	0.040	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.37	15.97	0.040	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.92	15.52	0.036	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	22.38	15.98	0.040	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	22.46	16.06	0.040	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	22.35	15.95	0.039	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	21.45	15.05	0.032	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.39	13.99	0.025	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.92	13.52	0.022	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.27	11.87	0.015	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	21.02	14.62	0.029	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	20.87	14.47	0.028	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	21.15	14.75	0.030	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	19.38	12.98	0.020	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	19.35	12.95	0.020	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	19.32	12.92	0.020	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	16.16	9.76	0.009	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.53	16.13	0.041	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.64	16.24	0.042	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.58	16.18	0.041	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.10	15.70	0.037	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	22.55	16.15	0.041	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	22.73	16.33	0.043	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	22.56	16.16	0.041	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	21.59	15.19	0.033	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	20.59	14.19	0.026	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.06	13.66	0.023	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	18.47	12.07	0.016	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	21.14	14.74	0.030	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	21.13	14.73	0.030	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	21.19	14.79	0.030	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	19.55	13.15	0.021	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	19.55	13.15	0.021	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	19.51	13.11	0.020	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	16.36	9.96	0.010	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.55	16.15	0.041	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.55	16.15	0.041	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.46	16.06	0.040	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.00	15.60	0.036	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.49	16.09	0.041	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	22.54	16.14	0.041	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	22.45	16.05	0.040	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	21.53	15.13	0.033	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	20.51	14.11	0.026	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	20.01	13.61	0.023	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	18.33	11.93	0.016	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.40	15.00	0.032	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	21.00	14.60	0.029	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	21.21	14.81	0.030	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	19.47	13.07	0.020	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	19.41	13.01	0.020	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	19.37	12.97	0.020	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	16.20	9.80	0.010	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.50	16.10	0.041	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.48	16.08	0.041	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.41	16.01	0.040	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.05	15.65	0.037	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	22.43	16.03	0.040	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	22.55	16.15	0.041	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	22.43	16.03	0.040	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	21.54	15.14	0.033	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	20.58	14.18	0.026	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	20.00	13.60	0.023	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	18.34	11.94	0.016	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	21.63	15.23	0.033	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	21.09	14.69	0.029	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	21.44	15.04	0.032	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	19.50	13.10	0.020	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	19.46	13.06	0.020	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	19.41	13.01	0.020	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	16.26	9.86	0.010	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	16.35	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.73	16.33	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.69	16.29	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.05	15.65	0.037	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	22.74	16.34	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	22.76	16.36	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	22.65	16.25	0.042	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	21.54	15.14	0.033	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	20.63	14.23	0.026	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	20.03	13.63	0.023	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	18.40	12.00	0.016	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	21.84	15.44	0.035	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	21.13	14.73	0.030	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	21.79	15.39	0.035	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	19.52	13.12	0.021	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	19.49	13.09	0.020	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	19.43	13.03	0.020	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	16.35	9.95	0.010	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.83	16.43	0.044	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.71	16.31	0.043	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.73	16.33	0.043	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.09	15.69	0.037	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.68	16.28	0.042	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	22.71	16.31	0.043	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	22.67	16.27	0.042	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	21.53	15.13	0.033	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	20.52	14.12	0.026	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	19.95	13.55	0.023	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	18.30	11.90	0.015	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.71	15.31	0.034	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	21.12	14.72	0.030	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	21.79	15.39	0.035	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	19.41	13.01	0.020	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	19.43	13.03	0.020	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	19.31	12.91	0.020	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	16.18	9.78	0.010	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.72	16.32	0.043	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.63	16.23	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.71	16.31	0.043	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.03	15.63	0.037	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	22.68	16.28	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	22.61	16.21	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	22.64	16.24	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	21.45	15.05	0.032	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	20.49	14.09	0.026	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	20.00	13.60	0.023	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	18.24	11.84	0.015	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	21.81	15.41	0.035	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	21.02	14.62	0.029	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	21.78	15.38	0.035	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	19.44	13.04	0.020	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	19.39	12.99	0.020	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	19.25	12.85	0.019	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	16.11	9.71	0.009	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.71	16.31	0.043	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.86	16.46	0.044	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.73	16.33	0.043	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.26	15.86	0.039	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	22.68	16.28	0.042	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	22.84	16.44	0.044	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	22.66	16.26	0.042	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	21.76	15.36	0.034	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	20.67	14.27	0.027	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	20.17	13.77	0.024	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	18.48	12.08	0.016	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	21.31	14.91	0.031	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	21.31	14.91	0.031	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	21.30	14.90	0.031	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	19.70	13.30	0.021	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	19.67	13.27	0.021	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	19.50	13.10	0.020	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	16.41	10.01	0.010	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.73	16.33	0.043	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.78	16.38	0.043	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.61	16.21	0.042	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.21	15.81	0.038	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.68	16.28	0.042	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	22.75	16.35	0.043	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	22.70	16.30	0.043	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	21.66	15.26	0.034	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	20.62	14.22	0.026	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	20.08	13.68	0.023	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	18.33	11.93	0.016	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.72	15.32	0.034	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	21.23	14.83	0.030	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	21.71	15.31	0.034	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	19.73	13.33	0.022	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	19.67	13.27	0.021	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	19.43	13.03	0.020	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	16.37	9.97	0.010	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.56	16.16	0.041	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	22.62	16.22	0.042	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.63	16.23	0.042	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.13	15.73	0.037	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	22.55	16.15	0.041	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	22.62	16.22	0.042	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	22.54	16.14	0.041	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	21.60	15.20	0.033	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	20.52	14.12	0.026	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	20.03	13.63	0.023	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	18.29	11.89	0.015	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	21.31	14.91	0.031	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	21.18	14.78	0.030	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	21.21	14.81	0.030	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	19.59	13.19	0.021	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	19.57	13.17	0.021	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	19.37	12.97	0.020	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	16.23	9.83	0.010	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.71	16.31	0.043	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.87	16.47	0.044	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.70	16.30	0.043	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.25	15.85	0.038	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	22.72	16.32	0.043	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	22.82	16.42	0.044	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	22.67	16.27	0.042	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	21.73	15.33	0.034	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	20.71	14.31	0.027	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	20.16	13.76	0.024	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	18.43	12.03	0.016	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	21.41	15.01	0.032	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	21.31	14.91	0.031	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	21.36	14.96	0.031	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	19.64	13.24	0.021	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	19.67	13.27	0.021	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	19.48	13.08	0.020	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	16.35	9.95	0.010	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.84	16.44	0.044	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.71	16.31	0.043	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.69	16.29	0.043	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.16	15.76	0.038	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.72	16.32	0.043	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	22.76	16.36	0.043	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	22.68	16.28	0.042	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	21.65	15.25	0.033	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	20.50	14.10	0.026	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	20.05	13.65	0.023	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	18.28	11.88	0.015	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.76	15.36	0.034	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	21.26	14.86	0.031	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	21.58	15.18	0.033	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	19.57	13.17	0.021	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	19.56	13.16	0.021	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	19.34	12.94	0.020	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	16.21	9.81	0.010	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.70	16.30	0.043	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.72	16.32	0.043	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.63	16.23	0.042	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.10	15.70	0.037	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	22.65	16.25	0.042	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	22.81	16.41	0.044	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	22.58	16.18	0.041	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	21.62	15.22	0.033	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	20.57	14.17	0.026	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	20.03	13.63	0.023	1.00	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	18.23	11.83	0.015	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	21.60	15.20	0.033	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	21.11	14.71	0.030	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	21.49	15.09	0.032	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	19.52	13.12	0.021	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	19.48	13.08	0.020	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	19.30	12.90	0.019	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	16.29	9.89	0.010	1.00	Pass

Note:

**EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)**

**n66:**

**1.Ant Gain =-6.2 dBi;**

**2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0.2dB**

**n7**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.82	16.42	0.044	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.95	16.55	0.045	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.01	16.61	0.046	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.44	16.04	0.04	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	21.80	16.4	0.044	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	21.92	16.52	0.045	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	22.02	16.62	0.046	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	20.99	15.59	0.036	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.01	14.61	0.029	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.43	14.03	0.025	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.36	11.96	0.016	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	20.36	14.96	0.031	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	20.54	15.14	0.033	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	20.41	15.01	0.032	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	18.91	13.51	0.022	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	18.84	13.44	0.022	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	18.34	12.94	0.02	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	15.56	10.16	0.01	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.92	16.52	0.045	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.02	16.62	0.046	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.98	16.58	0.045	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.46	16.06	0.04	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	21.89	16.49	0.045	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	22.04	16.64	0.046	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	22.03	16.63	0.046	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	20.98	15.58	0.036	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	19.99	14.59	0.029	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	19.39	13.99	0.025	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	17.34	11.94	0.016	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	20.56	15.16	0.033	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	20.51	15.11	0.032	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	20.38	14.98	0.031	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	18.87	13.47	0.022	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	18.83	13.43	0.022	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	18.40	13	0.02	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	15.62	10.22	0.011	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.01	16.61	0.046	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.08	16.68	0.047	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.00	16.6	0.046	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	21.53	16.13	0.041	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	22.00	16.6	0.046	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	22.08	16.68	0.047	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	22.06	16.66	0.046	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	21.08	15.68	0.037	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.07	14.67	0.029	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	19.51	14.11	0.026	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.50	12.1	0.016	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	20.49	15.09	0.032	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	20.58	15.18	0.033	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	20.53	15.13	0.033	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	19.04	13.64	0.023	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	18.93	13.53	0.023	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	18.59	13.19	0.021	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	15.71	10.31	0.011	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.88	16.48	0.044	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.00	16.6	0.046	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.95	16.55	0.045	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.45	16.05	0.04	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	21.84	16.44	0.044	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	21.98	16.58	0.045	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	21.97	16.57	0.045	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	20.92	15.52	0.036	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	20.00	14.6	0.029	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	19.42	14.02	0.025	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	17.35	11.95	0.016	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	20.25	14.85	0.031	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	20.51	15.11	0.032	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	20.64	15.24	0.033	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	18.90	13.5	0.022	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	18.91	13.51	0.022	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	18.35	12.95	0.02	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	15.46	10.06	0.01	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.97	16.57	0.045	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.01	16.61	0.046	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.95	16.55	0.045	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.39	15.99	0.04	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	21.87	16.47	0.044	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	22.00	16.6	0.046	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	21.94	16.54	0.045	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	20.91	15.51	0.036	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	19.88	14.48	0.028	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	19.37	13.97	0.025	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	17.31	11.91	0.016	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	20.46	15.06	0.032	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	20.46	15.06	0.032	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	20.33	14.93	0.031	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	18.89	13.49	0.022	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	18.93	13.53	0.023	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	18.39	12.99	0.02	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	15.60	10.2	0.01	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.95	16.55	0.045	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.04	16.64	0.046	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	21.97	16.57	0.045	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	21.47	16.07	0.04	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	21.95	16.55	0.045	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	22.10	16.7	0.047	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	21.94	16.54	0.045	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	21.05	15.65	0.037	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	20.02	14.62	0.029	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	19.44	14.04	0.025	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	17.32	11.92	0.016	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	20.54	15.14	0.033	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	20.51	15.11	0.032	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	20.80	15.4	0.035	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	19.00	13.6	0.023	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	18.99	13.59	0.023	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	18.44	13.04	0.02	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	15.65	10.25	0.011	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.72	16.32	0.043	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.99	16.59	0.046	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.85	16.45	0.044	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.44	16.04	0.04	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	21.79	16.39	0.044	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	21.97	16.57	0.045	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	21.80	16.4	0.044	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	20.87	15.47	0.035	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	19.85	14.45	0.028	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.39	13.99	0.025	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.33	11.93	0.016	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	20.21	14.81	0.03	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	20.45	15.05	0.032	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	20.37	14.97	0.031	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	18.84	13.44	0.022	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	18.82	13.42	0.022	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	18.38	12.98	0.02	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	15.56	10.16	0.01	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.69	16.29	0.043	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	21.92	16.52	0.045	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	21.91	16.51	0.045	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.47	16.07	0.04	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	21.80	16.4	0.044	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	21.94	16.54	0.045	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	21.83	16.43	0.044	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	20.88	15.48	0.035	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	19.89	14.49	0.028	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	19.35	13.95	0.025	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	17.35	11.95	0.016	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	20.36	14.96	0.031	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	20.37	14.97	0.031	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	20.55	15.15	0.033	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	18.90	13.5	0.022	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	18.89	13.49	0.022	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	18.44	13.04	0.02	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	15.68	10.28	0.011	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.00	16.6	0.046	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.04	16.64	0.046	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.03	16.63	0.046	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	21.53	16.13	0.041	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	21.95	16.55	0.045	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	22.05	16.65	0.046	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	21.94	16.54	0.045	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	20.99	15.59	0.036	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.04	14.64	0.029	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	19.51	14.11	0.026	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	17.51	12.11	0.016	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	20.46	15.06	0.032	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	20.57	15.17	0.033	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	20.55	15.15	0.033	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	18.98	13.58	0.023	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	19.01	13.61	0.023	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	18.52	13.12	0.021	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	15.69	10.29	0.011	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.79	16.39	0.044	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.00	16.6	0.046	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.02	16.62	0.046	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.46	16.06	0.04	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	21.89	16.49	0.045	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	21.97	16.57	0.045	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	21.97	16.57	0.045	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	20.89	15.49	0.035	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	19.94	14.54	0.028	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	19.33	13.93	0.025	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	17.34	11.94	0.016	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	20.22	14.82	0.03	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	20.44	15.04	0.032	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	20.38	14.98	0.031	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	18.83	13.43	0.022	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	18.83	13.43	0.022	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	18.35	12.95	0.02	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	15.44	10.04	0.01	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.78	16.38	0.043	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	21.93	16.53	0.045	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.00	16.6	0.046	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	21.42	16.02	0.04	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	21.78	16.38	0.043	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	21.93	16.53	0.045	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	22.02	16.62	0.046	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	20.93	15.53	0.036	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	19.94	14.54	0.028	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	19.39	13.99	0.025	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	17.36	11.96	0.016	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	20.38	14.98	0.031	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	20.45	15.05	0.032	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	20.45	15.05	0.032	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	18.92	13.52	0.022	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	18.88	13.48	0.022	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	18.42	13.02	0.02	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	15.64	10.24	0.011	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	21.02	15.62	0.036	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM PI/2 BPSK_RB50@25	22.02	16.62	0.046	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	21.98	16.58	0.045	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM PI/2 BPSK_RB100@0	21.50	16.1	0.041	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM QPSK_RB1@1	21.96	16.56	0.045	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM QPSK_RB50@25	22.07	16.67	0.046	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM QPSK_RB1@104	21.94	16.54	0.045	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM QPSK_RB100@0	21.03	15.63	0.037	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM 16 QAM_RB100@0	20.00	14.6	0.029	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM 64 QAM_RB100@0	19.49	14.09	0.026	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s- OFDM 256 QAM_RB100@0	17.49	12.09	0.016	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	20.53	15.13	0.033	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	20.49	15.09	0.032	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	20.44	15.04	0.032	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	18.95	13.55	0.023	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	18.95	13.55	0.023	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	18.46	13.06	0.02	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	15.72	10.32	0.011	2.00	Pass

**Note:**

**EIRP = Conducted Power(dBm) - LC(dB) + GT(dBd)**

**n7:**

**1.Ant Gain =-5.2 dBi;**

**2.LC = signal attenuation in the connecting cable  
between the transmitter and antenna in 0.2dB**