

FCC Part 27

RF power output

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3455MHz_CP-OFDM 16 QAM_RB52@0	20.35	14.55	0.029	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM 256 QAM_RB52@0	16.84	11.04	0.013	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM 64 QAM_RB52@0	19.79	13.99	0.025	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.67	15.87	0.039	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB1@50	21.56	15.76	0.038	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB26@13	21.79	15.99	0.040	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB52@0	20.26	14.46	0.028	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM 16 QAM_RB50@0	21.35	15.55	0.036	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM 256 QAM_RB50@0	18.94	13.14	0.021	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM 64 QAM_RB50@0	20.68	14.88	0.031	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.48	17.68	0.059	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.46	17.66	0.058	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.52	17.72	0.059	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	22.96	17.16	0.052	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM QPSK_RB1@1	23.31	17.51	0.056	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM QPSK_RB1@50	23.14	17.34	0.054	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM QPSK_RB25@12	23.35	17.55	0.057	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s- OFDM QPSK_RB50@0	22.31	16.51	0.045	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB52@0	20.80	15.00	0.032	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB52@0	18.68	12.88	0.019	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB52@0	19.94	14.14	0.026	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.20	16.40	0.044	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@50	21.87	16.07	0.040	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB26@13	21.96	16.16	0.041	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB52@0	20.52	14.72	0.030	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM 16 QAM_RB50@0	21.46	15.66	0.037	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM 256 QAM_RB50@0	18.88	13.08	0.020	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s- OFDM 64 QAM_RB50@0	20.92	15.12	0.033	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.57	17.77	0.060	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.32	17.52	0.056	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.60	17.80	0.060	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.13	17.33	0.054	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.52	17.72	0.059	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@50	23.60	17.80	0.060	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	23.73	17.93	0.062	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	22.43	16.63	0.046	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 16 QAM_RB52@0	20.39	14.59	0.029	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 256 QAM_RB52@0	16.75	10.95	0.012	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 64 QAM_RB52@0	19.85	14.05	0.025	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.92	16.12	0.041	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB1@50	21.85	16.05	0.040	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB26@13	21.88	16.08	0.041	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB52@0	20.48	14.68	0.029	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM 16 QAM_RB50@0	21.33	15.53	0.036	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM 256 QAM_RB50@0	18.93	13.13	0.021	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM 64 QAM_RB50@0	20.92	15.12	0.033	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.38	17.58	0.057	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.33	17.53	0.057	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.44	17.64	0.058	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.92	17.12	0.052	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	23.38	17.58	0.057	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB1@50	23.26	17.46	0.056	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB25@12	23.33	17.53	0.057	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB50@0	22.44	16.64	0.046	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM 16 QAM_RB79@0	20.70	14.90	0.031	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM 256 QAM_RB79@0	17.08	11.28	0.013	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM 64 QAM_RB79@0	19.68	13.88	0.024	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.49	15.69	0.037	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB1@77	22.20	16.40	0.044	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB39@19	22.08	16.28	0.042	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB79@0	20.69	14.89	0.031	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.27	15.47	0.035	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.67	12.87	0.019	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.18	15.38	0.035	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.62	17.82	0.061	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.69	17.89	0.062	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.64	17.84	0.061	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.10	17.30	0.054	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.13	17.33	0.054	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@77	23.45	17.65	0.058	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@18	23.62	17.82	0.061	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB75@0	22.67	16.87	0.049	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB79@0	20.85	15.05	0.032	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB79@0	16.95	11.15	0.013	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB79@0	20.39	14.59	0.029	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.79	15.99	0.040	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@77	22.20	16.40	0.044	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB39@19	22.01	16.21	0.042	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB79@0	20.82	15.02	0.032	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	21.54	15.74	0.037	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	18.98	13.18	0.021	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	21.38	15.58	0.036	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	17.54	0.057	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.66	17.86	0.061	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.88	18.08	0.064	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.36	17.56	0.057	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.33	17.53	0.057	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@77	23.16	17.36	0.054	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	23.38	17.58	0.057	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	22.45	16.65	0.046	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 16 QAM_RB79@0	20.32	14.52	0.028	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 256 QAM_RB79@0	16.72	10.92	0.012	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 64 QAM_RB79@0	19.83	14.03	0.025	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.58	15.78	0.038	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB1@77	21.62	15.82	0.038	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB39@19	21.80	16.00	0.040	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB79@0	20.26	14.46	0.028	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.58	15.78	0.038	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.67	12.87	0.019	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.77	14.97	0.031	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.64	17.84	0.061	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.27	17.47	0.056	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.55	17.75	0.060	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.00	17.20	0.052	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	23.46	17.66	0.058	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@77	23.18	17.38	0.055	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@18	23.57	17.77	0.060	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB75@0	22.21	16.41	0.044	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 16 QAM_RB106@0	20.48	14.68	0.029	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 256 QAM_RB106@0	16.92	11.12	0.013	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 64 QAM_RB106@0	19.95	14.15	0.026	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.64	15.84	0.038	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB1@104	21.82	16.02	0.040	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB106@0	20.52	14.72	0.030	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB53@26	22.03	16.23	0.042	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 16 QAM_RB100@0	21.46	15.66	0.037	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 256 QAM_RB100@0	18.95	13.15	0.021	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 64 QAM_RB100@0	20.94	15.14	0.033	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.43	17.63	0.058	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.50	17.70	0.059	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.92	17.12	0.052	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.45	17.65	0.058	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23.28	17.48	0.056	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB1@104	23.48	17.68	0.059	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB100@0	22.54	16.74	0.047	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB50@25	23.45	17.65	0.058	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.59	14.79	0.030	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	17.00	11.20	0.013	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	20.09	14.29	0.027	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.94	16.14	0.041	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.90	16.10	0.041	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.63	14.83	0.030	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB53@26	22.12	16.32	0.043	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.65	15.85	0.038	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	19.02	13.22	0.021	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	21.12	15.32	0.034	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.44	17.64	0.058	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.56	17.76	0.060	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.20	17.40	0.055	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.62	17.82	0.061	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.46	17.66	0.058	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	23.46	17.66	0.058	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.65	16.85	0.048	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.67	17.87	0.061	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 16 QAM_RB106@0	20.37	14.57	0.029	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 256 QAM_RB106@0	16.51	10.71	0.012	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 64 QAM_RB106@0	19.87	14.07	0.026	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.84	16.04	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB1@104	21.60	15.80	0.038	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB106@0	20.31	14.51	0.028	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB53@26	21.78	15.98	0.040	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 16 QAM_RB100@0	21.42	15.62	0.036	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 256 QAM_RB100@0	18.79	12.99	0.020	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 64 QAM_RB100@0	20.82	15.02	0.032	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	17.62	0.058	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.34	17.54	0.057	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.90	17.10	0.051	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.45	17.65	0.058	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	23.33	17.53	0.057	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB1@104	23.22	17.42	0.055	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB100@0	22.44	16.64	0.046	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB50@25	23.32	17.52	0.056	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 16 QAM_RB160@0	20.66	14.86	0.031	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 256 QAM_RB160@0	17.17	11.37	0.014	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 64 QAM_RB160@0	20.09	14.29	0.027	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.99	16.19	0.042	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB1@158	22.03	16.23	0.042	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB160@0	20.59	14.79	0.030	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB80@40	22.14	16.34	0.043	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM 16 QAM_RB160@0	21.68	15.88	0.039	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM 256 QAM_RB160@0	19.08	13.28	0.021	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM 64 QAM_RB160@0	21.06	15.26	0.034	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.39	17.59	0.057	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.60	17.80	0.060	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.07	17.27	0.053	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.60	17.80	0.060	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	23.27	17.47	0.056	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB1@158	23.59	17.79	0.060	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB160@0	22.50	16.70	0.047	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s-OFDM QPSK_RB80@40	23.57	17.77	0.060	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB160@0	20.59	14.79	0.030	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB160@0	17.11	11.31	0.014	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB160@0	20.18	14.38	0.027	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.14	16.34	0.043	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@158	21.95	16.15	0.041	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB160@0	20.66	14.86	0.031	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB80@40	22.20	16.40	0.044	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB160@0	21.65	15.85	0.038	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB160@0	19.19	13.39	0.022	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB160@0	21.17	15.37	0.034	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.75	17.95	0.062	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.57	17.77	0.060	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.12	17.32	0.054	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.67	17.87	0.061	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.55	17.75	0.060	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@158	23.50	17.70	0.059	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB160@0	22.62	16.82	0.048	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB80@40	23.71	17.91	0.062	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 16 QAM_RB160@0	20.45	14.65	0.029	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 256 QAM_RB160@0	16.78	10.98	0.013	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 64 QAM_RB160@0	19.87	14.07	0.026	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB1@1	22.02	16.22	0.042	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB1@158	21.86	16.06	0.040	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB160@0	20.38	14.58	0.029	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB80@40	21.88	16.08	0.041	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 16 QAM_RB160@0	21.40	15.60	0.036	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 256 QAM_RB160@0	18.89	13.09	0.020	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 64 QAM_RB160@0	20.95	15.15	0.033	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.51	17.71	0.059	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.19	17.39	0.055	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.82	17.02	0.050	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.49	17.69	0.059	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	23.44	17.64	0.058	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB1@158	23.18	17.38	0.055	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB160@0	22.38	16.58	0.045	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB80@40	23.33	17.53	0.057	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 16 QAM_RB216@0	20.49	14.69	0.029	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 256 QAM_RB216@0	17.02	11.22	0.013	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 64 QAM_RB216@0	20.05	14.25	0.027	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.94	16.14	0.041	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB1@214	22.19	16.39	0.044	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB108@54	22.12	16.32	0.043	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB216@0	20.49	14.69	0.029	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM 16 QAM_RB216@0	21.55	15.75	0.038	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM 256 QAM_RB216@0	18.98	13.18	0.021	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM 64 QAM_RB216@0	21.04	15.24	0.033	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.48	17.68	0.059	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.64	17.84	0.061	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.61	17.81	0.060	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.08	17.28	0.053	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	23.28	17.48	0.056	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB1@214	23.52	17.72	0.059	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB108@54	23.58	17.78	0.060	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB216@0	22.56	16.76	0.047	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB216@0	20.46	14.66	0.029	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB216@0	16.96	11.16	0.013	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB216@0	20.02	14.22	0.026	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.19	16.39	0.044	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@214	22.12	16.32	0.043	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB108@54	22.13	16.33	0.043	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB216@0	20.56	14.76	0.030	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	21.57	15.77	0.038	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	19.08	13.28	0.021	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	21.09	15.29	0.034	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.69	17.89	0.062	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.55	17.75	0.060	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.61	17.81	0.060	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.13	17.33	0.054	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.64	17.84	0.061	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@214	23.58	17.78	0.060	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.59	17.79	0.060	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.66	16.86	0.049	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 16 QAM_RB216@0	20.68	14.88	0.031	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 256 QAM_RB216@0	17.15	11.35	0.014	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 64 QAM_RB216@0	20.03	14.23	0.026	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB1@1	22.26	16.46	0.044	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB1@214	22.01	16.21	0.042	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB108@54	22.11	16.31	0.043	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB216@0	20.44	14.64	0.029	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM 16 QAM_RB216@0	21.54	15.74	0.037	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM 256 QAM_RB216@0	19.13	13.33	0.022	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM 64 QAM_RB216@0	20.99	15.19	0.033	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.47	17.67	0.058	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.42	17.62	0.058	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.48	17.68	0.059	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.01	17.21	0.053	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	23.51	17.71	0.059	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB1@214	23.22	17.42	0.055	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB108@54	23.49	17.69	0.059	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s-OFDM QPSK_RB216@0	22.53	16.73	0.047	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 16 QAM_RB270@0	20.77	14.97	0.031	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 256 QAM_RB270@0	17.26	11.46	0.014	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 64 QAM_RB270@0	20.31	14.51	0.028	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB1@1	22.09	16.29	0.043	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB1@268	22.30	16.50	0.045	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB135@67	22.24	16.44	0.044	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB270@0	20.91	15.11	0.032	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM 16 QAM_RB270@0	21.74	15.94	0.039	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM 256 QAM_RB270@0	19.34	13.54	0.023	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM 64 QAM_RB270@0	21.27	15.47	0.035	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.64	17.84	0.061	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.77	17.97	0.063	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.78	17.98	0.063	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.27	17.47	0.056	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.53	17.73	0.059	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB1@268	23.81	18.01	0.063	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB135@67	23.76	17.96	0.063	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB270@0	22.79	16.99	0.050	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB270@0	20.85	15.05	0.032	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB270@0	17.38	11.58	0.014	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB270@0	20.34	14.54	0.028	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.22	16.42	0.044	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@268	22.24	16.44	0.044	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB135@67	22.34	16.54	0.045	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB270@0	20.90	15.10	0.032	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	21.81	16.01	0.040	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	19.45	13.65	0.023	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	21.34	15.54	0.036	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.80	18.00	0.063	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.67	17.87	0.061	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.94	18.14	0.065	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.31	17.51	0.056	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.72	17.92	0.062	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@268	23.72	17.92	0.062	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.94	18.14	0.065	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.90	17.10	0.051	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 16 QAM_RB270@0	20.76	14.96	0.031	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 256 QAM_RB270@0	17.18	11.38	0.014	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 64 QAM_RB270@0	20.27	14.47	0.028	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB1@1	22.38	16.58	0.045	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB1@268	22.09	16.29	0.043	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB135@67	22.19	16.39	0.044	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB270@0	20.70	14.90	0.031	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM 16 QAM_RB270@0	21.82	16.02	0.040	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM 256 QAM_RB270@0	19.35	13.55	0.023	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM 64 QAM_RB270@0	21.25	15.45	0.035	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.83	18.03	0.064	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.49	17.69	0.059	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.82	18.02	0.063	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.32	17.52	0.056	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.78	17.98	0.063	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB1@268	23.56	17.76	0.060	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB135@67	23.76	17.96	0.063	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB270@0	22.84	17.04	0.051	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n77_1:

1.Ant Gain =-5.8 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3705MHz_CP-OFDM 16 QAM_RB52@0	20.43	14.63	0.029	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 256 QAM_RB52@0	16.75	10.95	0.012	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 64 QAM_RB52@0	19.76	13.96	0.025	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.51	15.71	0.037	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@50	21.83	16.03	0.040	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB26@13	21.78	15.98	0.040	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB52@0	20.30	14.50	0.028	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM 16 QAM_RB50@0	21.28	15.48	0.035	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM 256 QAM_RB50@0	18.69	12.89	0.019	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM 64 QAM_RB50@0	20.88	15.08	0.032	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.30	17.50	0.056	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.33	17.53	0.057	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.23	17.43	0.055	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	22.71	16.91	0.049	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM QPSK_RB1@1	23.21	17.41	0.055	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM QPSK_RB1@50	23.38	17.58	0.057	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM QPSK_RB25@12	23.28	17.48	0.056	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s- OFDM QPSK_RB50@0	22.39	16.59	0.046	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB52@0	20.61	14.81	0.030	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB52@0	17.07	11.27	0.013	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB52@0	20.05	14.25	0.027	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.87	16.07	0.040	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@50	21.79	15.99	0.040	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB26@13	21.99	16.19	0.042	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB52@0	20.62	14.82	0.030	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM 16 QAM_RB50@0	21.51	15.71	0.037	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM 256 QAM_RB50@0	19.06	13.26	0.021	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM 64 QAM_RB50@0	21.01	15.21	0.033	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.55	17.75	0.060	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.48	17.68	0.059	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.50	17.70	0.059	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.08	17.28	0.053	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.26	17.46	0.056	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@50	23.48	17.68	0.059	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	23.52	17.72	0.059	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	22.59	16.79	0.048	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 16 QAM_RB52@0	19.87	14.07	0.026	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 256 QAM_RB52@0	16.32	10.52	0.011	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 64 QAM_RB52@0	19.40	13.60	0.023	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB1@1	21.40	15.60	0.036	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB1@50	21.27	15.47	0.035	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB26@13	21.43	15.63	0.037	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB52@0	19.91	14.11	0.026	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM 16 QAM_RB50@0	20.96	15.16	0.033	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM 256 QAM_RB50@0	18.43	12.63	0.018	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM 64 QAM_RB50@0	20.39	14.59	0.029	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.06	17.26	0.053	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.96	17.16	0.052	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.00	17.20	0.052	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.58	16.78	0.048	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	22.96	17.16	0.052	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB1@50	22.85	17.05	0.051	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB25@12	23.01	17.21	0.053	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB50@0	21.89	16.09	0.041	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	20.41	14.61	0.029	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	16.78	10.98	0.013	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	19.73	13.93	0.025	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.67	15.87	0.039	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	21.67	15.87	0.039	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	21.82	16.02	0.040	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	20.33	14.53	0.028	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	21.34	15.54	0.036	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	18.72	12.92	0.020	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	20.80	15.00	0.032	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.55	17.75	0.060	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.41	17.61	0.058	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.46	17.66	0.058	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.92	17.12	0.052	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.30	17.50	0.056	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	23.20	17.40	0.055	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	23.38	17.58	0.057	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	22.30	16.50	0.045	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	20.38	14.58	0.029	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	16.89	11.09	0.013	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	19.80	14.00	0.025	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.82	16.02	0.040	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	21.80	16.00	0.040	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	21.92	16.12	0.041	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	20.31	14.51	0.028	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	21.41	15.61	0.036	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	19.01	13.21	0.021	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	21.15	16.02	0.040	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.48	17.68	0.059	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.53	17.73	0.059	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.53	17.73	0.059	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.93	17.13	0.052	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.34	17.54	0.057	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	23.29	17.49	0.056	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	23.43	17.63	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	22.49	16.69	0.047	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	19.93	14.13	0.026	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	16.49	10.69	0.012	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	19.43	13.63	0.023	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	21.35	15.55	0.036	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	21.30	15.50	0.035	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	21.42	15.62	0.036	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	20.00	14.20	0.026	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	20.95	15.15	0.033	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	18.49	12.69	0.019	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	20.52	14.72	0.030	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.12	17.32	0.054	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.13	17.33	0.054	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.01	17.21	0.053	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.47	16.67	0.046	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	22.97	17.17	0.052	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	22.97	17.17	0.052	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	23.11	17.31	0.054	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	22.02	16.22	0.042	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 16 QAM_RB79@0	20.23	14.43	0.028	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 256 QAM_RB79@0	16.96	11.16	0.013	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 64 QAM_RB79@0	19.74	13.94	0.025	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.84	16.04	0.040	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@77	21.92	16.12	0.041	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB39@19	21.72	15.92	0.039	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB79@0	20.27	14.47	0.028	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.36	15.56	0.036	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.96	13.16	0.021	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.94	15.14	0.033	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	17.37	0.055	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.38	17.58	0.057	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.50	17.70	0.059	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.85	17.05	0.051	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.24	17.44	0.055	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.31	17.51	0.056	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.35	17.55	0.057	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.35	16.55	0.045	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB79@0	20.44	14.64	0.029	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB79@0	16.74	10.94	0.012	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB79@0	20.10	14.30	0.027	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.64	15.84	0.038	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@77	22.03	16.23	0.042	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB39@19	21.78	15.98	0.040	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB79@0	20.50	14.70	0.030	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	21.34	15.54	0.036	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	19.01	13.21	0.021	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	20.81	15.01	0.032	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.51	17.71	0.059	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.51	17.71	0.059	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.35	17.55	0.057	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.11	17.31	0.054	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.32	17.52	0.056	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@77	23.40	17.60	0.058	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	23.43	17.63	0.058	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	22.34	16.54	0.045	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 16 QAM_RB79@0	20.08	14.28	0.027	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 256 QAM_RB79@0	16.53	10.73	0.012	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 64 QAM_RB79@0	19.67	13.87	0.024	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.56	15.76	0.038	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB1@77	21.36	15.56	0.036	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB39@19	21.59	15.79	0.038	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB79@0	20.08	14.28	0.027	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.09	15.29	0.034	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.32	12.52	0.018	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.36	14.56	0.029	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.82	17.02	0.050	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.05	17.25	0.053	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.09	17.29	0.054	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.64	16.84	0.048	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	22.70	16.90	0.049	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@77	23.09	17.29	0.054	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@18	22.83	17.03	0.050	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB75@0	22.11	16.31	0.043	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	20.27	14.47	0.028	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	16.61	10.81	0.012	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	19.72	13.92	0.025	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.53	15.73	0.037	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	21.64	15.84	0.038	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	21.92	16.12	0.041	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	20.23	14.43	0.028	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.51	15.71	0.037	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.80	13.00	0.020	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.97	15.17	0.033	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	17.41	0.055	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.26	17.46	0.056	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.19	17.39	0.055	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.81	17.01	0.050	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.08	17.28	0.053	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	23.14	17.34	0.054	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	23.22	17.42	0.055	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	22.23	16.43	0.044	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	20.40	14.60	0.029	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	16.75	10.95	0.012	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	19.82	14.02	0.025	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.70	15.90	0.039	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	21.67	15.87	0.039	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	21.80	16.00	0.040	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	20.41	14.61	0.029	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	21.50	15.70	0.037	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	18.80	13.00	0.020	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	21.03	15.23	0.033	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.38	17.58	0.057	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.32	17.52	0.056	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.34	17.54	0.057	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.89	17.09	0.051	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.28	17.48	0.056	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	23.26	17.46	0.056	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	23.35	17.55	0.057	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	22.60	16.80	0.048	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	20.05	14.25	0.027	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	16.48	10.68	0.012	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	19.39	13.59	0.023	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.58	15.78	0.038	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	21.29	15.49	0.035	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	21.60	15.80	0.038	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	19.99	14.19	0.026	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.05	15.25	0.033	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.57	12.77	0.019	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.48	14.68	0.029	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	17.19	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.98	17.18	0.052	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.23	17.43	0.055	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.51	16.71	0.047	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	22.87	17.07	0.051	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	22.86	17.06	0.051	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	23.00	17.20	0.052	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	21.99	16.19	0.042	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 16 QAM_RB106@0	20.12	14.32	0.027	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 256 QAM_RB106@0	16.89	11.09	0.013	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 64 QAM_RB106@0	19.78	13.98	0.025	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.58	15.78	0.038	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB1@104	22.00	16.20	0.042	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB106@0	20.23	14.43	0.028	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB53@26	21.65	15.85	0.038	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 16 QAM_RB100@0	21.24	15.44	0.035	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 256 QAM_RB100@0	18.95	13.15	0.021	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 64 QAM_RB100@0	21.00	15.20	0.033	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	17.60	0.058	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.30	17.50	0.056	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.74	16.94	0.049	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.24	17.44	0.055	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	23.42	17.62	0.058	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB1@104	23.68	17.88	0.061	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB100@0	22.49	16.69	0.047	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB50@25	23.26	17.46	0.056	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	20.21	14.41	0.028	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	16.71	10.91	0.012	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	19.75	13.95	0.025	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.64	15.84	0.038	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@104	21.78	15.98	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB106@0	20.22	14.42	0.028	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB53@26	21.77	15.97	0.040	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	21.28	15.48	0.035	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	18.70	12.90	0.019	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	20.77	14.97	0.031	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.23	17.43	0.055	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.62	17.82	0.061	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.97	17.17	0.052	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.32	17.52	0.056	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.27	17.47	0.056	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	23.32	17.52	0.056	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	22.25	16.45	0.044	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	23.33	17.53	0.057	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 16 QAM_RB106@0	19.88	14.08	0.026	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 256 QAM_RB106@0	16.38	10.58	0.011	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 64 QAM_RB106@0	19.36	13.56	0.023	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.26	15.46	0.035	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB1@104	21.35	15.55	0.036	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB106@0	19.86	14.06	0.025	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB53@26	21.42	15.62	0.036	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 16 QAM_RB100@0	20.96	15.16	0.033	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 256 QAM_RB100@0	18.38	12.58	0.018	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 64 QAM_RB100@0	20.42	14.62	0.029	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.06	17.26	0.053	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.97	17.17	0.052	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.41	16.61	0.046	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.92	17.12	0.052	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	22.99	17.19	0.052	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB1@104	22.96	17.16	0.052	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB100@0	21.92	16.12	0.041	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB50@25	22.97	17.17	0.052	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	20.20	14.40	0.028	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	16.77	10.97	0.013	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	19.74	13.94	0.025	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.54	15.74	0.037	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	21.65	15.85	0.038	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	21.72	15.92	0.039	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	20.23	14.43	0.028	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	21.22	15.42	0.035	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	18.72	12.92	0.020	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	20.72	14.92	0.031	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.18	17.38	0.055	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.37	17.57	0.057	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.28	17.48	0.056	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.75	16.95	0.050	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	23.10	17.30	0.054	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	23.23	17.43	0.055	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	23.23	17.43	0.055	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	22.29	16.49	0.045	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	20.31	14.51	0.028	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	16.86	11.06	0.013	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	19.92	14.12	0.026	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.96	16.16	0.041	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	21.66	15.86	0.039	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	21.92	16.12	0.041	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	20.33	14.53	0.028	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	21.25	15.45	0.035	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	18.80	13.00	0.020	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	20.84	15.04	0.032	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	17.57	0.057	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.38	17.58	0.057	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.36	17.56	0.057	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.89	17.09	0.051	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.26	17.46	0.056	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	23.25	17.45	0.056	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	23.41	17.61	0.058	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	22.44	16.64	0.046	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	20.10	14.30	0.027	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	16.48	10.68	0.012	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	19.82	14.02	0.025	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.41	15.61	0.036	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	21.39	15.59	0.036	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	21.63	15.83	0.038	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	20.12	14.32	0.027	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	21.00	15.20	0.033	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	18.45	12.65	0.018	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	20.50	14.70	0.030	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	17.19	0.052	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.98	17.18	0.052	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.00	17.20	0.052	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.51	16.71	0.047	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	22.89	17.09	0.051	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	23.08	17.28	0.053	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	23.02	17.22	0.053	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	22.15	16.35	0.043	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 16 QAM_RB160@0	20.48	14.68	0.029	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 256 QAM_RB160@0	17.02	11.22	0.013	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 64 QAM_RB160@0	20.07	14.27	0.027	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@1	20.26	14.46	0.028	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@158	20.47	14.67	0.029	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB160@0	20.54	14.74	0.030	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB80@40	20.56	14.76	0.030	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 16 QAM_RB160@0	20.50	14.70	0.030	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 256 QAM_RB160@0	18.98	13.18	0.021	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 64 QAM_RB160@0	20.42	14.62	0.029	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	17.37	0.055	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	20.45	14.65	0.029	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.51	14.71	0.030	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.40	17.60	0.058	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	20.31	14.51	0.028	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@158	20.42	14.62	0.029	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB160@0	22.34	16.54	0.045	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB80@40	20.35	14.55	0.029	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB160@0	20.89	15.09	0.032	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB160@0	17.31	11.51	0.014	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB160@0	20.44	14.64	0.029	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.07	16.27	0.042	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@158	22.36	16.56	0.045	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB160@0	20.90	15.10	0.032	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB80@40	22.41	16.61	0.046	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB160@0	21.86	16.06	0.040	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB160@0	19.36	13.56	0.023	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB160@0	21.37	15.57	0.036	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.64	17.84	0.061	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.99	18.19	0.066	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.44	17.64	0.058	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.88	18.08	0.064	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.57	17.77	0.060	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@158	23.86	18.06	0.064	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB160@0	22.92	17.12	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB80@40	23.86	18.06	0.064	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 16 QAM_RB160@0	20.05	14.25	0.027	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 256 QAM_RB160@0	16.21	10.41	0.011	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 64 QAM_RB160@0	19.26	13.46	0.022	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB1@1	19.94	14.14	0.026	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB1@158	19.77	13.97	0.025	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB160@0	19.99	14.19	0.026	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB80@40	19.90	14.10	0.026	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 16 QAM_RB160@0	20.07	14.27	0.027	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 256 QAM_RB160@0	18.51	12.71	0.019	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 64 QAM_RB160@0	19.94	14.14	0.026	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.15	14.35	0.027	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	19.87	14.07	0.026	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.15	14.35	0.027	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	20.10	14.30	0.027	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	19.84	14.04	0.025	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB1@158	19.74	13.94	0.025	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB160@0	20.04	14.24	0.027	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB80@40	24.42	18.62	0.073	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 16 QAM_RB216@0	20.49	14.69	0.029	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 256 QAM_RB216@0	16.76	10.96	0.012	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 64 QAM_RB216@0	19.94	14.14	0.026	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.36	15.56	0.036	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@214	20.43	14.63	0.029	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB108@54	21.75	15.95	0.039	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB216@0	20.14	14.34	0.027	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 16 QAM_RB216@0	20.52	14.72	0.030	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 256 QAM_RB216@0	18.73	12.93	0.020	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 64 QAM_RB216@0	20.26	14.46	0.028	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.02	17.22	0.053	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.38	17.58	0.057	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.28	17.48	0.056	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.83	17.03	0.050	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	23.05	17.25	0.053	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB1@214	23.26	17.46	0.056	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB108@54	23.26	17.46	0.056	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB216@0	20.59	14.79	0.030	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB216@0	20.26	14.46	0.028	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB216@0	16.74	10.94	0.012	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB216@0	19.78	13.98	0.025	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	20.26	14.46	0.028	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@214	21.80	16.00	0.040	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB108@54	21.75	15.95	0.039	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB216@0	20.29	14.49	0.028	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	20.24	14.44	0.028	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	18.83	13.03	0.020	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	20.27	14.47	0.028	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.16	14.36	0.027	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	20.43	14.63	0.029	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	20.55	14.75	0.030	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.32	14.52	0.028	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	20.14	14.34	0.027	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@214	20.40	14.60	0.029	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	20.28	14.48	0.028	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	20.21	14.41	0.028	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 16 QAM_RB216@0	20.13	14.33	0.027	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 256 QAM_RB216@0	16.56	10.76	0.012	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 64 QAM_RB216@0	19.70	13.90	0.025	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB1@1	20.16	14.36	0.027	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB1@214	20.08	14.28	0.027	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB108@54	20.12	14.32	0.027	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB216@0	20.09	14.29	0.027	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 16 QAM_RB216@0	20.13	14.33	0.027	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 256 QAM_RB216@0	18.65	12.85	0.019	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 64 QAM_RB216@0	20.20	14.40	0.028	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.20	14.40	0.028	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	20.00	14.20	0.026	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	20.17	14.37	0.027	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	19.94	14.14	0.026	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	19.78	13.98	0.025	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB1@214	19.93	14.13	0.026	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB108@54	20.16	14.36	0.027	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB216@0	20.15	14.35	0.027	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	20.41	14.61	0.029	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	16.95	11.15	0.013	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	20.03	14.23	0.026	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.63	15.83	0.038	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	22.06	16.26	0.042	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	20.34	14.54	0.028	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	21.95	16.15	0.041	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.55	15.75	0.038	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	19.00	13.20	0.021	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.93	15.13	0.033	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	17.49	0.056	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.66	17.86	0.061	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.92	17.12	0.052	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.48	17.68	0.059	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	23.26	17.46	0.056	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	23.68	17.88	0.061	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	22.49	16.69	0.047	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	23.49	17.69	0.059	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	20.34	14.54	0.028	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	16.83	11.03	0.013	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	19.88	14.08	0.026	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.71	15.91	0.039	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	22.11	16.31	0.043	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	20.34	14.54	0.028	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	21.87	16.07	0.040	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	21.44	15.64	0.037	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	18.87	13.07	0.020	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	20.97	15.17	0.033	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.62	17.82	0.061	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.56	17.76	0.060	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.07	17.27	0.053	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.60	17.80	0.060	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.35	17.55	0.057	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	23.41	17.61	0.058	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	22.48	16.68	0.047	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	23.51	17.71	0.059	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	19.93	14.13	0.026	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	16.46	10.66	0.012	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	19.45	13.65	0.023	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	21.44	15.64	0.037	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	21.36	15.56	0.036	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	19.94	14.14	0.026	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	21.46	15.66	0.037	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	21.00	15.20	0.033	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	18.43	12.63	0.018	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	20.48	14.68	0.029	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.16	17.36	0.054	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.04	17.24	0.053	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.56	16.76	0.047	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.08	17.28	0.053	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	23.04	17.24	0.053	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	22.93	17.13	0.052	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	22.03	16.23	0.042	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	23.02	17.22	0.053	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 16 QAM_RB270@0	20.43	14.63	0.029	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 256 QAM_RB270@0	17.11	11.31	0.014	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 64 QAM_RB270@0	20.07	14.27	0.027	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@1	20.52	14.72	0.030	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@268	20.78	14.98	0.031	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB135@67	20.60	14.80	0.030	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB270@0	20.56	14.76	0.030	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 16 QAM_RB270@0	20.66	14.86	0.031	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 256 QAM_RB270@0	19.20	13.40	0.022	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 64 QAM_RB270@0	20.66	14.86	0.031	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.45	14.65	0.029	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	20.73	14.93	0.031	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	20.69	14.89	0.031	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	20.52	14.72	0.030	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	20.41	14.61	0.029	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@268	20.68	14.88	0.031	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB135@67	20.67	14.87	0.031	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB270@0	20.63	14.83	0.030	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB270@0	20.33	14.53	0.028	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB270@0	16.80	11.00	0.013	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB270@0	19.84	14.04	0.025	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	20.50	14.70	0.030	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@268	20.29	14.49	0.028	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB135@67	20.39	14.59	0.029	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB270@0	20.32	14.52	0.028	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	20.60	14.80	0.030	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	19.07	13.27	0.021	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	20.57	14.77	0.030	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.46	14.66	0.029	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	20.49	14.69	0.029	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	20.56	14.76	0.030	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	20.57	14.77	0.030	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.35	17.55	0.057	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@268	20.35	14.55	0.029	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	20.51	14.71	0.030	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	20.56	14.76	0.030	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 16 QAM_RB270@0	20.12	14.32	0.027	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 256 QAM_RB270@0	16.58	10.78	0.012	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 64 QAM_RB270@0	19.56	13.76	0.024	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB1@1	20.23	14.43	0.028	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB1@268	20.03	14.23	0.026	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB135@67	20.19	14.39	0.027	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB270@0	20.22	14.42	0.028	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 16 QAM_RB270@0	20.19	14.39	0.027	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 256 QAM_RB270@0	18.65	12.85	0.019	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 64 QAM_RB270@0	20.19	14.39	0.027	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.24	14.44	0.028	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	20.09	14.29	0.027	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	20.22	14.42	0.028	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	20.15	14.35	0.027	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	20.16	14.36	0.027	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB1@268	19.97	14.17	0.026	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB135@67	20.13	14.33	0.027	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB270@0	20.21	14.41	0.028	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	20.32	14.52	0.028	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	16.77	10.97	0.013	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	19.83	14.03	0.025	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.88	16.08	0.041	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.90	16.10	0.041	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	20.31	14.51	0.028	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	22.08	16.28	0.042	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	21.40	15.60	0.036	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	19.02	13.22	0.021	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	21.06	15.26	0.034	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	17.49	0.056	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.65	17.85	0.061	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.12	17.32	0.054	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.43	17.63	0.058	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	23.14	17.34	0.054	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	23.58	17.78	0.060	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	22.43	16.63	0.046	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	23.42	17.62	0.058	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	20.44	14.64	0.029	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	16.88	11.08	0.013	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	19.94	14.14	0.026	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.79	15.99	0.040	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	21.92	16.12	0.041	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	20.39	14.59	0.029	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	21.94	16.14	0.041	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	21.39	15.59	0.036	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	18.95	13.15	0.021	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	20.87	15.07	0.032	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	17.61	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.37	17.57	0.057	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.86	17.06	0.051	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.41	17.61	0.058	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.30	17.50	0.056	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	23.28	17.48	0.056	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	22.37	16.57	0.045	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	23.40	17.60	0.058	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	20.11	14.31	0.027	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	16.52	10.72	0.012	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	19.56	13.76	0.024	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	21.69	15.89	0.039	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	21.62	15.82	0.038	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	20.09	14.29	0.027	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	21.66	15.86	0.039	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	21.15	15.35	0.034	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	18.58	12.78	0.019	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	20.62	14.82	0.030	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	17.54	0.057	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.23	17.43	0.055	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.77	16.97	0.050	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.29	17.49	0.056	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	23.16	17.36	0.054	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	23.01	17.21	0.053	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	22.12	16.32	0.043	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	23.23	17.43	0.055	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	20.41	14.61	0.029	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	16.90	11.10	0.013	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	20.04	14.24	0.027	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	21.51	15.71	0.037	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.85	16.05	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	20.47	14.67	0.029	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	22.05	16.25	0.042	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	21.42	15.62	0.036	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	18.90	13.10	0.020	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	21.00	15.20	0.033	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	17.57	0.057	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.69	17.89	0.062	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.95	17.15	0.052	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.50	17.70	0.059	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	23.11	17.31	0.054	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	23.66	17.86	0.061	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	22.41	16.61	0.046	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	23.55	17.75	0.060	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	20.38	14.58	0.029	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	16.89	11.09	0.013	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	19.98	14.18	0.026	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.81	16.01	0.040	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	21.80	16.00	0.040	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	20.47	14.67	0.029	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	22.03	16.23	0.042	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	21.45	15.65	0.037	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	18.94	13.14	0.021	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	20.96	15.16	0.033	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	17.60	0.058	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.45	17.65	0.058	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.88	17.08	0.051	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.53	17.73	0.059	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.34	17.54	0.057	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	23.26	17.46	0.056	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	22.44	16.64	0.046	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	23.49	17.69	0.059	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	20.13	14.33	0.027	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	16.54	10.74	0.012	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	19.64	13.84	0.024	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	21.87	16.07	0.040	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	21.56	15.76	0.038	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	20.13	14.33	0.027	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	21.68	15.88	0.039	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	21.10	15.30	0.034	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	18.67	12.87	0.019	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	20.60	14.80	0.030	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.27	17.47	0.056	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.05	17.25	0.053	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.67	16.87	0.049	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.20	17.40	0.055	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	23.16	17.36	0.054	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	22.97	17.17	0.052	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	22.12	16.32	0.043	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	23.18	17.38	0.055	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	20.39	14.59	0.029	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	16.77	10.97	0.013	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	19.86	14.06	0.025	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	21.58	15.78	0.038	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	22.06	16.26	0.042	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	21.98	16.18	0.041	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	20.31	14.51	0.028	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	21.49	15.69	0.037	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	18.87	13.07	0.020	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	20.90	15.10	0.032	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	17.60	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.61	17.81	0.060	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.56	17.76	0.060	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.01	17.21	0.053	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	23.20	17.40	0.055	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	23.40	17.60	0.058	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	23.55	17.75	0.060	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	22.46	16.66	0.046	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	20.26	14.46	0.028	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	16.74	10.94	0.012	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	19.72	13.92	0.025	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.72	15.92	0.039	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	21.85	16.05	0.040	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	21.86	16.06	0.040	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	20.30	14.50	0.028	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	21.33	15.53	0.036	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	18.98	13.18	0.021	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	20.81	15.01	0.032	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.48	17.68	0.059	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.46	17.66	0.058	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.52	17.72	0.059	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.10	17.30	0.054	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.33	17.53	0.057	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	23.33	17.53	0.057	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	23.37	17.57	0.057	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	22.29	16.49	0.045	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	19.97	14.17	0.026	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	16.48	10.68	0.012	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	19.48	13.68	0.023	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	21.78	15.98	0.040	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	21.46	15.66	0.037	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	21.72	15.92	0.039	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	20.03	14.23	0.026	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	21.09	15.29	0.034	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	18.67	12.87	0.019	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	20.68	14.88	0.031	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.49	17.69	0.059	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.05	17.25	0.053	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.22	17.42	0.055	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.71	16.91	0.049	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	23.27	17.47	0.056	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	22.94	17.14	0.052	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	23.20	17.40	0.055	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	22.20	16.40	0.044	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	20.37	14.57	0.029	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	16.82	11.02	0.013	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	19.82	14.02	0.025	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	21.66	15.86	0.039	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	21.87	16.07	0.040	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	21.93	16.13	0.041	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	20.38	14.58	0.029	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	21.35	15.55	0.036	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	18.88	13.08	0.020	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	20.92	15.12	0.033	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	17.49	0.056	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.65	17.85	0.061	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.56	17.76	0.060	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.94	17.14	0.052	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	23.11	17.31	0.054	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	23.37	17.57	0.057	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	23.46	17.66	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	22.42	16.62	0.046	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	20.24	14.44	0.028	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	16.71	10.91	0.012	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	19.77	13.97	0.025	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.90	16.10	0.041	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	21.69	15.89	0.039	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	21.83	16.03	0.040	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	20.31	14.51	0.028	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	21.29	15.49	0.035	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	18.76	12.96	0.020	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	20.81	15.01	0.032	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.43	17.63	0.058	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.37	17.57	0.057	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.45	17.65	0.058	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.81	17.01	0.050	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.31	17.51	0.056	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	23.34	17.54	0.057	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	23.52	17.72	0.059	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	22.34	16.54	0.045	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	20.08	14.28	0.027	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	16.53	10.73	0.012	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	19.47	13.67	0.023	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	21.82	16.02	0.040	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	21.43	15.63	0.037	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	21.62	15.82	0.038	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	20.10	14.30	0.027	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	21.13	15.33	0.034	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	18.59	12.79	0.019	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	20.63	14.83	0.030	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	17.54	0.057	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.97	17.17	0.052	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.17	17.37	0.055	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.66	16.86	0.049	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	23.18	17.38	0.055	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	22.94	17.14	0.052	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	23.09	17.29	0.054	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	22.14	16.34	0.043	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	20.47	14.67	0.029	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	17.02	11.22	0.013	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	20.02	14.22	0.026	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.59	15.79	0.038	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.81	16.01	0.040	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	22.17	16.37	0.043	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	20.52	14.72	0.030	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	21.60	15.80	0.038	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	19.18	13.38	0.022	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	21.06	15.26	0.034	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	17.45	0.056	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.41	17.61	0.058	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.56	17.76	0.060	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.17	17.37	0.055	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.29	17.49	0.056	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	23.45	17.65	0.058	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	23.65	17.85	0.061	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	22.53	16.73	0.047	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	20.52	14.72	0.030	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	16.89	11.09	0.013	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	20.01	14.21	0.026	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.95	16.15	0.041	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	21.84	16.04	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	22.09	16.29	0.043	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	20.48	14.68	0.029	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	21.52	15.72	0.037	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	18.94	13.14	0.021	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	20.99	15.19	0.033	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.53	17.73	0.059	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.53	17.73	0.059	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.60	17.80	0.060	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.01	17.21	0.053	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.58	17.78	0.060	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	23.43	17.63	0.058	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	23.66	17.86	0.061	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	22.55	16.75	0.047	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	20.23	14.43	0.028	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	16.69	10.89	0.012	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	19.73	13.93	0.025	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	21.82	16.02	0.040	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	21.48	15.68	0.037	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	21.76	15.96	0.039	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	20.26	14.46	0.028	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	21.34	15.54	0.036	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	18.91	13.11	0.020	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	20.93	15.13	0.033	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.53	17.73	0.059	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.25	17.45	0.056	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.43	17.63	0.058	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.93	17.13	0.052	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	23.52	17.72	0.059	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	23.06	17.26	0.053	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	23.44	17.64	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	22.34	16.54	0.045	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n77_2:

1.Ant Gain =-5.8 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	20.76	14.96	0.031	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	16.80	11.00	0.013	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	19.83	14.03	0.025	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	22.23	16.43	0.044	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	22.24	16.44	0.044	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	22.17	16.37	0.043	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	20.69	14.89	0.031	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	21.69	15.89	0.039	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	19.21	13.41	0.022	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	21.16	15.36	0.034	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.76	17.96	0.063	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.69	17.89	0.062	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.83	18.03	0.064	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.25	17.45	0.056	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	23.62	17.82	0.061	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	23.65	17.85	0.061	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	23.72	17.92	0.062	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	22.51	16.71	0.047	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	21.04	15.24	0.033	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	17.38	11.58	0.014	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	20.40	14.60	0.029	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.14	16.34	0.043	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	22.36	16.56	0.045	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	22.33	16.53	0.045	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	20.81	15.01	0.032	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	21.61	15.81	0.038	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	19.04	13.24	0.021	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	21.14	15.34	0.034	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.55	17.75	0.060	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.55	17.75	0.060	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.57	17.77	0.060	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.06	17.26	0.053	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.49	17.69	0.059	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	23.56	17.76	0.060	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	23.73	17.93	0.062	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	22.59	16.79	0.048	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	20.62	14.82	0.030	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	17.11	11.31	0.014	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	20.13	14.33	0.027	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	22.11	16.31	0.043	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.75	15.95	0.039	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	22.20	16.40	0.044	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	20.58	14.78	0.030	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	21.61	15.81	0.038	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	19.16	13.36	0.022	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	21.07	15.27	0.034	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.68	17.88	0.061	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.61	17.81	0.060	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.58	17.78	0.060	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.93	17.13	0.052	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	23.61	17.81	0.060	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	23.49	17.69	0.059	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	23.59	17.79	0.060	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	22.54	16.74	0.047	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	20.65	14.85	0.031	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	17.15	11.35	0.014	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	20.05	14.25	0.027	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	22.28	16.48	0.044	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	22.05	16.25	0.042	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	22.23	16.43	0.044	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	20.75	14.95	0.031	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.76	15.96	0.039	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.20	13.40	0.022	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.30	15.50	0.035	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.70	17.90	0.062	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.86	18.06	0.064	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.75	17.95	0.062	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.31	17.51	0.056	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.56	17.76	0.060	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	23.69	17.89	0.062	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	23.77	17.97	0.063	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	22.77	16.97	0.050	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	20.66	14.86	0.031	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	17.12	11.32	0.014	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	20.23	14.43	0.028	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.99	16.19	0.042	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	22.17	16.37	0.043	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	22.27	16.47	0.044	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	20.79	14.99	0.032	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	21.80	16.00	0.040	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	19.26	13.46	0.022	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	21.23	15.43	0.035	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.73	17.93	0.062	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.74	17.94	0.062	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.78	17.98	0.063	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.31	17.51	0.056	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.69	17.89	0.062	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	23.61	17.81	0.060	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	23.73	17.93	0.062	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	22.79	16.99	0.050	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	20.51	14.71	0.030	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.81	11.01	0.013	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.85	14.05	0.025	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.84	16.04	0.040	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.62	15.82	0.038	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.86	16.06	0.040	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	20.32	14.52	0.028	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.57	15.77	0.038	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.06	13.26	0.021	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.94	15.14	0.033	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.44	17.64	0.058	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.45	17.65	0.058	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.49	17.69	0.059	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.04	17.24	0.053	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	23.33	17.53	0.057	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	23.46	17.66	0.058	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	23.49	17.69	0.059	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	22.40	16.60	0.046	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM 16 QAM_RB65@0	20.36	14.56	0.029	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM 256 QAM_RB65@0	16.84	11.04	0.013	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM 64 QAM_RB65@0	19.93	14.13	0.026	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@1	21.68	15.88	0.039	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@63	22.10	16.30	0.043	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB33@16	21.97	16.17	0.041	1.00	Pass
25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB65@0	20.46	14.66	0.029	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.37	15.57	0.036	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM 256 QAM_RB64@0	18.85	13.05	0.020	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM 64 QAM_RB64@0	20.90	15.10	0.032	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.59	17.79	0.060	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.63	17.83	0.061	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.47	17.67	0.058	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	23.04	17.24	0.053	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@1	23.45	17.65	0.058	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@63	23.44	17.64	0.058	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB32@16	23.50	17.70	0.059	1.00	Pass
25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB64@0	22.37	16.57	0.045	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB65@0	20.54	14.74	0.030	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB65@0	17.00	11.20	0.013	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB65@0	20.03	14.23	0.026	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.96	16.16	0.041	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@63	22.09	16.29	0.043	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB33@16	22.15	16.35	0.043	1.00	Pass
25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB65@0	20.51	14.71	0.030	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB64@0	21.57	15.77	0.038	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB64@0	19.09	13.29	0.021	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB64@0	21.13	15.33	0.034	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.77	17.97	0.063	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.60	17.80	0.060	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.54	17.74	0.059	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	23.09	17.29	0.054	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.54	17.74	0.059	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@63	23.39	17.59	0.057	1.00	Pass
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB32@16	23.66	17.86	0.061	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@0	22.61	16.81	0.048	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM 16 QAM_RB65@0	20.34	14.54	0.028	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM 256 QAM_RB65@0	16.76	10.96	0.012	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM 64 QAM_RB65@0	19.89	14.09	0.026	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@1	21.99	16.19	0.042	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@63	21.74	15.94	0.039	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB33@16	21.94	16.14	0.041	1.00	Pass
25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB65@0	20.35	14.55	0.029	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.47	15.67	0.037	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM 256 QAM_RB64@0	18.97	13.17	0.021	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM 64 QAM_RB64@0	20.89	15.09	0.032	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.56	17.76	0.060	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@63	23.42	17.62	0.058	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB32@16	23.34	17.54	0.057	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@0	22.86	17.06	0.051	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@1	23.49	17.69	0.059	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@63	23.34	17.54	0.057	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB32@16	23.44	17.64	0.058	1.00	Pass
25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB64@0	22.49	16.69	0.047	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	20.70	14.90	0.031	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	17.16	11.36	0.014	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	20.22	14.42	0.028	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.71	15.91	0.039	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	21.99	16.19	0.042	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	22.07	16.27	0.042	1.00	Pass
30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	20.66	14.86	0.031	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	21.60	15.80	0.038	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	19.19	13.39	0.022	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	21.16	15.36	0.034	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.56	17.76	0.060	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.66	17.86	0.061	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.61	17.81	0.060	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.08	17.28	0.053	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	23.41	17.61	0.058	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	23.55	17.75	0.060	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	23.52	17.72	0.059	1.00	Pass
30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	22.61	16.81	0.048	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	20.72	14.92	0.031	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	17.09	11.29	0.013	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	20.27	14.47	0.028	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.86	16.06	0.040	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	21.89	16.09	0.041	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	22.15	16.35	0.043	1.00	Pass
30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	20.67	14.87	0.031	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	21.71	15.91	0.039	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	19.47	13.67	0.023	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	21.25	15.45	0.035	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.63	17.83	0.061	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.65	17.85	0.061	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.72	17.92	0.062	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.28	17.48	0.056	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.55	17.75	0.060	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	23.51	17.71	0.059	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	23.82	18.02	0.063	1.00	Pass
30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	22.73	16.93	0.049	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	20.49	14.69	0.029	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	16.91	11.11	0.013	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	20.10	14.30	0.027	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.74	15.94	0.039	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	21.72	15.92	0.039	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	21.92	16.12	0.041	1.00	Pass
30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	20.41	14.61	0.029	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	21.31	15.51	0.036	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.92	13.12	0.021	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.96	15.16	0.033	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.60	17.80	0.060	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.46	17.66	0.058	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.53	17.73	0.059	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.14	17.34	0.054	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	23.55	17.75	0.060	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	23.27	17.47	0.056	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	23.59	17.79	0.060	1.00	Pass
30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	22.59	16.79	0.048	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	20.56	14.76	0.030	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	17.19	11.39	0.014	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	20.04	14.24	0.027	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.74	15.94	0.039	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	22.06	16.26	0.042	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	20.51	14.71	0.030	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	22.10	16.30	0.043	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	21.53	15.73	0.037	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	19.02	13.22	0.021	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	21.10	15.30	0.034	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	17.62	0.058	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.71	17.91	0.062	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.09	17.29	0.054	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.53	17.73	0.059	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	23.31	17.51	0.056	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	23.55	17.75	0.060	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	22.61	16.81	0.048	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	23.61	17.81	0.060	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.79	14.99	0.032	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	17.31	11.51	0.014	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	20.28	14.48	0.028	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.19	16.39	0.044	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	22.22	16.42	0.044	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.80	15.00	0.032	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	22.24	16.44	0.044	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.89	16.09	0.041	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	19.33	13.53	0.023	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	21.38	15.58	0.036	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.82	18.02	0.063	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.69	17.89	0.062	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.17	17.37	0.055	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.86	18.06	0.064	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.60	17.80	0.060	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	23.64	17.84	0.061	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.81	17.01	0.050	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.90	18.10	0.065	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	20.68	14.88	0.031	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	17.16	11.36	0.014	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	20.07	14.27	0.027	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	22.06	16.26	0.042	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	21.92	16.12	0.041	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	20.67	14.87	0.031	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	22.07	16.27	0.042	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	21.67	15.87	0.039	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	19.15	13.35	0.022	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	21.12	15.32	0.034	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.74	17.94	0.062	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.50	17.70	0.059	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.14	17.34	0.054	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.91	18.11	0.065	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	23.67	17.87	0.061	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	23.39	17.59	0.057	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	22.61	16.81	0.048	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	23.69	17.89	0.062	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	20.71	14.91	0.031	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	17.23	11.43	0.014	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	20.26	14.46	0.028	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.75	15.95	0.039	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	22.22	16.42	0.044	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	20.77	14.97	0.031	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	22.02	16.22	0.042	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	21.64	15.84	0.038	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	19.06	13.26	0.021	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	21.09	15.29	0.034	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.79	17.99	0.063	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.97	18.17	0.066	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.27	17.47	0.056	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.88	18.08	0.064	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.52	17.72	0.059	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	23.64	17.84	0.061	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	22.68	16.88	0.049	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	23.71	17.91	0.062	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	20.84	15.04	0.032	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	17.27	11.47	0.014	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	20.27	14.47	0.028	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.96	16.16	0.041	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.94	16.14	0.041	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	20.86	15.06	0.032	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	22.27	16.47	0.044	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	21.85	16.05	0.040	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	19.36	13.56	0.023	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	21.28	15.48	0.035	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.69	17.89	0.062	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.54	17.74	0.059	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.35	17.55	0.057	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.82	18.02	0.063	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.66	17.86	0.061	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	23.56	17.76	0.060	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	22.86	17.06	0.051	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	23.83	18.03	0.064	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	20.44	14.64	0.029	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	16.86	11.06	0.013	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.84	14.04	0.025	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.99	16.19	0.042	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.69	15.89	0.039	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	20.48	14.68	0.029	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.95	16.15	0.041	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	21.47	15.67	0.037	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	19.01	13.21	0.021	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	21.08	15.28	0.034	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.70	17.90	0.062	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.62	17.82	0.061	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.10	17.30	0.054	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.73	17.93	0.062	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.54	17.74	0.059	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	23.31	17.51	0.056	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	22.54	16.74	0.047	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	23.57	17.77	0.060	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	20.65	14.85	0.031	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	16.84	11.04	0.013	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	19.84	14.04	0.025	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.48	15.68	0.037	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.87	16.07	0.040	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	20.68	14.88	0.031	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	21.93	16.13	0.041	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	21.44	15.64	0.037	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	18.92	13.12	0.021	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	20.97	15.17	0.033	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	17.60	0.058	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.49	17.69	0.059	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.05	17.25	0.053	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.48	17.68	0.059	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	23.33	17.53	0.057	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	23.34	17.54	0.057	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	22.52	16.72	0.047	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	23.48	17.68	0.059	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	20.37	14.57	0.029	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	16.89	11.09	0.013	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	19.96	14.16	0.026	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.59	15.79	0.038	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.70	15.90	0.039	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	20.40	14.60	0.029	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	22.12	16.32	0.043	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	21.53	15.73	0.037	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	19.02	13.22	0.021	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	21.03	15.23	0.033	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.39	17.59	0.057	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.37	17.57	0.057	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.00	17.20	0.052	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.58	17.78	0.060	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.28	17.48	0.056	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	23.15	17.35	0.054	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	22.54	16.74	0.047	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	23.57	17.77	0.060	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	20.40	14.60	0.029	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	16.78	10.98	0.013	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.93	14.13	0.026	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.83	16.03	0.040	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.57	15.77	0.038	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	20.34	14.54	0.028	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	22.00	16.20	0.042	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	21.37	15.57	0.036	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	18.93	13.13	0.021	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	20.84	15.04	0.032	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.76	17.96	0.063	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.21	17.41	0.055	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.91	17.11	0.051	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.38	17.58	0.057	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	23.15	17.35	0.054	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	23.05	17.25	0.053	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	22.48	16.68	0.047	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	23.78	17.98	0.063	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	20.73	14.93	0.031	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	17.20	11.40	0.014	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	20.23	14.43	0.028	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	22.07	16.27	0.042	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	21.87	16.07	0.040	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	20.68	14.88	0.031	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	22.23	16.43	0.044	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	21.62	15.82	0.038	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	19.10	13.30	0.021	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	21.08	15.28	0.034	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.45	17.65	0.058	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.58	17.78	0.060	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.15	17.35	0.054	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.65	17.85	0.061	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	23.32	17.52	0.056	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	23.35	17.55	0.057	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	22.60	16.80	0.048	1.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	23.65	17.85	0.061	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	20.65	14.85	0.031	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	17.14	11.34	0.014	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	20.24	14.44	0.028	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.15	16.35	0.043	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.66	15.86	0.039	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	20.65	14.85	0.031	1.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	22.24	16.44	0.044	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	21.75	15.95	0.039	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	19.35	13.55	0.023	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	21.21	15.41	0.035	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.52	17.72	0.059	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.48	17.68	0.059	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.26	17.46	0.056	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.85	18.05	0.064	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.44	17.64	0.058	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	23.45	17.65	0.058	1.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	22.72	16.92	0.049	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	23.85	18.05	0.064	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	20.55	14.75	0.030	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	17.00	11.20	0.013	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	20.09	14.29	0.027	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	21.89	16.09	0.041	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.43	15.63	0.037	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	20.50	14.70	0.030	1.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	21.90	16.10	0.041	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	21.62	15.82	0.038	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	19.01	13.21	0.021	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	21.02	15.22	0.033	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.58	17.78	0.060	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.37	17.57	0.057	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.15	17.35	0.054	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.70	17.90	0.062	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	23.45	17.65	0.058	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	23.19	17.39	0.055	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	22.66	16.86	0.049	1.00	Pass
70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	23.75	17.95	0.062	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	20.47	14.67	0.029	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	16.82	11.02	0.013	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	19.85	14.05	0.025	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.60	15.80	0.038	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	21.62	15.82	0.038	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	22.04	16.24	0.042	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	20.43	14.63	0.029	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	21.42	15.62	0.036	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	18.94	13.14	0.021	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	20.92	15.12	0.033	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.61	17.81	0.060	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.33	17.53	0.057	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.48	17.68	0.059	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.15	17.35	0.054	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	23.42	17.62	0.058	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	23.13	17.33	0.054	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	23.46	17.66	0.058	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	22.46	16.66	0.046	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	20.68	14.88	0.031	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	17.11	11.31	0.014	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	20.11	14.31	0.027	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.85	16.05	0.040	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	21.86	16.06	0.040	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	22.26	16.46	0.044	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	20.71	14.91	0.031	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	21.36	15.56	0.036	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	18.93	13.13	0.021	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	20.85	15.05	0.032	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.36	17.56	0.057	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.24	17.44	0.055	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.61	17.81	0.060	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.97	17.17	0.052	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.16	17.36	0.054	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	23.12	17.32	0.054	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.54	17.74	0.059	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.29	16.49	0.045	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.34	14.54	0.028	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	17.02	11.22	0.013	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	20.05	14.25	0.027	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.62	15.82	0.038	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	21.44	15.64	0.037	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.90	16.10	0.041	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.41	14.61	0.029	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	21.37	15.57	0.036	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	18.82	13.02	0.020	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.92	15.12	0.033	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.66	17.86	0.061	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.20	17.40	0.055	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.78	17.98	0.063	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.13	17.33	0.054	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	23.53	17.73	0.059	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	23.33	17.53	0.057	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	23.68	17.88	0.061	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	22.26	16.46	0.044	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	20.32	14.52	0.028	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	16.85	11.05	0.013	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.84	14.04	0.025	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.91	16.11	0.041	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	21.52	15.72	0.037	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.92	16.12	0.041	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	20.33	14.53	0.028	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	21.70	15.90	0.039	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	19.19	13.39	0.022	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	21.18	15.38	0.035	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.59	17.79	0.060	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.57	17.77	0.060	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.86	18.06	0.064	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.18	17.38	0.055	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	23.11	17.31	0.054	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	23.35	17.55	0.057	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	23.90	18.10	0.065	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	22.60	16.80	0.048	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.34	14.54	0.028	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	16.88	11.08	0.013	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.94	14.14	0.026	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.45	15.65	0.037	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	21.56	15.76	0.038	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	22.01	16.21	0.042	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.30	14.50	0.028	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	21.34	15.54	0.036	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	18.90	13.10	0.020	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	20.90	15.10	0.032	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	17.37	0.055	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.24	17.44	0.055	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.53	17.73	0.059	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.90	17.10	0.051	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.17	17.37	0.055	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	23.16	17.36	0.054	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	23.52	17.72	0.059	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	22.43	16.63	0.046	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.61	14.81	0.030	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	16.97	11.17	0.013	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	20.17	14.37	0.027	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.65	15.85	0.038	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	21.55	15.75	0.038	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	21.92	16.12	0.041	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.47	14.67	0.029	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	21.34	15.54	0.036	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	18.91	13.11	0.020	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	21.12	15.32	0.034	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	17.49	0.056	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.24	17.44	0.055	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.46	17.66	0.058	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.88	17.08	0.051	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	23.23	17.43	0.055	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	23.13	17.33	0.054	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	23.49	17.69	0.059	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	22.38	16.58	0.045	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	20.39	14.59	0.029	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	17.14	11.34	0.014	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	19.87	14.07	0.026	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.46	15.66	0.037	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	21.72	15.92	0.039	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	21.97	16.17	0.041	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	20.68	14.88	0.031	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	21.75	15.95	0.039	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	19.11	13.31	0.021	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	21.16	15.36	0.034	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.19	17.39	0.055	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	23.14	17.34	0.054	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.73	17.93	0.062	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.91	17.11	0.051	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.43	17.63	0.058	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	23.01	17.21	0.053	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.75	17.95	0.062	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.63	16.83	0.048	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n78_1:

1.Ant Gain =-5.8 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	20.35	14.55	0.029	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	16.74	10.94	0.012	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	19.77	13.97	0.025	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	21.36	15.56	0.036	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.79	15.99	0.040	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	20.37	14.57	0.029	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	21.87	16.07	0.040	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM 16 QAM_RB180@0	21.36	15.56	0.036	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM 256 QAM_RB180@0	18.80	13.00	0.020	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM 64 QAM_RB180@0	20.90	15.10	0.032	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.11	17.31	0.054	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM PI/2 BPSK_RB1@187	23.52	17.72	0.059	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM PI/2 BPSK_RB180@0	22.85	17.05	0.051	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM PI/2 BPSK_RB90@45	23.39	17.59	0.057	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM QPSK_RB1@1	22.92	17.12	0.052	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM QPSK_RB1@187	23.30	17.50	0.056	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM QPSK_RB180@0	22.39	16.59	0.046	1.00	Pass
70MHz_30kHz_3735MHz_DFT-s- OFDM QPSK_RB90@45	23.45	17.65	0.058	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	20.44	14.64	0.029	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	16.87	11.07	0.013	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	19.94	14.14	0.026	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	22.13	16.33	0.043	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	22.23	16.43	0.044	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	20.50	14.70	0.030	1.00	Pass
70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	21.87	16.07	0.040	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s- OFDM 16 QAM_RB180@0	21.53	15.73	0.037	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s- OFDM 256 QAM_RB180@0	19.02	13.22	0.021	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s- OFDM 64 QAM_RB180@0	20.96	15.16	0.033	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.06	17.26	0.053	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s- OFDM PI/2 BPSK_RB1@187	23.60	17.80	0.060	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.98	17.18	0.052	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.53	17.73	0.059	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.96	17.16	0.052	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	23.48	17.68	0.059	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	22.56	16.76	0.047	1.00	Pass
70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	23.48	17.68	0.059	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	20.65	14.85	0.031	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	16.97	11.17	0.013	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	20.06	14.26	0.027	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	21.91	16.11	0.041	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	22.08	16.28	0.042	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	20.70	14.90	0.031	1.00	Pass
70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	22.05	16.25	0.042	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	21.62	15.82	0.038	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	19.06	13.26	0.021	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	21.13	15.33	0.034	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	17.54	0.057	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.62	17.82	0.061	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.10	17.30	0.054	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.55	17.75	0.060	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	23.20	17.40	0.055	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	23.45	17.65	0.058	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	22.76	16.96	0.050	1.00	Pass
70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	23.51	17.71	0.059	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n78_2:

1.Ant Gain =-5.8 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB