




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-3.679	0	-3.679	30	Pass
NVNT	BLE	2442	Ant1	-3.319	0	-3.319	30	Pass
NVNT	BLE	2480	Ant1	-4.891	0	-4.891	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.66	0.5	Pass
NVNT	BLE	2442	Ant1	0.661	0.5	Pass
NVNT	BLE	2480	Ant1	0.657	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.028252933	
NVNT	BLE	2442	Ant1	1.026157052	
NVNT	BLE	2480	Ant1	1.025680001	














## **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.151	8	Pass
NVNT	BLE	2442	Ant1	-9.767	8	Pass
NVNT	BLE	2480	Ant1	-11.318	8	Pass















#### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.06	-20	Pass
NVNT	BLE	2480	Ant1	-50.69	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.85	-20	Pass
NVNT	BLE	2442	Ant1	-46.57	-20	Pass
NVNT	BLE	2480	Ant1	-44.4	-20	Pass







