


### **Test Data**

## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-4.865	0	-4.865	30	Pass
NVNT	BLE	2442	Ant1	-4.682	0	-4.682	30	Pass
NVNT	BLE	2480	Ant1	-6.846	0	-6.846	30	Pass











### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.677	0.5	Pass
NVNT	BLE	2480	Ant1	0.664	0.5	Pass










Shenzhen, Guangdong, People's Republic of China.



# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.039807839	
NVNT	BLE	2442	Ant1	1.036333095	
NVNT	BLE	2480	Ant1	1.043926287	











# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-21.182	8	Pass
NVNT	BLE	2442	Ant1	-20.903	8	Pass
NVNT	BLE	2480	Ant1	-23.111	8	Pass













## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.27	-20	Pass
NVNT	BLE	2480	Ant1	-48.32	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.22	-20	Pass
NVNT	BLE	2442	Ant1	-44.83	-20	Pass
NVNT	BLE	2480	Ant1	-43.38	-20	Pass











