




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.394	30	Pass
NVNT	BLE	2442	Ant1	-1.306	30	Pass
NVNT	BLE	2480	Ant1	-2.849	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.657	0.5	Pass

Project No.: JYTSZR2211087














## **Occupied Channel Bandwidth**


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	0.999	
NVNT	BLE	2442	Ant1	1.001	
NVNT	BLE	2480	Ant1	1	

Project No.: JYTSZR2211087














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-7.325	8	Pass
NVNT	BLE	2442	Ant1	-8.175	8	Pass
NVNT	BLE	2480	Ant1	-9.768	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.02	-20	Pass
NVNT	BLE	2480	Ant1	-45.01	-20	Pass














# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.14	-20	Pass
NVNT	BLE	2442	Ant1	-41.65	-20	Pass
NVNT	BLE	2480	Ant1	-40.19	-20	Pass









Stop 25.00 GHz Sweep ~2.49 s (1001 pts) Start 30 MHz #Res BW 100 kHz 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 2.452 GHz -4.404 dBm 4.999 GHz 7.346 GHz 9.569 GHz -47.69 dBm -48.28 dBm -48.62 dBm N N 3 4 5 6 24.501 GHz -43.52 dBm Dec 01, 2022 4:25:11 PM 

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



