




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.871	30	Pass
NVNT	BLE	2442	Ant1	-2.777	30	Pass
NVNT	BLE	2480	Ant1	-3.356	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.686	0.5	Pass
NVNT	BLE	2442	Ant1	0.684	0.5	Pass
NVNT	BLE	2480	Ant1	0.682	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.056	
NVNT	BLE	2442	Ant1	1.055	
NVNT	BLE	2480	Ant1	1.056	

Project No.: JYTSZR2211078









Tel: +86-755-23118282, Fax: +86-755-23116366





# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.234	8	Pass
NVNT	BLE	2442	Ant1	-9.139	8	Pass
NVNT	BLE	2480	Ant1	-9.707	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.64	-20	Pass
NVNT	BLE	2480	Ant1	-43.93	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-35.78	-20	Pass
NVNT	BLE	2442	Ant1	-37.45	-20	Pass
NVNT	BLE	2480	Ant1	-36.76	-20	Pass







