




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-5.352	30	Pass
NVNT	BLE	2442	Ant1	-3.724	30	Pass
NVNT	BLE	2480	Ant1	-4.15	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.664	0.5	Pass
NVNT	BLE	2442	Ant1	0.661	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.024	
NVNT	BLE	2442	Ant1	1.024	
NVNT	BLE	2480	Ant1	1.024	

Project No.: JYTSZR2211013









Tel: +86-755-23118282, Fax: +86-755-23116366







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-11.867	8	Pass
NVNT	BLE	2442	Ant1	-10.219	8	Pass
NVNT	BLE	2480	Ant1	-10.631	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.56	-20	Pass
NVNT	BLE	2480	Ant1	-45.46	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-37.55	-20	Pass
NVNT	BLE	2442	Ant1	-39.51	-20	Pass
NVNT	BLE	2480	Ant1	-39.47	-20	Pass



