



Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	5.317	30	Pass
NVNT	BLE	2442	Ant1	6.278	30	Pass
NVNT	BLE	2480	Ant1	5.887	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.689	0.5	Pass
NVNT	BLE	2442	Ant1	0.689	0.5	Pass
NVNT	BLE	2480	Ant1	0.69	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.06	
NVNT	BLE	2442	Ant1	1.064	
NVNT	BLE	2480	Ant1	1.065	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.958	8	Pass
NVNT	BLE	2442	Ant1	0	8	Pass
NVNT	BLE	2480	Ant1	-0.404	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-57.33	-20	Pass
NVNT	BLE	2480	Ant1	-58.88	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.34	-20	Pass
NVNT	BLE	2442	Ant1	-51.27	-20	Pass
NVNT	BLE	2480	Ant1	-50.21	-20	Pass









Sep 20, 2023 16:27:31 Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

2.416 dBm

-53.36 dBm -54.18 dBm -54.33 dBm

-48.71 dBm

Function

Function Width

5 Marker Table

3 N 4 N 5 N

Mode

N N Trace

Scale

Function Value

2.452 GHz

4.924 GHz 7.346 GHz 9.693 GHz

24.376 GHz



