




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant12	5.639	30	Pass
NVNT	BLE	2442	Ant12	6.481	30	Pass
NVNT	BLE	2478	Ant12	6.297	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant12	1.135	0.5	Pass
NVNT	BLE	2442	Ant12	1.142	0.5	Pass
NVNT	BLE	2478	Ant12	1.137	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant12	2.056	
NVNT	BLE	2442	Ant12	2.062	
NVNT	BLE	2478	Ant12	2.061	









Tel: +86-755-23118282, Fax: +86-755-23116366







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant12	-11.636	8	Pass
NVNT	BLE	2442	Ant12	-10.756	8	Pass
NVNT	BLE	2478	Ant12	-10.942	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant12	-61.35	-20	Pass
NVNT	BLE	2478	Ant12	-62.21	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant12	-52.82	-20	Pass
NVNT	BLE	2442	Ant12	-53.71	-20	Pass
NVNT	BLE	2478	Ant12	-52.53	-20	Pass







