




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant12	1.087	30	Pass
NVNT	BLE	2442	Ant12	1.959	30	Pass
NVNT	BLE	2478	Ant12	1.667	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant12	1.159	0.5	Pass
NVNT	BLE	2442	Ant12	1.177	0.5	Pass
NVNT	BLE	2478	Ant12	1.153	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant12	2.052	
NVNT	BLE	2442	Ant12	2.051	
NVNT	BLE	2478	Ant12	2.052	















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant12	-16.127	8	Pass
NVNT	BLE	2442	Ant12	-15.263	8	Pass
NVNT	BLE	2478	Ant12	-15.546	8	Pass














## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant12	-57.18	-20	Pass
NVNT	BLE	2478	Ant12	-56.87	-20	Pass














# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant12	-48.57	-20	Pass
NVNT	BLE	2442	Ant12	-49.89	-20	Pass
NVNT	BLE	2478	Ant12	-49.31	-20	Pass









Tx. Spurious NVNT BLE 2478MHz Ant12 Ref

0.8163 dBm

-52.71 dBm -54.69 dBm

-54.72 dBm

-48.82 dBm

Function

**Function Width** 

5 Marker Table

Mode

Z Z Z Trace

Scale

Function Value

4.953 GHz 7.177 GHz 9.718 GHz

26.315 GHz

Feb 22, 2024 4:17:52 PM



