

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.28	19.48	33.01	PASS
Band2	TestMode	9262	23.30	19.5	33.01	PASS
Band2	TestMode	9400	25.36	21.56	33.01	PASS
Band2	Voice	9400	25.24	21.44	33.01	PASS
Band2	TestMode	9538	25.52	21.72	33.01	PASS
Band2	Voice	9538	25.49	21.69	33.01	PASS
Band4	Voice	1312	23.23	19.33	30.00	PASS
Band4	TestMode	1312	23.24	19.34	30.00	PASS
Band4	Voice	1413	23.36	19.46	30.00	PASS
Band4	TestMode	1413	23.37	19.47	30.00	PASS
Band4	TestMode	1513	23.35	19.45	30.00	PASS
Band4	Voice	1513	23.34	19.44	30.00	PASS
Band5	Voice	4132	23.93	13.5	38.45	PASS
Band5	TestMode	4132	23.95	13.52	38.45	PASS
Band5	TestMode	4183	24.14	13.71	38.45	PASS
Band5	Voice	4183	24.18	13.75	38.45	PASS
Band5	Voice	4233	23.89	13.46	38.45	PASS
Band5	TestMode	4233	24.03	13.6	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	23.06	19.26	33.01	PASS
Band2	9262	2	22.81	19.01	33.01	PASS
Band2	9262	3	22.65	18.85	33.01	PASS
Band2	9262	4	22.64	18.84	33.01	PASS
Band2	9400	1	25.26	21.46	33.01	PASS
Band2	9400	2	24.92	21.12	33.01	PASS
Band2	9400	3	24.77	20.97	33.01	PASS
Band2	9400	4	24.80	21	33.01	PASS
Band2	9538	1	25.26	21.46	33.01	PASS
Band2	9538	2	25.00	21.2	33.01	PASS
Band2	9538	3	24.81	21.01	33.01	PASS
Band2	9538	4	24.85	21.05	33.01	PASS

Band4	1312	1	23.23	19.33	30.00	PASS
Band4	1312	2	23.35	19.45	30.00	PASS
Band4	1312	3	23.28	19.38	30.00	PASS
Band4	1312	4	23.29	19.39	30.00	PASS
Band4	1413	1	23.04	19.14	30.00	PASS
Band4	1413	2	23.09	19.19	30.00	PASS
Band4	1413	3	23.12	19.22	30.00	PASS
Band4	1413	4	23.16	19.26	30.00	PASS
Band4	1513	1	23.06	19.16	30.00	PASS
Band4	1513	2	23.12	19.22	30.00	PASS
Band4	1513	3	23.08	19.18	30.00	PASS
Band4	1513	4	23.07	19.17	30.00	PASS
Band5	4132	1	23.24	12.81	38.5	PASS
Band5	4132	2	23.02	12.59	38.5	PASS
Band5	4132	3	22.67	12.24	38.5	PASS
Band5	4132	4	22.70	12.27	38.5	PASS
Band5	4183	1	23.59	13.16	38.5	PASS
Band5	4183	2	23.25	12.82	38.5	PASS
Band5	4183	3	22.90	12.47	38.5	PASS
Band5	4183	4	22.87	12.44	38.5	PASS
Band5	4233	1	23.41	12.98	38.5	PASS
Band5	4233	2	23.04	12.61	38.5	PASS
Band5	4233	3	22.63	12.2	38.5	PASS
Band5	4233	4	22.66	12.23	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	20.85	17.05	33.01	PASS
Band2	9262	2	21.51	17.71	33.01	PASS
Band2	9262	3	21.30	17.5	33.01	PASS
Band2	9262	4	21.60	17.8	33.01	PASS
Band2	9262	5	23.25	19.45	33.01	PASS
Band2	9400	1	23.29	19.49	33.01	PASS
Band2	9400	2	23.69	19.89	33.01	PASS
Band2	9400	3	23.49	19.69	33.01	PASS
Band2	9400	4	23.83	20.03	33.01	PASS
Band2	9400	5	25.35	21.55	33.01	PASS
Band2	9538	1	23.35	19.55	33.01	PASS
Band2	9538	2	23.69	19.89	33.01	PASS
Band2	9538	3	23.49	19.69	33.01	PASS

Band2	9538	4	23.84	20.04	33.01	PASS
Band2	9538	5	25.44	21.64	33.01	PASS
Band4	1312	1	22.96	19.06	30.00	PASS
Band4	1312	2	23.21	19.31	30.00	PASS
Band4	1312	3	23.04	19.14	30.00	PASS
Band4	1312	4	23.28	19.38	30.00	PASS
Band4	1312	5	23.39	19.49	30.00	PASS
Band4	1413	1	23.05	19.15	30.00	PASS
Band4	1413	2	23.14	19.24	30.00	PASS
Band4	1413	3	22.67	18.77	30.00	PASS
Band4	1413	4	23.23	19.33	30.00	PASS
Band4	1413	5	23.19	19.29	30.00	PASS
Band4	1513	1	23.06	19.16	30.00	PASS
Band4	1513	2	22.98	19.08	30.00	PASS
Band4	1513	3	22.87	18.97	30.00	PASS
Band4	1513	4	23.01	19.11	30.00	PASS
Band4	1513	5	23.17	19.27	30.00	PASS
Band5	4132	1	21.49	11.06	38.5	PASS
Band5	4132	2	21.65	11.22	38.5	PASS
Band5	4132	3	21.38	10.95	38.5	PASS
Band5	4132	4	21.22	10.79	38.5	PASS
Band5	4132	5	23.70	13.27	38.5	PASS
Band5	4183	1	21.70	11.27	38.5	PASS
Band5	4183	2	21.86	11.43	38.5	PASS
Band5	4183	3	22.38	11.95	38.5	PASS
Band5	4183	4	21.32	10.89	38.5	PASS
Band5	4183	5	23.93	13.5	38.5	PASS
Band5	4233	1	21.42	10.99	38.5	PASS
Band5	4233	2	21.76	11.33	38.5	PASS
Band5	4233	3	21.51	11.08	38.5	PASS
Band5	4233	4	21.36	10.93	38.5	PASS
Band5	4233	5	23.65	13.22	38.5	PASS

Remark: $EIRP (dBm) = \text{Conducted power (dBm)} + \text{Antenna Gain (dBi)}$. (For Band2)
 $ERP (dBm) = EIRP (dBm) - 2.15 (dB)$. (For Band5)


Appendix B: Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.9	13	PASS
Band4	1413	3.21	13	PASS
Band5	4183	3.06	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1455	4.668	---	PASS
Band2	9400	4.1428	4.669	---	PASS
Band2	9538	4.1441	4.673	---	PASS
Band4	1312	4.1467	4.661	---	PASS
Band4	1413	4.1527	4.656	---	PASS
Band4	1513	4.1543	4.671	---	PASS
Band5	4132	4.1476	4.660	---	PASS
Band5	4183	4.1508	4.663	---	PASS
Band5	4233	4.1491	4.663	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-22.48	-13	PASS
Band2	9538	1910.00	-19.36	-13	PASS
Band4	1312	1710.00	-23.82	-13	PASS
Band4	1513	1755.00	-23.65	-13	PASS
Band5	4132	824.00	-22.32	-13	PASS
Band5	4233	849.00	-22.54	-13	PASS

Test Graphs(WCDMA)





Appendix E: Conducted Spurious Emission


Test Result (WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-55.52	-43	PASS
Band2	9262	0.15~30MHz	0.18	-47.7	-23	PASS
Band2	9262	30~1000MHz	958.58	-45.88	-13	PASS
Band2	9262	1000~20000MHz	19972.13	-30.43	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-54.96	-43	PASS
Band2	9400	0.15~30MHz	0.16	-48.36	-23	PASS
Band2	9400	30~1000MHz	945.36	-44.93	-13	PASS
Band2	9400	1000~20000MHz	19952.5	-30.84	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-55.93	-43	PASS
Band2	9538	0.15~30MHz	0.17	-47.73	-23	PASS
Band2	9538	30~1000MHz	413.73	-45.94	-13	PASS
Band2	9538	1000~20000MHz	19887.9	-31.29	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-56.9	-43	PASS
Band4	1312	0.15~30MHz	0.15	-47.61	-23	PASS
Band4	1312	30~1000MHz	800.92	-45.61	-13	PASS
Band4	1312	1000~20000MHz	19947.43	-31.38	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-54.75	-43	PASS
Band4	1413	0.15~30MHz	0.16	-48.16	-23	PASS
Band4	1413	30~1000MHz	811.08	-45.37	-13	PASS
Band4	1413	1000~20000MHz	19934.77	-31.16	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-54.32	-43	PASS
Band4	1513	0.15~30MHz	0.16	-48.39	-23	PASS
Band4	1513	30~1000MHz	739.81	-44.9	-13	PASS
Band4	1513	1000~20000MHz	19898.67	-30.9	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-55.95	-33	PASS
Band5	4132	0.15~30MHz	0.15	-47.49	-13	PASS
Band5	4132	30~1000MHz	455.18	-54.88	-13	PASS
Band5	4132	1000~10000MHz	7331.2	-37	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-56.57	-33	PASS
Band5	4183	0.15~30MHz	0.16	-48.18	-13	PASS
Band5	4183	30~1000MHz	633.7	-54.4	-13	PASS
Band5	4183	1000~10000MHz	5898.4	-35.8	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-57.36	-33	PASS
Band5	4233	0.15~30MHz	0.15	-44.27	-13	PASS
Band5	4233	30~1000MHz	972.81	-54.84	-13	PASS
Band5	4233	1000~10000MHz	5982.4	-35.51	-13	PASS

Test Graphs(WCDMA)











Band4-1513-0.009~0.15MHz


Band4-1513-0.15~30MHz




Band4-1513-30~1000MHz




Band4-1513-1000~20000MHz



Band5-4132-0.009~0.15MHz



Band5-4132-0.15~30MHz



Band5-4132-30~1000MHz


Band5-4132-1000~10000MHz

Band5-4183-0.009~0.15MHz

Band5-4183-0.15~30MHz

Band5-4183-30~1000MHz

Band5-4183-1000~10000MHz



Band5-4233-0.009~0.15MHz

Band5-4233-0.15~30MHz

Band5-4233-30~1000MHz

Band5-4233-1000~10000MHz

AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-0.26	-0.000311	±2.5	Pass
	-20	-0.36	-0.000430		
	-10	-0.77	-0.000920		
	0	0.04	0.000048		
	10	1.24	0.001482		
	20	-1.44	-0.001721		
	30	1.09	0.001303		
	40	1.80	0.002152		
	50	-1.07	-0.001279		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-0.67	-0.000801	±2.5	Pass
	3.85	2.50	0.002988		
	4.40	0.41	0.000490		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-1.92	-0.001108	Within authorized band for BAND IV	Pass
	-20	0.91	0.000525		
	-10	-4.68	-0.002701		
	0	4.96	0.002863		
	10	2.12	0.001224		
	20	-2.27	-0.001310		
	30	-1.00	-0.000577		
	40	-1.12	-0.000646		
	50	-4.13	-0.002384		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	0.12	0.000069	Within authorized band for BAND IV	Pass
	3.85	1.85	0.001068		
	4.40	-0.72	-0.000416		
<i>Remark: All channel had been tested, but only the worst case data displayed in this report.</i>					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-3.90	-0.002074	Within authorized band for BAND II	Pass
	-20	0.70	0.000372		
	-10	9.59	0.005101		
	0	-3.72	-0.001979		
	10	0.76	0.000404		
	20	1.27	0.000676		
	30	-1.24	-0.000660		
	40	1.62	0.000862		
	50	-1.17	-0.000622		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	8.61	0.004580	Within authorized band for BAND II	Pass
	3.85	1.67	0.000888		
	4.40	7.41	0.003941		
<i>Remark: All channel had been tested, but only the worst case data displayed in this report.</i>					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

