




#### **Test Data**

# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	0.978	30	Pass
NVNT	BLE	2442	Ant12	0.284	30	Pass
NVNT	BLE	2480	Ant12	-0.887	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant12	0.65	0.5	Pass
NVNT	BLE	2442	Ant12	0.655	0.5	Pass
NVNT	BLE	2480	Ant12	0.657	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant12	1.014	
NVNT	BLE	2442	Ant12	1.015	
NVNT	BLE	2480	Ant12	1.014	









Tel: +86-755-23118282, Fax: +86-755-23116366






# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	-5.918	8	Pass
NVNT	BLE	2442	Ant12	-6.546	8	Pass
NVNT	BLE	2480	Ant12	-7.847	8	Pass














## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-56.77	-20	Pass
NVNT	BLE	2480	Ant12	-53.88	-20	Pass














# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-50.46	-20	Pass
NVNT	BLE	2442	Ant12	-49.58	-20	Pass
NVNT	BLE	2480	Ant12	-48.29	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant12 Ref



