

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.99	18.39	33.01	PASS
Band2	TestMode	9262	23.02	18.42	33.01	PASS
Band2	TestMode	9400	23.42	18.82	33.01	PASS
Band2	Voice	9400	23.39	18.79	33.01	PASS
Band2	Voice	9538	23.38	18.78	33.01	PASS
Band2	TestMode	9538	23.41	18.81	33.01	PASS
Band4	TestMode	1312	23.45	18.85	30.00	PASS
Band4	Voice	1312	23.41	18.81	30.00	PASS
Band4	TestMode	1413	23.19	18.59	30.00	PASS
Band4	Voice	1413	23.14	18.54	30.00	PASS
Band4	TestMode	1513	23.33	18.73	30.00	PASS
Band4	Voice	1513	23.22	18.62	30.00	PASS
Band5	TestMode	4132	24.17	17.52	38.45	PASS
Band5	Voice	4132	24.12	17.47	38.45	PASS
Band5	Voice	4183	24.25	17.6	38.45	PASS
Band5	TestMode	4183	24.37	17.72	38.45	PASS
Band5	Voice	4233	24.02	17.37	38.45	PASS
Band5	TestMode	4233	24.09	17.44	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.02	17.42	33.01	PASS
Band2	9262	2	21.50	16.9	33.01	PASS
Band2	9262	3	21.48	16.88	33.01	PASS
Band2	9262	4	21.49	16.89	33.01	PASS
Band2	9400	1	22.44	17.84	33.01	PASS
Band2	9400	2	21.87	17.27	33.01	PASS
Band2	9400	3	21.93	17.33	33.01	PASS
Band2	9400	4	21.91	17.31	33.01	PASS
Band2	9538	1	22.40	17.8	33.01	PASS
Band2	9538	2	21.84	17.24	33.01	PASS
Band2	9538	3	21.91	17.31	33.01	PASS
Band2	9538	4	21.85	17.25	33.01	PASS

Band4	1312	1	22.54	17.94	30.00	PASS
Band4	1312	2	21.92	17.32	30.00	PASS
Band4	1312	3	21.93	17.33	30.00	PASS
Band4	1312	4	21.88	17.28	30.00	PASS
Band4	1413	1	22.25	17.65	30.00	PASS
Band4	1413	2	21.69	17.09	30.00	PASS
Band4	1413	3	21.67	17.07	30.00	PASS
Band4	1413	4	21.66	17.06	30.00	PASS
Band4	1513	1	22.38	17.78	30.00	PASS
Band4	1513	2	21.81	17.21	30.00	PASS
Band4	1513	3	21.79	17.19	30.00	PASS
Band4	1513	4	21.77	17.17	30.00	PASS
Band5	4132	1	23.20	16.55	38.5	PASS
Band5	4132	2	22.65	16	38.5	PASS
Band5	4132	3	22.67	16.02	38.5	PASS
Band5	4132	4	22.65	16	38.5	PASS
Band5	4183	1	23.39	16.74	38.5	PASS
Band5	4183	2	22.83	16.18	38.5	PASS
Band5	4183	3	22.84	16.19	38.5	PASS
Band5	4183	4	22.83	16.18	38.5	PASS
Band5	4233	1	23.06	16.41	38.5	PASS
Band5	4233	2	22.52	15.87	38.5	PASS
Band5	4233	3	22.55	15.9	38.5	PASS
Band5	4233	4	22.53	15.88	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.04	16.44	33.01	PASS
Band2	9262	2	21.53	16.93	33.01	PASS
Band2	9262	3	22.02	17.42	33.01	PASS
Band2	9262	4	21.05	16.45	33.01	PASS
Band2	9262	5	23.01	18.41	33.01	PASS
Band2	9400	1	21.37	16.77	33.01	PASS
Band2	9400	2	21.91	17.31	33.01	PASS
Band2	9400	3	22.38	17.78	33.01	PASS
Band2	9400	4	21.42	16.82	33.01	PASS
Band2	9400	5	23.36	18.76	33.01	PASS
Band2	9538	1	21.43	16.83	33.01	PASS
Band2	9538	2	21.85	17.25	33.01	PASS
Band2	9538	3	22.38	17.78	33.01	PASS

Band2	9538	4	21.38	16.78	33.01	PASS
Band2	9538	5	23.43	18.83	33.01	PASS
Band4	1312	1	21.47	16.87	30.00	PASS
Band4	1312	2	21.94	17.34	30.00	PASS
Band4	1312	3	22.46	17.86	30.00	PASS
Band4	1312	4	21.45	16.85	30.00	PASS
Band4	1312	5	23.46	18.86	30.00	PASS
Band4	1413	1	21.21	16.61	30.00	PASS
Band4	1413	2	21.72	17.12	30.00	PASS
Band4	1413	3	22.20	17.6	30.00	PASS
Band4	1413	4	21.26	16.66	30.00	PASS
Band4	1413	5	23.21	18.61	30.00	PASS
Band4	1513	1	21.36	16.76	30.00	PASS
Band4	1513	2	21.87	17.27	30.00	PASS
Band4	1513	3	22.37	17.77	30.00	PASS
Band4	1513	4	21.39	16.79	30.00	PASS
Band4	1513	5	23.33	18.73	30.00	PASS
Band5	4132	1	21.25	14.6	38.5	PASS
Band5	4132	2	21.78	15.13	38.5	PASS
Band5	4132	3	22.26	15.61	38.5	PASS
Band5	4132	4	21.26	14.61	38.5	PASS
Band5	4132	5	23.23	16.58	38.5	PASS
Band5	4183	1	21.41	14.76	38.5	PASS
Band5	4183	2	21.93	15.28	38.5	PASS
Band5	4183	3	22.45	15.8	38.5	PASS
Band5	4183	4	21.44	14.79	38.5	PASS
Band5	4183	5	23.37	16.72	38.5	PASS
Band5	4233	1	21.11	14.46	38.5	PASS
Band5	4233	2	21.62	14.97	38.5	PASS
Band5	4233	3	22.12	15.47	38.5	PASS
Band5	4233	4	21.13	14.48	38.5	PASS
Band5	4233	5	23.09	16.44	38.5	PASS

Remark: $EIRP (dBm) = \text{Conducted power (dBm)} + \text{Antenna Gain (dBi)}$. (For Band2)
 $ERP (dBm) = EIRP (dBm) - 2.15 (dB)$. (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	8.41	13	PASS
Band4	1413	3.15	13	PASS
Band5	4183	2.56	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1659	4.708	---	PASS
Band2	9400	4.1654	4.692	---	PASS
Band2	9538	4.1670	4.706	---	PASS
Band4	1312	4.1629	4.697	---	PASS
Band4	1413	4.1709	4.908	---	PASS
Band4	1513	4.1630	4.697	---	PASS
Band5	4132	4.1625	4.704	---	PASS
Band5	4183	4.1740	4.728	---	PASS
Band5	4233	4.1553	4.700	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge**Test Result(WCDMA)**

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-21.14	-13	PASS
Band2	9538	1910.00	-20.95	-13	PASS
Band4	1312	1710.00	-22.09	-13	PASS
Band4	1513	1755.00	-22.57	-13	PASS
Band5	4132	823.87	-18.85	-13	PASS
Band5	4233	849.00	-19.79	-13	PASS

Test Graphs(WCDMA)




Appendix E: Conducted Spurious Emission


Test Result (WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-55.17	-43	PASS
Band2	9262	0.15~30MHz	0.15	-46.42	-23	PASS
Band2	9262	30~1000MHz	906.65	-46.82	-13	PASS
Band2	9262	1000~20000MHz	19941.73	-29.93	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-55.63	-43	PASS
Band2	9400	0.15~30MHz	0.15	-46.86	-23	PASS
Band2	9400	30~1000MHz	939.6	-46.65	-13	PASS
Band2	9400	1000~20000MHz	19898.03	-30.89	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-54.95	-43	PASS
Band2	9538	0.15~30MHz	0.15	-47.53	-23	PASS
Band2	9538	30~1000MHz	905.46	-46.33	-13	PASS
Band2	9538	1000~20000MHz	19943	-30.43	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-56.48	-43	PASS
Band4	1312	0.15~30MHz	0.16	-45.69	-23	PASS
Band4	1312	30~1000MHz	883.7	-45.61	-13	PASS
Band4	1312	1000~20000MHz	19969.6	-30.12	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-56.48	-43	PASS
Band4	1413	0.15~30MHz	0.17	-47.74	-23	PASS
Band4	1413	30~1000MHz	920.78	-44.77	-13	PASS
Band4	1413	1000~20000MHz	18726.37	-30.09	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-57.03	-43	PASS
Band4	1513	0.15~30MHz	0.15	-46.75	-23	PASS
Band4	1513	30~1000MHz	836.62	-43.21	-13	PASS
Band4	1513	1000~20000MHz	19868.9	-30.41	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-53.93	-33	PASS
Band5	4132	0.15~30MHz	0.15	-47.76	-13	PASS
Band5	4132	30~1000MHz	488.23	-55.27	-13	PASS
Band5	4132	1000~10000MHz	6086.8	-37.08	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-56.58	-33	PASS
Band5	4183	0.15~30MHz	0.15	-47.23	-13	PASS
Band5	4183	30~1000MHz	994.83	-54.98	-13	PASS
Band5	4183	1000~10000MHz	5915.5	-36.89	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-54.58	-33	PASS
Band5	4233	0.15~30MHz	0.17	-47.68	-13	PASS
Band5	4233	30~1000MHz	959.07	-55.58	-13	PASS

Band5	4233	1000~10000MHz	3030.7	-36.65	-13	PASS
-------	------	---------------	--------	--------	-----	------


Test Graphs(WCDMA)






Band2-9400-30~1000MHz


Band2-9400-1000~20000MHz




Band2-9538-0.009~0.15MHz




Band2-9538-0.15~30MHz



Band2-9538-30~1000MHz




Band2-9538-1000~20000MHz




Band4-1312-0.009~0.15MHz


Band4-1312-0.15~30MHz




Band4-1312-30~1000MHz




Band4-1312-1000~20000MHz



Band4-1413-0.009~0.15MHz




Band4-1413-0.15~30MHz




Band4-1413-30~1000MHz


Band4-1413-1000~20000MHz




Band4-1513-0.009~0.15MHz




Band4-1513-0.15~30MHz



Band4-1513-30~1000MHz




Band4-1513-1000~20000MHz




Band5-4132-0.009~0.15MHz


Band5-4132-0.15~30MHz




Band5-4132-30~1000MHz




Band5-4132-1000~10000MHz




Band5-4183-0.009~0.15MHz



Band5-4183-0.15~30MHz





Appendix F: Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-12.30	-0.014702	±2.5	Pass
	-20	-11.57	-0.013830		
	-10	-11.47	-0.013710		
	0	-10.72	-0.012814		
	10	-11.57	-0.013830		
	20	-10.97	-0.013113		
	30	-11.73	-0.014021		
	40	-10.32	-0.012336		
	50	-10.15	-0.012132		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-12.91	-0.015432	±2.5	Pass
	3.87	-14.46	-0.017284		
	4.45	-12.17	-0.014547		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-13.54	-0.007815	Within authorized band for BAND IV	Pass
	-20	-13.33	-0.007694		
	-10	-16.40	-0.009466		
	0	-12.41	-0.007163		
	10	-16.06	-0.009269		
	20	-12.15	-0.007013		
	30	-12.78	-0.007376		
	40	-11.97	-0.006909		
	50	-15.83	-0.009137		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-13.37	-0.007717	Within authorized band for BAND IV	Pass
	3.87	-12.10	-0.006984		
	4.45	-14.17	-0.008178		
<i>Remark: All channel had been tested, but only the worst case data displayed in this report.</i>					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-9.86	-0.005245	Within authorized band for BAND II	Pass
	-20	-11.97	-0.006367		
	-10	-9.75	-0.005186		
	0	-11.52	-0.006128		
	10	-9.42	-0.005011		
	20	-9.74	-0.005181		
	30	-10.07	-0.005356		
	40	-11.00	-0.005851		
	50	-10.91	-0.005803		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-10.44	-0.005553	Within authorized band for BAND II	Pass
	3.87	-6.86	-0.003649		
	4.45	-6.84	-0.003638		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

