




Test Data

Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-3.858	30	Pass
NVNT	BLE	2442	Ant2	-3.005	30	Pass
NVNT	BLE	2480	Ant2	-3.385	30	Pass





Tel: +86-755-23118282, Fax: +86-755-23116366









-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant2	0.658	0.5	Pass
NVNT	BLE	2442	Ant2	0.664	0.5	Pass
NVNT	BLE	2480	Ant2	0.658	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant2	1.018	
NVNT	BLE	2442	Ant2	1.02	
NVNT	BLE	2480	Ant2	1.02	









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-10.234	8	Pass
NVNT	BLE	2442	Ant2	-9.321	8	Pass
NVNT	BLE	2480	Ant2	-9.697	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-52.42	-20	Pass
NVNT	BLE	2480	Ant2	-52.32	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-45.95	-20	Pass
NVNT	BLE	2442	Ant2	-47.35	-20	Pass
NVNT	BLE	2480	Ant2	-45.13	-20	Pass







