

Frequency Stability

Band	PCC Freq	SCC Freq	Modulation	PCC_Deviation(Hz)	PCC_Deviation(ppm)	SCC_Deviation(Hz)	SCC_Deviation(ppm)	Limit (ppm)	Verdict	Environment
CA_5B	831.6	841.5	QPSK	33.50	0.04028	89.06	0.10710	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	16QAM	82.73	0.09949	-54.73	-0.06581	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	64QAM	99.98	0.12022	46.20	0.05555	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	256QAM	7.92	0.00953	9.57	0.01151	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	QPSK	-82.29	-0.09896	98.04	0.11790	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	16QAM	-3.68	-0.00442	-54.51	-0.06555	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	64QAM	-28.85	-0.03469	-74.55	-0.08965	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	256QAM	52.19	0.06275	-11.00	-0.01323	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	QPSK	40.75	0.04900	-81.16	-0.09759	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	16QAM	-80.27	-0.09652	-18.39	-0.02211	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	64QAM	23.50	0.02826	-34.81	-0.04186	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	256QAM	13.54	0.01628	96.46	0.11599	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	QPSK	-20.46	-0.02461	3.56	0.00428	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	16QAM	-30.94	-0.03720	42.17	0.05070	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	64QAM	-22.22	-0.02672	-48.73	-0.05860	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	256QAM	20.20	0.02429	-35.58	-0.04278	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	QPSK	-91.01	-0.10944	56.03	0.06737	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	16QAM	-56.09	-0.06744	13.77	0.01656	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	64QAM	-62.38	-0.07501	71.56	0.08605	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	256QAM	-35.76	-0.04300	36.58	0.04399	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	QPSK	-89.36	-0.10746	21.20	0.02549	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	16QAM	-17.62	-0.02119	-17.14	-0.02061	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	64QAM	99.12	0.11919	7.59	0.00913	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	256QAM	69.64	0.08374	24.52	0.02948	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	QPSK	-61.76	-0.07426	-4.55	-0.00547	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	16QAM	-20.01	-0.02406	52.54	0.06318	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	64QAM	-23.02	-0.02768	6.04	0.00726	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	256QAM	-97.39	-0.11712	20.21	0.02430	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	QPSK	95.45	0.11478	78.76	0.09471	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	16QAM	21.57	0.02594	-61.92	-0.07446	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	64QAM	95.88	0.11530	-97.22	-0.11691	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	256QAM	72.79	0.08753	60.91	0.07324	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	QPSK	16.12	0.01939	3.94	0.00474	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	16QAM	-67.75	-0.08147	13.08	0.01573	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	64QAM	42.35	0.05092	-27.21	-0.03272	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	256QAM	46.94	0.05645	26.29	0.03161	±2.5	PASS	-10°C/3.87V

CA_5B	831.6	841.5	QPSK	-55.65	-0.06692	-6.41	-0.00771	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	16QAM	-34.35	-0.04131	-50.90	-0.06121	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	64QAM	69.69	0.08380	-20.62	-0.02480	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	256QAM	49.38	0.05938	-37.28	-0.04483	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	QPSK	-14.66	-0.01763	63.05	0.07582	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	16QAM	41.63	0.05006	-85.36	-0.10265	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	64QAM	77.97	0.09376	86.13	0.10357	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	256QAM	-83.88	-0.10086	43.35	0.05212	±2.5	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz)	Limit (MHz)	Upper Edge (MHz)	Limit (MHz)	Verdict	Environment
CA_7C	2500/2570	QPSK	2500.073	2500	2569.930	2570	PASS	20°C/3.45V
CA_7C	2500/2570	16QAM	2500.017	2500	2569.984	2570	PASS	20°C/3.45V
CA_7C	2500/2570	64QAM	2500.148	2500	2569.912	2570	PASS	20°C/3.45V
CA_7C	2500/2570	256QAM	2500.046	2500	2569.843	2570	PASS	20°C/3.45V
CA_7C	2500/2570	QPSK	2500.184	2500	2569.969	2570	PASS	20°C/4.45V
CA_7C	2500/2570	16QAM	2500.094	2500	2569.954	2570	PASS	20°C/4.45V
CA_7C	2500/2570	64QAM	2500.095	2500	2569.839	2570	PASS	20°C/4.45V
CA_7C	2500/2570	256QAM	2500.087	2500	2569.884	2570	PASS	20°C/4.45V
CA_7C	2500/2570	QPSK	2500.042	2500	2569.939	2570	PASS	50°C/3.87V
CA_7C	2500/2570	16QAM	2500.118	2500	2569.937	2570	PASS	50°C/3.87V
CA_7C	2500/2570	64QAM	2500.012	2500	2569.853	2570	PASS	50°C/3.87V
CA_7C	2500/2570	256QAM	2500.001	2500	2569.884	2570	PASS	50°C/3.87V
CA_7C	2500/2570	QPSK	2500.126	2500	2569.971	2570	PASS	40°C/3.87V
CA_7C	2500/2570	16QAM	2500.024	2500	2569.965	2570	PASS	40°C/3.87V
CA_7C	2500/2570	64QAM	2500.083	2500	2569.904	2570	PASS	40°C/3.87V
CA_7C	2500/2570	256QAM	2500.198	2500	2569.964	2570	PASS	40°C/3.87V
CA_7C	2500/2570	QPSK	2500.033	2500	2569.998	2570	PASS	30°C/3.87V
CA_7C	2500/2570	16QAM	2500.120	2500	2569.885	2570	PASS	30°C/3.87V
CA_7C	2500/2570	64QAM	2500.106	2500	2569.825	2570	PASS	30°C/3.87V
CA_7C	2500/2570	256QAM	2500.125	2500	2569.902	2570	PASS	30°C/3.87V
CA_7C	2500/2570	QPSK	2500.182	2500	2569.887	2570	PASS	20°C/3.87V
CA_7C	2500/2570	16QAM	2500.092	2500	2569.896	2570	PASS	20°C/3.87V
CA_7C	2500/2570	64QAM	2500.112	2500	2569.982	2570	PASS	20°C/3.87V
CA_7C	2500/2570	256QAM	2500.053	2500	2569.937	2570	PASS	20°C/3.87V
CA_7C	2500/2570	QPSK	2500.178	2500	2569.935	2570	PASS	10°C/3.87V
CA_7C	2500/2570	16QAM	2500.020	2500	2569.952	2570	PASS	10°C/3.87V
CA_7C	2500/2570	64QAM	2500.038	2500	2569.982	2570	PASS	10°C/3.87V
CA_7C	2500/2570	256QAM	2500.181	2500	2569.861	2570	PASS	10°C/3.87V
CA_7C	2500/2570	QPSK	2500.191	2500	2569.906	2570	PASS	0°C/3.87V
CA_7C	2500/2570	16QAM	2500.175	2500	2569.957	2570	PASS	0°C/3.87V
CA_7C	2500/2570	64QAM	2500.185	2500	2569.893	2570	PASS	0°C/3.87V
CA_7C	2500/2570	256QAM	2500.183	2500	2569.823	2570	PASS	0°C/3.87V
CA_7C	2500/2570	QPSK	2500.014	2500	2569.912	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	16QAM	2500.188	2500	2569.965	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	64QAM	2500.120	2500	2569.860	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	256QAM	2500.092	2500	2569.816	2570	PASS	-10°C/3.87V

CA_7C	2500/2570	QPSK	2500.124	2500	2569.825	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	16QAM	2500.093	2500	2569.906	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	64QAM	2500.087	2500	2569.858	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	256QAM	2500.132	2500	2569.855	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	QPSK	2500.141	2500	2569.994	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	16QAM	2500.120	2500	2569.883	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	64QAM	2500.190	2500	2569.842	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	256QAM	2500.075	2500	2569.967	2570	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz)	Limit (MHz)	Upper Edge (MHz)	Limit (MHz)	Verdict	Environment
CA_38C	2570/2620	QPSK	2570.162	2570	2619.901	2620	PASS	20°C/3.45V
CA_38C	2570/2620	16QAM	2570.051	2570	2619.875	2620	PASS	20°C/3.45V
CA_38C	2570/2620	64QAM	2570.006	2570	2619.866	2620	PASS	20°C/3.45V
CA_38C	2570/2620	256QAM	2570.122	2570	2619.882	2620	PASS	20°C/3.45V
CA_38C	2570/2620	QPSK	2570.148	2570	2619.913	2620	PASS	20°C/4.45V
CA_38C	2570/2620	16QAM	2570.092	2570	2619.882	2620	PASS	20°C/4.45V
CA_38C	2570/2620	64QAM	2570.072	2570	2619.887	2620	PASS	20°C/4.45V
CA_38C	2570/2620	256QAM	2570.010	2570	2619.937	2620	PASS	20°C/4.45V
CA_38C	2570/2620	QPSK	2570.072	2570	2619.948	2620	PASS	50°C/3.87V
CA_38C	2570/2620	16QAM	2570.065	2570	2619.958	2620	PASS	50°C/3.87V
CA_38C	2570/2620	64QAM	2570.110	2570	2619.831	2620	PASS	50°C/3.87V
CA_38C	2570/2620	256QAM	2570.002	2570	2619.949	2620	PASS	50°C/3.87V
CA_38C	2570/2620	QPSK	2570.111	2570	2619.905	2620	PASS	40°C/3.87V
CA_38C	2570/2620	16QAM	2570.032	2570	2619.860	2620	PASS	40°C/3.87V
CA_38C	2570/2620	64QAM	2570.115	2570	2619.955	2620	PASS	40°C/3.87V
CA_38C	2570/2620	256QAM	2570.116	2570	2619.862	2620	PASS	40°C/3.87V
CA_38C	2570/2620	QPSK	2570.098	2570	2619.929	2620	PASS	30°C/3.87V
CA_38C	2570/2620	16QAM	2570.070	2570	2619.902	2620	PASS	30°C/3.87V
CA_38C	2570/2620	64QAM	2570.121	2570	2619.992	2620	PASS	30°C/3.87V
CA_38C	2570/2620	256QAM	2570.161	2570	2619.920	2620	PASS	30°C/3.87V
CA_38C	2570/2620	QPSK	2570.055	2570	2619.948	2620	PASS	20°C/3.87V
CA_38C	2570/2620	16QAM	2570.113	2570	2619.878	2620	PASS	20°C/3.87V
CA_38C	2570/2620	64QAM	2570.122	2570	2619.981	2620	PASS	20°C/3.87V
CA_38C	2570/2620	256QAM	2570.081	2570	2619.852	2620	PASS	20°C/3.87V
CA_38C	2570/2620	QPSK	2570.165	2570	2619.995	2620	PASS	10°C/3.87V
CA_38C	2570/2620	16QAM	2570.064	2570	2619.803	2620	PASS	10°C/3.87V
CA_38C	2570/2620	64QAM	2570.150	2570	2619.921	2620	PASS	10°C/3.87V
CA_38C	2570/2620	256QAM	2570.129	2570	2619.988	2620	PASS	10°C/3.87V
CA_38C	2570/2620	QPSK	2570.119	2570	2619.842	2620	PASS	0°C/3.87V
CA_38C	2570/2620	16QAM	2570.133	2570	2619.971	2620	PASS	0°C/3.87V
CA_38C	2570/2620	64QAM	2570.157	2570	2619.986	2620	PASS	0°C/3.87V
CA_38C	2570/2620	256QAM	2570.194	2570	2619.909	2620	PASS	0°C/3.87V
CA_38C	2570/2620	QPSK	2570.024	2570	2619.809	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	16QAM	2570.060	2570	2619.989	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	64QAM	2570.101	2570	2619.871	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	256QAM	2570.064	2570	2619.966	2620	PASS	-10°C/3.87V

CA_38C	2570/2620	QPSK	2570.048	2570	2619.996	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	16QAM	2570.023	2570	2619.885	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	64QAM	2570.068	2570	2619.990	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	256QAM	2570.183	2570	2619.833	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	QPSK	2570.035	2570	2619.868	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	16QAM	2570.073	2570	2619.930	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	64QAM	2570.078	2570	2619.854	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	256QAM	2570.147	2570	2619.942	2620	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz)	Limit (MHz)	Upper Edge (MHz)	Limit (MHz)	Verdict	Environment
CA_41C	2496/2690	QPSK	2496.164	2496	2689.803	2690	PASS	20°C/3.45V
CA_41C	2496/2690	16QAM	2496.024	2496	2689.998	2690	PASS	20°C/3.45V
CA_41C	2496/2690	64QAM	2496.143	2496	2689.952	2690	PASS	20°C/3.45V
CA_41C	2496/2690	256QAM	2496.109	2496	2689.806	2690	PASS	20°C/3.45V
CA_41C	2496/2690	QPSK	2496.087	2496	2689.923	2690	PASS	20°C/4.45V
CA_41C	2496/2690	16QAM	2496.095	2496	2689.996	2690	PASS	20°C/4.45V
CA_41C	2496/2690	64QAM	2496.143	2496	2689.875	2690	PASS	20°C/4.45V
CA_41C	2496/2690	256QAM	2496.131	2496	2689.971	2690	PASS	20°C/4.45V
CA_41C	2496/2690	QPSK	2496.033	2496	2689.961	2690	PASS	50°C/3.87V
CA_41C	2496/2690	16QAM	2496.024	2496	2689.810	2690	PASS	50°C/3.87V
CA_41C	2496/2690	64QAM	2496.091	2496	2689.897	2690	PASS	50°C/3.87V
CA_41C	2496/2690	256QAM	2496.050	2496	2689.902	2690	PASS	50°C/3.87V
CA_41C	2496/2690	QPSK	2496.091	2496	2689.936	2690	PASS	40°C/3.87V
CA_41C	2496/2690	16QAM	2496.199	2496	2689.830	2690	PASS	40°C/3.87V
CA_41C	2496/2690	64QAM	2496.176	2496	2689.921	2690	PASS	40°C/3.87V
CA_41C	2496/2690	256QAM	2496.102	2496	2689.947	2690	PASS	40°C/3.87V
CA_41C	2496/2690	QPSK	2496.106	2496	2689.801	2690	PASS	30°C/3.87V
CA_41C	2496/2690	16QAM	2496.017	2496	2689.912	2690	PASS	30°C/3.87V
CA_41C	2496/2690	64QAM	2496.063	2496	2689.874	2690	PASS	30°C/3.87V
CA_41C	2496/2690	256QAM	2496.180	2496	2689.811	2690	PASS	30°C/3.87V
CA_41C	2496/2690	QPSK	2496.060	2496	2689.961	2690	PASS	20°C/3.87V
CA_41C	2496/2690	16QAM	2496.003	2496	2689.953	2690	PASS	20°C/3.87V
CA_41C	2496/2690	64QAM	2496.127	2496	2689.837	2690	PASS	20°C/3.87V
CA_41C	2496/2690	256QAM	2496.115	2496	2689.881	2690	PASS	20°C/3.87V
CA_41C	2496/2690	QPSK	2496.130	2496	2689.864	2690	PASS	10°C/3.87V
CA_41C	2496/2690	16QAM	2496.178	2496	2689.927	2690	PASS	10°C/3.87V
CA_41C	2496/2690	64QAM	2496.188	2496	2689.973	2690	PASS	10°C/3.87V
CA_41C	2496/2690	256QAM	2496.197	2496	2689.889	2690	PASS	10°C/3.87V
CA_41C	2496/2690	QPSK	2496.131	2496	2689.970	2690	PASS	0°C/3.87V
CA_41C	2496/2690	16QAM	2496.158	2496	2689.972	2690	PASS	0°C/3.87V
CA_41C	2496/2690	64QAM	2496.182	2496	2689.907	2690	PASS	0°C/3.87V
CA_41C	2496/2690	256QAM	2496.102	2496	2689.985	2690	PASS	0°C/3.87V
CA_41C	2496/2690	QPSK	2496.103	2496	2689.945	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	16QAM	2496.136	2496	2689.826	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	64QAM	2496.083	2496	2689.935	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	256QAM	2496.004	2496	2689.988	2690	PASS	-10°C/3.87V

CA_41C	2496/2690	QPSK	2496.022	2496	2689.986	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	16QAM	2496.009	2496	2689.816	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	64QAM	2496.154	2496	2689.905	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	256QAM	2496.109	2496	2689.880	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	QPSK	2496.062	2496	2689.888	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	16QAM	2496.075	2496	2689.864	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	64QAM	2496.106	2496	2689.911	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	256QAM	2496.035	2496	2689.853	2690	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz)	Limit (MHz)	Upper Edge (MHz)	Limit (MHz)	Verdict	Environment
CA_66C	1710/1780	QPSK	1710.106	1710	1779.968	1780	PASS	20°C/3.45V
CA_66C	1710/1780	16QAM	1710.099	1710	1779.900	1780	PASS	20°C/3.45V
CA_66C	1710/1780	64QAM	1710.099	1710	1779.975	1780	PASS	20°C/3.45V
CA_66C	1710/1780	256QAM	1710.129	1710	1779.811	1780	PASS	20°C/3.45V
CA_66C	1710/1780	QPSK	1710.188	1710	1779.876	1780	PASS	20°C/4.45V
CA_66C	1710/1780	16QAM	1710.181	1710	1779.839	1780	PASS	20°C/4.45V
CA_66C	1710/1780	64QAM	1710.013	1710	1779.813	1780	PASS	20°C/4.45V
CA_66C	1710/1780	256QAM	1710.196	1710	1779.835	1780	PASS	20°C/4.45V
CA_66C	1710/1780	QPSK	1710.113	1710	1779.855	1780	PASS	50°C/3.87V
CA_66C	1710/1780	16QAM	1710.172	1710	1779.832	1780	PASS	50°C/3.87V
CA_66C	1710/1780	64QAM	1710.131	1710	1779.985	1780	PASS	50°C/3.87V
CA_66C	1710/1780	256QAM	1710.014	1710	1779.869	1780	PASS	50°C/3.87V
CA_66C	1710/1780	QPSK	1710.182	1710	1779.925	1780	PASS	40°C/3.87V
CA_66C	1710/1780	16QAM	1710.079	1710	1779.842	1780	PASS	40°C/3.87V
CA_66C	1710/1780	64QAM	1710.037	1710	1779.991	1780	PASS	40°C/3.87V
CA_66C	1710/1780	256QAM	1710.151	1710	1779.850	1780	PASS	40°C/3.87V
CA_66C	1710/1780	QPSK	1710.157	1710	1779.804	1780	PASS	30°C/3.87V
CA_66C	1710/1780	16QAM	1710.054	1710	1779.872	1780	PASS	30°C/3.87V
CA_66C	1710/1780	64QAM	1710.068	1710	1779.811	1780	PASS	30°C/3.87V
CA_66C	1710/1780	256QAM	1710.193	1710	1779.922	1780	PASS	30°C/3.87V
CA_66C	1710/1780	QPSK	1710.170	1710	1779.834	1780	PASS	20°C/3.87V
CA_66C	1710/1780	16QAM	1710.096	1710	1779.963	1780	PASS	20°C/3.87V
CA_66C	1710/1780	64QAM	1710.150	1710	1779.999	1780	PASS	20°C/3.87V
CA_66C	1710/1780	256QAM	1710.158	1710	1779.953	1780	PASS	20°C/3.87V
CA_66C	1710/1780	QPSK	1710.012	1710	1779.834	1780	PASS	10°C/3.87V
CA_66C	1710/1780	16QAM	1710.198	1710	1779.912	1780	PASS	10°C/3.87V
CA_66C	1710/1780	64QAM	1710.085	1710	1779.973	1780	PASS	10°C/3.87V
CA_66C	1710/1780	256QAM	1710.085	1710	1779.967	1780	PASS	10°C/3.87V
CA_66C	1710/1780	QPSK	1710.100	1710	1779.833	1780	PASS	0°C/3.87V
CA_66C	1710/1780	16QAM	1710.129	1710	1779.933	1780	PASS	0°C/3.87V
CA_66C	1710/1780	64QAM	1710.001	1710	1779.876	1780	PASS	0°C/3.87V
CA_66C	1710/1780	256QAM	1710.099	1710	1779.857	1780	PASS	0°C/3.87V
CA_66C	1710/1780	QPSK	1710.027	1710	1779.838	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	16QAM	1710.045	1710	1779.982	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	64QAM	1710.014	1710	1779.989	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	256QAM	1710.110	1710	1779.820	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	QPSK	1710.057	1710	1779.834	1780	PASS	-20°C/3.87V

CA_66C	1710/1780	16QAM	1710.168	1710	1779.870	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	64QAM	1710.121	1710	1779.956	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	256QAM	1710.002	1710	1779.863	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	QPSK	1710.015	1710	1779.969	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	16QAM	1710.133	1710	1779.921	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	64QAM	1710.069	1710	1779.958	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	256QAM	1710.128	1710	1779.957	1780	PASS	-30°C/3.87V