

Test Information:

| | | | |
|--------------------|--------------------|---------------------|-----------------------|
| Sample No.: | 2Q03-1 | Test Date: | 2024/09/25~2024/09/26 |
| Test Site: | RF | Test Mode: | Transmitting |
| Tester: | Kungfumaster Liang | Test Result: | Pass |

Environmental Conditions:

| | | | | | |
|------------------------------|---------|----------------------------------|-------|-------------------------------|-----|
| Temperature: (°C): | 25-26.5 | Relative Humidity: (%) | 45-55 | ATM Pressure: (kPa) | 101 |
|------------------------------|---------|----------------------------------|-------|-------------------------------|-----|

RF Output Power
FCC Part 27

DC_5A_n77A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6 | 15.13(10.16 13.47) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6 | 15.11(9.85 13.57) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6 | 15.19(9.81 13.71) | 11.64 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.98(10.24 13.21) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@23 | 15.19(9.78 13.72) | 11.64 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM QPSK_RB12@0 RB12@6 | 15.11(10.18 13.43) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 15.21(10.15 13.58) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM QPSK_RB12@0 RB12@6 | 15.13(9.89 13.58) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 14.94(9.83 13.34) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QP SK CP-OFDM QPSK_RB12@38 RB12@6 | 15.07(9.8 13.54) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 15.2(9.78 13.73) | 11.65 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0 | 15.07(10.18 13.37) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.17(10.14 13.53) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@23 | 15.17(9.87 13.65) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 15.2(9.79 13.73) | 11.65 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB12@6 | 15.34(10.16 13.77) | 11.75 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 15.18(10.2 13.52) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 15.14(9.87 13.61) | 11.57 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 15.12(9.83 13.59) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6 | 15.32(9.81 13.88) | 11.78 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 15.14(9.83 13.63) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 15.29(10.13 13.71) | 11.70 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 15.17(10.17 13.52) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 15.18(9.87 13.66) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 15.02(9.87 13.44) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6 | 15.35(9.8 13.93) | 11.82 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 15.17(9.81 13.68) | 11.61 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 13.72(10.19 11.18) | 9.79 | 0.010 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 14.78(10.12 12.96) | 11.10 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 13.51(9.87 11.05) | 9.60 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 14.57(9.86 12.78) | 10.90 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6 | 13.64(9.8 11.33) | 9.78 | 0.010 | 1 | Pass |
| DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 14.91(9.79 13.32) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9 | 15.18(10.17 13.54) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9 | 14.97(9.85 13.37) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9 | 15.13(9.77 13.63) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.15(10.14 13.51) | 11.54 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37 | 15.2(9.89 13.68) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 15.17(10.18 13.52) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 15(9.84 13.42) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 15.2(10.15 13.57) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 15.1(9.83 13.57) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 15.01(9.81 13.45) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 15.16(9.79 13.67) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.13(10.2 13.44) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.18(10.1 13.56) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 15.27(9.96 13.76) | 11.71 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 15.24(9.83 13.76) | 11.68 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 15.22(10.18 13.59) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 15.07(9.86 13.51) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 15.26(10.17 13.65) | 11.66 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 15.09(9.82 13.56) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9 | 15.15(9.8 13.65) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9 | 15.19(9.8 13.71) | 11.64 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 15.12(10.17 13.45) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 15.2(9.83 13.71) | 11.64 | 0.015 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 15.32(10.21 13.72) | 11.72 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 15.19(9.84 13.69) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9 | 15.25(9.81 13.79) | 11.70 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9 | 15.31(9.8 13.88) | 11.78 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 14.74(10.16 12.88) | 11.04 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 14.66(9.88 12.91) | 11.01 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 13.61(10.18 10.99) | 9.65 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 13.35(9.85 10.78) | 9.41 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9 | 14.52(9.79 12.74) | 10.85 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9 | 13.45(9.79 11) | 9.54 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12 | 15.23(10.2 13.59) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12 | 15.03(9.85 13.46) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12 | 15.07(9.78 13.54) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.16(10.12 13.53) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50 | 15.19(9.84 13.69) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 15.16(10.14 13.52) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 15.23(10.21 13.59) | 11.62 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 15.01(9.82 13.44) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 15.02(9.84 13.45) | 11.43 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 15.1(9.81 13.57) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 15.08(9.77 13.56) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.23(10.12 13.63) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.28(10.3 13.62) | 11.66 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 15.28(9.92 13.79) | 11.72 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 15.14(9.74 13.66) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 15.15(10.18 13.48) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 15.2(10.15 13.57) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 15(9.83 13.42) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 15.01(9.84 13.43) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12 | 15.17(9.81 13.68) | 11.61 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 15.09(9.8 13.57) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 15.29(10.15 13.7) | 11.69 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 14.95(9.47 13.51) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 15.08(9.83 13.54) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 14.9(9.87 13.26) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12 | 15.1(9.79 13.59) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 15.19(9.78 13.71) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 13.42(10.15 10.65) | 9.41 | 0.009 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 14.64(10.14 12.74) | 10.93 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 13.37(9.86 10.81) | 9.43 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 14.59(9.85 12.81) | 10.92 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12 | 13.45(9.78 11.02) | 9.56 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 14.62(9.52 13.01) | 11.01 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18 | 15.13(10.16 13.46) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18 | 14.97(9.83 13.38) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18 | 15.06(9.82 13.51) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.15(10.17 13.49) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77 | 15.13(9.89 13.58) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 15.16(10.16 13.51) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 14.96(9.86 13.35) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 15.16(10.18 13.5) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 14.92(9.85 13.3) | 11.31 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 14.87(9.76 13.27) | 11.27 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 15.12(9.79 13.61) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.22(10.14 13.6) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.12(10.11 13.47) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77 | 15.31(9.82 13.87) | 11.77 | 0.015 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77 | 14.97(9.87 13.37) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 15.18(10.15 13.54) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 15.03(9.84 13.47) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 15.3(10.2 13.69) | 11.69 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 14.94(9.85 13.33) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 15.03(9.79 13.49) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 15.09(9.81 13.56) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 15.11(10.18 13.43) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 15.09(9.8 13.56) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 15.33(10.18 13.74) | 11.73 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 14.93(9.85 13.31) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 15.08(9.78 13.56) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 15.01(9.8 13.46) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 14.73(10.17 12.86) | 11.03 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 14.41(9.85 12.54) | 10.71 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 13.45(10.17 10.7) | 9.45 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 13.28(9.86 10.65) | 9.32 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 14.65(9.8 12.93) | 11.01 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 13.47(9.81 11.02) | 9.56 | 0.009 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25 | 15.09(10.2 13.38) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25 | 14.87(9.83 13.24) | 11.26 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25 | 14.89(9.76 13.3) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.1(10.26 13.38) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105 | 15.14(9.9 13.6) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 15.07(10.17 13.37) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 14.96(9.87 13.35) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM QPSK_RB12@0 RB53@26 | 15.29(10.21 13.68) | 11.69 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM QPSK_RB12@0 RB53@26 | 14.72(9.86 13) | 11.07 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 15(9.76 13.46) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK CP-OFDM QPSK_RB12@38 RB53@26 | 14.9(9.78 13.3) | 11.30 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0 | 15.06(10.13 13.38) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.16(10.17 13.5) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@105 | 15.07(9.74 13.56) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 15.17(9.82 13.67) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 15.2(10.18 13.56) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 14.83(9.84 13.18) | 11.21 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB53@26 | 15.23(10.19 13.6) | 11.62 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 15.03(9.86 13.45) | 11.44 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 15.03(9.76 13.5) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB53@26 | 15.04(9.79 13.5) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 15.1(10.14 13.43) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 14.91(9.83 13.3) | 11.31 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB53@26 | 15.34(10.18 13.76) | 11.75 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 14.88(9.86 13.24) | 11.27 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 15.14(9.76 13.65) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB53@26 | 15.09(9.78 13.57) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 14.74(10.19 12.86) | 11.03 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 14.55(9.83 12.76) | 10.88 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB53@26 | 13.64(10.18 11.03) | 9.68 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 13.22(9.85 10.55) | 9.25 | 0.008 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 14.47(9.82 12.65) | 10.79 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB53@26 | 13.41(9.77 10.95) | 9.50 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32 | 15.07(10.14 13.39) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32 | 14.8(9.69 13.2) | 11.20 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32 | 14.91(9.75 13.33) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.04(10.1 13.36) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132 | 15.11(9.78 13.6) | 11.54 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 15.16(10.15 13.52) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 14.93(9.68 13.39) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 15.18(10.15 13.55) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 14.95(9.69 13.41) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 15.01(9.75 13.48) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 15.1(9.72 13.62) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.13(10.12 13.49) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.92(10.16 13.15) | 11.25 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 15.28(9.74 13.86) | 11.75 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 14.98(9.85 13.39) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 15.22(10.16 13.59) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 15.02(9.66 13.52) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 15(10.15 13.28) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 14.95(9.65 13.43) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 15.06(9.73 13.56) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 15.13(9.72 13.65) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 15.21(10.13 13.6) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 14.98(9.67 13.46) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 15.1(10.11 13.44) | 11.48 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 15.02(9.63 13.54) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 15.13(9.75 13.65) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 15.18(9.72 13.72) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 14.77(10.14 12.93) | 11.08 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 14.53(9.65 12.82) | 10.89 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 13.58(10.1 11) | 9.63 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 13.31(9.69 10.84) | 9.40 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 14.5(9.72 12.74) | 10.84 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 13.46(9.76 11.04) | 9.56 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40 | 15(10.11 13.3) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40 | 14.78(9.62 13.2) | 11.19 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB81@40 | 14.88(9.71 13.3) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.98(10.03 13.3) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@161 | 15.18(9.7 13.74) | 11.64 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 15.18(10.08 13.57) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 15.14(10.08 13.51) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM QPSK_RB12@0 RB81@40 | 14.77(9.6 13.19) | 11.18 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 14.88(9.59 13.35) | 11.30 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40 | 14.93(9.75 13.36) | 11.34 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40 | 15.03(9.72 13.52) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.13(10.08 13.5) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.07(10.12 13.39) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161 | 15.31(9.79 13.88) | 11.78 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161 | 15.16(9.75 13.68) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 15.19(10.07 13.6) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 15.16(10.1 13.54) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 14.99(9.63 13.5) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 14.79(9.6 13.22) | 11.20 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40 | 15.08(9.7 13.59) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40 | 15.07(9.7 13.58) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 15.22(10.09 13.63) | 11.62 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 15.07(10.09 13.41) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 14.83(9.64 13.27) | 11.25 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 14.81(9.62 13.24) | 11.22 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40 | 15.13(9.7 13.67) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40 | 15.18(9.73 13.72) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 13.56(10.08 10.98) | 9.61 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 14.72(10.09 12.89) | 11.04 | 0.013 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 13.15(9.63 10.6) | 9.21 | 0.008 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 14.56(9.64 12.87) | 10.93 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40 | 13.43(9.7 11.04) | 9.55 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40 | 14.67(9.71 13) | 11.04 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45 | 15.03(10.06 13.36) | 11.40 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45 | 14.91(9.59 13.4) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB90@45 | 15.07(9.72 13.57) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.03(10.02 13.39) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@188 | 15.18(9.73 13.72) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45 | 15.14(10.08 13.51) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45 | 14.79(9.62 13.22) | 11.20 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47 | 15.04(10.1 13.36) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47 | 15(9.59 13.52) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB90@45 | 15.09(9.73 13.6) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK CP-OFDM QPSK_RB12@38 RB95@47 | 15.07(9.69 13.59) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.16(10.02 13.57) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.08(10.07 13.43) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@188 | 15.12(9.71 13.65) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@188 | 15.21(9.74 13.76) | 11.67 | 0.015 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB90@45 | 15.18(10.07 13.58) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45 | 14.95(9.59 13.45) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB95@47 | 15.04(10.07 13.37) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB95@47 | 14.99(9.61 13.5) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB90@45 | 14.93(9.7 13.38) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB95@47 | 15.13(9.71 13.66) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB90@45 | 15.24(10.05 13.67) | 11.65 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45 | 15.02(9.58 13.56) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB95@47 | 15.1(10.08 13.46) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB95@47 | 15.06(9.6 13.6) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB90@45 | 15.17(9.73 13.71) | 11.62 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB95@47 | 15.2(9.69 13.76) | 11.66 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB90@45 | 14.59(10.08 12.7) | 10.89 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45 | 14.39(9.61 12.63) | 10.73 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB95@47 | 13.55(10.04 10.98) | 9.60 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB95@47 | 13.31(9.61 10.9) | 9.42 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB90@45 | 14.52(9.73 12.77) | 10.86 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB95@47 | 13.33(9.72 10.84) | 9.41 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54 | 15.15(10.1 13.52) | 11.54 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54 | 14.92(9.59 13.41) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54 | 14.98(9.71 13.45) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.06(10.07 13.41) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@216 | 15.12(9.74 13.63) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 15(10.04 13.33) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 14.95(9.62 13.45) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 15.19(10.07 13.59) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM QPSK_RB12@0 RB109@54 | 14.8(9.64 13.22) | 11.21 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 14.99(9.73 13.46) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54 | 15.03(9.75 13.5) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.16(10.09 13.54) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.06(10.07 13.4) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216 | 15.09(9.8 13.57) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216 | 15.16(9.77 13.68) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 15.16(10.04 13.56) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 14.81(9.63 13.24) | 11.22 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 15.19(10.06 13.6) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 14.95(9.67 13.42) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 15.05(9.75 13.53) | 11.48 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54 | 15.05(9.74 13.54) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 15.2(10.05 13.61) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 15.03(9.64 13.55) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 15.06(10.04 13.42) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 15(9.64 13.51) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 14.95(9.75 13.39) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54 | 15.08(9.71 13.59) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 14.77(10.07 12.97) | 11.09 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 14.54(9.65 12.83) | 10.90 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 13.39(10.1 10.65) | 9.39 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 13.16(9.66 10.59) | 9.22 | 0.008 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 14.63(9.74 12.93) | 10.99 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54 | 13.39(9.77 10.91) | 9.47 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60 | 15(9.8 13.44) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60 | 14.89(9.68 13.34) | 11.31 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB120@60 | 14.99(9.73 13.45) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.92(9.8 13.33) | 11.33 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@244 | 14.93(9.75 13.36) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 14.93(9.83 13.32) | 11.32 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 14.89(9.68 13.33) | 11.30 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 15.06(9.76 13.54) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 14.97(9.66 13.46) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60 | 14.97(9.73 13.42) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61 | 15.05(9.78 13.52) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.07(9.84 13.52) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.75(9.77 13.09) | 11.13 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244 | 15.19(9.74 13.73) | 11.64 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244 | 14.97(9.85 13.37) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 15.06(9.8 13.53) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 14.93(9.64 13.41) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 15.06(9.79 13.53) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 14.93(9.62 13.42) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60 | 15.03(9.73 13.51) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61 | 14.91(9.74 13.33) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 15.1(9.78 13.59) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 14.97(9.64 13.47) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 15.13(9.79 13.63) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 14.81(9.66 13.23) | 11.22 | 0.013 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60 | 14.94(9.75 13.37) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61 | 15.14(9.73 13.67) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 14.46(9.8 12.64) | 10.78 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 14.52(9.66 12.8) | 10.87 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 13.38(9.8 10.88) | 9.46 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 13.28(9.65 10.81) | 9.37 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60 | 14.63(9.73 12.93) | 10.99 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61 | 13.41(9.75 10.97) | 9.51 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67 | 14.88(9.76 13.29) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67 | 14.87(9.62 13.33) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB135@67 | 14.88(9.72 13.3) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.87(9.85 13.23) | 11.26 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@272 | 15.1(9.74 13.61) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 15(9.76 13.46) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 14.72(9.59 13.13) | 11.12 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 15(9.75 13.46) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68 | 14.9(9.59 13.39) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67 | 14.91(9.71 13.35) | 11.33 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68 | 15.03(9.73 13.51) | 11.46 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0 | 14.97(9.74 13.42) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.87(9.67 13.31) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@272 | 15.17(9.73 13.71) | 11.62 | 0.015 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@272 | 14.93(9.68 13.39) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 15.05(9.77 13.52) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_ QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 14.94(9.6 13.44) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 14.87(9.73 13.28) | 11.27 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_ QPSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 14.96(9.6 13.46) | 11.40 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67 | 15.07(9.69 13.58) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB137@68 | 15.05(9.71 13.55) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 15.03(9.72 13.52) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_ QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 14.95(9.57 13.47) | 11.40 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 14.89(9.76 13.3) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_ QPSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 14.83(9.59 13.29) | 11.25 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67 | 14.95(9.69 13.42) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB137@68 | 15.14(9.71 13.67) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 14.62(9.76 12.91) | 10.98 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_ QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 14.52(9.61 12.82) | 10.88 | 0.012 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 13.38(9.77 10.9) | 9.47 | 0.009 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 13.24(9.56 10.81) | 9.34 | 0.009 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67 | 14.69(9.7 13.04) | 11.07 | 0.013 | 1 | Pass |
| DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68 | 13.44(9.71 11.04) | 9.55 | 0.009 | 1 | Pass |

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

DC_5A_n77A:

n77:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -5.68dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_5A_n78A

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM π/2 BPSK_RB12@0 RB12@6 | 14.96(10.06 13.26) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM π/2 BPSK_RB12@0 RB12@6 | 14.95(9.66 13.42) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK DFT-s-OFDM π/2 BPSK_RB12@38 RB12@6 | 14.86(9.65 13.31) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM π/2 BPSK_RB1@0 RB1@0 | 14.89(10.03 13.18) | 11.25 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK DFT-s-OFDM π/2 BPSK_RB1@49 RB1@23 | 14.82(9.66 13.24) | 11.23 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 14.94(10.1 13.21) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 15.09(10.09 13.44) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6 | 15.02(9.69 13.51) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6 | 14.97(9.66 13.45) | 11.40 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK CP-OFDM QPSK_RB12@38 RB12@6 | 14.92(9.66 13.38) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB12@6 | 14.97(9.65 13.46) | 11.40 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0 | 15.18(10.12 13.55) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 15.06(10.04 13.42) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@23 | 15.04(9.7 13.54) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@23 | 14.87(9.63 13.32) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB12@6 | 15.15(10.1 13.52) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 15.01(10.1 13.32) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB12@6 | 15.06(9.7 13.57) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6 | 14.99(9.66 13.48) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB12@6 | 14.86(9.67 13.3) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB12@6 | 14.96(9.67 13.43) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB12@6 | 15.2(10.1 13.59) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 15.08(10.13 13.41) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB12@6 | 15.08(9.67 13.6) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6 | 15.02(9.68 13.52) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB12@6 | 15.08(9.65 13.61) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB12@6 | 14.86(9.67 13.3) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB12@6 | 13.54(10.1 10.92) | 9.58 | 0.009 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 14.77(10.12 12.94) | 11.08 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6 | 13.31(9.71 10.81) | 9.39 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6 | 14.61(9.7 12.92) | 10.98 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6 | 13.33(9.64 10.9) | 9.43 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6 | 14.39(9.67 12.61) | 10.73 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9 | 14.99(10.14 13.27) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9 | 15.12(10.11 13.48) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9 | 14.86(9.66 13.3) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.1(10.21 13.4) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37 | 14.84(9.7 13.25) | 11.24 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 15.08(10.15 13.4) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9 | 15.11(10.13 13.45) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 15.06(10.14 13.37) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9 | 15.18(10.16 13.54) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9 | 14.74(9.68 13.11) | 11.13 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9 | 14.8(9.66 13.21) | 11.20 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.12(10.1 13.48) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.9(10.13 13.14) | 11.24 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37 | 14.98(9.72 13.45) | 11.41 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37 | 14.91(9.72 13.34) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 15.08(10.13 13.4) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9 | 15.15(10.16 13.5) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 14.94(10.14 13.2) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9 | 15.14(10.11 13.5) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9 | 14.88(9.66 13.33) | 11.30 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9 | 14.93(9.64 13.41) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 15.2(10.17 13.57) | 11.59 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9 | 15.12(10.15 13.45) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 15.08(10.13 13.4) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9 | 15.23(10.14 13.62) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9 | 14.95(9.66 13.42) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9 | 15.04(9.67 13.55) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 14.74(10.15 12.89) | 11.05 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9 | 14.74(10.14 12.89) | 11.05 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 13.41(10.14 10.64) | 9.40 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9 | 13.42(10.15 10.66) | 9.42 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9 | 14.44(9.65 12.69) | 10.78 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9 | 13.26(9.66 10.77) | 9.34 | 0.009 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12 | 15.11(10.15 13.44) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12 | 15.09(10.14 13.42) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12 | 14.79(9.71 13.17) | 11.18 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.05(10.11 13.37) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50 | 14.88(9.69 13.32) | 11.30 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 15.01(10.17 13.28) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 15.1(10.15 13.42) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12 | 15.13(10.17 13.46) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12 | 15.18(10.15 13.54) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12 | 14.72(9.7 13.08) | 11.11 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12 | 14.9(9.73 13.32) | 11.31 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.2(10.19 13.55) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.93(10.2 13.15) | 11.26 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50 | 15.05(9.67 13.57) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50 | 14.77(9.74 13.14) | 11.16 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 15.17(10.16 13.52) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 15(10.14 13.28) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12 | 15.22(10.15 13.6) | 11.61 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12 | 15.13(10.13 13.48) | 11.51 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12 | 14.83(9.71 13.24) | 11.24 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12 | 14.9(9.72 13.33) | 11.31 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 15.15(10.16 13.49) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 15.15(10.15 13.5) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12 | 15.11(10.18 13.42) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12 | 15.05(10.16 13.34) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12 | 14.95(9.69 13.41) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12 | 15(9.74 13.46) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 13.41(10.14 10.64) | 9.40 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 14.72(10.15 12.86) | 11.02 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12 | 13.58(10.17 10.93) | 9.61 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12 | 14.76(10.17 12.9) | 11.06 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12 | 13.28(9.73 10.75) | 9.35 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12 | 14.49(9.72 12.73) | 10.83 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18 | 15.13(10.18 13.46) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18 | 14.97(10.14 13.24) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18 | 14.76(9.69 13.14) | 11.15 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15.02(10.2 13.29) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77 | 14.87(9.69 13.3) | 11.28 | 0.013 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 15.14(10.16 13.48) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18 | 15.04(10.13 13.35) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 15.03(10.15 13.32) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19 | 15.08(10.15 13.4) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18 | 14.83(9.65 13.26) | 11.24 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19 | 14.74(9.64 13.13) | 11.13 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.11(10.18 13.43) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.98(10.14 13.25) | 11.33 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77 | 15.05(9.62 13.59) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77 | 14.88(9.69 13.32) | 11.30 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 15.16(10.17 13.5) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18 | 15.06(10.16 13.36) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 15.05(10.2 13.33) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19 | 14.96(10.07 13.25) | 11.32 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18 | 14.87(9.65 13.32) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19 | 14.81(9.61 13.25) | 11.23 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 15.26(10.2 13.64) | 11.65 | 0.015 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18 | 15.19(10.15 13.56) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 15.27(10.17 13.67) | 11.67 | 0.015 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19 | 15.16(10.1 13.54) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18 | 15.01(9.68 13.51) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19 | 14.87(9.59 13.34) | 11.30 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 14.73(10.18 12.85) | 11.02 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18 | 14.65(10.17 12.73) | 10.93 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 13.5(10.13 10.82) | 9.52 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19 | 13.49(10.15 10.78) | 9.50 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18 | 14.27(9.63 12.44) | 10.58 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19 | 13.28(9.64 10.82) | 9.37 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25 | 14.99(10.09 13.29) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25 | 15.09(10.09 13.44) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25 | 14.95(10.09 13.23) | 11.30 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 15(10.08 13.31) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105 | 14.99(10.13 13.28) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 15.01(9.97 13.38) | 11.40 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25 | 15.05(10.05 13.4) | 11.43 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 15.09(10.07 13.45) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26 | 15.1(10.09 13.45) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25 | 14.98(10.05 13.3) | 11.35 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK CP-OFDM QPSK_RB12@38 RB53@26 | 14.98(10.06 13.29) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0 | 15.08(10.03 13.45) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.99(10.01 13.33) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@105 | 15.18(10.15 13.54) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@105 | 14.99(10.08 13.29) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 14.96(10.01 13.28) | 11.33 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25 | 15.1(10.07 13.46) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB53@26 | 15.15(10.07 13.53) | 11.54 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB53@26 | 15.12(10.11 13.47) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB50@25 | 14.84(10.04 13.1) | 11.19 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB53@26 | 14.89(10.07 13.16) | 11.24 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 15.11(10.04 13.49) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25 | 15.2(10.05 13.61) | 11.60 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB53@26 | 15.17(10.09 13.56) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26 | 15.14(10.07 13.52) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB50@25 | 15.11(10.05 13.49) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB53@26 | 15.07(10.06 13.43) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 14.63(10.02 12.79) | 10.94 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25 | 14.7(10.1 12.85) | 11.01 | 0.013 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB53@26 | 13.53(10.06 10.93) | 9.57 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26 | 13.49(10.1 10.83) | 9.52 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB50@25 | 14.57(10.08 12.66) | 10.85 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB53@26 | 13.43(10.14 10.69) | 9.43 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32 | 15.08(10.16 13.39) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32 | 14.94(10.16 13.19) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32 | 15.01(10.05 13.34) | 11.38 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.92(10.1 13.18) | 11.27 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132 | 14.84(10.16 13.03) | 11.16 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_ QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 15.11(10.14 13.44) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB64@32 | 15.06(10.16 13.36) | 11.42 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_ QPSK CP-OFDM QPSK_RB12@0 RB67@33 | 15.13(10.16 13.46) | 11.50 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM QPSK_RB12@0 RB67@33 | 15.11(10.1 13.46) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_ QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32 | 14.97(10.06 13.28) | 11.34 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_ QPSK CP-OFDM QPSK_RB12@38 RB67@33 | 15.08(10.06 13.44) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_ QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.06(10.23 13.33) | 11.41 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_ QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.91(10.13 13.15) | 11.25 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_ QPSK CP-OFDM QPSK_RB1@49 RB1@132 | 15.16(10.05 13.56) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_ QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132 | 14.88(10.07 13.14) | 11.23 | 0.013 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 15.08(10.19 13.38) | 11.44 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32 | 14.94(10.11 13.21) | 11.29 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 15.14(10.15 13.49) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33 | 15.1(10.13 13.44) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32 | 15.02(10.06 13.35) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33 | 14.92(10.08 13.2) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 15.19(10.12 13.57) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32 | 14.96(10.04 13.27) | 11.33 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 15.23(10.14 13.62) | 11.63 | 0.015 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33 | 15.14(10.11 13.51) | 11.53 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32 | 15.1(10.04 13.47) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33 | 14.96(10.04 13.27) | 11.33 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 14.71(10.1 12.86) | 11.01 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32 | 14.63(10.06 12.77) | 10.93 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 13.53(10.1 10.9) | 9.57 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33 | 13.5(10.1 10.84) | 9.52 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32 | 14.6(10.07 12.71) | 10.89 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33 | 13.3(10.04 10.52) | 9.29 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40 | 15.03(10.08 13.36) | 11.41 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40 | 14.93(10.11 13.2) | 11.28 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB81@40 | 15.01(10 13.36) | 11.39 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.84(10.04 13.09) | 11.18 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@161 | 14.99(10.02 13.33) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 15.11(10.12 13.46) | 11.49 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 14.98(10.04 13.3) | 11.35 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40 | 15.08(10.02 13.45) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40 | 15.08(10.1 13.42) | 11.46 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40 | 15.06(10 13.43) | 11.45 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40 | 14.91(10.01 13.21) | 11.27 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 15.01(10.2 13.27) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.84(10.06 13.09) | 11.19 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161 | 14.99(10 13.34) | 11.37 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161 | 15(10.11 13.3) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 15.14(10.13 13.49) | 11.52 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 14.91(10.12 13.16) | 11.25 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40 | 15.11(10.02 13.5) | 11.51 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40 | 14.89(10.09 13.14) | 11.23 | 0.013 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40 | 14.96(9.97 13.31) | 11.34 | 0.014 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40 | 15.08(10 13.46) | 11.47 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 15(10.09 13.3) | 11.36 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 15.18(10.13 13.55) | 11.57 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40 | 15.15(10.03 13.56) | 11.56 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40 | 15.09(10.07 13.45) | 11.48 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40 | 15.16(9.97 13.6) | 11.58 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40 | 15.15(10.01 13.56) | 11.55 | 0.014 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 13.48(10.09 10.82) | 9.51 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 14.51(10.07 12.58) | 10.79 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40 | 13.49(10.04 10.88) | 9.53 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40 | 14.65(10 12.82) | 10.96 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40 | 13.47(10.01 10.87) | 9.52 | 0.009 | 1 | Pass |
| DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40 | 14.64(9.99 12.82) | 10.96 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45 | 14.5(10.06 12.56) | 10.77 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45 | 14.46(10.11 12.47) | 10.71 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB90@45 | 14.41(9.98 12.47) | 10.68 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.17(9.94 12.11) | 10.40 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@188 | 14.36(10.12 12.3) | 10.59 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45 | 14.46(10.04 12.51) | 10.73 | 0.012 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45 | 14.45(10.08 12.47) | 10.71 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47 | 14.51(10.07 12.58) | 10.79 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47 | 14.47(10.05 12.53) | 10.75 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB90@45 | 14.38(9.99 12.42) | 10.65 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK CP-OFDM QPSK_RB12@38 RB95@47 | 14.29(9.99 12.28) | 10.54 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 14.42(10.08 12.42) | 10.67 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.3(9.98 12.3) | 10.55 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@188 | 14.28(10.01 12.25) | 10.52 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@188 | 14.34(10.04 12.33) | 10.59 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45 | 14.51(10.07 12.58) | 10.79 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45 | 14.35(10.04 12.34) | 10.60 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47 | 14.51(10.03 12.6) | 10.80 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47 | 14.49(10.05 12.55) | 10.76 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB90@45 | 14.46(10.02 12.52) | 10.73 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB95@47 | 14.45(10.03 12.51) | 10.73 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45 | 14.58(10.05 12.69) | 10.87 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45 | 14.38(10.06 12.38) | 10.63 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47 | 14.46(10.09 12.48) | 10.72 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47 | 14.4(10.06 12.4) | 10.65 | 0.012 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB90@45 | 14.48(10.01 12.56) | 10.76 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB95@47 | 14.5(10 12.6) | 10.79 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB90@45 | 14.14(10.06 11.98) | 10.33 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45 | 14.06(10.03 11.87) | 10.24 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB95@47 | 13.04(10.04 10.02) | 8.95 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB95@47 | 12.85(10.05 9.61) | 8.69 | 0.007 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB90@45 | 14.04(9.98 11.88) | 10.24 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB95@47 | 12.97(10.04 9.87) | 8.86 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54 | 14.47(10.06 12.52) | 10.74 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54 | 14.44(10.08 12.45) | 10.69 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54 | 14.28(10.03 12.24) | 10.52 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.22(10.08 12.11) | 10.43 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@216 | 14.27(9.96 12.26) | 10.52 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 14.5(10.08 12.55) | 10.77 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB108@54 | 14.46(10.08 12.49) | 10.72 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54 | 14.49(10.04 12.56) | 10.77 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM QPSK_RB12@0 RB109@54 | 14.53(10.07 12.61) | 10.81 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54 | 14.35(10.05 12.34) | 10.60 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54 | 14.32(10.04 12.29) | 10.56 | 0.011 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 14.44(10.02 12.49) | 10.71 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.33(10.06 12.3) | 10.57 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216 | 14.49(10.08 12.54) | 10.76 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216 | 14.4(10.12 12.37) | 10.64 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 14.52(10.06 12.6) | 10.80 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54 | 14.49(10.09 12.53) | 10.76 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 14.52(10.06 12.6) | 10.80 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54 | 14.53(10.07 12.6) | 10.81 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54 | 14.31(10.03 12.28) | 10.55 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54 | 14.47(10.02 12.54) | 10.75 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 14.54(10.08 12.61) | 10.82 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54 | 14.53(10.06 12.61) | 10.81 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 14.6(10.12 12.69) | 10.89 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54 | 14.54(10.06 12.62) | 10.82 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54 | 14.32(10.01 12.31) | 10.57 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54 | 14.52(10.02 12.61) | 10.80 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 13.99(10.09 11.72) | 10.15 | 0.010 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54 | 14.08(10.08 11.87) | 10.26 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 12.87(10.08 9.62) | 8.71 | 0.007 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54 | 12.98(10.07 9.87) | 8.87 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54 | 14.06(10.03 11.88) | 10.25 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54 | 12.96(10.03 9.87) | 8.85 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60 | 14.34(9.79 12.46) | 10.63 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60 | 14.47(10.1 12.49) | 10.73 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB120@60 | 14.33(9.76 12.46) | 10.63 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.04(9.75 12.02) | 10.29 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@244 | 14.17(9.75 12.22) | 10.44 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 14.34(9.79 12.47) | 10.64 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60 | 14.44(10.12 12.44) | 10.69 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 14.39(9.79 12.54) | 10.70 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61 | 14.49(10.13 12.51) | 10.75 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60 | 14.26(9.75 12.36) | 10.55 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61 | 14.17(9.75 12.23) | 10.45 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0 | 14.34(9.73 12.49) | 10.64 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.16(9.68 12.24) | 10.44 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244 | 14.16(9.68 12.24) | 10.44 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244 | 14.19(9.8 12.23) | 10.46 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 14.21(9.77 12.27) | 10.48 | 0.011 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|--|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60 | 14.46(10.11 12.47) | 10.71 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 14.27(9.81 12.34) | 10.55 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB123@61 | 14.52(10.11 12.57) | 10.79 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60 | 14.3(9.73 12.43) | 10.60 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61 | 14.34(9.76 12.48) | 10.64 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 14.47(9.78 12.67) | 10.80 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60 | 14.53(10.11 12.58) | 10.80 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 14.41(9.81 12.56) | 10.72 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB123@61 | 14.38(10.13 12.34) | 10.62 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60 | 14.37(9.72 12.54) | 10.68 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61 | 14.39(9.76 12.56) | 10.71 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 14.01(9.81 11.94) | 10.24 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60 | 14.07(10.1 11.84) | 10.24 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 12.86(9.8 9.9) | 8.79 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB123@61 | 13(10.09 9.88) | 8.88 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60 | 13.78(9.75 11.6) | 9.97 | 0.010 | 1 | Pass |
| DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61 | 12.83(9.77 9.87) | 8.76 | 0.008 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67 | 14.35(9.8 12.47) | 10.64 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0 | 14.12(9.75 12.15) | 10.39 | 0.011 | 1 | Pass |

| Mode | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) | Limit (W) | Result |
|---|-----------------------|------------|----------|-----------|--------|
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB135@67 | 14.33(9.82 12.44) | 10.63 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM QPSK_RB12@0 RB137@68 | 14.15(9.79 12.17) | 10.41 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0 | 14.27(9.81 12.35) | 10.55 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0 | 14.02(9.67 12.03) | 10.27 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67 | 14.35(9.82 12.47) | 10.65 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB137@68 | 14.2(9.8 12.24) | 10.47 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67 | 14.42(9.81 12.57) | 10.72 | 0.012 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB137@68 | 14.26(9.8 12.34) | 10.54 | 0.011 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67 | 13.8(9.75 11.62) | 9.99 | 0.010 | 1 | Pass |
| DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB137@68 | 12.85(9.81 9.86) | 8.77 | 0.008 | 1 | Pass |

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

DC_5A_n78A:

n78:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -5.68dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB