

Test Information:

Sample No.:	2Q03-1	Test Date:	2024/09/26~2024/09/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	25-26.5	Relative Humidity: (%)	45-55	ATM Pressure: (kPa)	101
------------------------------	---------	----------------------------------	-------	-------------------------------	-----

RF Output Power
FCC Part 27

DC_5A_n41A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	15.64(9.75 14.34)	12.01	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	15.4(9.8 14)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	15.4(9.74 14.03)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.43(9.8 14.04)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@23	15.36(9.77 13.96)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	15.6(9.8 14.27)	11.96	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	15.63(9.78 14.32)	12.00	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	15.37(9.79 13.97)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	15.39(9.8 13.99)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	15.33(9.74 13.93)	11.67	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	15.46(9.74 14.11)	11.82	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.49(9.74 14.15)	11.85	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.53(9.82 14.17)	11.88	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	15.44(9.78 14.07)	11.79	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	15.41(9.78 14.02)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	15.57(9.8 14.23)	11.93	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	15.62(9.76 14.31)	11.99	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	15.43(9.79 14.05)	11.78	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	15.35(9.79 13.94)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	15.34(9.74 13.94)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	15.36(9.75 13.96)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	15.6(9.8 14.27)	11.96	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	15.61(9.81 14.28)	11.97	0.016	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	15.37(9.79 13.96)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	15.48(9.78 14.12)	11.83	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	15.37(9.75 13.98)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	15.4(9.75 14.02)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	14.02(9.82 11.95)	10.12	0.010	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	15.42(9.74 14.05)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	13.97(9.77 11.89)	10.06	0.010	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	15.43(9.77 14.06)	11.78	0.015	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	13.9(9.76 11.79)	9.99	0.010	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	15.4(9.74 14.02)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	15.59(9.84 14.25)	11.95	0.016	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	15.47(9.8 14.1)	11.82	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9	15.24(9.73 13.81)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.45(9.79 14.08)	11.80	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37	15.31(9.78 13.89)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	15.51(9.77 14.16)	11.86	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	15.38(9.8 13.98)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	15.61(9.81 14.28)	11.97	0.016	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	15.39(9.8 13.99)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	15.25(9.79 13.8)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	15.23(9.75 13.79)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.47(9.74 14.12)	11.83	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.49(9.76 14.14)	11.85	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	15.26(9.8 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	15.36(9.75 13.97)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	15.53(9.75 14.2)	11.89	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	15.41(9.8 14.01)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	15.59(9.8 14.26)	11.95	0.016	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	15.34(9.82 13.91)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	15.25(9.77 13.81)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	15.24(9.77 13.79)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	15.68(9.85 14.36)	12.04	0.016	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	15.55(9.81 14.2)	11.90	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	15.68(9.82 14.37)	12.05	0.016	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	15.46(9.81 14.08)	11.80	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	15.29(9.73 13.88)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	15.3(9.72 13.9)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	15.42(9.81 14.02)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	15.27(9.81 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	14.09(9.8 12.06)	10.20	0.010	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	13.95(9.83 11.82)	10.03	0.010	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	15.12(9.76 13.63)	11.42	0.014	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	13.8(9.75 11.62)	9.86	0.010	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	15.66(9.79 14.36)	12.03	0.016	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	15.42(9.78 14.03)	11.76	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	15.41(9.75 14.03)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.37(9.71 14)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50	15.31(9.77 13.89)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	15.51(9.76 14.16)	11.86	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	15.54(9.78 14.2)	11.90	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	15.42(9.83 14.02)	11.76	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	15.46(9.84 14.07)	11.80	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	15.17(9.74 13.7)	11.48	0.014	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	15.33(9.75 13.92)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.53(9.85 14.16)	11.88	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.56(9.86 14.2)	11.91	0.016	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	15.38(9.8 13.98)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	15.39(9.79 13.99)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	15.65(9.83 14.33)	12.02	0.016	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	15.63(9.77 14.33)	12.01	0.016	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	15.45(9.83 14.06)	11.79	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	15.41(9.77 14.02)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	15.33(9.76 13.92)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	15.34(9.72 13.95)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	15.55(9.78 14.21)	11.91	0.016	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	15.52(9.8 14.17)	11.88	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	15.42(9.83 14.02)	11.76	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	15.39(9.83 13.98)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	15.39(9.75 14)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	15.24(9.76 13.79)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	14.01(9.81 11.93)	10.10	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	15.41(9.85 13.99)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	13.9(9.79 11.76)	9.97	0.010	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	15.18(9.8 13.7)	11.49	0.014	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	13.82(9.79 11.63)	9.88	0.010	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	15.09(9.73 13.6)	11.39	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	15.54(9.79 14.19)	11.89	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	15.29(9.81 13.84)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	15.27(9.8 13.82)	11.59	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.37(9.9 13.92)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77	15.23(9.78 13.77)	11.54	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	15.47(9.78 14.1)	11.82	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	15.29(9.79 13.85)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	15.53(9.84 14.17)	11.88	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	15.26(9.85 13.79)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	15.17(9.76 13.7)	11.48	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	15.22(9.77 13.76)	11.53	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.34(9.75 13.94)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.38(9.82 13.96)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77	15.31(9.76 13.89)	11.64	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77	15.3(9.84 13.85)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	15.44(9.83 14.05)	11.78	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	15.33(9.8 13.91)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	15.56(9.78 14.23)	11.92	0.016	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	15.3(9.82 13.86)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	15.18(9.81 13.69)	11.48	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	15.14(9.76 13.66)	11.45	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	15.48(9.84 14.1)	11.83	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	15.26(9.82 13.8)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	15.49(9.79 14.13)	11.84	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	15.35(9.82 13.92)	11.67	0.015	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	15.24(9.75 13.8)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	15.2(9.78 13.73)	11.51	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	15.25(9.82 13.79)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	15.02(9.83 13.46)	11.30	0.013	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	13.93(9.79 11.81)	10.01	0.010	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	13.84(9.83 11.65)	9.90	0.010	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	15.04(9.75 13.51)	11.33	0.014	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	13.74(9.78 11.51)	9.79	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	15.47(9.81 14.1)	11.82	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	15.32(9.84 13.87)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	15.22(9.76 13.76)	11.53	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.35(9.88 13.9)	11.67	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	15.23(9.75 13.79)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	15.43(9.8 14.04)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	15.26(9.8 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	15.45(9.81 14.06)	11.79	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	15.28(9.8 13.83)	11.60	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	15.2(9.72 13.76)	11.52	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	15.27(9.79 13.83)	11.59	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.41(9.91 13.97)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.4(9.8 14)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	15.29(9.79 13.85)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	15.31(9.82 13.87)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	15.41(9.81 14.01)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	15.27(9.84 13.8)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	15.46(9.82 14.07)	11.80	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	15.32(9.83 13.88)	11.64	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	15.24(9.75 13.8)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB53@26	15.19(9.76 13.73)	11.51	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_ QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	15.46(9.81 14.08)	11.80	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_ _QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	15.3(9.83 13.85)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_ QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	15.43(9.81 14.04)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_ _QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	15.29(9.8 13.85)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	15.18(9.75 13.72)	11.50	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB53@26	15.18(9.77 13.71)	11.49	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_ QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	15.22(9.8 13.75)	11.53	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_ _QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	15.16(9.83 13.66)	11.46	0.014	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_ QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	13.95(9.84 11.82)	10.03	0.010	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_ _QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	13.85(9.84 11.65)	9.91	0.010	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	14.98(9.75 13.43)	11.26	0.013	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB53@26	13.77(9.78 11.56)	9.82	0.010	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	15.36(9.81 13.94)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_ _QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	15.31(9.84 13.86)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	15.23(9.77 13.78)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.3(9.83 13.85)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_ QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	15.23(9.82 13.76)	11.54	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	15.34(9.8 13.92)	11.67	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	15.3(9.85 13.84)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	15.37(9.82 13.95)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	15.31(9.85 13.86)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	15.23(9.77 13.78)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	15.18(9.77 13.7)	11.48	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.39(9.83 13.97)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.4(9.92 13.95)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	15.3(9.79 13.87)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	15.24(9.78 13.79)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	15.38(9.83 13.96)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	15.25(9.84 13.77)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	15.3(9.81 13.86)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	15.23(9.81 13.76)	11.54	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	15.22(9.79 13.76)	11.54	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	15.14(9.77 13.65)	11.44	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	15.4(9.82 14)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	15.27(9.81 13.82)	11.59	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	15.42(9.85 14.01)	11.75	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	15.27(9.82 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	15.25(9.77 13.8)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	15.22(9.81 13.74)	11.52	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	15.14(9.8 13.64)	11.44	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	15.08(9.84 13.54)	11.37	0.014	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	13.9(9.82 11.74)	9.97	0.010	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	13.83(9.83 11.63)	9.89	0.010	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	15.02(9.79 13.47)	11.30	0.013	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	13.78(9.77 11.59)	9.84	0.010	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	15.31(9.81 13.87)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	15.32(9.81 13.89)	11.65	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB81@40	15.3(9.77 13.88)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.28(9.88 13.8)	11.59	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@161	15.27(9.84 13.8)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	15.27(9.84 13.8)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	15.29(9.82 13.84)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	15.3(9.82 13.86)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	15.26(9.82 13.8)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	15.34(9.8 13.92)	11.67	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	15.26(9.79 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.32(9.74 13.92)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.34(9.86 13.9)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	15.4(9.87 13.97)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	15.34(9.86 13.9)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	15.25(9.84 13.78)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	15.23(9.8 13.76)	11.54	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	15.29(9.83 13.84)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	15.32(9.83 13.88)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	15.31(9.78 13.89)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	15.25(9.75 13.81)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	15.3(9.84 13.85)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	15.36(9.85 13.93)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	15.29(9.81 13.84)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	15.33(9.8 13.91)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	15.23(9.77 13.78)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	15.3(9.79 13.87)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	13.83(9.83 11.63)	9.89	0.010	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	15.09(9.83 13.56)	11.38	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	13.85(9.84 11.65)	9.91	0.010	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	15.1(9.84 13.57)	11.39	0.014	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	13.8(9.78 11.61)	9.86	0.010	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	15.11(9.8 13.59)	11.40	0.014	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	15.38(9.81 13.97)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	15.37(9.81 13.95)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	15.39(9.77 14)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.52(9.83 14.16)	11.87	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@216	15.5(9.73 14.17)	11.87	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	15.37(9.84 13.94)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	15.41(9.83 14.01)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	15.3(9.82 13.86)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	15.38(9.84 13.96)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	15.39(9.78 14)	11.73	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	15.42(9.77 14.04)	11.76	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.52(9.83 14.16)	11.87	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.48(9.82 14.11)	11.83	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	15.55(9.79 14.21)	11.91	0.016	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	15.54(9.79 14.2)	11.90	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	15.35(9.79 13.93)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	15.41(9.87 13.99)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	15.29(9.85 13.83)	11.60	0.014	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	15.43(9.83 14.03)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	15.41(9.75 14.04)	11.76	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	15.43(9.8 14.04)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	15.35(9.87 13.9)	11.67	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	15.39(9.83 13.98)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	15.34(9.82 13.91)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	15.42(9.85 14.01)	11.75	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	15.4(9.75 14.02)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	15.43(9.77 14.06)	11.78	0.015	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	15.12(9.81 13.61)	11.42	0.014	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	15.25(9.82 13.78)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	13.89(9.81 11.73)	9.96	0.010	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	13.96(9.85 11.82)	10.03	0.010	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	15.25(9.76 13.81)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	13.86(9.73 11.74)	9.94	0.010	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	15.3(9.83 13.85)	11.62	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	15.34(9.86 13.9)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB120@60	15.38(9.77 13.98)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.45(9.81 14.06)	11.79	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@244	15.48(9.76 14.12)	11.83	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	15.34(9.82 13.91)	11.66	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	15.35(9.79 13.93)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	15.26(9.79 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	15.39(9.82 13.98)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	15.28(9.76 13.85)	11.60	0.014	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	15.37(9.74 13.98)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.55(9.73 14.23)	11.92	0.016	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.51(9.9 14.12)	11.85	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	15.58(9.81 14.24)	11.94	0.016	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	15.58(9.8 14.25)	11.94	0.016	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	15.32(9.81 13.88)	11.64	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	15.41(9.8 14.01)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	15.33(9.81 13.9)	11.65	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	15.46(9.85 14.07)	11.80	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	15.46(9.75 14.1)	11.81	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	15.39(9.78 13.99)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	15.3(9.82 13.85)	11.62	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	15.38(9.82 13.96)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	15.33(9.85 13.89)	11.65	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	15.39(9.84 13.97)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	15.35(9.78 13.94)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	15.42(9.79 14.03)	11.76	0.015	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	15.18(9.83 13.68)	11.48	0.014	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	15.23(9.85 13.75)	11.54	0.014	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	13.82(9.78 11.64)	9.88	0.010	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	13.86(9.81 11.69)	9.93	0.010	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	15.26(9.77 13.82)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	13.88(9.88 11.68)	9.94	0.010	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	15.29(9.83 13.83)	11.60	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	15.31(9.85 13.86)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB135@67	15.36(9.78 13.96)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.38(9.86 13.95)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@272	15.44(9.8 14.06)	11.79	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	15.28(9.79 13.84)	11.60	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	15.35(9.84 13.92)	11.68	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	15.23(9.8 13.77)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	15.37(9.84 13.94)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	15.4(9.79 14.01)	11.74	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	15.38(9.78 13.98)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	15.53(9.82 14.17)	11.88	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.43(9.76 14.06)	11.78	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	15.5(9.87 14.11)	11.84	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	15.53(9.76 14.19)	11.89	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	15.31(9.8 13.87)	11.63	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	15.38(9.8 13.97)	11.71	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	15.29(9.81 13.84)	11.61	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	15.39(9.84 13.97)	11.72	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	15.46(9.79 14.09)	11.81	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	15.43(9.77 14.05)	11.77	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	15.25(9.79 13.8)	11.57	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	15.37(9.8 13.96)	11.70	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	15.26(9.8 13.81)	11.58	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	15.4(9.82 13.99)	11.73	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	15.33(9.68 13.95)	11.67	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB137@68	15.35(9.76 13.95)	11.69	0.015	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	15.12(9.81 13.61)	11.42	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	15.24(9.84 13.76)	11.55	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	13.81(9.8 11.62)	9.87	0.010	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	13.89(9.8 11.74)	9.96	0.010	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	15.24(9.76 13.8)	11.56	0.014	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB137@68	13.86(9.77 11.72)	9.94	0.010	2	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

DC_5A_n41A:

n41:

1.Ant Gain = -3.09dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -5.68dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_5A_n66A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM π/2 BPSK_RB12@0 RB12@6	15.62(10.14 14.18)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM π/2 BPSK_RB12@0 RB12@6	15.59(9.72 14.29)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM π/2 BPSK_RB12@38 RB12@6	15.65(9.75 14.36)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM π/2 BPSK_RB1@0 RB1@0	15.49(10.1 14.01)	11.84	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@24	15.11(9.31 13.78)	11.51	0.014	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	15.65(10.17 14.2)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	15.58(9.75 14.27)	11.99	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK CP-OFDM QPSK_RB12@0 RB13@6	15.67(10.2 14.22)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM QPSK_RB12@0 RB13@6	15.59(9.77 14.27)	12.00	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB12@6	15.67(9.8 14.37)	12.09	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK CP-OFDM QPSK_RB12@38 RB13@6	15.63(9.79 14.32)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	15.39(9.64 14.05)	11.79	0.015	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.55(10.04 14.11)	11.91	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@24	15(9.25 13.65)	11.39	0.014	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@24	15.09(9.38 13.73)	11.48	0.014	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	15.64(10.14 14.2)	12.00	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	15.56(9.73 14.24)	11.97	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB13@6	15.62(10.13 14.18)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB13@6	15.54(9.74 14.21)	11.94	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	15.64(9.78 14.34)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB13@6	15.55(9.79 14.21)	11.95	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	15.7(10.13 14.29)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	15.58(9.74 14.27)	11.99	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB13@6	15.65(10.14 14.21)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB13@6	15.58(9.73 14.27)	11.99	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	15.64(9.81 14.33)	12.05	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB13@6	15.62(9.79 14.3)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	15.42(10.15 13.89)	11.75	0.015	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	15.3(9.73 13.89)	11.67	0.015	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_829MHz 1712.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB13@6	14.07(10.16 11.81)	10.14	0.010	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB13@6	13.92(9.75 11.83)	10.05	0.010	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	15.37(9.79 13.96)	11.74	0.015	1	Pass
DC_5A_n66A_10MHz 5MHz_15kHz_844MHz 1777.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB13@6	13.94(9.8 11.83)	10.06	0.010	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	15.65(10.17 14.2)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	15.55(9.77 14.22)	11.96	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	15.69(9.75 14.41)	12.11	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.17(9.66 13.74)	11.54	0.014	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@51	15.16(9.22 13.88)	11.58	0.014	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB25@12	15.58(10.12 14.13)	11.94	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB25@12	15.58(9.77 14.26)	11.99	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK CP-OFDM QPSK_RB12@0 RB26@13	15.59(10.16 14.13)	11.95	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM QPSK_RB12@0 RB26@13	15.6(9.75 14.29)	12.01	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB25@12	15.69(9.71 14.43)	12.12	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK CP-OFDM QPSK_RB12@38 RB26@13	15.64(9.69 14.37)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	15.19(10.11 13.58)	11.49	0.014	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.57(10.09 14.12)	11.93	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@51	15.06(9.23 13.75)	11.47	0.014	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@51	15.18(9.22 13.91)	11.61	0.014	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	15.63(10.15 14.18)	11.99	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	15.57(9.74 14.25)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB26@13	15.5(10.14 14)	11.84	0.015	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB26@13	15.59(9.78 14.27)	12.00	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	15.64(9.67 14.38)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB26@13	15.65(9.72 14.37)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	15.64(10.13 14.21)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	15.62(9.76 14.31)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB26@13	15.56(10.1 14.1)	11.91	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB26@13	15.62(9.74 14.32)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	15.7(9.69 14.45)	12.14	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB26@13	15.68(9.71 14.42)	12.11	0.016	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	15.32(10.13 13.75)	11.63	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	15.29(9.75 13.87)	11.66	0.015	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_829MHz 1715MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	13.99(10.08 11.72)	10.06	0.010	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	13.98(9.78 11.91)	10.12	0.010	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	15.35(9.69 13.97)	11.73	0.015	1	Pass
DC_5A_n66A_10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	14(9.75 11.96)	10.15	0.010	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	15.61(9.73 14.31)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	15.64(9.74 14.35)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	15.66(9.53 14.44)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.08(9.28 13.75)	11.48	0.014	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@78	15.09(9 13.86)	11.53	0.014	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	15.62(9.79 14.31)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	15.65(9.72 14.37)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	15.66(9.75 14.37)	12.08	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	15.68(9.72 14.41)	12.11	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	15.6(9.5 14.38)	12.05	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	15.66(9.5 14.45)	12.11	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	14.99(9.27 13.63)	11.38	0.014	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.05(9.16 13.76)	11.47	0.014	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	15(9.09 13.71)	11.42	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@78	15.08(9.05 13.83)	11.51	0.014	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	15.62(9.78 14.31)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	15.68(9.76 14.39)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB39@19	15.64(9.75 14.35)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB39@19	15.69(9.77 14.4)	12.11	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	15.64(9.53 14.42)	12.09	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB39@19	15.67(9.51 14.46)	12.12	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	15.66(9.75 14.37)	12.08	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	15.67(9.75 14.39)	12.09	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB39@19	15.64(9.75 14.35)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB39@19	15.71(9.77 14.43)	12.13	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	15.65(9.52 14.44)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB39@19	15.65(9.5 14.44)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	15.32(9.76 13.9)	11.69	0.015	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	15.32(9.76 13.9)	11.69	0.015	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_829MHz 1717.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB39@19	13.97(9.76 11.9)	10.11	0.010	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB39@19	13.99(9.75 11.94)	10.13	0.010	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	15.3(9.52 13.97)	11.71	0.015	1	Pass
DC_5A_n66A_10MHz 15MHz_15kHz_844MHz 1772.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB39@19	13.93(9.52 11.98)	10.11	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	15.61(9.75 14.31)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	15.64(9.72 14.35)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	15.61(9.5 14.39)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.02(9.16 13.72)	11.44	0.014	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	15.09(9.07 13.84)	11.52	0.014	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB50@25	15.65(9.76 14.36)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB50@25	15.65(9.73 14.36)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK CP-OFDM QPSK_RB12@0 RB53@26	15.64(9.71 14.36)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM QPSK_RB12@0 RB53@26	15.69(9.77 14.4)	12.11	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB50@25	15.62(9.53 14.4)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK CP-OFDM QPSK_RB12@38 RB53@26	15.64(9.51 14.43)	12.09	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	15(9.25 13.66)	11.40	0.014	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.05(9.2 13.74)	11.46	0.014	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@105	15.09(8.97 13.87)	11.53	0.014	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@105	15.1(9.03 13.87)	11.54	0.014	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	15.59(9.7 14.3)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	15.62(9.72 14.33)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB53@26	15.62(9.75 14.32)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB53@26	15.64(9.75 14.35)	12.06	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	15.57(9.5 14.34)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB53@26	15.61(9.49 14.39)	12.05	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	15.6(9.76 14.29)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	15.65(9.73 14.36)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB53@26	15.63(9.75 14.33)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26	15.65(9.73 14.37)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	15.58(9.51 14.35)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB53@26	15.62(9.49 14.41)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	15.32(9.74 13.91)	11.69	0.015	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	15.33(9.73 13.93)	11.71	0.015	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_829MHz 1720MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB53@26	13.97(9.73 11.91)	10.11	0.010	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26	13.97(9.74 11.91)	10.11	0.010	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	15.28(9.51 13.95)	11.69	0.015	1	Pass
DC_5A_n66A_10MHz 20MHz_15kHz_844MHz 1770MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB53@26	13.89(9.48 11.94)	10.07	0.010	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	15.69(9.71 14.43)	12.12	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	15.7(9.71 14.44)	12.13	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	15.65(9.71 14.38)	12.08	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.09(9.31 13.76)	11.50	0.014	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	15.18(9.21 13.91)	11.61	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB64@32	15.68(9.75 14.4)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB64@32	15.7(9.74 14.43)	12.13	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK CP-OFDM QPSK_RB12@0 RB67@33	15.69(9.72 14.43)	12.12	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM QPSK_RB12@0 RB67@33	15.68(9.76 14.4)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB64@32	15.64(9.71 14.36)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK CP-OFDM QPSK_RB12@38 RB67@33	15.63(9.79 14.32)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	14.97(9.15 13.65)	11.38	0.014	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.08(9.18 13.79)	11.50	0.014	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@132	15.08(9.32 13.74)	11.48	0.014	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@132	15.18(9.26 13.9)	11.60	0.014	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	15.68(9.75 14.4)	12.10	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	15.65(9.73 14.37)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB67@33	15.7(9.74 14.43)	12.13	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB67@33	15.66(9.74 14.37)	12.08	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	15.62(9.75 14.32)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB67@33	15.63(9.77 14.33)	12.05	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	15.69(9.75 14.42)	12.12	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	15.69(9.71 14.43)	12.12	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB67@33	15.66(9.71 14.39)	12.09	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB67@33	15.64(9.74 14.35)	12.06	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	15.66(9.77 14.36)	12.07	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB67@33	15.63(9.78 14.32)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	15.4(9.74 14.02)	11.78	0.015	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	15.37(9.73 13.98)	11.75	0.015	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_829MHz 1722.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB67@33	14.02(9.73 11.99)	10.17	0.010	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB67@33	13.98(9.76 11.92)	10.12	0.010	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	15.32(9.71 13.92)	11.70	0.015	1	Pass
DC_5A_n66A_10MHz 25MHz_15kHz_844MHz 1767.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB67@33	13.94(9.76 11.85)	10.07	0.010	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB80@40	15.63(9.81 14.31)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB80@40	15.63(9.83 14.3)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB80@40	15.59(9.84 14.24)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	15.04(9.28 13.7)	11.44	0.014	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@159	15.15(9.3 13.84)	11.56	0.014	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK CP-OFDM QPSK_RB12@0 RB80@40	15.64(9.84 14.32)	12.05	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB80@40	15.61(9.81 14.28)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM QPSK_RB12@0 RB80@40	15.65(9.86 14.32)	12.05	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB80@40	15.62(9.86 14.28)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK CP-OFDM QPSK_RB12@38 RB80@40	15.58(9.83 14.24)	11.98	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB80@40	15.58(9.83 14.23)	11.97	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	14.91(9.28 13.52)	11.29	0.013	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	15.03(9.34 13.67)	11.43	0.014	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@159	15.06(9.29 13.73)	11.47	0.014	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@159	15.13(9.27 13.82)	11.54	0.014	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB80@40	15.59(9.82 14.26)	12.00	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	15.63(9.83 14.3)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB80@40	15.61(9.84 14.28)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	15.61(9.84 14.28)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB80@40	15.55(9.8 14.2)	11.94	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	15.57(9.8 14.24)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB80@40	15.61(9.81 14.28)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	15.63(9.81 14.31)	12.04	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB80@40	15.62(9.86 14.28)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	15.63(9.83 14.3)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB80@40	15.56(9.79 14.23)	11.97	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	15.57(9.79 14.24)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB80@40	13.94(9.81 11.82)	10.06	0.010	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_829MHz 1725MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	15.28(9.8 13.83)	11.64	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB80@40	13.97(9.86 11.84)	10.09	0.010	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	15.33(9.85 13.88)	11.69	0.015	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB80@40	13.91(9.79 11.79)	10.03	0.010	1	Pass
DC_5A_n66A_10MHz 30MHz_15kHz_844MHz 1765MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	15.26(9.8 13.81)	11.62	0.015	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	15.6(9.83 14.27)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	15.61(9.86 14.27)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	15.57(9.81 14.23)	11.97	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	14.99(9.43 13.57)	11.36	0.014	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@215	15.26(9.87 13.78)	11.61	0.014	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK CP-OFDM QPSK_RB12@0 RB108@54	15.61(9.87 14.26)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB108@54	15.62(9.87 14.27)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM QPSK_RB12@0 RB108@54	15.61(9.86 14.26)	12.00	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB108@54	15.59(9.87 14.23)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK CP-OFDM QPSK_RB12@38 RB108@54	15.56(9.84 14.2)	11.95	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB108@54	15.58(9.82 14.24)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	14.87(9.3 13.46)	11.24	0.013	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	14.94(9.41 13.52)	11.31	0.014	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@215	15.06(9.41 13.68)	11.45	0.014	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@215	15.11(9.34 13.78)	11.52	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB108@54	15.6(9.83 14.27)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	15.63(9.87 14.29)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB108@54	15.58(9.84 14.23)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	15.6(9.85 14.26)	12.00	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB108@54	15.56(9.83 14.21)	11.96	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	15.58(9.79 14.25)	11.98	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB108@54	15.61(9.86 14.27)	12.01	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	15.63(9.87 14.29)	12.03	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB108@54	15.62(9.85 14.28)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	15.63(9.91 14.27)	12.02	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB108@54	15.55(9.83 14.2)	11.95	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	15.57(9.85 14.22)	11.97	0.016	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB108@54	13.98(9.87 11.84)	10.09	0.010	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_829MHz 1730MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	15.33(9.85 13.88)	11.69	0.015	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB108@54	13.98(9.87 11.85)	10.10	0.010	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_836.5MHz 1745MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	15.29(9.87 13.82)	11.64	0.015	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB108@54	13.92(9.83 11.78)	10.04	0.010	1	Pass
DC_5A_n66A_10MHz 40MHz_15kHz_844MHz 1760MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	15.24(9.79 13.78)	11.59	0.014	1	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_NSA = EIRP_LTE + EIRP_NR;

DC_5A_n66A:

n66:

1.Ant Gain = -3.04dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -5.68dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB