

**Test Information:**

<b>Sample No.:</b>	2Q03-1	<b>Test Date:</b>	2024/09/20-2024/09/26
<b>Test Site:</b>	RF	<b>Test Mode:</b>	Transmitting
<b>Tester:</b>	Kungfumaster Liang	<b>Test Result:</b>	Pass

**Environmental Conditions:**

<b>Temperature: (°C):</b>	25-26.5	<b>Relative Humidity: (%)</b>	45-55	<b>ATM Pressure: (kPa)</b>	101
-------------------------------	---------	-----------------------------------	-------	--------------------------------	-----

**RF Output Power**  
**FCC Part 27**

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.09	15.00	0.032	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.96	14.87	0.031	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18	14.91	0.031	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.61	14.52	0.028	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	18.13	15.04	0.032	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	18.04	14.95	0.031	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	18.08	14.99	0.032	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	17.16	14.07	0.026	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.14	13.05	0.020	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.65	12.56	0.018	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.59	10.50	0.011	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	16.63	13.54	0.023	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	16.48	13.39	0.022	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	16.40	13.31	0.021	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	15.14	12.05	0.016	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	15.15	12.06	0.016	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	14.68	11.59	0.014	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	11.58	8.49	0.007	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.89	14.80	0.030	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.84	14.75	0.030	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.92	14.83	0.030	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.56	14.47	0.028	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	17.92	14.83	0.030	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.85	14.76	0.030	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	17.95	14.86	0.031	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	17.03	13.94	0.025	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	15.99	12.90	0.019	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	15.55	12.46	0.018	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	13.45	10.36	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	16.55	13.46	0.022	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	16.35	13.26	0.021	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	16.33	13.24	0.021	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	15.03	11.94	0.016	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	15.10	12.01	0.016	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	14.56	11.47	0.014	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	11.51	8.42	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.26	15.17	0.033	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.02	14.93	0.031	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.13	15.04	0.032	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.67	14.58	0.029	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	18.21	15.12	0.033	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	18.02	14.93	0.031	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	18.16	15.07	0.032	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	17.25	14.16	0.026	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.18	13.09	0.020	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.69	12.60	0.018	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.63	10.54	0.011	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	16.64	13.55	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	16.44	13.35	0.022	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	16.49	13.40	0.022	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	15.16	12.07	0.016	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	15.16	12.07	0.016	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	14.72	11.63	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	11.63	8.54	0.007	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.97	14.88	0.031	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.97	14.88	0.031	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.04	14.95	0.031	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.59	14.50	0.028	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	18.08	14.99	0.032	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	18.08	14.99	0.032	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	18.10	15.01	0.032	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	17.14	14.05	0.025	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	16.15	13.06	0.020	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	15.64	12.55	0.018	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	13.54	10.45	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	16.51	13.42	0.022	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	16.45	13.36	0.022	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	16.56	13.47	0.022	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	15.06	11.97	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	15.12	12.03	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	14.56	11.47	0.014	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	11.55	8.46	0.007	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.91	14.82	0.030	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.99	14.90	0.031	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.95	14.86	0.031	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.55	14.46	0.028	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.96	14.87	0.031	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	18.01	14.92	0.031	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	17.96	14.87	0.031	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	17.10	14.01	0.025	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	16.06	12.97	0.020	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	15.58	12.49	0.018	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	13.51	10.42	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	16.37	13.28	0.021	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	16.47	13.38	0.022	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	16.53	13.44	0.022	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	15.02	11.93	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	15.09	12.00	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	14.54	11.45	0.014	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	11.51	8.42	0.007	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.07	14.98	0.031	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	<b>18.34</b>	15.25	0.033	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.27	15.18	0.033	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.72	14.63	0.029	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	18.12	15.03	0.032	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	18.31	15.22	0.033	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	18.25	15.16	0.033	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	17.25	14.16	0.026	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	16.24	13.15	0.021	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	15.72	12.63	0.018	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	13.70	10.61	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	16.53	13.44	0.022	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	16.60	13.51	0.022	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	16.69	13.60	0.023	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	15.24	12.15	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	15.26	12.17	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	14.74	11.65	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	11.68	8.59	0.007	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.02	14.93	0.031	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.98	14.89	0.031	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.04	14.95	0.031	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.56	14.47	0.028	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	18.13	15.04	0.032	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	18.05	14.96	0.031	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	18.15	15.06	0.032	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	17.09	14.00	0.025	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.12	13.03	0.020	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	15.66	12.57	0.018	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	13.53	10.44	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	16.54	13.45	0.022	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	16.45	13.36	0.022	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	16.66	13.57	0.023	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	15.15	12.06	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	15.14	12.05	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	14.66	11.57	0.014	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	11.56	8.47	0.007	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.97	14.88	0.031	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.07	14.98	0.031	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.98	14.89	0.031	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.59	14.50	0.028	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.99	14.90	0.031	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	18.05	14.96	0.031	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	17.99	14.90	0.031	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	17.08	13.99	0.025	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	16.08	12.99	0.020	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	15.63	12.54	0.018	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	13.53	10.44	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	16.40	13.31	0.021	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	16.47	13.38	0.022	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	16.66	13.57	0.023	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	15.08	11.99	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	15.10	12.01	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	14.59	11.50	0.014	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	11.53	8.44	0.007	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.07	14.98	0.031	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.32	15.23	0.033	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.21	15.12	0.033	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.73	14.64	0.029	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	18.04	14.95	0.031	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	18.33	15.24	0.033	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	18.18	15.09	0.032	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	17.25	14.16	0.026	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.19	13.10	0.020	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	15.79	12.70	0.019	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	13.67	10.58	0.011	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	16.61	13.52	0.022	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	16.65	13.56	0.023	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	16.79	13.70	0.023	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	15.26	12.17	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	15.25	12.16	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	14.73	11.64	0.015	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	11.71	8.62	0.007	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.63	14.54	0.028	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.01	14.92	0.031	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.91	14.82	0.030	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.09	15.00	0.032	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	17.12	14.03	0.025	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	18.13	15.04	0.032	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	17.96	14.87	0.031	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	18.08	14.99	0.032	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	16.13	13.04	0.020	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	15.65	12.56	0.018	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	13.63	10.54	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	15.18	12.09	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	16.56	13.47	0.022	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	16.43	13.34	0.022	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	16.64	13.55	0.023	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	15.09	12.00	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	14.59	11.50	0.014	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	11.61	8.52	0.007	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.60	14.51	0.028	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.98	14.89	0.031	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.09	15.00	0.032	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.05	14.96	0.031	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	17.12	14.03	0.025	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	18	14.91	0.031	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	18.09	15.00	0.032	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	18.06	14.97	0.031	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	16.11	13.02	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	15.59	12.50	0.018	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	13.54	10.45	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	15.13	12.04	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	16.34	13.25	0.021	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	16.59	13.50	0.022	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	16.64	13.55	0.023	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	15.13	12.04	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	14.60	11.51	0.014	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	11.58	8.49	0.007	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.74	14.65	0.029	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.05	14.96	0.031	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.32	15.23	0.033	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.22	15.13	0.033	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	17.27	14.18	0.026	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	18.07	14.98	0.031	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	18.30	15.21	0.033	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	18.19	15.10	0.032	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	16.28	13.19	0.021	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	15.74	12.65	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	13.70	10.61	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	15.31	12.22	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	16.58	13.49	0.022	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	16.60	13.51	0.022	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	16.78	13.69	0.023	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	15.28	12.19	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	14.65	11.56	0.014	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	11.69	8.60	0.007	2	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n7:**

**1.Ant Gain = -3.09dBi;**

**2.C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n12**

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.48	15.27	0.034	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.34	15.13	0.033	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	24.32	15.11	0.032	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	24	14.79	0.030	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	24.52	15.31	0.034	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	24.33	15.12	0.033	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	24.36	15.15	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	23.48	14.27	0.027	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.42	13.21	0.021	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.96	12.75	0.019	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.92	10.71	0.012	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	22.92	13.71	0.023	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	22.73	13.52	0.022	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	22.61	13.40	0.022	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	21.42	12.21	0.017	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	21.43	12.22	0.017	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	20.96	11.75	0.015	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	17.88	8.67	0.007	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.54	15.33	0.034	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.41	15.20	0.033	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	24.41	15.20	0.033	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	24.02	14.81	0.030	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	<b>24.61</b>	15.40	0.035	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.39	15.18	0.033	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	24.45	15.24	0.033	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	23.50	14.29	0.027	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.44	13.23	0.021	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	22.01	12.80	0.019	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.93	10.72	0.012	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	22.94	13.73	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.81	13.60	0.023	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	22.79	13.58	0.023	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	21.44	12.23	0.017	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	21.45	12.24	0.017	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	21	11.79	0.015	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	17.94	8.73	0.007	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.52	15.31	0.034	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.38	15.17	0.033	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	24.41	15.20	0.033	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	24.06	14.85	0.031	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	24.58	15.37	0.034	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	24.38	15.17	0.033	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	24.41	15.20	0.033	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	23.60	14.39	0.027	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.50	13.29	0.021	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	22.03	12.82	0.019	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.97	10.76	0.012	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	22.95	13.74	0.024	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	22.92	13.71	0.023	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	22.78	13.57	0.023	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	21.50	12.29	0.017	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	21.51	12.30	0.017	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	21.05	11.84	0.015	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	17.92	8.71	0.007	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.31	15.10	0.032	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	24.41	15.20	0.033	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	24.45	15.24	0.033	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.98	14.77	0.030	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	24.33	15.12	0.033	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	24.47	15.26	0.034	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	24.46	15.25	0.033	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	23.51	14.30	0.027	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	22.47	13.26	0.021	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	21.96	12.75	0.019	3	Pass



Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	19.98	10.77	0.012	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	22.70	13.49	0.022	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	23.03	13.82	0.024	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	22.88	13.67	0.023	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	21.49	12.28	0.017	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	21.50	12.29	0.017	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	20.99	11.78	0.015	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	17.93	8.72	0.007	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.37	15.16	0.033	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	24.42	15.21	0.033	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	24.52	15.31	0.034	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.96	14.75	0.030	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.32	15.11	0.032	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	24.40	15.19	0.033	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	24.49	15.28	0.034	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	23.49	14.28	0.027	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	22.45	13.24	0.021	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.94	12.73	0.019	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.87	10.66	0.012	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.69	13.48	0.022	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	22.85	13.64	0.023	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	22.98	13.77	0.024	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	21.41	12.20	0.017	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	21.44	12.23	0.017	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	20.93	11.72	0.015	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	17.87	8.66	0.007	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.44	15.23	0.033	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	24.40	15.19	0.033	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	24.50	15.29	0.034	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	24	14.79	0.030	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	24.35	15.14	0.033	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	24.29	15.08	0.032	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	24.49	15.28	0.034	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	23.49	14.28	0.027	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	22.54	13.33	0.022	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	22.02	12.81	0.019	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	19.94	10.73	0.012	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	22.80	13.59	0.023	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	22.86	13.65	0.023	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	22.96	13.75	0.024	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	21.44	12.23	0.017	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	21.54	12.33	0.017	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	20.98	11.77	0.015	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	17.94	8.73	0.007	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.33	15.12	0.033	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	24.42	15.21	0.033	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	24.47	15.26	0.034	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	24	14.79	0.030	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	24.35	15.14	0.033	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	24.38	15.17	0.033	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	24.52	15.31	0.034	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	23.51	14.30	0.027	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.48	13.27	0.021	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.99	12.78	0.019	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.92	10.71	0.012	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	22.70	13.49	0.022	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	22.91	13.70	0.023	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	23	13.79	0.024	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	21.49	12.28	0.017	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	21.49	12.28	0.017	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	20.98	11.77	0.015	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	17.91	8.70	0.007	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.39	15.18	0.033	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	24.42	15.21	0.033	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	24.51	15.30	0.034	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.98	14.77	0.030	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.38	15.17	0.033	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	24.41	15.20	0.033	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	24.53	15.32	0.034	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	23.50	14.29	0.027	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.48	13.27	0.021	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	22.02	12.81	0.019	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.95	10.74	0.012	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.65	13.44	0.022	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	22.80	13.59	0.023	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.99	13.78	0.024	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	21.49	12.28	0.017	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	21.50	12.29	0.017	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	21	11.79	0.015	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	17.98	8.77	0.008	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.42	15.21	0.033	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	24.39	15.18	0.033	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	24.51	15.30	0.034	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	24.01	14.80	0.030	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	24.41	15.20	0.033	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	24.27	15.06	0.032	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	24.54	15.33	0.034	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	23.52	14.31	0.027	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.47	13.26	0.021	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	22.06	12.85	0.019	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.95	10.74	0.012	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	22.76	13.55	0.023	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	22.85	13.64	0.023	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	22.99	13.78	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	21.47	12.26	0.017	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n12_15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	21.48	12.27	0.017	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	21.01	11.80	0.015	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	17.92	8.71	0.007	3	Pass

**Note:**

**ERP = Conducted Power(dBm) - L<sub>c</sub>(dB) + G<sub>T</sub>(dBd)**

**G<sub>T</sub>(dBd) = G<sub>T</sub>(dBi) - 2.15**

**n12:**

**1.Ant Gain = -7.06dBi;**

**2.C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n38**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM π/2 BPSK_RB12@6	20.66	17.57	0.057	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM π/2 BPSK_RB1@1	<b>21.22</b>	18.13	0.065	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM π/2 BPSK_RB1@23	20.60	17.51	0.056	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM π/2 BPSK_RB25@0	20.16	17.07	0.051	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB12@6	20.71	17.62	0.058	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@1	20.62	17.53	0.057	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@23	20.50	17.41	0.055	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB25@0	19.67	16.58	0.045	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.76	15.67	0.037	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.26	15.17	0.033	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.15	13.06	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB13@6	19.14	16.05	0.040	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@1	19.15	16.06	0.040	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@23	19	15.91	0.039	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB25@0	17.68	14.59	0.029	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 16 QAM_RB25@0	17.64	14.55	0.029	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 64 QAM_RB25@0	17.32	14.23	0.026	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 256 QAM_RB25@0	14.24	11.15	0.013	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.55	17.46	0.056	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.51	17.42	0.055	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.52	17.43	0.055	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.08	16.99	0.050	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	20.61	17.52	0.056	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.52	17.43	0.055	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@23	20.48	17.39	0.055	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB25@0	19.57	16.48	0.044	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 16 QAM_RB25@0	18.62	15.53	0.036	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 64 QAM_RB25@0	18.12	15.03	0.032	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 256 QAM_RB25@0	16.11	13.02	0.020	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB13@6	19.04	15.95	0.039	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@1	19.09	16.00	0.040	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@23	19.04	15.95	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB25@0	17.60	14.51	0.028	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 16 QAM_RB25@0	17.56	14.47	0.028	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 64 QAM_RB25@0	17.14	14.05	0.025	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 256 QAM_RB25@0	14.16	11.07	0.013	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.49	17.40	0.055	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.44	17.35	0.054	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.41	17.32	0.054	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	19.97	16.88	0.049	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB12@6	20.50	17.41	0.055	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@1	20.41	17.32	0.054	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@23	20.35	17.26	0.053	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB25@0	19.48	16.39	0.044	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.51	15.42	0.035	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.06	14.97	0.031	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.02	12.93	0.020	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB13@6	18.91	15.82	0.038	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@1	19.02	15.93	0.039	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@23	18.86	15.77	0.038	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB25@0	17.50	14.41	0.028	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 16 QAM_RB25@0	17.45	14.36	0.027	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 64 QAM_RB25@0	17.08	13.99	0.025	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 256 QAM_RB25@0	13.98	10.89	0.012	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.34	17.25	0.053	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.26	17.17	0.052	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.32	17.23	0.053	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	19.86	16.77	0.048	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	20.40	17.31	0.054	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	20.30	17.21	0.053	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	20.40	17.31	0.054	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	19.33	16.24	0.042	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	18.50	15.41	0.035	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	17.96	14.87	0.031	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	15.78	12.69	0.019	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	18.74	15.65	0.037	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	18.64	15.55	0.036	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	18.56	15.47	0.035	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	17.31	14.22	0.026	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	17.21	14.12	0.026	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	16.89	13.80	0.024	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	13.93	10.84	0.012	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.34	17.25	0.053	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.30	17.21	0.053	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.33	17.24	0.053	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	19.91	16.82	0.048	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	20.45	17.36	0.054	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.35	17.26	0.053	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	20.35	17.26	0.053	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	19.41	16.32	0.043	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	18.49	15.40	0.035	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	18.01	14.92	0.031	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	15.92	12.83	0.019	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	18.70	15.61	0.036	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	18.56	15.47	0.035	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	18.68	15.59	0.036	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	17.41	14.32	0.027	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	17.56	14.47	0.028	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	16.97	13.88	0.024	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	13.90	10.81	0.012	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.37	17.28	0.053	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.32	17.23	0.053	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.36	17.27	0.053	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	19.92	16.83	0.048	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	20.40	17.31	0.054	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	20.36	17.27	0.053	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	20.47	17.38	0.055	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	19.37	16.28	0.042	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	18.55	15.46	0.035	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	18	14.91	0.031	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	15.88	12.79	0.019	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	18.92	15.83	0.038	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	18.78	15.69	0.037	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	18.75	15.66	0.037	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	17.34	14.25	0.027	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	17.20	14.11	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	16.93	13.84	0.024	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	13.82	10.73	0.012	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	20.27	17.18	0.052	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.10	17.01	0.050	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	20.21	17.12	0.052	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	19.82	16.73	0.047	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	20.30	17.21	0.053	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	20.21	17.12	0.052	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	20.28	17.19	0.052	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	19.30	16.21	0.042	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	18.29	15.20	0.033	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	17.84	14.75	0.030	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	15.77	12.68	0.019	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	18.78	15.69	0.037	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	18.55	15.46	0.035	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	18.49	15.40	0.035	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	17.29	14.20	0.026	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	17.26	14.17	0.026	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	16.84	13.75	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	13.88	10.79	0.012	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	20.39	17.30	0.054	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.22	17.13	0.052	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	20.34	17.25	0.053	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	19.85	16.76	0.047	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	20.36	17.27	0.053	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.26	17.17	0.052	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	20.35	17.26	0.053	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	19.36	16.27	0.042	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	18.33	15.24	0.033	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	17.89	14.80	0.030	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	15.88	12.79	0.019	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	18.75	15.66	0.037	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	18.58	15.49	0.035	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	18.66	15.57	0.036	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	17.36	14.27	0.027	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	17.41	14.32	0.027	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	16.92	13.83	0.024	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	13.93	10.84	0.012	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	20.50	17.41	0.055	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.28	17.19	0.052	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	20.38	17.29	0.054	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	19.96	16.87	0.049	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	20.53	17.44	0.055	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	20.41	17.32	0.054	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	20.44	17.35	0.054	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	19.48	16.39	0.044	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	18.64	15.55	0.036	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	17.88	14.79	0.030	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	15.88	12.79	0.019	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	18.95	15.86	0.039	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	18.57	15.48	0.035	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	18.70	15.61	0.036	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	17.38	14.29	0.027	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	17.37	14.28	0.027	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	16.87	13.78	0.024	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	13.95	10.86	0.012	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.12	17.03	0.050	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	20.31	17.22	0.053	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.32	17.23	0.053	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.83	16.74	0.047	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	20.16	17.07	0.051	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	20.32	17.23	0.053	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	20.34	17.25	0.053	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	19.37	16.28	0.042	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	18.33	15.24	0.033	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	17.82	14.73	0.030	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	15.79	12.70	0.019	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	18.54	15.45	0.035	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	18.72	15.63	0.037	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	18.86	15.77	0.038	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	17.31	14.22	0.026	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	17.32	14.23	0.026	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	16.87	13.78	0.024	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	13.87	10.78	0.012	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.23	17.14	0.052	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	20.40	17.31	0.054	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.44	17.35	0.054	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.92	16.83	0.048	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.18	17.09	0.051	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	20.44	17.35	0.054	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	20.46	17.37	0.055	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	19.41	16.32	0.043	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	18.35	15.26	0.034	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	17.94	14.85	0.031	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	15.91	12.82	0.019	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	18.49	15.40	0.035	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	18.80	15.71	0.037	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	18.97	15.88	0.039	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	17.38	14.29	0.027	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	17.43	14.34	0.027	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	16.88	13.79	0.024	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	13.93	10.84	0.012	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.30	17.21	0.053	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	20.45	17.36	0.054	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.48	17.39	0.055	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.01	16.92	0.049	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	20.28	17.19	0.052	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	20.49	17.40	0.055	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	20.45	17.36	0.054	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	19.51	16.42	0.044	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	18.57	15.48	0.035	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	17.90	14.81	0.030	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	15.93	12.84	0.019	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	18.50	15.41	0.035	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	18.82	15.73	0.037	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	19.04	15.95	0.039	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	17.41	14.32	0.027	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	17.38	14.29	0.027	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	16.89	13.80	0.024	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	13.98	10.89	0.012	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.02	16.93	0.049	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	20.32	17.23	0.053	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	20.26	17.17	0.052	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	19.82	16.73	0.047	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@1	20.18	17.09	0.051	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@63	20.43	17.34	0.054	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB32@16	20.21	17.12	0.052	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB64@0	19.40	16.31	0.043	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 16 QAM_RB64@0	18.32	15.23	0.033	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 64 QAM_RB64@0	17.91	14.82	0.030	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 256 QAM_RB64@0	15.90	12.81	0.019	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@1	18.56	15.47	0.035	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@63	18.57	15.48	0.035	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB33@16	18.74	15.65	0.037	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB65@0	17.32	14.23	0.026	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 16 QAM_RB65@0	17.35	14.26	0.027	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 64 QAM_RB65@0	16.76	13.67	0.023	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 256 QAM_RB65@0	13.88	10.79	0.012	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.15	17.06	0.051	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	20.43	17.34	0.054	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	20.32	17.23	0.053	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	19.94	16.85	0.048	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.23	17.14	0.052	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	20.46	17.37	0.055	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	20.37	17.28	0.053	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	19.45	16.36	0.043	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB64@0	18.33	15.24	0.033	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB64@0	17.98	14.89	0.031	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB64@0	15.97	12.88	0.019	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	18.64	15.55	0.036	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@63	18.74	15.65	0.037	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB33@16	18.85	15.76	0.038	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB65@0	17.39	14.30	0.027	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB65@0	17.40	14.31	0.027	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB65@0	16.96	13.87	0.024	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB65@0	13.97	10.88	0.012	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.25	17.16	0.052	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	20.47	17.38	0.055	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	20.40	17.31	0.054	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	19.97	16.88	0.049	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	20.28	17.19	0.052	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	20.47	17.38	0.055	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	20.37	17.28	0.053	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	19.50	16.41	0.044	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	18.36	15.27	0.034	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	17.97	14.88	0.031	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	15.93	12.84	0.019	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	18.55	15.46	0.035	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	18.79	15.70	0.037	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	19.03	15.94	0.039	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	17.38	14.29	0.027	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	17.37	14.28	0.027	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	16.91	13.82	0.024	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	13.96	10.87	0.012	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.05	16.96	0.050	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	20.32	17.23	0.053	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.27	17.18	0.052	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.81	16.72	0.047	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@1	20.13	17.04	0.051	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@76	20.38	17.29	0.054	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB36@18	20.28	17.19	0.052	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB75@0	19.35	16.26	0.042	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 16 QAM_RB75@0	18.33	15.24	0.033	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 64 QAM_RB75@0	17.89	14.80	0.030	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 256 QAM_RB75@0	15.88	12.79	0.019	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	18.56	15.47	0.035	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	18.60	15.51	0.036	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB39@19	18.82	15.73	0.037	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB78@0	17.37	14.28	0.027	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	17.36	14.27	0.027	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	16.85	13.76	0.024	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	13.85	10.76	0.012	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.07	16.98	0.050	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	20.40	17.31	0.054	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.39	17.30	0.054	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.84	16.75	0.047	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.19	17.10	0.051	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@76	20.51	17.42	0.055	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@18	20.34	17.25	0.053	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB75@0	19.39	16.30	0.043	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB75@0	18.35	15.26	0.034	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB75@0	17.88	14.79	0.030	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB75@0	15.91	12.82	0.019	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	18.46	15.37	0.034	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@76	18.69	15.60	0.036	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB39@19	18.84	15.75	0.038	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB78@0	17.38	14.29	0.027	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB78@0	17.43	14.34	0.027	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB78@0	16.95	13.86	0.024	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB78@0	13.93	10.84	0.012	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.24	17.15	0.052	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	20.45	17.36	0.054	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.49	17.40	0.055	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.94	16.85	0.048	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	20.26	17.17	0.052	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	20.52	17.43	0.055	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	20.37	17.28	0.053	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	19.48	16.39	0.044	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	18.35	15.26	0.034	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	17.93	14.84	0.030	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	15.93	12.84	0.019	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	18.46	15.37	0.034	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	18.88	15.79	0.038	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	18.94	15.85	0.038	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	17.43	14.34	0.027	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	17.43	14.34	0.027	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	16.92	13.83	0.024	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	13.87	10.78	0.012	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.79	16.70	0.047	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.52	16.43	0.044	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.40	17.31	0.054	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.26	17.17	0.052	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	19.34	16.25	0.042	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	20.11	17.02	0.050	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	20.49	17.40	0.055	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	20.38	17.29	0.054	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	18.35	15.26	0.034	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	17.81	14.72	0.030	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	15.84	12.75	0.019	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	17.31	14.22	0.026	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	18.44	15.35	0.034	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	18.75	15.66	0.037	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	18.84	15.75	0.038	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	17.33	14.24	0.027	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	16.85	13.76	0.024	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	13.85	10.76	0.012	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.86	16.77	0.048	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.19	17.10	0.051	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.49	17.40	0.055	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.36	17.27	0.053	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	19.35	16.26	0.042	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	20.21	17.12	0.052	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	20.58	17.49	0.056	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	20.33	17.24	0.053	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	18.37	15.28	0.034	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	17.87	14.78	0.030	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	15.89	12.80	0.019	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	17.41	14.32	0.027	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	18.52	15.43	0.035	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	18.81	15.72	0.037	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	18.88	15.79	0.038	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	17.43	14.34	0.027	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	16.90	13.81	0.024	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	13.90	10.81	0.012	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.83	16.74	0.047	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.07	16.98	0.050	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.46	17.37	0.055	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.34	17.25	0.053	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB100@0	19.31	16.22	0.042	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@1	20.17	17.08	0.051	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@104	20.54	17.45	0.056	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB50@25	20.42	17.33	0.054	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	18.34	15.25	0.033	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 64 QAM_RB100@0	17.89	14.80	0.030	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 256 QAM_RB100@0	15.90	12.81	0.019	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	17.37	14.28	0.027	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	18.41	15.32	0.034	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	18.81	15.72	0.037	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	18.86	15.77	0.038	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	17.38	14.29	0.027	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	16.87	13.78	0.024	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	13.88	10.79	0.012	2	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n38:**

**1. Ant Gain = -3.09dBi;**

**2. C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n41**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.47	17.38	0.055	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.29	17.20	0.052	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.34	17.25	0.053	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	20.02	16.93	0.049	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	20.52	17.43	0.055	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	20.45	17.36	0.054	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	20.44	17.35	0.054	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	19.44	16.35	0.043	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	18.60	15.51	0.036	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	17.96	14.87	0.031	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	15.86	12.77	0.019	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	18.93	15.84	0.038	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	18.81	15.72	0.037	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	18.74	15.65	0.037	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	17.35	14.26	0.027	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	17.37	14.28	0.027	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	16.90	13.81	0.024	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	13.83	10.74	0.012	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.33	17.24	0.053	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.20	17.11	0.051	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.29	17.20	0.052	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	19.83	16.74	0.047	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	20.41	17.32	0.054	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.22	17.13	0.052	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	20.33	17.24	0.053	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	19.32	16.23	0.042	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	18.46	15.37	0.034	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	18.03	14.94	0.031	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	15.85	12.76	0.019	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	18.85	15.76	0.038	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.67	15.58	0.036	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	18.59	15.50	0.035	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	17.33	14.24	0.027	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	17.39	14.30	0.027	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	16.91	13.82	0.024	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	13.87	10.78	0.012	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.79	16.70	0.047	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.88	16.79	0.048	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	19.91	16.82	0.048	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	19.49	16.40	0.044	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	20.03	16.94	0.049	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	19.93	16.84	0.048	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	20.02	16.93	0.049	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	18.96	15.87	0.039	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	18.12	15.03	0.032	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	17.47	14.38	0.027	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	15.47	12.38	0.017	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	18.58	15.49	0.035	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	18.29	15.20	0.033	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	18.35	15.26	0.034	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	16.97	13.88	0.024	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	17.06	13.97	0.025	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	16.55	13.46	0.022	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	13.52	10.43	0.011	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	20.42	17.33	0.054	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.76	16.67	0.046	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	20.29	17.20	0.052	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	19.95	16.86	0.049	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	20.34	17.25	0.053	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	20.37	17.28	0.053	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	20.31	17.22	0.053	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	19.38	16.29	0.043	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	18.35	15.26	0.034	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	17.80	14.71	0.030	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	15.79	12.70	0.019	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	18.90	15.81	0.038	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	18.60	15.51	0.036	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	18.59	15.50	0.035	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	17.29	14.20	0.026	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	17.33	14.24	0.027	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	16.84	13.75	0.024	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	13.82	10.73	0.012	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	20.36	17.27	0.053	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.19	17.10	0.051	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	20.29	17.20	0.052	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	19.84	16.75	0.047	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	20.32	17.23	0.053	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.18	17.09	0.051	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	20.35	17.26	0.053	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	19.34	16.25	0.042	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	18.35	15.26	0.034	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	17.87	14.78	0.030	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	15.82	12.73	0.019	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	18.83	15.74	0.037	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.67	15.58	0.036	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	18.56	15.47	0.035	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	17.29	14.20	0.026	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	17.31	14.22	0.026	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	16.75	13.66	0.023	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	13.89	10.80	0.012	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	19.93	16.84	0.048	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.80	16.71	0.047	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	19.92	16.83	0.048	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	19.45	16.36	0.043	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	19.85	16.76	0.047	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	19.83	16.74	0.047	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	20	16.91	0.049	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	19.11	16.02	0.040	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	17.90	14.81	0.030	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	17.47	14.38	0.027	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	15.43	12.34	0.017	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	18.26	15.17	0.033	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	18.25	15.16	0.033	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	18.22	15.13	0.033	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	16.94	13.85	0.024	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	16.96	13.87	0.024	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	16.50	13.41	0.022	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	13.53	10.44	0.011	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.28	17.19	0.052	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	20.26	17.17	0.052	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.28	17.19	0.052	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.87	16.78	0.048	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	20.35	17.26	0.053	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	20.37	17.28	0.053	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	20.37	17.28	0.053	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	19.42	16.33	0.043	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	18.36	15.27	0.034	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	17.78	14.69	0.029	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	15.80	12.71	0.019	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	18.61	15.52	0.036	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	18.65	15.56	0.036	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	18.88	15.79	0.038	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	17.24	14.15	0.026	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	17.34	14.25	0.027	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	16.82	13.73	0.024	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	13.86	10.77	0.012	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.17	17.08	0.051	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	20.28	17.19	0.052	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.50	17.41	0.055	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.89	16.80	0.048	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.22	17.13	0.052	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	20.37	17.28	0.053	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	20.37	17.28	0.053	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	19.41	16.32	0.043	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	18.39	15.30	0.034	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	17.87	14.78	0.030	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	15.88	12.79	0.019	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.51	15.42	0.035	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	18.48	15.39	0.035	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	18.87	15.78	0.038	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	17.33	14.24	0.027	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	17.37	14.28	0.027	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	16.86	13.77	0.024	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	13.90	10.81	0.012	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.80	16.71	0.047	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	19.97	16.88	0.049	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.11	17.02	0.050	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.38	16.29	0.043	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	19.88	16.79	0.048	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	20	16.91	0.049	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	19.93	16.84	0.048	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	19.05	15.96	0.039	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	17.92	14.83	0.030	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	17.46	14.37	0.027	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	15.46	12.37	0.017	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	18.26	15.17	0.033	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	18.45	15.36	0.034	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	18.49	15.40	0.035	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	16.94	13.85	0.024	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	17.06	13.97	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	16.42	13.33	0.022	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	13.52	10.43	0.011	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.10	17.01	0.050	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	20.02	16.93	0.049	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.40	17.31	0.054	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.80	16.71	0.047	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	20.35	17.26	0.053	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	20.21	17.12	0.052	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	20.25	17.16	0.052	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	19.29	16.20	0.042	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	18.24	15.15	0.033	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	17.78	14.69	0.029	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	15.75	12.66	0.018	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	18.67	15.58	0.036	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	18.46	15.37	0.034	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	18.84	15.75	0.038	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	17.27	14.18	0.026	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	17.28	14.19	0.026	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	16.73	13.64	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	13.76	10.67	0.012	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.07	16.98	0.050	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	20.37	17.28	0.053	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.32	17.23	0.053	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.77	16.68	0.047	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.14	17.05	0.051	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	20.45	17.36	0.054	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	20.36	17.27	0.053	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	19.38	16.29	0.043	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	18.35	15.26	0.034	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	17.86	14.77	0.030	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	15.83	12.74	0.019	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.52	15.43	0.035	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	18.59	15.50	0.035	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	18.86	15.77	0.038	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	17.37	14.28	0.027	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	17.39	14.30	0.027	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	16.90	13.81	0.024	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	13.86	10.77	0.012	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.74	16.65	0.046	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	19.87	16.78	0.048	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.76	16.67	0.046	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.33	16.24	0.042	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	19.80	16.71	0.047	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	19.92	16.83	0.048	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	19.74	16.65	0.046	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	18.91	15.82	0.038	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	17.93	14.84	0.030	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	17.47	14.38	0.027	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	15.45	12.36	0.017	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	18.02	14.93	0.031	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	18.22	15.13	0.033	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	18.36	15.27	0.034	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	16.96	13.87	0.024	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	16.96	13.87	0.024	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	16.46	13.37	0.022	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	13.50	10.41	0.011	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.78	16.69	0.047	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.21	17.12	0.052	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.09	17.00	0.050	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.25	17.16	0.052	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	19.35	16.26	0.042	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	20.36	17.27	0.053	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	20.14	17.05	0.051	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	20.29	17.20	0.052	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	18.26	15.17	0.033	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	17.80	14.71	0.030	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	15.79	12.70	0.019	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	17.26	14.17	0.026	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	18.69	15.60	0.036	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	18.46	15.37	0.034	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	18.80	15.71	0.037	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	17.31	14.22	0.026	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	16.77	13.68	0.023	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	13.78	10.69	0.012	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.89	16.80	0.048	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.06	16.97	0.050	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.45	17.36	0.054	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.44	17.35	0.054	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	19.40	16.31	0.043	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.14	17.05	0.051	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	20.51	17.42	0.055	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	20.37	17.28	0.053	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	18.40	15.31	0.034	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	17.85	14.76	0.030	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	15.85	12.76	0.019	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	17.41	14.32	0.027	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.44	15.35	0.034	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	18.63	15.54	0.036	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	18.86	15.77	0.038	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	17.39	14.30	0.027	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	16.91	13.82	0.024	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	13.90	10.81	0.012	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.45	16.36	0.043	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.89	16.80	0.048	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.88	16.79	0.048	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.90	16.81	0.048	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	18.98	15.89	0.039	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	19.97	16.88	0.049	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	19.92	16.83	0.048	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	19.87	16.78	0.048	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	18.02	14.93	0.031	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	17.52	14.43	0.028	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	15.48	12.39	0.017	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	17	13.91	0.025	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	18.25	15.16	0.033	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	18.11	15.02	0.032	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	18.37	15.28	0.034	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	17.06	13.97	0.025	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	16.50	13.41	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	13.53	10.44	0.011	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	19.85	16.76	0.047	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.13	17.04	0.051	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	19.95	16.86	0.049	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	20.20	17.11	0.051	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	19.27	16.18	0.041	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	20.25	17.16	0.052	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	20.02	16.93	0.049	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	20.23	17.14	0.052	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	18.24	15.15	0.033	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	17.73	14.64	0.029	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	15.73	12.64	0.018	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	17.24	14.15	0.026	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	18.66	15.57	0.036	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	18.46	15.37	0.034	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	18.74	15.65	0.037	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	17.24	14.15	0.026	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	16.72	13.63	0.023	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	13.73	10.64	0.012	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	19.88	16.79	0.048	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.06	16.97	0.050	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	20.45	17.36	0.054	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	20.33	17.24	0.053	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	19.37	16.28	0.042	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.01	16.92	0.049	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	20.49	17.40	0.055	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	20.33	17.24	0.053	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	18.40	15.31	0.034	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	17.87	14.78	0.030	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	15.89	12.80	0.019	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	17.35	14.26	0.027	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.32	15.23	0.033	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	18.77	15.68	0.037	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	18.80	15.71	0.037	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	17.34	14.25	0.027	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	16.88	13.79	0.024	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	13.89	10.80	0.012	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	19.48	16.39	0.044	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.89	16.80	0.048	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	19.75	16.66	0.046	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	19.93	16.84	0.048	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	18.89	15.80	0.038	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	19.98	16.89	0.049	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	19.93	16.84	0.048	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	19.90	16.81	0.048	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	18.02	14.93	0.031	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	17.52	14.43	0.028	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	15.55	12.46	0.018	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	17	13.91	0.025	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	18.20	15.11	0.032	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	18.15	15.06	0.032	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	18.49	15.40	0.035	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	17.01	13.92	0.025	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	16.51	13.42	0.022	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	13.52	10.43	0.011	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	19.74	16.65	0.046	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.23	17.14	0.052	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	20.10	17.01	0.050	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	20.18	17.09	0.051	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	19.22	16.13	0.041	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	20.25	17.16	0.052	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	20.15	17.06	0.051	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	20.16	17.07	0.051	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	18.24	15.15	0.033	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	17.71	14.62	0.029	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	15.75	12.66	0.018	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	17.17	14.08	0.026	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	18.51	15.42	0.035	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	18.48	15.39	0.035	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	18.73	15.64	0.037	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	17.23	14.14	0.026	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	16.73	13.64	0.023	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	13.74	10.65	0.012	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	19.81	16.72	0.047	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20	16.91	0.049	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	20.45	17.36	0.054	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	20.35	17.26	0.053	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	19.29	16.20	0.042	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	19.99	16.90	0.049	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	<b>20.54</b>	17.45	0.056	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	20.33	17.24	0.053	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	18.30	15.21	0.033	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	17.91	14.82	0.030	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	15.87	12.78	0.019	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	17.36	14.27	0.027	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.27	15.18	0.033	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	18.80	15.71	0.037	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	18.90	15.81	0.038	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	17.36	14.27	0.027	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	16.80	13.71	0.023	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	13.87	10.78	0.012	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	19.38	16.29	0.043	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.89	16.80	0.048	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	19.91	16.82	0.048	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	20.01	16.92	0.049	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	18.98	15.89	0.039	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	19.94	16.85	0.048	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	19.99	16.90	0.049	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	20	16.91	0.049	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	18.08	14.99	0.032	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	17.52	14.43	0.028	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	15.54	12.45	0.018	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	17.01	13.92	0.025	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	18.21	15.12	0.033	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	18.22	15.13	0.033	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	18.58	15.49	0.035	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	17.04	13.95	0.025	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	16.48	13.39	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	13.48	10.39	0.011	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	20.27	17.18	0.052	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.31	17.22	0.053	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	20.22	17.13	0.052	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.82	16.73	0.047	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	20.26	17.17	0.052	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	20.40	17.31	0.054	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	20.32	17.23	0.053	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	19.32	16.23	0.042	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	18.31	15.22	0.033	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	17.81	14.72	0.030	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	15.81	12.72	0.019	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	18.76	15.67	0.037	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	18.77	15.68	0.037	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	18.68	15.59	0.036	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	17.32	14.23	0.026	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	17.31	14.22	0.026	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	16.82	13.73	0.024	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	13.83	10.74	0.012	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	20.33	17.24	0.053	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20	16.91	0.049	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	20.42	17.33	0.054	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.82	16.73	0.047	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	20.34	17.25	0.053	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.05	16.96	0.050	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	20.51	17.42	0.055	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	19.31	16.22	0.042	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	18.40	15.31	0.034	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	17.87	14.78	0.030	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	15.89	12.80	0.019	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	18.89	15.80	0.038	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.36	15.27	0.034	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	18.84	15.75	0.038	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	17.40	14.31	0.027	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	17.39	14.30	0.027	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	16.92	13.83	0.024	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	13.87	10.78	0.012	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	19.98	16.89	0.049	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.07	16.98	0.050	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	20.03	16.94	0.049	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.44	16.35	0.043	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	20.01	16.92	0.049	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	20.19	17.10	0.051	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	20.23	17.14	0.052	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	19.10	16.01	0.040	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	18.16	15.07	0.032	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	17.64	14.55	0.029	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	15.62	12.53	0.018	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	18.48	15.39	0.035	2	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	18.53	15.44	0.035	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	18.50	15.41	0.035	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	17.10	14.01	0.025	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	17.08	13.99	0.025	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	16.54	13.45	0.022	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	13.60	10.51	0.011	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	20.25	17.16	0.052	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.23	17.14	0.052	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	20.40	17.31	0.054	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	19.78	16.69	0.047	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	20.31	17.22	0.053	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	20.31	17.22	0.053	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	20.48	17.39	0.055	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	19.34	16.25	0.042	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	18.33	15.24	0.033	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	17.83	14.74	0.030	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	15.83	12.74	0.019	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	18.75	15.66	0.037	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	18.74	15.65	0.037	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	18.62	15.53	0.036	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	17.32	14.23	0.026	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	17.28	14.19	0.026	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	16.84	13.75	0.024	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	13.84	10.75	0.012	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	20.36	17.27	0.053	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.97	16.88	0.049	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	20.39	17.30	0.054	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	19.88	16.79	0.048	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	20.34	17.25	0.053	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	19.99	16.90	0.049	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	20.47	17.38	0.055	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	19.37	16.28	0.042	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	18.41	15.32	0.034	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	17.91	14.82	0.030	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	15.89	12.80	0.019	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	18.83	15.74	0.037	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.26	15.17	0.033	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	18.79	15.70	0.037	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	17.38	14.29	0.027	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	17.37	14.28	0.027	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	16.83	13.74	0.024	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	13.84	10.75	0.012	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	20.06	16.97	0.050	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.90	16.81	0.048	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	20.09	17.00	0.050	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	19.47	16.38	0.043	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	20.06	16.97	0.050	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	20.01	16.92	0.049	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	20.17	17.08	0.051	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	19.14	16.05	0.040	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	18.16	15.07	0.032	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	17.60	14.51	0.028	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	15.65	12.56	0.018	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	18.65	15.56	0.036	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	18.27	15.18	0.033	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	18.65	15.56	0.036	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	17.06	13.97	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	17.07	13.98	0.025	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	16.53	13.44	0.022	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	13.55	10.46	0.011	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	20.20	17.11	0.051	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.19	17.10	0.051	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	20.53	17.44	0.055	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	19.86	16.77	0.048	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	20.23	17.14	0.052	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	20.37	17.28	0.053	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	20.46	17.37	0.055	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	19.32	16.23	0.042	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	18.30	15.21	0.033	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	17.84	14.75	0.030	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	15.81	12.72	0.019	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	18.73	15.64	0.037	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	18.80	15.71	0.037	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	18.82	15.73	0.037	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	17.30	14.21	0.026	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	17.29	14.20	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	16.84	13.75	0.024	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	13.89	10.80	0.012	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	20.28	17.19	0.052	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.06	16.97	0.050	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	20.38	17.29	0.054	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	19.79	16.70	0.047	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	20.25	17.16	0.052	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.02	16.93	0.049	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	20.50	17.41	0.055	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	19.38	16.29	0.043	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	18.40	15.31	0.034	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	17.88	14.79	0.030	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	15.84	12.75	0.019	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	18.79	15.70	0.037	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	18.43	15.34	0.034	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	18.71	15.62	0.036	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	17.38	14.29	0.027	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	17.33	14.24	0.027	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	16.84	13.75	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	13.81	10.72	0.012	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	20.14	17.05	0.051	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.05	16.96	0.050	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	20.30	17.21	0.053	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	19.50	16.41	0.044	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	20.10	17.01	0.050	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	20.06	16.97	0.050	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	20.25	17.16	0.052	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	19.04	15.95	0.039	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	18.16	15.07	0.032	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	17.65	14.56	0.029	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	15.63	12.54	0.018	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	18.59	15.50	0.035	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	18.32	15.23	0.033	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	18.52	15.43	0.035	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	17.12	14.03	0.025	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	17.05	13.96	0.025	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	16.57	13.48	0.022	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	13.59	10.50	0.011	2	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n41:**

**1. Ant Gain = -3.09dBi;**

**2. C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n66**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB12@6	17.01	13.97	0.025	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB1@1	16.89	13.85	0.024	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB1@23	16.92	13.88	0.024	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB25@0	16.54	13.50	0.022	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	16.99	13.95	0.025	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	16.95	13.91	0.025	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	16.90	13.86	0.024	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	16.04	13.00	0.020	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15	11.96	0.016	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.61	11.57	0.014	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.58	9.54	0.009	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	15.53	12.49	0.018	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	15.44	12.40	0.017	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	15.32	12.28	0.017	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	14.09	11.05	0.013	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	14.09	11.05	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	13.60	10.56	0.011	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	10.57	7.53	0.006	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.13	14.09	0.026	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	13.90	0.025	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.08	14.04	0.025	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.64	13.60	0.023	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	17.11	14.07	0.026	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.92	13.88	0.024	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	17.05	14.01	0.025	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	16.14	13.10	0.020	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	15.06	12.02	0.016	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	14.70	11.66	0.015	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	12.58	9.54	0.009	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	15.57	12.53	0.018	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.36	12.32	0.017	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	15.47	12.43	0.017	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	14.18	11.14	0.013	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	14.14	11.10	0.013	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	13.67	10.63	0.012	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	10.62	7.58	0.006	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.99	13.95	0.025	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	13.88	0.024	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.91	13.87	0.024	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.55	13.51	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	16.98	13.94	0.025	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	16.90	13.86	0.024	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	16.87	13.83	0.024	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	16.06	13.02	0.020	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.95	11.91	0.016	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.58	11.54	0.014	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.50	9.46	0.009	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	15.42	12.38	0.017	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	15.39	12.35	0.017	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	15.36	12.32	0.017	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	14.04	11.00	0.013	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	14.04	11.00	0.013	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	13.60	10.56	0.011	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	10.53	7.49	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	13.95	0.025	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.98	13.94	0.025	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.97	13.93	0.025	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.52	13.48	0.022	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	17.05	14.01	0.025	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	17.02	13.98	0.025	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	17.02	13.98	0.025	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	16.04	13.00	0.020	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	15.06	12.02	0.016	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	14.56	11.52	0.014	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	12.54	9.50	0.009	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	15.53	12.49	0.018	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	15.47	12.43	0.017	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	15.46	12.42	0.017	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	14.12	11.08	0.013	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	14.13	11.09	0.013	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	13.55	10.51	0.011	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	10.57	7.53	0.006	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17	13.96	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.10	14.06	0.025	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.07	14.03	0.025	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.55	13.51	0.022	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.94	13.90	0.025	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	17.14	14.10	0.026	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	17.04	14.00	0.025	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	16.05	13.01	0.020	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	15.09	12.05	0.016	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	14.65	11.61	0.014	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	12.61	9.57	0.009	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.42	12.38	0.017	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	15.64	12.60	0.018	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	15.52	12.48	0.018	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	14.10	11.06	0.013	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	14.16	11.12	0.013	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	13.62	10.58	0.011	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	10.62	7.58	0.006	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.01	13.97	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.05	14.01	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.03	13.99	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.55	13.51	0.022	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	17.01	13.97	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	16.99	13.95	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	17.04	14.00	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	16.07	13.03	0.020	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	15.07	12.03	0.016	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	14.53	11.49	0.014	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	12.54	9.50	0.009	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	15.43	12.39	0.017	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	15.45	12.41	0.017	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	15.50	12.46	0.018	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	14.06	11.02	0.013	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	14.09	11.05	0.013	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	13.52	10.48	0.011	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	10.53	7.49	0.006	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	13.84	0.024	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.88	13.84	0.024	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17	13.96	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.54	13.50	0.022	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	16.95	13.91	0.025	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	16.88	13.84	0.024	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	17.03	13.99	0.025	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	16.03	12.99	0.020	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.02	11.98	0.016	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.62	11.58	0.014	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.60	9.56	0.009	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	15.45	12.41	0.017	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	15.32	12.28	0.017	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	15.60	12.56	0.018	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	14.19	11.15	0.013	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	14.16	11.12	0.013	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	13.63	10.59	0.011	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	10.62	7.58	0.006	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	13.82	0.024	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.05	14.01	0.025	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.04	14.00	0.025	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.56	13.52	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.85	13.81	0.024	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	17.06	14.02	0.025	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	17.03	13.99	0.025	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	16.05	13.01	0.020	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	15.05	12.01	0.016	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	14.67	11.63	0.015	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	12.61	9.57	0.009	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.30	12.26	0.017	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	15.49	12.45	0.018	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	15.60	12.56	0.018	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	14.23	11.19	0.013	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	14.16	11.12	0.013	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	13.65	10.61	0.012	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	10.58	7.54	0.006	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17	13.96	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.98	13.94	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.04	14.00	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.57	13.53	0.023	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	16.98	13.94	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	16.95	13.91	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	17.06	14.02	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	16.06	13.02	0.020	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.02	11.98	0.016	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.59	11.55	0.014	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.55	9.51	0.009	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	15.46	12.42	0.017	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	15.43	12.39	0.017	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	15.56	12.52	0.018	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	14.09	11.05	0.013	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	14.07	11.03	0.013	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	13.59	10.55	0.011	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	10.52	7.48	0.006	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.54	13.50	0.022	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	13.82	0.024	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.89	13.85	0.024	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.96	13.92	0.025	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	15.99	12.95	0.020	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	16.94	13.90	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	16.99	13.95	0.025	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	16.98	13.94	0.025	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	14.97	11.93	0.016	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	14.56	11.52	0.014	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	12.57	9.53	0.009	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	14.12	11.08	0.013	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	15.37	12.33	0.017	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	15.32	12.28	0.017	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	15.54	12.50	0.018	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	14.09	11.05	0.013	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	13.62	10.58	0.011	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	10.58	7.54	0.006	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.58	13.54	0.023	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.79	13.75	0.024	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.02	13.98	0.025	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.07	14.03	0.025	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	16.09	13.05	0.020	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.82	13.78	0.024	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	17.08	14.04	0.025	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	17.07	14.03	0.025	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	15.06	12.02	0.016	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	14.62	11.58	0.014	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	12.59	9.55	0.009	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	14.19	11.15	0.013	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.25	12.21	0.017	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	15.51	12.47	0.018	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	15.58	12.54	0.018	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	14.13	11.09	0.013	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	13.64	10.60	0.011	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	10.64	7.60	0.006	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.57	13.53	0.023	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	13.95	0.025	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.93	13.89	0.024	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.09	14.05	0.025	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	16.09	13.05	0.020	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	17	13.96	0.025	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	16.93	13.89	0.024	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	17.11	14.07	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	15.08	12.04	0.016	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	14.60	11.56	0.014	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	12.57	9.53	0.009	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	14.15	11.11	0.013	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	15.46	12.42	0.017	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	15.34	12.30	0.017	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	15.61	12.57	0.018	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	14.07	11.03	0.013	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	13.56	10.52	0.011	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	10.57	7.53	0.006	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.66	13.62	0.023	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	13.87	0.024	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.97	13.93	0.025	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.08	14.04	0.025	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	16.16	13.12	0.021	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	16.94	13.90	0.025	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	17.02	13.98	0.025	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	17.11	14.07	0.026	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	15.16	12.12	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	14.71	11.67	0.015	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	12.74	9.70	0.009	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	14.21	11.17	0.013	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	15.41	12.37	0.017	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	15.52	12.48	0.018	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	15.62	12.58	0.018	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	14.24	11.20	0.013	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	13.73	10.69	0.012	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	10.74	7.70	0.006	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.69	13.65	0.023	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.81	0.024	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.15	14.11	0.026	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.17	14.13	0.026	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	16.19	13.15	0.021	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.91	13.87	0.024	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	17.13	14.09	0.026	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	17.19	14.15	0.026	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	15.17	12.13	0.016	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	14.73	11.69	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	12.69	9.65	0.009	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	14.21	11.17	0.013	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.31	12.27	0.017	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	15.51	12.47	0.018	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	15.68	12.64	0.018	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	14.20	11.16	0.013	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	13.68	10.64	0.012	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	10.70	7.66	0.006	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.68	13.64	0.023	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.01	13.97	0.025	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.99	13.95	0.025	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.17	14.13	0.026	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	16.20	13.16	0.021	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	17.01	13.97	0.025	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	16.99	13.95	0.025	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	17.18	14.14	0.026	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	15.19	12.15	0.016	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	14.75	11.71	0.015	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	12.70	9.66	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	14.21	11.17	0.013	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	15.41	12.37	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	15.36	12.32	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	15.67	12.63	0.018	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	14.20	11.16	0.013	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	13.68	10.64	0.012	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	10.70	7.66	0.006	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.66	13.62	0.023	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	13.95	0.025	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17.14	14.10	0.026	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.10	14.06	0.025	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	16.14	13.10	0.020	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	16.98	13.94	0.025	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	17.07	14.03	0.025	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	17.17	14.13	0.026	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	15.10	12.06	0.016	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	14.71	11.67	0.015	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	12.70	9.66	0.009	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	14.16	11.12	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	15.47	12.43	0.017	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	15.62	12.58	0.018	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	15.64	12.60	0.018	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	14.20	11.16	0.013	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	13.71	10.67	0.012	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	10.70	7.66	0.006	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.71	13.67	0.023	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	13.86	0.024	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17.22	14.18	0.026	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.17	14.13	0.026	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	16.20	13.16	0.021	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.89	13.85	0.024	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	17.20	14.16	0.026	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	17.17	14.13	0.026	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	15.15	12.11	0.016	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	14.74	11.70	0.015	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	12.74	9.70	0.009	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	14.22	11.18	0.013	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.33	12.29	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	15.66	12.62	0.018	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	15.65	12.61	0.018	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	14.21	11.17	0.013	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	13.71	10.67	0.012	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	10.68	7.64	0.006	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.71	13.67	0.023	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.02	13.98	0.025	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17	13.96	0.025	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.19	14.15	0.026	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	16.18	13.14	0.021	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	17.02	13.98	0.025	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	17	13.96	0.025	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	17.19	14.15	0.026	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	15.14	12.10	0.016	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	14.72	11.68	0.015	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	12.71	9.67	0.009	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	14.20	11.16	0.013	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	15.47	12.43	0.017	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	15.46	12.42	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	15.67	12.63	0.018	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	14.17	11.13	0.013	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	13.72	10.68	0.012	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	10.68	7.64	0.006	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.12	14.08	0.026	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	13.85	0.024	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	<b>17.23</b>	14.19	0.026	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.62	13.58	0.023	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	17.14	14.10	0.026	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	16.96	13.92	0.025	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	17.21	14.17	0.026	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	16.13	13.09	0.020	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	15.10	12.06	0.016	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	14.65	11.61	0.014	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	12.69	9.65	0.009	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	15.63	12.59	0.018	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	15.37	12.33	0.017	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	15.65	12.61	0.018	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	14.20	11.16	0.013	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	14.16	11.12	0.013	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	13.68	10.64	0.012	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	10.66	7.62	0.006	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.20	14.16	0.026	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.80	0.024	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	17.16	14.12	0.026	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.66	13.62	0.023	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	17.16	14.12	0.026	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	16.80	13.76	0.024	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	<b>17.23</b>	14.19	0.026	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	16.17	13.13	0.021	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	15.16	12.12	0.016	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	14.70	11.66	0.015	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	12.70	9.66	0.009	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	15.67	12.63	0.018	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.28	12.24	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	15.67	12.63	0.018	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	14.15	11.11	0.013	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	14.14	11.10	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	13.68	10.64	0.012	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	10.65	7.61	0.006	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.21	14.17	0.026	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	13.84	0.024	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	17.01	13.97	0.025	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.65	13.61	0.023	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	17.22	14.18	0.026	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	16.94	13.90	0.025	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	17.02	13.98	0.025	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	16.20	13.16	0.021	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	15.19	12.15	0.016	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	14.69	11.65	0.015	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	12.70	9.66	0.009	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	15.72	12.68	0.019	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	15.32	12.28	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	15.44	12.40	0.017	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	14.26	11.22	0.013	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	14.23	11.19	0.013	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	13.71	10.67	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	10.66	7.62	0.006	1	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n66:**

**1.Ant Gain = -3.04dBi;**

**2.C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n77\_1**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB12@6	16.91	13.99	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB1@1	16.86	13.94	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB1@22	16.95	14.03	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB24@0	16.38	13.46	0.022	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	17.01	14.09	0.026	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	16.81	13.89	0.024	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	16.88	13.96	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	15.90	12.98	0.020	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	14.64	11.72	0.015	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	14.68	11.76	0.015	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	12.40	9.48	0.009	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	15.42	12.50	0.018	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	15.33	12.41	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	15.28	12.36	0.017	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	13.68	10.76	0.012	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	13.84	10.92	0.012	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	13.43	10.51	0.011	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	10.19	7.27	0.005	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.85	13.93	0.025	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.00	0.025	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.88	13.96	0.025	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.43	13.51	0.022	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	16.79	13.87	0.024	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.84	13.92	0.025	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	16.79	13.87	0.024	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	15.89	12.97	0.020	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	14.96	12.04	0.016	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	14.41	11.49	0.014	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	12.44	9.52	0.009	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	15.44	12.52	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.38	12.46	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	15.40	12.48	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	13.92	11.00	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	13.98	11.06	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	13.57	10.65	0.012	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	10.23	7.31	0.005	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.65	13.73	0.024	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.71	0.023	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.61	13.69	0.023	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.09	13.17	0.021	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	16.61	13.69	0.023	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	16.52	13.60	0.023	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	16.55	13.63	0.023	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	15.59	12.67	0.018	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	14.49	11.57	0.014	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	14.24	11.32	0.014	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	12.13	9.21	0.008	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	15.30	12.38	0.017	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	15	12.08	0.016	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	15.11	12.19	0.017	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	13.70	10.78	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	13.65	10.73	0.012	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	13.40	10.48	0.011	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	10.09	7.17	0.005	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.62	13.70	0.023	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.71	0.023	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.68	13.76	0.024	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.17	13.25	0.021	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	16.68	13.76	0.024	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	16.64	13.72	0.024	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	16.65	13.73	0.024	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	15.78	12.86	0.019	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.74	11.82	0.015	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.23	11.31	0.014	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.14	9.22	0.008	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	15.16	12.24	0.017	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	15.10	12.18	0.017	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	15.17	12.25	0.017	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	13.65	10.73	0.012	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	13.81	10.89	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	13.25	10.33	0.011	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	10.10	7.18	0.005	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.76	13.84	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	13.85	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.64	13.72	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.25	13.33	0.022	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	16.79	13.87	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.79	13.87	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	16.79	13.87	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	15.82	12.90	0.019	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	14.89	11.97	0.016	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	14.38	11.46	0.014	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	12.23	9.31	0.009	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	15.28	12.36	0.017	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.28	12.36	0.017	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	15.32	12.40	0.017	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	13.84	10.92	0.012	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	13.80	10.88	0.012	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	13.27	10.35	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	10.34	7.42	0.006	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.50	13.58	0.023	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.65	0.023	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.49	13.57	0.023	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.05	13.13	0.021	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	16.55	13.63	0.023	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	16.54	13.62	0.023	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	16.45	13.53	0.023	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	15.59	12.67	0.018	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.61	11.69	0.015	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.16	11.24	0.013	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.01	9.09	0.008	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	15.08	12.16	0.016	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	15.03	12.11	0.016	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	15.07	12.15	0.016	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	13.59	10.67	0.012	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	13.60	10.68	0.012	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	12.93	10.01	0.010	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	10.03	7.11	0.005	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.65	0.023	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.69	13.77	0.024	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.79	13.87	0.024	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.74	12.82	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	17.23	14.31	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	16.78	13.86	0.024	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	16.71	13.79	0.024	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	15.73	12.81	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	15.19	12.27	0.017	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	14.71	11.79	0.015	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	12.78	9.86	0.010	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	15.73	12.81	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	15.32	12.40	0.017	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	15.27	12.35	0.017	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	13.81	10.89	0.012	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	14.27	11.35	0.014	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	13.76	10.84	0.012	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	10.80	7.88	0.006	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	13.85	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.70	13.78	0.024	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.87	13.95	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.36	13.44	0.022	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.03	14.11	0.026	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	16.72	13.80	0.024	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	16.77	13.85	0.024	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	15.76	12.84	0.019	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	14.82	11.90	0.015	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	14.31	11.39	0.014	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	12.24	9.32	0.009	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.22	12.30	0.017	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	15.25	12.33	0.017	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	15.38	12.46	0.018	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	13.80	10.88	0.012	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	13.73	10.81	0.012	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	13.32	10.40	0.011	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	10.25	7.33	0.005	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.65	0.023	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.50	13.58	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.64	13.72	0.024	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.09	13.17	0.021	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.59	0.023	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	16.49	13.57	0.023	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	16.52	13.60	0.023	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	15.52	12.60	0.018	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	14.60	11.68	0.015	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	14.02	11.10	0.013	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	12	9.08	0.008	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	15.13	12.21	0.017	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	14.99	12.07	0.016	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	15.06	12.14	0.016	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	13.56	10.64	0.012	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	13.48	10.56	0.011	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	13.07	10.15	0.010	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	9.85	6.93	0.005	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.61	13.69	0.023	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.73	13.81	0.024	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.67	13.75	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.20	13.28	0.021	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	16.57	13.65	0.023	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	16.71	13.79	0.024	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	16.71	13.79	0.024	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	15.70	12.78	0.019	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	14.70	11.78	0.015	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	14.19	11.27	0.013	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	12.20	9.28	0.008	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	15.13	12.21	0.017	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	15.25	12.33	0.017	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	15.22	12.30	0.017	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	13.73	10.81	0.012	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	13.70	10.78	0.012	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	13.23	10.31	0.011	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	10.23	7.31	0.005	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.67	13.75	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.66	13.74	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.77	13.85	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.21	13.29	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.67	13.75	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	16.67	13.75	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	16.68	13.76	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	15.75	12.83	0.019	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	14.71	11.79	0.015	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	14.24	11.32	0.014	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	12.26	9.34	0.009	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.17	12.25	0.017	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	15.12	12.20	0.017	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	15.20	12.28	0.017	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	13.76	10.84	0.012	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	13.74	10.82	0.012	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	13.30	10.38	0.011	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	10.25	7.33	0.005	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.51	13.59	0.023	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.46	13.54	0.023	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.53	13.61	0.023	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.06	13.14	0.021	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	16.57	13.65	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	16.44	13.52	0.022	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	16.47	13.55	0.023	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	15.55	12.63	0.018	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	14.55	11.63	0.015	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	14.06	11.14	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	11.98	9.06	0.008	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	14.98	12.06	0.016	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	14.94	12.02	0.016	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	15.06	12.14	0.016	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	13.60	10.68	0.012	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	13.56	10.64	0.012	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	13.06	10.14	0.010	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	10.06	7.14	0.005	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.14	13.22	0.021	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.58	13.66	0.023	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.74	13.82	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.75	13.83	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	15.68	12.76	0.019	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.45	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	16.73	13.81	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	16.74	13.82	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	14.65	11.73	0.015	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	14.15	11.23	0.013	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	12.15	9.23	0.008	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	13.76	10.84	0.012	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	15.08	12.16	0.016	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	15.27	12.35	0.017	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	15.25	12.33	0.017	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	13.62	10.70	0.012	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	13.23	10.31	0.011	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	10.24	7.32	0.005	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.25	13.33	0.022	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.55	13.63	0.023	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.63	13.71	0.023	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.73	13.81	0.024	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	15.75	12.83	0.019	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.73	0.024	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	16.61	13.69	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	16.74	13.82	0.024	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	14.73	11.81	0.015	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	14.33	11.41	0.014	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	12.22	9.30	0.009	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	13.73	10.81	0.012	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.19	12.27	0.017	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	15.19	12.27	0.017	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	15.24	12.32	0.017	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	13.74	10.82	0.012	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	13.24	10.32	0.011	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	10.26	7.34	0.005	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.07	13.15	0.021	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.60	13.68	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.45	13.53	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.55	13.63	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	15.54	12.62	0.018	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	16.59	13.67	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	16.46	13.54	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	16.58	13.66	0.023	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	14.53	11.61	0.014	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	14.07	11.15	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	12.04	9.12	0.008	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	13.60	10.68	0.012	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	15.03	12.11	0.016	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	14.96	12.04	0.016	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	15.10	12.18	0.017	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	13.51	10.59	0.011	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	13.06	10.14	0.010	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	10.05	7.13	0.005	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.24	13.32	0.021	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.59	13.67	0.023	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.70	13.78	0.024	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.77	13.85	0.024	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	15.74	12.82	0.019	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	16.58	13.66	0.023	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	16.66	13.74	0.024	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	16.74	13.82	0.024	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	14.73	11.81	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	14.23	11.31	0.014	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	12.23	9.31	0.009	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	13.71	10.79	0.012	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	15.03	12.11	0.016	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	15.23	12.31	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	15.22	12.30	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	13.64	10.72	0.012	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	13.13	10.21	0.010	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	10.23	7.31	0.005	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.26	13.34	0.022	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.65	13.73	0.024	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.61	13.69	0.023	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.76	13.84	0.024	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	15.92	13.00	0.020	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.76	13.84	0.024	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	16.73	13.81	0.024	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	16.92	14.00	0.025	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	14.86	11.94	0.016	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	14.36	11.44	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	12.37	9.45	0.009	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	13.88	10.96	0.012	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.31	12.39	0.017	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	15.26	12.34	0.017	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	15.37	12.45	0.018	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	13.88	10.96	0.012	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	13.35	10.43	0.011	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	10.29	7.37	0.005	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.25	13.33	0.022	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.70	13.78	0.024	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.62	13.70	0.023	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.78	13.86	0.024	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	15.72	12.80	0.019	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.73	0.024	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	16.51	13.59	0.023	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	16.71	13.79	0.024	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	14.66	11.74	0.015	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	14.24	11.32	0.014	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	12.19	9.27	0.008	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	13.68	10.76	0.012	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	15.13	12.21	0.017	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	15.04	12.12	0.016	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	15.20	12.28	0.017	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	13.65	10.73	0.012	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	13.16	10.24	0.011	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	10.20	7.28	0.005	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.33	13.41	0.022	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.61	13.69	0.023	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.72	13.80	0.024	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.80	13.88	0.024	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	15.78	12.86	0.019	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	15.71	12.79	0.019	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	16.62	13.70	0.023	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	16.84	13.92	0.025	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	14.77	11.85	0.015	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	14.25	11.33	0.014	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	12.25	9.33	0.009	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	13.84	10.92	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	15.08	12.16	0.016	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	15.15	12.23	0.017	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	15.27	12.35	0.017	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	13.77	10.85	0.012	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	13.23	10.31	0.011	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	10.25	7.33	0.005	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.28	13.36	0.022	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.69	13.77	0.024	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.64	13.72	0.024	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.81	13.89	0.024	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	15.78	12.86	0.019	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.60	13.68	0.023	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	16.56	13.64	0.023	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	16.78	13.86	0.024	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	14.74	11.82	0.015	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	14.25	11.33	0.014	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	12.22	9.30	0.009	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	13.74	10.82	0.012	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.11	12.19	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	15.10	12.18	0.017	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	15.25	12.33	0.017	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	13.71	10.79	0.012	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	13.23	10.31	0.011	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	10.19	7.27	0.005	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.17	13.25	0.021	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.67	13.75	0.024	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.50	13.58	0.023	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.67	13.75	0.024	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	15.65	12.73	0.019	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	16.70	13.78	0.024	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	16.49	13.57	0.023	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	16.65	13.73	0.024	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	14.87	11.95	0.016	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	14.36	11.44	0.014	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	12.30	9.38	0.009	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	13.85	10.93	0.012	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	15.34	12.42	0.017	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	15.13	12.21	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	15.30	12.38	0.017	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	13.77	10.85	0.012	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	13.28	10.36	0.011	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	10.29	7.37	0.005	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.08	13.16	0.021	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.31	14.39	0.027	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.08	14.16	0.026	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.94	14.02	0.025	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	15.58	12.66	0.018	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	<b>17.36</b>	14.44	0.028	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	17.07	14.15	0.026	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	16.95	14.03	0.025	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	14.60	11.68	0.015	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	14.05	11.13	0.013	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	12.06	9.14	0.008	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	13.34	10.42	0.011	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	15.77	12.85	0.019	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	15.48	12.56	0.018	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	15.49	12.57	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	13.33	10.41	0.011	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	12.80	9.88	0.010	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	9.96	7.04	0.005	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.01	13.09	0.020	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.21	14.29	0.027	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.01	14.09	0.026	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.91	13.99	0.025	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	15.50	12.58	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.22	14.30	0.027	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	17.04	14.12	0.026	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	16.93	14.01	0.025	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	14.47	11.55	0.014	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	14.02	11.10	0.013	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	12.03	9.11	0.008	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	13.31	10.39	0.011	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.67	12.75	0.019	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	15.47	12.55	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	15.34	12.42	0.017	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	13.27	10.35	0.011	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	12.73	9.81	0.010	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	9.74	6.82	0.005	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.91	12.99	0.020	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.17	14.25	0.027	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17	14.08	0.026	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.78	13.86	0.024	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	15.73	12.81	0.019	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	17.20	14.28	0.027	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	16.98	14.06	0.025	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	16.76	13.84	0.024	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	14.68	11.76	0.015	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	14.20	11.28	0.013	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	12.22	9.30	0.009	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	13.69	10.77	0.012	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	15.38	12.46	0.018	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	15.13	12.21	0.017	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	15.20	12.28	0.017	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	13.67	10.75	0.012	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	13.18	10.26	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	10.14	7.22	0.005	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.85	13.93	0.025	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.62	13.70	0.023	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.62	13.70	0.023	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.26	13.34	0.022	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	16.86	13.94	0.025	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.73	0.024	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	16.52	13.60	0.023	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	15.72	12.80	0.019	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	14.72	11.80	0.015	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	14.20	11.28	0.013	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	12.21	9.29	0.008	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	15.27	12.35	0.017	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	15.04	12.12	0.016	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	15.11	12.19	0.017	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	13.76	10.84	0.012	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	13.69	10.77	0.012	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	13.21	10.29	0.011	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	10.23	7.31	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.85	13.93	0.025	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.71	0.023	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.57	13.65	0.023	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.21	13.29	0.021	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	16.77	13.85	0.024	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.63	13.71	0.023	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	16.50	13.58	0.023	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	15.72	12.80	0.019	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	14.72	11.80	0.015	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	14.21	11.29	0.013	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	12.18	9.26	0.008	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	15.24	12.32	0.017	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.11	12.19	0.017	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	15.11	12.19	0.017	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	13.73	10.81	0.012	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	13.67	10.75	0.012	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	13.22	10.30	0.011	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	10.15	7.23	0.005	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.71	13.79	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.66	13.74	0.024	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.53	13.61	0.023	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.16	13.24	0.021	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	16.69	13.77	0.024	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	16.60	13.68	0.023	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	16.43	13.51	0.022	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	15.65	12.73	0.019	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	14.63	11.71	0.015	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	14.15	11.23	0.013	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	12.13	9.21	0.008	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	15.18	12.26	0.017	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	15.11	12.19	0.017	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	14.89	11.97	0.016	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	13.65	10.73	0.012	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	13.60	10.68	0.012	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	13.08	10.16	0.010	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	10.17	7.25	0.005	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.81	13.89	0.024	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.60	13.68	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.56	13.64	0.023	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.22	13.30	0.021	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	16.78	13.86	0.024	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	16.57	13.65	0.023	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	16.48	13.56	0.023	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	15.78	12.86	0.019	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	14.70	11.78	0.015	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	14.21	11.29	0.013	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	12.23	9.31	0.009	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	15.26	12.34	0.017	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	15.01	12.09	0.016	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	15.03	12.11	0.016	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	13.73	10.81	0.012	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	13.70	10.78	0.012	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	13.20	10.28	0.011	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	10.22	7.30	0.005	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.84	13.92	0.025	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.71	0.023	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.51	13.59	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.24	13.32	0.021	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	16.85	13.93	0.025	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.52	13.60	0.023	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	16.45	13.53	0.023	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	15.74	12.82	0.019	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	14.72	11.80	0.015	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	14.22	11.30	0.013	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	12.27	9.35	0.009	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	15.24	12.32	0.017	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.08	12.16	0.016	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	14.97	12.05	0.016	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	13.65	10.73	0.012	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	13.62	10.70	0.012	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	13.18	10.26	0.011	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	10.25	7.33	0.005	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.79	13.87	0.024	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.59	13.67	0.023	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.45	13.53	0.023	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.17	13.25	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	16.77	13.85	0.024	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	16.60	13.68	0.023	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	16.43	13.51	0.022	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	15.61	12.69	0.019	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	14.66	11.74	0.015	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	14.14	11.22	0.013	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	12.14	9.22	0.008	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	15.21	12.29	0.017	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	15.18	12.26	0.017	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	15.05	12.13	0.016	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	13.68	10.76	0.012	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	13.60	10.68	0.012	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	13.14	10.22	0.011	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	10.16	7.24	0.005	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.77	13.85	0.024	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.51	13.59	0.023	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.39	13.47	0.022	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.18	13.26	0.021	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	16.78	13.86	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.56	0.023	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	16.34	13.42	0.022	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	15.69	12.77	0.019	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	14.69	11.77	0.015	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	14.19	11.27	0.013	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	12.17	9.25	0.008	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	15.21	12.29	0.017	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15	12.08	0.016	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	14.74	11.82	0.015	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	13.70	10.78	0.012	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	13.62	10.70	0.012	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	13.17	10.25	0.011	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	10.14	7.22	0.005	1	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n77\_1:**

**1.Ant Gain = -2.92dBi;**

**2.C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n77\_3**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM π/2 BPSK_RB12@6	16.61	13.69	0.023	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.62	13.70	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.63	13.71	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.15	13.23	0.021	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	16.58	13.66	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	16.59	13.67	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	16.57	13.65	0.023	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	14.12	11.20	0.013	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	13.11	10.19	0.010	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	12.64	9.72	0.009	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	10.52	7.60	0.006	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	13.88	10.96	0.012	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	13.35	10.43	0.011	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	13.59	10.67	0.012	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	12.01	9.09	0.008	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	12.01	9.09	0.008	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	11.71	8.79	0.008	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	8.47	5.55	0.004	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.12	12.20	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.19	12.27	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	14.97	12.05	0.016	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	14.69	11.77	0.015	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	15.42	12.50	0.018	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.20	12.28	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	15.22	12.30	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	14.25	11.33	0.014	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	13.27	10.35	0.011	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	12.75	9.83	0.010	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	10.54	7.62	0.006	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	13.71	10.79	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.78	10.86	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	13.69	10.77	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	12.37	9.45	0.009	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	12.28	9.36	0.009	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	11.91	8.99	0.008	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	8.43	5.51	0.004	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14.69	11.77	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.59	11.67	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	14.75	11.83	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	14.12	11.20	0.013	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	14.73	11.81	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	14.55	11.63	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	14.73	11.81	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	13.60	10.68	0.012	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	12.79	9.87	0.010	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	12.31	9.39	0.009	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	10.17	7.25	0.005	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	13.38	10.46	0.011	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	15.18	12.26	0.017	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	13.19	10.27	0.011	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	11.75	8.83	0.008	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	11.78	8.86	0.008	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	11.45	8.53	0.007	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	8.29	5.37	0.003	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	14.74	11.82	0.015	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.81	11.89	0.015	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	14.92	12.00	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	14.34	11.42	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	15.03	12.11	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	14.90	11.98	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	15.10	12.18	0.017	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	14.01	11.09	0.013	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.04	10.12	0.010	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	12.57	9.65	0.009	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	10.47	7.55	0.006	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	13.53	10.61	0.012	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	13.39	10.47	0.011	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	13.69	10.77	0.012	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	12.06	9.14	0.008	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	14.04	11.12	0.013	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	13.66	10.74	0.012	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	10.47	7.55	0.006	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.07	14.15	0.026	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.15	0.026	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.06	14.14	0.026	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.62	13.70	0.023	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	17.17	14.25	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	17.09	14.17	0.026	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	17.15	14.23	0.026	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	16.25	13.33	0.022	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	15.19	12.27	0.017	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	14.66	11.74	0.015	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	12.50	9.58	0.009	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	15.61	12.69	0.019	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.67	12.75	0.019	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	15.68	12.76	0.019	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	14.17	11.25	0.013	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	14.15	11.23	0.013	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	13.65	10.73	0.012	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	10.55	7.63	0.006	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.59	13.67	0.023	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.48	13.56	0.023	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.70	13.78	0.024	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.99	13.07	0.020	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	16.61	13.69	0.023	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.59	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	16.72	13.80	0.024	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	13.74	10.82	0.012	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	12.56	9.64	0.009	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	12.16	9.24	0.008	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	10	7.08	0.005	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	13.14	10.22	0.011	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	13.16	10.24	0.011	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	13.28	10.36	0.011	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	11.37	8.45	0.007	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	11.29	8.37	0.007	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	10.87	7.95	0.006	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	7.76	4.84	0.003	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.78	11.86	0.015	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.98	12.06	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.95	12.03	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.46	11.54	0.014	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	14.74	11.82	0.015	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	15.02	12.10	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	14.93	12.01	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	13.91	10.99	0.013	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	12.89	9.97	0.010	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	12.39	9.47	0.009	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	10.24	7.32	0.005	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	13.18	10.26	0.011	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	13.57	10.65	0.012	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	13.35	10.43	0.011	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	11.84	8.92	0.008	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	11.96	9.04	0.008	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	11.42	8.50	0.007	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	8.28	5.36	0.003	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.65	11.73	0.015	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.69	11.77	0.015	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.83	11.91	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.31	11.39	0.014	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.91	11.99	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	14.90	11.98	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	14.93	12.01	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	13.88	10.96	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	13.01	10.09	0.010	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	12.46	9.54	0.009	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	10.31	7.39	0.005	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.53	10.61	0.012	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	13.52	10.60	0.011	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	13.32	10.40	0.011	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	11.92	9.00	0.008	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	11.84	8.92	0.008	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	11.39	8.47	0.007	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	8.25	5.33	0.003	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.26	11.34	0.014	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.58	11.66	0.015	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.40	11.48	0.014	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.19	11.27	0.013	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	14.54	11.62	0.015	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	14.54	11.62	0.015	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	14.73	11.81	0.015	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	13.40	10.48	0.011	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	12.40	9.48	0.009	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	11.90	8.98	0.008	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	9.86	6.94	0.005	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	12.82	9.90	0.010	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	12.96	10.04	0.010	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	12.91	9.99	0.010	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	11.38	8.46	0.007	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	11.35	8.43	0.007	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	10.92	8.00	0.006	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	7.84	4.92	0.003	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.94	12.02	0.016	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.33	12.41	0.017	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.15	12.23	0.017	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.68	11.76	0.015	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	14.90	11.98	0.016	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	15.31	12.39	0.017	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	15.18	12.26	0.017	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	14.19	11.27	0.013	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	13.16	10.24	0.011	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	12.71	9.79	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	10.63	7.71	0.006	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	13.40	10.48	0.011	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	14	11.08	0.013	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	13.76	10.84	0.012	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	12.17	9.25	0.008	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	12.19	9.27	0.008	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	11.70	8.78	0.008	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	8.67	5.75	0.004	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.82	11.90	0.015	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	14.88	11.96	0.016	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.92	12.00	0.016	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.41	11.49	0.014	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.80	11.88	0.015	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@76	14.83	11.91	0.016	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	14.90	11.98	0.016	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	13.92	11.00	0.013	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	12.87	9.95	0.010	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	12.37	9.45	0.009	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	10.34	7.42	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.40	10.48	0.011	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@76	13.53	10.61	0.012	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB39@19	13.49	10.57	0.011	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB78@0	11.96	9.04	0.008	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB78@0	11.86	8.94	0.008	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB78@0	11.48	8.56	0.007	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB78@0	8.50	5.58	0.004	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.26	11.34	0.014	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	14.61	11.69	0.015	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.38	11.46	0.014	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.87	10.95	0.012	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	14.15	11.23	0.013	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@76	14.57	11.65	0.015	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB36@18	14.39	11.47	0.014	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB75@0	13.43	10.51	0.011	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 16 QAM_RB75@0	12.41	9.49	0.009	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 64 QAM_RB75@0	11.92	9.00	0.008	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 256 QAM_RB75@0	9.87	6.95	0.005	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@1	12.97	10.05	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@76	13.13	10.21	0.010	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB39@19	12.83	9.91	0.010	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB78@0	11.41	8.49	0.007	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 16 QAM_RB78@0	11.41	8.49	0.007	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 64 QAM_RB78@0	10.88	7.96	0.006	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 256 QAM_RB78@0	8.01	5.09	0.003	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.75	11.83	0.015	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.95	12.03	0.016	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.43	12.51	0.018	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.30	12.38	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	14.22	11.30	0.013	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	14.93	12.01	0.016	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	15.45	12.53	0.018	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	15.26	12.34	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	13.24	10.32	0.011	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	12.76	9.84	0.010	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	10.72	7.80	0.006	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	12.26	9.34	0.009	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	13.38	10.46	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	13.97	11.05	0.013	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	13.81	10.89	0.012	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	12.21	9.29	0.008	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	11.83	8.91	0.008	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	8.80	5.88	0.004	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.48	11.56	0.014	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.85	11.93	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	14.84	11.92	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.95	12.03	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	13.93	11.01	0.013	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.86	11.94	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	14.87	11.95	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	14.98	12.06	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	12.94	10.02	0.010	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	12.42	9.50	0.009	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	10.40	7.48	0.006	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	11.97	9.05	0.008	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.41	10.49	0.011	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	13.45	10.53	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	13.46	10.54	0.011	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	11.94	9.02	0.008	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	11.49	8.57	0.007	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	8.47	5.55	0.004	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.90	10.98	0.013	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.13	11.21	0.013	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	14.60	11.68	0.015	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.35	11.43	0.014	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	13.35	10.43	0.011	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	14.15	11.23	0.013	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	14.60	11.68	0.015	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	14.38	11.46	0.014	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	12.35	9.43	0.009	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	11.83	8.91	0.008	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	9.84	6.92	0.005	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	11.37	8.45	0.007	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	12.66	9.74	0.009	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	13.18	10.26	0.011	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	12.80	9.88	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	11.29	8.37	0.007	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	10.93	8.01	0.006	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	7.85	4.93	0.003	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	14.85	11.93	0.016	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.99	12.07	0.016	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.43	12.51	0.018	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.42	12.50	0.018	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	14.34	11.42	0.014	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	14.92	12.00	0.016	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	15.46	12.54	0.018	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	15.43	12.51	0.018	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	13.32	10.40	0.011	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	12.88	9.96	0.010	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	10.87	7.95	0.006	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	12.36	9.44	0.009	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	13.62	10.70	0.012	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	14.16	11.24	0.013	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	13.95	11.03	0.013	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	12.31	9.39	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	11.82	8.90	0.008	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	8.85	5.93	0.004	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	14.54	11.62	0.015	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.92	12.00	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	14.85	11.93	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.07	12.15	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	14.01	11.09	0.013	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.86	11.94	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	14.89	11.97	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	14.98	12.06	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	13	10.08	0.010	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	12.54	9.62	0.009	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	10.47	7.55	0.006	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	12.07	9.15	0.008	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.64	10.72	0.012	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	13.44	10.52	0.011	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	13.49	10.57	0.011	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	12.04	9.12	0.008	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	11.48	8.56	0.007	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	8.46	5.54	0.004	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13.89	10.97	0.013	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.23	11.31	0.014	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	14.71	11.79	0.015	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	14.39	11.47	0.014	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	13.36	10.44	0.011	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	14.19	11.27	0.013	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	14.59	11.67	0.015	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	14.35	11.43	0.014	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	12.39	9.47	0.009	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	11.90	8.98	0.008	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	9.71	6.79	0.005	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	11.42	8.50	0.007	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	12.74	9.82	0.010	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	13.17	10.25	0.011	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	12.89	9.97	0.010	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	11.33	8.41	0.007	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	10.85	7.93	0.006	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	7.85	4.93	0.003	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	14.86	11.94	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.92	12.00	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.46	12.54	0.018	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.45	12.53	0.018	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	14.33	11.41	0.014	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	14.85	11.93	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	15.38	12.46	0.018	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	15.47	12.55	0.018	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	13.36	10.44	0.011	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	12.83	9.91	0.010	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	10.81	7.89	0.006	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	12.35	9.43	0.009	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	13.56	10.64	0.012	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	13.89	10.97	0.013	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	13.91	10.99	0.013	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	12.32	9.40	0.009	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	11.79	8.87	0.008	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	8.78	5.86	0.004	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	14.48	11.56	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.87	11.95	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	14.88	11.96	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	14.98	12.06	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	13.94	11.02	0.013	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.85	11.93	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	14.78	11.86	0.015	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	14.98	12.06	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	12.89	9.97	0.010	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	12.42	9.50	0.009	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	10.36	7.44	0.006	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	11.86	8.94	0.008	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.59	10.67	0.012	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	13.54	10.62	0.012	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	13.42	10.50	0.011	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	11.89	8.97	0.008	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	11.37	8.45	0.007	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	8.38	5.46	0.004	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.82	10.90	0.012	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.27	11.35	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	14.57	11.65	0.015	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	14.28	11.36	0.014	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	13.33	10.41	0.011	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	14.21	11.29	0.013	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	14.56	11.64	0.015	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	14.25	11.33	0.014	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	12.34	9.42	0.009	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	11.82	8.90	0.008	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	9.76	6.84	0.005	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	11.33	8.41	0.007	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	12.83	9.91	0.010	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	13.11	10.19	0.010	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	12.78	9.86	0.010	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	11.28	8.36	0.007	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	10.71	7.79	0.006	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	7.79	4.87	0.003	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	14.53	11.61	0.014	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.61	11.69	0.015	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	14.95	12.03	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.08	12.16	0.016	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	13.98	11.06	0.013	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	14.57	11.65	0.015	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	14.91	11.99	0.016	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	15.09	12.17	0.016	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	13.01	10.09	0.010	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	12.56	9.64	0.009	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	10.56	7.64	0.006	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	12.06	9.14	0.008	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	13.11	10.19	0.010	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	13.51	10.59	0.011	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	13.66	10.74	0.012	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	12.08	9.16	0.008	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	11.55	8.63	0.007	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	8.53	5.61	0.004	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	14.25	11.33	0.014	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.70	11.78	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	14.66	11.74	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	14.78	11.86	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	13.76	10.84	0.012	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.68	11.76	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	14.57	11.65	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	14.77	11.85	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	12.73	9.81	0.010	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	12.27	9.35	0.009	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	10.22	7.30	0.005	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	11.75	8.83	0.008	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.21	10.29	0.011	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	13.12	10.20	0.010	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	13.27	10.35	0.011	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	11.62	8.70	0.007	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	11.16	8.24	0.007	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	8.25	5.33	0.003	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	13.93	11.01	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.03	11.11	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	14.39	11.47	0.014	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	14	11.08	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	13.15	10.23	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	13.96	11.04	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	14.45	11.53	0.014	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	14.18	11.26	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	12.19	9.27	0.008	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	11.65	8.73	0.007	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	9.71	6.79	0.005	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	11.24	8.32	0.007	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	12.85	9.93	0.010	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	12.95	10.03	0.010	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	12.58	9.66	0.009	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	11.21	8.29	0.007	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	10.68	7.76	0.006	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	7.73	4.81	0.003	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.32	12.40	0.017	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.89	11.97	0.016	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.11	12.19	0.017	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	14.69	11.77	0.015	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	15.32	12.40	0.017	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	14.83	11.91	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	15.11	12.19	0.017	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	14.21	11.29	0.013	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	13.17	10.25	0.011	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	12.73	9.81	0.010	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	10.72	7.80	0.006	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	13.82	10.90	0.012	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	13.49	10.57	0.011	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	13.75	10.83	0.012	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	12.24	9.32	0.009	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	12.22	9.30	0.009	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	11.74	8.82	0.008	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	8.74	5.82	0.004	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	14.84	11.92	0.016	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.89	11.97	0.016	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	14.68	11.76	0.015	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	14.31	11.39	0.014	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	14.89	11.97	0.016	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.82	11.90	0.015	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	14.71	11.79	0.015	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	13.81	10.89	0.012	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	12.84	9.92	0.010	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	12.31	9.39	0.009	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	10.30	7.38	0.005	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	13.35	10.43	0.011	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.35	10.43	0.011	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	13.38	10.46	0.011	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	11.86	8.94	0.008	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	11.82	8.90	0.008	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	11.37	8.45	0.007	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	8.35	5.43	0.003	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	14.11	11.19	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.53	11.61	0.014	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	14.39	11.47	0.014	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	13.68	10.76	0.012	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	14.13	11.21	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	14.45	11.53	0.014	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	14.39	11.47	0.014	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	13.22	10.30	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	12.20	9.28	0.008	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	11.71	8.79	0.008	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	9.75	6.83	0.005	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	12.57	9.65	0.009	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	12.99	10.07	0.010	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	12.89	9.97	0.010	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	11.15	8.23	0.007	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	11.15	8.23	0.007	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	10.70	7.78	0.006	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	7.70	4.78	0.003	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	<b>17.33</b>	14.41	0.028	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.91	11.99	0.016	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	14.94	12.02	0.016	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	14.59	11.67	0.015	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	15.39	12.47	0.018	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	14.72	11.80	0.015	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	14.99	12.07	0.016	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	14.22	11.30	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	13.23	10.31	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	12.73	9.81	0.010	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	10.76	7.84	0.006	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	13.90	10.98	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	13.52	10.60	0.011	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	13.56	10.64	0.012	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	12.24	9.32	0.009	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	12.20	9.28	0.008	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	11.72	8.80	0.008	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	8.69	5.77	0.004	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.98	12.06	0.016	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.95	12.03	0.016	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	14.69	11.77	0.015	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	14.42	11.50	0.014	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	14.98	12.06	0.016	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.97	12.05	0.016	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	14.74	11.82	0.015	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	13.89	10.97	0.013	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	12.89	9.97	0.010	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	12.44	9.52	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	10.36	7.44	0.006	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	13.46	10.54	0.011	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.67	10.75	0.012	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	13.24	10.32	0.011	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	11.91	8.99	0.008	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	11.88	8.96	0.008	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	11.39	8.47	0.007	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	8.33	5.41	0.003	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.29	11.37	0.014	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.66	11.74	0.015	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	14.55	11.63	0.015	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.83	10.91	0.012	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	14.39	11.47	0.014	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	14.61	11.69	0.015	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	14.52	11.60	0.014	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	13.39	10.47	0.011	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	12.36	9.44	0.009	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	11.86	8.94	0.008	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	9.88	6.96	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	12.82	9.90	0.010	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	13.20	10.28	0.011	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	13.21	10.29	0.011	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	11.28	8.36	0.007	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	11.35	8.43	0.007	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	10.88	7.96	0.006	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	7.88	4.96	0.003	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.39	12.47	0.018	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.84	11.92	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	14.94	12.02	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	14.74	11.82	0.015	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	15.42	12.50	0.018	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	14.87	11.95	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	14.90	11.98	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	14.28	11.36	0.014	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	13.22	10.30	0.011	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	12.81	9.89	0.010	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	10.81	7.89	0.006	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	13.92	11.00	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.56	10.64	0.012	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	13.46	10.54	0.011	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	12.29	9.37	0.009	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	12.24	9.32	0.009	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	11.71	8.79	0.008	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	8.75	5.83	0.004	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.02	12.10	0.016	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.03	12.11	0.016	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	14.66	11.74	0.015	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	14.43	11.51	0.014	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	14.97	12.05	0.016	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	14.94	12.02	0.016	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	14.63	11.71	0.015	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	13.91	10.99	0.013	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	12.95	10.03	0.010	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	12.44	9.52	0.009	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	10.44	7.52	0.006	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	13.42	10.50	0.011	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.53	10.61	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	13.18	10.26	0.011	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	11.92	9.00	0.008	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	11.88	8.96	0.008	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	11.43	8.51	0.007	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	8.53	5.61	0.004	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	14.37	11.45	0.014	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.78	11.86	0.015	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	14.50	11.58	0.014	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	13.92	11.00	0.013	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	14.30	11.38	0.014	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	14.68	11.76	0.015	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	14.49	11.57	0.014	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	13.47	10.55	0.011	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	12.31	9.39	0.009	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	11.87	8.95	0.008	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	9.88	6.96	0.005	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	12.77	9.85	0.010	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	13.27	10.35	0.011	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	13.06	10.14	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	11.43	8.51	0.007	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	11.37	8.45	0.007	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	10.91	7.99	0.006	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	7.92	5.00	0.003	1	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n77\_3:**

**1. Ant Gain = -2.92dBi;**

**2. C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

**n78\_1**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB12@6	15.71	12.79	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB1@1	15.62	12.70	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB1@22	15.72	12.80	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM π/2 BPSK_RB24@0	15.26	12.34	0.017	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	15.82	12.90	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	15.62	12.70	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	15.75	12.83	0.019	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	14.73	11.81	0.015	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	13.60	10.68	0.012	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	13.28	10.36	0.011	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	11.21	8.29	0.007	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	14.43	11.51	0.014	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	14.01	11.09	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	14.17	11.25	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	12.84	9.92	0.010	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	12.70	9.78	0.010	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	12.21	9.29	0.008	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	8.98	6.06	0.004	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.94	13.02	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.94	13.02	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.94	13.02	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.38	12.46	0.018	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	15.94	13.02	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.90	12.98	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	15.86	12.94	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	14.97	12.05	0.016	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	13.90	10.98	0.013	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	13.59	10.67	0.012	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	11.35	8.43	0.007	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	14.31	11.39	0.014	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.55	11.63	0.015	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	14.55	11.63	0.015	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	13.03	10.11	0.010	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	12.93	10.01	0.010	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	12.55	9.63	0.009	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	9.33	6.41	0.004	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.37	12.45	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.41	12.49	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.37	12.45	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	14.89	11.97	0.016	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	15.55	12.63	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	15.47	12.55	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	15.36	12.44	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	14.39	11.47	0.014	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	13.86	10.94	0.012	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	13.02	10.10	0.010	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	10.93	8.01	0.006	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	14.08	11.16	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	14.14	11.22	0.013	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	13.73	10.81	0.012	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	12.34	9.42	0.009	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	12.39	9.47	0.009	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	12.01	9.09	0.008	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	8.89	5.97	0.004	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.60	12.68	0.019	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.45	12.53	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.66	12.74	0.019	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.07	12.15	0.016	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	15.55	12.63	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	15.56	12.64	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	15.67	12.75	0.019	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	14.60	11.68	0.015	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.62	10.70	0.012	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.21	10.29	0.011	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.02	8.10	0.006	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	14.14	11.22	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	14	11.08	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	14.16	11.24	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	12.65	9.73	0.009	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	12.61	9.69	0.009	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	12.16	9.24	0.008	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	8.97	6.05	0.004	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.89	12.97	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.88	12.96	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.89	12.97	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.37	12.45	0.018	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	15.88	12.96	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.85	12.93	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	15.85	12.93	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	14.89	11.97	0.016	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	13.80	10.88	0.012	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	13.45	10.53	0.011	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	11.30	8.38	0.007	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	14.38	11.46	0.014	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.38	11.46	0.014	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	14.38	11.46	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	12.97	10.05	0.010	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	12.86	9.94	0.010	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	12.41	9.49	0.009	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	9.27	6.35	0.004	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.33	12.41	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.44	12.52	0.018	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.27	12.35	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	14.81	11.89	0.015	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	15.34	12.42	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	15.53	12.61	0.018	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	15.30	12.38	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	14.39	11.47	0.014	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.46	10.54	0.011	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	12.94	10.02	0.010	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	10.82	7.90	0.006	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	13.95	11.03	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	14.05	11.13	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	13.97	11.05	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	12.42	9.50	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	12.41	9.49	0.009	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	11.82	8.90	0.008	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	8.83	5.91	0.004	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.56	12.64	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.76	12.84	0.019	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.70	12.78	0.019	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.23	12.31	0.017	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	15.56	12.64	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	15.75	12.83	0.019	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	15.66	12.74	0.019	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	14.68	11.76	0.015	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	13.66	10.74	0.012	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	13.16	10.24	0.011	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	11.11	8.19	0.007	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	14.28	11.36	0.014	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	14.37	11.45	0.014	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	14.24	11.32	0.014	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	12.77	9.85	0.010	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	12.63	9.71	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	12.20	9.28	0.008	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	9.06	6.14	0.004	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.88	12.96	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.80	12.88	0.019	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.93	13.01	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.40	12.48	0.018	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.85	12.93	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	15.82	12.90	0.019	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	15.89	12.97	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	14.89	11.97	0.016	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	13.86	10.94	0.012	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	13.39	10.47	0.011	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	11.30	8.38	0.007	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.66	11.74	0.015	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	14.32	11.40	0.014	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	14.51	11.59	0.014	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	12.86	9.94	0.010	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	12.94	10.02	0.010	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	12.39	9.47	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	9.18	6.26	0.004	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.57	12.65	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.86	14.94	0.031	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.48	12.56	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.73	13.81	0.024	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	15.52	12.60	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	15.31	12.39	0.017	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	15.46	12.54	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	14.42	11.50	0.014	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	13.51	10.59	0.011	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	12.96	10.04	0.010	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	10.88	7.96	0.006	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	14.30	11.38	0.014	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	13.84	10.92	0.012	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	14.06	11.14	0.013	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	12.46	9.54	0.009	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	12.42	9.50	0.009	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	12	9.08	0.008	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	8.81	5.89	0.004	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.52	12.60	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.80	12.88	0.019	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.63	12.71	0.019	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.12	12.20	0.017	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	15.49	12.57	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	15.76	12.84	0.019	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	15.63	12.71	0.019	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	14.67	11.75	0.015	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	13.66	10.74	0.012	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	13.17	10.25	0.011	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	11.14	8.22	0.007	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	13.99	11.07	0.013	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	14.38	11.46	0.014	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	14.20	11.28	0.013	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	12.73	9.81	0.010	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	12.71	9.79	0.010	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	12.20	9.28	0.008	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	9.23	6.31	0.004	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.82	12.90	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.75	14.83	0.030	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.73	14.81	0.030	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.29	14.37	0.027	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.73	14.81	0.030	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	17.78	14.86	0.031	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	17.78	14.86	0.031	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	16.78	13.86	0.024	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	15.77	12.85	0.019	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	15.32	12.40	0.017	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	13.27	10.35	0.011	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	16.12	13.20	0.021	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	16.15	13.23	0.021	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	16.25	13.33	0.022	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	14.74	11.82	0.015	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	14.80	11.88	0.015	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	14.31	11.39	0.014	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	11.32	8.40	0.007	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.90	14.98	0.031	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.83	14.91	0.031	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.96	15.04	0.032	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.45	14.53	0.028	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	17.93	15.01	0.032	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	17.87	14.95	0.031	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	17.89	14.97	0.031	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	16.93	14.01	0.025	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	15.86	12.94	0.020	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	15.44	12.52	0.018	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	13.43	10.51	0.011	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	16.39	13.47	0.022	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	16.32	13.40	0.022	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	16.42	13.50	0.022	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	14.97	12.05	0.016	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	14.94	12.02	0.016	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	14.44	11.52	0.014	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	11.46	8.54	0.007	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.90	13.98	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.96	15.04	0.032	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.19	14.27	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.92	15.00	0.032	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	16.36	13.44	0.022	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	17.47	14.55	0.029	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	17.23	14.31	0.027	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	17.41	14.49	0.028	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	15.35	12.43	0.017	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	14.88	11.96	0.016	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	12.88	9.96	0.010	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	14.43	11.51	0.014	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	15.92	13.00	0.020	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	15.67	12.75	0.019	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	15.93	13.01	0.020	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	14.49	11.57	0.014	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	13.91	10.99	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	10.88	7.96	0.006	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.81	13.89	0.024	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.30	14.38	0.027	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.28	14.36	0.027	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.32	14.40	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	16.27	13.35	0.022	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.26	14.34	0.027	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	17.37	14.45	0.028	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	17.31	14.39	0.027	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	15.29	12.37	0.017	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	14.91	11.99	0.016	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	12.80	9.88	0.010	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	14.35	11.43	0.014	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.64	12.72	0.019	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	15.71	12.79	0.019	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	15.79	12.87	0.019	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	14.34	11.42	0.014	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	13.81	10.89	0.012	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	10.85	7.93	0.006	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.92	14.00	0.025	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.39	14.47	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.37	14.45	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.41	14.49	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	16.45	13.53	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	17.44	14.52	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	17.38	14.46	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	17.41	14.49	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	15.44	12.52	0.018	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	14.92	12.00	0.016	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	12.91	9.99	0.010	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	14.43	11.51	0.014	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	15.88	12.96	0.020	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	15.77	12.85	0.019	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	15.90	12.98	0.020	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	14.48	11.56	0.014	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	13.96	11.04	0.013	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	10.92	8.00	0.006	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.89	13.97	0.025	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.47	14.55	0.029	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.18	14.26	0.027	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.36	14.44	0.028	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	16.41	13.49	0.022	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	17.48	14.56	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	17.25	14.33	0.027	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	17.42	14.50	0.028	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	15.44	12.52	0.018	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	14.91	11.99	0.016	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	12.90	9.98	0.010	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	14.36	11.44	0.014	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	15.84	12.92	0.020	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	15.57	12.65	0.018	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	15.89	12.97	0.020	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	14.37	11.45	0.014	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	13.83	10.91	0.012	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	10.89	7.97	0.006	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.86	13.94	0.025	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.34	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.26	14.34	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.33	14.41	0.028	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	16.31	13.39	0.022	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.29	14.37	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	17.28	14.36	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	17.30	14.38	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	15.32	12.40	0.017	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	14.81	11.89	0.015	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	12.84	9.92	0.010	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	14.27	11.35	0.014	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.61	12.69	0.019	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	15.57	12.65	0.018	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	15.81	12.89	0.019	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	14.32	11.40	0.014	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	13.77	10.85	0.012	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	10.84	7.92	0.006	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.89	13.97	0.025	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.32	0.027	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.32	14.40	0.028	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.39	14.47	0.028	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	16.39	13.47	0.022	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	17.29	14.37	0.027	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	17.30	14.38	0.027	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	17.44	14.52	0.028	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	15.42	12.50	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	14.88	11.96	0.016	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	12.93	10.01	0.010	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	14.39	11.47	0.014	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	15.76	12.84	0.019	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	15.68	12.76	0.019	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	15.90	12.98	0.020	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	14.36	11.44	0.014	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	13.91	10.99	0.013	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	10.90	7.98	0.006	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.90	13.98	0.025	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.47	14.55	0.029	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.32	14.40	0.028	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.41	14.49	0.028	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	16.40	13.48	0.022	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	17.50	14.58	0.029	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	17.35	14.43	0.028	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	17.40	14.48	0.028	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	15.41	12.49	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	14.88	11.96	0.016	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	12.86	9.94	0.010	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	14.34	11.42	0.014	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	15.85	12.93	0.020	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	15.68	12.76	0.019	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	15.89	12.97	0.020	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	14.37	11.45	0.014	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	13.82	10.90	0.012	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	10.86	7.94	0.006	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.74	13.82	0.024	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.32	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.21	14.29	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.25	14.33	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	16.29	13.37	0.022	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.31	14.39	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	17.29	14.37	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	17.25	14.33	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	15.23	12.31	0.017	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	14.75	11.83	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	12.76	9.84	0.010	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	14.20	11.28	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.65	12.73	0.019	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	15.69	12.77	0.019	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	15.75	12.83	0.019	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	14.22	11.30	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	13.72	10.80	0.012	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	10.77	7.85	0.006	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.88	13.96	0.025	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.34	0.027	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.29	14.37	0.027	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.35	14.43	0.028	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	16.32	13.40	0.022	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	17.31	14.39	0.027	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	17.26	14.34	0.027	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	17.34	14.42	0.028	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	15.37	12.45	0.018	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	14.83	11.91	0.016	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	12.85	9.93	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	14.35	11.43	0.014	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	15.68	12.76	0.019	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	15.61	12.69	0.019	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	15.85	12.93	0.020	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	14.34	11.42	0.014	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	13.82	10.90	0.012	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	10.89	7.97	0.006	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.84	12.92	0.020	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.43	13.51	0.022	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.25	13.33	0.022	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.33	13.41	0.022	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	15.33	12.41	0.017	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	16.43	13.51	0.022	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	16.25	13.33	0.022	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	16.26	13.34	0.022	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	14.37	11.45	0.014	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	13.89	10.97	0.013	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	11.84	8.92	0.008	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	13.35	10.43	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	14.82	11.90	0.015	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	14.66	11.74	0.015	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	14.81	11.89	0.015	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	13.37	10.45	0.011	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	12.86	9.94	0.010	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	9.96	7.04	0.005	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.82	12.90	0.019	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.30	13.38	0.022	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.29	13.37	0.022	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.27	13.35	0.022	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	15.30	12.38	0.017	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.41	0.022	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	16.24	13.32	0.021	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	16.29	13.37	0.022	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	14.35	11.43	0.014	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	13.80	10.88	0.012	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	11.81	8.89	0.008	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	13.34	10.42	0.011	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.74	11.82	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	14.72	11.80	0.015	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	14.76	11.84	0.015	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	13.34	10.42	0.011	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	12.80	9.88	0.010	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	9.81	6.89	0.005	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.87	12.95	0.020	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.32	13.40	0.022	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.32	13.40	0.022	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.34	13.42	0.022	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	15.35	12.43	0.017	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	16.29	13.37	0.022	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	16.25	13.33	0.022	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	16.35	13.43	0.022	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	14.42	11.50	0.014	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	13.84	10.92	0.012	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	11.88	8.96	0.008	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	13.36	10.44	0.011	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	14.72	11.80	0.015	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	14.66	11.74	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	14.91	11.99	0.016	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	13.40	10.48	0.011	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	12.87	9.95	0.010	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	9.94	7.02	0.005	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.31	13.39	0.022	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.48	13.56	0.023	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.27	13.35	0.022	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.84	12.92	0.020	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	16.31	13.39	0.022	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	16.50	13.58	0.023	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	16.30	13.38	0.022	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	15.33	12.41	0.017	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	14.33	11.41	0.014	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	13.82	10.90	0.012	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	11.84	8.92	0.008	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	14.82	11.90	0.015	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	14.92	12.00	0.016	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	14.68	11.76	0.015	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	13.38	10.46	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	13.35	10.43	0.011	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	12.85	9.93	0.010	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	9.86	6.94	0.005	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.25	13.33	0.022	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.38	13.46	0.022	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.24	13.32	0.021	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.81	12.89	0.019	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	16.25	13.33	0.022	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.46	0.022	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	16.30	13.38	0.022	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	15.31	12.39	0.017	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	14.29	11.37	0.014	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	13.83	10.91	0.012	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	11.85	8.93	0.008	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	14.82	11.90	0.015	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.72	11.80	0.015	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	14.71	11.79	0.015	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	13.31	10.39	0.011	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	13.30	10.38	0.011	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	12.82	9.90	0.010	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	9.84	6.92	0.005	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.36	13.44	0.022	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.44	0.022	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.22	13.30	0.021	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.79	12.87	0.019	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	16.30	13.38	0.022	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.41	0.022	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	16.31	13.39	0.022	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	15.37	12.45	0.018	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	14.32	11.40	0.014	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	13.78	10.86	0.012	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	11.86	8.94	0.008	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	14.84	11.92	0.016	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	14.70	11.78	0.015	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	14.73	11.81	0.015	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	13.32	10.40	0.011	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	13.30	10.38	0.011	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	12.85	9.93	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	9.92	7.00	0.005	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.28	13.36	0.022	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.47	0.022	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.23	13.31	0.021	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.83	12.91	0.020	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	16.29	13.37	0.022	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.50	0.022	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	16.23	13.31	0.021	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	15.32	12.40	0.017	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	14.34	11.42	0.014	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	13.83	10.91	0.012	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	11.92	9.00	0.008	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	14.76	11.84	0.015	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	14.79	11.87	0.015	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	14.66	11.74	0.015	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	13.31	10.39	0.011	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	13.30	10.38	0.011	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	12.80	9.88	0.010	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	9.82	6.90	0.005	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.32	13.40	0.022	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.47	0.022	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.20	13.28	0.021	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.79	12.87	0.019	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	16.31	13.39	0.022	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.49	0.022	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	16.22	13.30	0.021	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	15.29	12.37	0.017	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	14.32	11.40	0.014	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	13.82	10.90	0.012	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	11.87	8.95	0.008	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	14.77	11.85	0.015	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.80	11.88	0.015	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	14.64	11.72	0.015	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	13.30	10.38	0.011	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	13.29	10.37	0.011	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	12.78	9.86	0.010	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	9.78	6.86	0.005	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.30	13.38	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.35	13.43	0.022	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.21	13.29	0.021	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.81	12.89	0.019	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	16.35	13.43	0.022	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	16.36	13.44	0.022	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	16.27	13.35	0.022	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	15.34	12.42	0.017	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	14.33	11.41	0.014	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	13.87	10.95	0.012	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	11.91	8.99	0.008	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	14.82	11.90	0.015	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	14.84	11.92	0.016	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	14.80	11.88	0.015	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	13.33	10.41	0.011	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	13.37	10.45	0.011	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	12.83	9.91	0.010	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	9.81	6.89	0.005	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.29	13.37	0.022	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.53	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM π/2 BPSK_RB1@271	16.20	13.28	0.021	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM π/2 BPSK_RB270@0	15.79	12.87	0.019	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	16.28	13.36	0.022	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.45	0.022	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	16.21	13.29	0.021	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	15.33	12.41	0.017	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	14.32	11.40	0.014	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	13.80	10.88	0.012	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	11.82	8.90	0.008	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	14.69	11.77	0.015	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.81	11.89	0.015	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	14.56	11.64	0.015	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	13.33	10.41	0.011	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	13.33	10.41	0.011	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	12.81	9.89	0.010	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	9.81	6.89	0.005	1	Pass

**Note:**

**EIRP = Conducted Power(dBm) - L<sub>C</sub>(dB) + G<sub>T</sub>(dBi)**

**n78\_1:**

**1.Ant Gain = -2.92dBi;**

**2.C<sub>L</sub> = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**

n78\_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.41	14.49	0.028	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.30	14.38	0.027	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.38	14.46	0.028	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.92	14.00	0.025	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	17.49	14.57	0.029	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.46	0.028	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	17.35	14.43	0.028	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	16.41	13.49	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	15.52	12.60	0.018	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	14.82	11.90	0.015	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	12.82	9.90	0.010	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	15.93	13.01	0.020	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	15.83	12.91	0.020	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	15.73	12.81	0.019	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	14.39	11.47	0.014	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	14.31	11.39	0.014	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	13.82	10.90	0.012	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	10.43	7.51	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.44	14.52	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.43	14.51	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.38	14.46	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	17	14.08	0.026	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	<b>17.56</b>	14.64	0.029	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.43	14.51	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	17.43	14.51	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	16.45	13.53	0.023	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	15.45	12.53	0.018	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	14.94	12.02	0.016	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	12.89	9.97	0.010	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	15.85	12.93	0.020	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.89	12.97	0.020	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	15.89	12.97	0.020	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	14.46	11.54	0.014	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	14.58	11.66	0.015	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	13.99	11.07	0.013	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	11.03	8.11	0.006	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.34	14.42	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.34	0.027	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.32	14.40	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.87	13.95	0.025	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	17.39	14.47	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	17.30	14.38	0.027	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	17.30	14.38	0.027	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	16.31	13.39	0.022	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	15.43	12.51	0.018	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	14.78	11.86	0.015	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	12.82	9.90	0.010	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	15.70	12.78	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	15.69	12.77	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	15.75	12.83	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	14.31	11.39	0.014	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	14.37	11.45	0.014	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	13.81	10.89	0.012	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	10.20	7.28	0.005	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.36	14.44	0.028	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.74	12.82	0.019	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.30	14.38	0.027	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.86	13.94	0.025	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	17.39	14.47	0.028	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	17.27	14.35	0.027	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	17.33	14.41	0.028	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	16.40	13.48	0.022	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.40	12.48	0.018	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.87	11.95	0.016	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.87	9.95	0.010	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	15.88	12.96	0.020	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	15.78	12.86	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	15.76	12.84	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	14.38	11.46	0.014	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	14.35	11.43	0.014	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	13.98	11.06	0.013	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	10.93	8.01	0.006	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.46	14.54	0.028	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.33	14.41	0.028	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.35	14.43	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.94	14.02	0.025	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	17.47	14.55	0.029	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.46	0.028	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	17.40	14.48	0.028	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	16.48	13.56	0.023	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	15.36	12.44	0.018	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	14.93	12.01	0.016	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	12.85	9.93	0.010	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	15.78	12.86	0.019	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.78	12.86	0.019	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	15.77	12.85	0.019	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	14.39	11.47	0.014	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	14.38	11.46	0.014	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	13.88	10.96	0.012	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	11.05	8.13	0.007	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.32	14.40	0.028	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.23	14.31	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.30	14.38	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.85	13.93	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	17.29	14.37	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	17.18	14.26	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	17.27	14.35	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	16.29	13.37	0.022	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.35	12.43	0.017	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.85	11.93	0.016	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.74	9.82	0.010	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	15.74	12.82	0.019	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	15.65	12.73	0.019	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	15.67	12.75	0.019	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	14.20	11.28	0.013	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	14.34	11.42	0.014	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	13.79	10.87	0.012	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	10.82	7.90	0.006	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.74	12.82	0.019	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.38	14.46	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.34	14.42	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.85	13.93	0.025	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	17.29	14.37	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	17.35	14.43	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	17.42	14.50	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	16.42	13.50	0.022	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	15.29	12.37	0.017	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	14.83	11.91	0.016	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	12.84	9.92	0.010	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	15.65	12.73	0.019	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	15.83	12.91	0.020	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	15.94	13.02	0.020	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	14.19	11.27	0.013	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	14.35	11.43	0.014	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	13.86	10.94	0.012	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	10.93	8.01	0.006	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.41	14.49	0.028	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.38	14.46	0.028	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.38	14.46	0.028	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.90	13.98	0.025	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.46	0.028	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@49	17.40	14.48	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	17.48	14.56	0.029	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	16.46	13.54	0.023	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	15.37	12.45	0.018	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	14.86	11.94	0.016	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	12.90	9.98	0.010	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.76	12.84	0.019	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@49	15.76	12.84	0.019	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB25@12	15.89	12.97	0.020	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB51@0	14.28	11.36	0.014	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB51@0	14.39	11.47	0.014	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB51@0	13.96	11.04	0.013	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB51@0	10.98	8.06	0.006	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.32	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.33	14.41	0.028	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.28	14.36	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.80	13.88	0.024	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@1	17.26	14.34	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@49	17.28	14.36	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB25@12	17.32	14.40	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB50@0	16.35	13.43	0.022	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 16 QAM_RB50@0	15.26	12.34	0.017	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 64 QAM_RB50@0	14.77	11.85	0.015	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 256 QAM_RB50@0	12.72	9.80	0.010	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@1	15.74	12.82	0.019	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@49	15.65	12.73	0.019	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB25@12	15.83	12.91	0.020	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB51@0	14.20	11.28	0.013	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 16 QAM_RB51@0	14.27	11.35	0.014	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 64 QAM_RB51@0	13.85	10.93	0.012	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 256 QAM_RB51@0	10.87	7.95	0.006	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.17	14.25	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.40	14.48	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.43	14.51	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.86	13.94	0.025	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	17.26	14.34	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	17.46	14.54	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	17.36	14.44	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	16.39	13.47	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	15.35	12.43	0.017	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	14.94	12.02	0.016	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	12.84	9.92	0.010	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	15.63	12.71	0.019	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	15.80	12.88	0.019	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	15.90	12.98	0.020	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	14.39	11.47	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	14.41	11.49	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	13.93	11.01	0.013	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	10.91	7.99	0.006	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.36	14.44	0.028	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.30	14.38	0.027	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.39	14.47	0.028	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.95	14.03	0.025	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.36	14.44	0.028	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	17.30	14.38	0.027	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	17.36	14.44	0.028	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	16.39	13.47	0.022	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	15.38	12.46	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	14.88	11.96	0.016	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	12.85	9.93	0.010	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.83	12.91	0.020	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	15.65	12.73	0.019	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	15.93	13.01	0.020	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	14.40	11.48	0.014	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	14.43	11.51	0.014	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	13.91	10.99	0.013	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	10.94	8.02	0.006	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.22	14.30	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.25	14.33	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.28	14.36	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.74	13.82	0.024	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	17.23	14.31	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	17.11	14.19	0.026	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	17.32	14.40	0.028	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	16.31	13.39	0.022	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	15.23	12.31	0.017	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	14.76	11.84	0.015	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	12.79	9.87	0.010	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	15.70	12.78	0.019	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	15.72	12.80	0.019	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	15.83	12.91	0.020	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	14.35	11.43	0.014	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	14.35	11.43	0.014	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	13.79	10.87	0.012	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	10.84	7.92	0.006	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.91	13.99	0.025	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.12	14.20	0.026	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.45	14.53	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.42	14.50	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	16.40	13.48	0.022	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	17.22	14.30	0.027	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	17.48	14.56	0.029	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	17.39	14.47	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	15.38	12.46	0.018	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	14.93	12.01	0.016	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	12.90	9.98	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	14.40	11.48	0.014	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	15.64	12.72	0.019	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	15.89	12.97	0.020	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	15.88	12.96	0.020	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	14.43	11.51	0.014	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	13.91	10.99	0.013	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	10.99	8.07	0.006	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.95	14.03	0.025	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.32	14.40	0.028	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.27	14.35	0.027	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.38	14.46	0.028	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	16.39	13.47	0.022	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.33	14.41	0.028	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	17.27	14.35	0.027	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	17.39	14.47	0.028	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	15.38	12.46	0.018	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	14.88	11.96	0.016	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	12.86	9.94	0.010	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	14.39	11.47	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.71	12.79	0.019	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	15.64	12.72	0.019	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	15.89	12.97	0.020	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	14.42	11.50	0.014	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	13.90	10.98	0.013	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	10.88	7.96	0.006	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.82	13.90	0.025	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.29	14.37	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.27	14.35	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.30	14.38	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	16.28	13.36	0.022	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	17.31	14.39	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	17.26	14.34	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	17.27	14.35	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	15.29	12.37	0.017	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	14.78	11.86	0.015	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	12.79	9.87	0.010	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	14.33	11.41	0.014	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	15.71	12.79	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	15.62	12.70	0.019	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	15.79	12.87	0.019	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	14.32	11.40	0.014	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	13.82	10.90	0.012	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	10.84	7.92	0.006	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.89	13.97	0.025	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.08	14.16	0.026	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.38	14.46	0.028	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.43	14.51	0.028	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	16.38	13.46	0.022	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	17.18	14.26	0.027	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	17.47	14.55	0.029	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	17.47	14.55	0.029	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	15.39	12.47	0.018	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	14.89	11.97	0.016	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	12.95	10.03	0.010	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	14.39	11.47	0.014	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	15.61	12.69	0.019	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	15.79	12.87	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	15.95	13.03	0.020	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	14.38	11.46	0.014	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	13.93	11.01	0.013	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	10.93	8.01	0.006	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.93	14.01	0.025	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.28	14.36	0.027	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.25	14.33	0.027	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.45	14.53	0.028	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	16.44	13.52	0.022	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.31	14.39	0.027	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	17.23	14.31	0.027	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	17.42	14.50	0.028	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	15.46	12.54	0.018	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	14.95	12.03	0.016	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	12.95	10.03	0.010	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	14.43	11.51	0.014	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.67	12.75	0.019	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	15.62	12.70	0.019	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	15.87	12.95	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	14.40	11.48	0.014	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	13.89	10.97	0.013	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	10.92	8.00	0.006	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.82	13.90	0.025	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.27	14.35	0.027	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.25	14.33	0.027	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.33	14.41	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB128@0	16.32	13.40	0.022	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	17.33	14.41	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@131	17.20	14.28	0.027	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB64@32	17.33	14.41	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 16 QAM_RB128@0	15.34	12.42	0.017	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 64 QAM_RB128@0	14.80	11.88	0.015	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 256 QAM_RB128@0	12.82	9.90	0.010	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	14.29	11.37	0.014	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	15.72	12.80	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	15.59	12.67	0.018	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	15.81	12.89	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	14.31	11.39	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	13.83	10.91	0.012	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	10.85	7.93	0.006	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.85	13.93	0.025	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	14.07	0.026	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.27	14.35	0.027	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.38	14.46	0.028	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	16.32	13.40	0.022	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	17.09	14.17	0.026	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	17.32	14.40	0.028	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	17.38	14.46	0.028	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	15.34	12.42	0.017	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	14.87	11.95	0.016	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	12.83	9.91	0.010	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	14.33	11.41	0.014	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	15.52	12.60	0.018	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	15.74	12.82	0.019	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	15.88	12.96	0.020	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	14.32	11.40	0.014	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	13.84	10.92	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	10.84	7.92	0.006	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.81	13.89	0.024	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.18	14.26	0.027	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.22	14.30	0.027	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.39	14.47	0.028	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	16.28	13.36	0.022	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.22	14.30	0.027	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	17.22	14.30	0.027	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	17.38	14.46	0.028	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	15.34	12.42	0.017	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	14.82	11.90	0.015	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	12.82	9.90	0.010	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	14.28	11.36	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.59	12.67	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	15.66	12.74	0.019	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	15.83	12.91	0.020	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	14.31	11.39	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	13.81	10.89	0.012	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	10.86	7.94	0.006	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.82	13.90	0.025	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.31	14.39	0.027	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.22	14.30	0.027	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.30	14.38	0.027	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	16.32	13.40	0.022	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	17.32	14.40	0.028	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	17.25	14.33	0.027	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	17.29	14.37	0.027	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	15.28	12.36	0.017	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	14.80	11.88	0.015	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	12.81	9.89	0.010	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	14.30	11.38	0.014	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	15.70	12.78	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	15.61	12.69	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	15.79	12.87	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	14.29	11.37	0.014	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	13.82	10.90	0.012	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	10.80	7.88	0.006	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.94	13.02	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.21	13.29	0.021	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.23	13.31	0.021	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.45	13.53	0.023	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	15.38	12.46	0.018	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	16.16	13.24	0.021	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	16.21	13.29	0.021	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	16.48	13.56	0.023	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	14.43	11.51	0.014	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	13.92	11.00	0.013	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	11.90	8.98	0.008	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	13.42	10.50	0.011	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	14.60	11.68	0.015	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	14.69	11.77	0.015	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	14.97	12.05	0.016	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	13.46	10.54	0.011	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	12.95	10.03	0.010	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	9.95	7.03	0.005	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.81	12.89	0.019	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.18	13.26	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.06	13.14	0.021	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.36	13.44	0.022	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	15.32	12.40	0.017	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.23	13.31	0.021	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	16.11	13.19	0.021	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	16.33	13.41	0.022	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	14.35	11.43	0.014	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	13.88	10.96	0.012	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	11.85	8.93	0.008	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	13.40	10.48	0.011	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.62	11.70	0.015	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	14.57	11.65	0.015	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	14.89	11.97	0.016	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	13.37	10.45	0.011	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	12.86	9.94	0.010	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	9.82	6.90	0.005	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.85	12.93	0.020	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.34	13.42	0.022	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.13	13.21	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.35	13.43	0.022	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	15.33	12.41	0.017	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.45	0.022	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	16.16	13.24	0.021	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	16.33	13.41	0.022	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	14.32	11.40	0.014	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	13.87	10.95	0.012	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	11.83	8.91	0.008	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	13.35	10.43	0.011	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	14.86	11.94	0.016	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	14.58	11.66	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	14.85	11.93	0.016	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	13.35	10.43	0.011	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	12.83	9.91	0.010	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	9.92	7.00	0.005	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.42	13.50	0.022	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.08	13.16	0.021	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.18	13.26	0.021	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.87	12.95	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	16.42	13.50	0.022	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	16.16	13.24	0.021	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	16.20	13.28	0.021	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	15.34	12.42	0.017	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	14.35	11.43	0.014	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	13.84	10.92	0.012	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	11.93	9.01	0.008	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	14.91	11.99	0.016	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	14.58	11.66	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	14.58	11.66	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	13.37	10.45	0.011	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	13.38	10.46	0.011	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	12.88	9.96	0.010	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	9.90	6.98	0.005	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.38	13.46	0.022	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.19	13.27	0.021	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.12	13.20	0.021	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.84	12.92	0.020	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	16.38	13.46	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.34	0.022	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	16.10	13.18	0.021	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	15.31	12.39	0.017	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	14.30	11.38	0.014	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	13.80	10.88	0.012	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	11.84	8.92	0.008	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	14.86	11.94	0.016	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.65	11.73	0.015	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	14.53	11.61	0.014	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	13.31	10.39	0.011	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	13.33	10.41	0.011	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	12.82	9.90	0.010	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	9.83	6.91	0.005	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.36	13.44	0.022	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.27	13.35	0.022	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.15	13.23	0.021	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.88	12.96	0.020	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	16.34	13.42	0.022	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	16.32	13.40	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	16.19	13.27	0.021	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	15.32	12.40	0.017	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	14.27	11.35	0.014	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	13.79	10.87	0.012	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	11.86	8.94	0.008	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	14.86	11.94	0.016	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	14.70	11.78	0.015	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	14.61	11.69	0.015	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	13.37	10.45	0.011	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	13.37	10.45	0.011	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	12.85	9.93	0.010	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	9.87	6.95	0.005	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.40	13.48	0.022	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.05	13.13	0.021	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.11	13.19	0.021	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.87	12.95	0.020	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	16.40	13.48	0.022	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	16.15	13.23	0.021	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	16.11	13.19	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	15.33	12.41	0.017	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	14.32	11.40	0.014	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	13.86	10.94	0.012	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	11.86	8.94	0.008	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	14.90	11.98	0.016	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	14.49	11.57	0.014	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	14.52	11.60	0.014	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	13.34	10.42	0.011	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	13.41	10.49	0.011	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	12.85	9.93	0.010	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	9.82	6.90	0.005	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.37	13.45	0.022	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.10	13.18	0.021	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.09	13.17	0.021	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.84	12.92	0.020	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	16.40	13.48	0.022	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.20	13.28	0.021	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	16.07	13.15	0.021	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	15.31	12.39	0.017	1	Pass



Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB243@0	14.27	11.35	0.014	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB243@0	13.82	10.90	0.012	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB243@0	11.83	8.91	0.008	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	14.85	11.93	0.016	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.51	11.59	0.014	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	14.52	11.60	0.014	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	13.32	10.40	0.011	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	13.32	10.40	0.011	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	12.83	9.91	0.010	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	9.80	6.88	0.005	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.35	13.43	0.022	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.20	13.28	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.13	13.21	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.83	12.91	0.020	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	16.38	13.46	0.022	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	16.23	13.31	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	16.13	13.21	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	15.33	12.41	0.017	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	14.31	11.39	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	13.80	10.88	0.012	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	11.81	8.89	0.008	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	14.82	11.90	0.015	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	14.66	11.74	0.015	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	14.68	11.76	0.015	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	13.31	10.39	0.011	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	13.30	10.38	0.011	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	12.80	9.88	0.010	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	9.83	6.91	0.005	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.32	13.40	0.022	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16	13.08	0.020	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.13	13.21	0.021	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.77	12.85	0.019	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	16.36	13.44	0.022	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.10	13.18	0.021	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	16.17	13.25	0.021	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	15.26	12.34	0.017	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	14.28	11.36	0.014	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	13.81	10.89	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	11.81	8.89	0.008	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	14.87	11.95	0.016	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.47	11.55	0.014	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	14.52	11.60	0.014	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	13.31	10.39	0.011	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	13.30	10.38	0.011	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	12.81	9.89	0.010	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	9.84	6.92	0.005	1	Pass

**Note:**

**$EIRP = \text{Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBi})$**

**n78\_3:**

**1. Ant Gain = -2.92dBi;**

**2.  $C_L$  = signal attenuation in the connecting cable between the transmitter and antenna in 0dB**