

Frequency Stability

Band	PCC Freq	SCC Freq	Modulation	PCC_Deviation(Hz)	PCC_Deviation(ppm)	SCC_Deviation(Hz)	SCC_Deviation(ppm)	Limit (ppm)	Verdict	Environment
CA_5B	831.6	841.5	QPSK	61.22	0.07361	-74.77	-0.08886	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	16QAM	47.57	0.05721	-11.68	-0.01388	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	64QAM	-54.14	-0.06510	-55.26	-0.06566	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	256QAM	20.82	0.02504	97.63	0.11602	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	QPSK	92.77	0.11155	-13.61	-0.01617	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	16QAM	97.22	0.11690	-43.48	-0.05166	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	64QAM	-33.46	-0.04024	55.85	0.06637	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	256QAM	-88.91	-0.10691	-54.82	-0.06515	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	QPSK	94.11	0.11317	13.96	0.01658	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	16QAM	56.72	0.06821	-94.48	-0.11228	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	64QAM	83.22	0.10007	61.54	0.07313	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	256QAM	44.66	0.05371	9.70	0.01153	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	QPSK	-38.59	-0.04640	-58.77	-0.06984	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	16QAM	22.31	0.02683	43.63	0.05185	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	64QAM	-62.35	-0.07498	6.00	0.00713	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	256QAM	85.02	0.10223	38.05	0.04521	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	QPSK	-75.20	-0.09042	27.81	0.03305	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	16QAM	21.91	0.02635	91.07	0.10822	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	64QAM	86.69	0.10424	-65.80	-0.07820	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	256QAM	53.24	0.06402	83.18	0.09885	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	QPSK	-7.39	-0.00889	58.56	0.06959	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	16QAM	28.63	0.03442	-31.39	-0.03730	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	64QAM	17.88	0.02151	-3.54	-0.00421	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	256QAM	-16.14	-0.01941	-93.75	-0.11141	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	QPSK	-43.41	-0.05220	-3.39	-0.00403	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	16QAM	-23.87	-0.02871	48.51	0.05765	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	64QAM	-83.83	-0.10081	-75.32	-0.08950	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	256QAM	-78.47	-0.09436	97.30	0.11563	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	QPSK	-5.75	-0.00692	8.22	0.00977	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	16QAM	-71.61	-0.08611	67.99	0.08080	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	64QAM	-98.18	-0.11806	-21.55	-0.02561	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	256QAM	-3.13	-0.00377	-67.29	-0.07997	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	QPSK	42.92	0.05162	13.10	0.01556	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	16QAM	-68.59	-0.08248	-13.43	-0.01596	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	64QAM	25.33	0.03046	-54.80	-0.06512	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	256QAM	71.60	0.08609	-35.67	-0.04239	±2.5	PASS	-10°C/3.87V

CA_5B	831.6	841.5	QPSK	-47.29	-0.05687	34.05	0.04046	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	16QAM	45.00	0.05412	71.01	0.08438	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	64QAM	21.18	0.02547	-88.05	-0.10463	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	256QAM	25.06	0.03014	78.13	0.09285	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	QPSK	-93.96	-0.11298	-68.16	-0.08100	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	16QAM	-46.32	-0.05571	-97.68	-0.11608	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	64QAM	9.33	0.01122	85.85	0.10202	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	256QAM	-28.18	-0.03389	-76.77	-0.09123	±2.5	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_7C	2500/2570	QPSK	2500.127	2500	2569.927	2570	PASS	20°C/3.45V
CA_7C	2500/2570	16QAM	2500.017	2500	2569.850	2570	PASS	20°C/3.45V
CA_7C	2500/2570	64QAM	2500.005	2500	2569.817	2570	PASS	20°C/3.45V
CA_7C	2500/2570	256QAM	2500.094	2500	2569.909	2570	PASS	20°C/3.45V
CA_7C	2500/2570	QPSK	2500.063	2500	2569.809	2570	PASS	20°C/4.45V
CA_7C	2500/2570	16QAM	2500.055	2500	2569.857	2570	PASS	20°C/4.45V
CA_7C	2500/2570	64QAM	2500.188	2500	2569.956	2570	PASS	20°C/4.45V
CA_7C	2500/2570	256QAM	2500.178	2500	2569.902	2570	PASS	20°C/4.45V
CA_7C	2500/2570	QPSK	2500.172	2500	2569.871	2570	PASS	50°C/3.87V
CA_7C	2500/2570	16QAM	2500.158	2500	2569.874	2570	PASS	50°C/3.87V
CA_7C	2500/2570	64QAM	2500.132	2500	2569.969	2570	PASS	50°C/3.87V
CA_7C	2500/2570	256QAM	2500.198	2500	2569.888	2570	PASS	50°C/3.87V
CA_7C	2500/2570	QPSK	2500.072	2500	2569.828	2570	PASS	40°C/3.87V
CA_7C	2500/2570	16QAM	2500.133	2500	2569.893	2570	PASS	40°C/3.87V
CA_7C	2500/2570	64QAM	2500.071	2500	2569.965	2570	PASS	40°C/3.87V
CA_7C	2500/2570	256QAM	2500.134	2500	2569.813	2570	PASS	40°C/3.87V
CA_7C	2500/2570	QPSK	2500.054	2500	2569.970	2570	PASS	30°C/3.87V
CA_7C	2500/2570	16QAM	2500.141	2500	2569.992	2570	PASS	30°C/3.87V
CA_7C	2500/2570	64QAM	2500.015	2500	2569.939	2570	PASS	30°C/3.87V
CA_7C	2500/2570	256QAM	2500.076	2500	2569.960	2570	PASS	30°C/3.87V
CA_7C	2500/2570	QPSK	2500.042	2500	2569.838	2570	PASS	20°C/3.87V
CA_7C	2500/2570	16QAM	2500.159	2500	2569.916	2570	PASS	20°C/3.87V
CA_7C	2500/2570	64QAM	2500.104	2500	2569.800	2570	PASS	20°C/3.87V
CA_7C	2500/2570	256QAM	2500.161	2500	2569.906	2570	PASS	20°C/3.87V
CA_7C	2500/2570	QPSK	2500.062	2500	2569.875	2570	PASS	10°C/3.87V
CA_7C	2500/2570	16QAM	2500.038	2500	2569.972	2570	PASS	10°C/3.87V
CA_7C	2500/2570	64QAM	2500.111	2500	2569.865	2570	PASS	10°C/3.87V
CA_7C	2500/2570	256QAM	2500.074	2500	2569.852	2570	PASS	10°C/3.87V
CA_7C	2500/2570	QPSK	2500.120	2500	2569.849	2570	PASS	0°C/3.87V
CA_7C	2500/2570	16QAM	2500.062	2500	2569.942	2570	PASS	0°C/3.87V
CA_7C	2500/2570	64QAM	2500.126	2500	2569.953	2570	PASS	0°C/3.87V
CA_7C	2500/2570	256QAM	2500.068	2500	2569.820	2570	PASS	0°C/3.87V
CA_7C	2500/2570	QPSK	2500.114	2500	2569.892	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	16QAM	2500.125	2500	2569.873	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	64QAM	2500.138	2500	2569.965	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	256QAM	2500.183	2500	2569.943	2570	PASS	-10°C/3.87V

CA_7C	2500/2570	QPSK	2500.096	2500	2569.930	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	16QAM	2500.118	2500	2569.959	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	64QAM	2500.074	2500	2569.856	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	256QAM	2500.060	2500	2569.945	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	QPSK	2500.115	2500	2569.900	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	16QAM	2500.008	2500	2569.821	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	64QAM	2500.120	2500	2569.836	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	256QAM	2500.165	2500	2569.941	2570	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_38C	2570/2620	QPSK	2570.199	2570	2619.883	2620	PASS	20°C/3.45V
CA_38C	2570/2620	16QAM	2570.057	2570	2619.977	2620	PASS	20°C/3.45V
CA_38C	2570/2620	64QAM	2570.051	2570	2619.997	2620	PASS	20°C/3.45V
CA_38C	2570/2620	256QAM	2570.080	2570	2619.815	2620	PASS	20°C/3.45V
CA_38C	2570/2620	QPSK	2570.113	2570	2619.961	2620	PASS	20°C/4.45V
CA_38C	2570/2620	16QAM	2570.124	2570	2619.818	2620	PASS	20°C/4.45V
CA_38C	2570/2620	64QAM	2570.019	2570	2619.824	2620	PASS	20°C/4.45V
CA_38C	2570/2620	256QAM	2570.182	2570	2619.987	2620	PASS	20°C/4.45V
CA_38C	2570/2620	QPSK	2570.097	2570	2619.971	2620	PASS	50°C/3.87V
CA_38C	2570/2620	16QAM	2570.176	2570	2619.898	2620	PASS	50°C/3.87V
CA_38C	2570/2620	64QAM	2570.068	2570	2619.917	2620	PASS	50°C/3.87V
CA_38C	2570/2620	256QAM	2570.197	2570	2619.874	2620	PASS	50°C/3.87V
CA_38C	2570/2620	QPSK	2570.040	2570	2619.922	2620	PASS	40°C/3.87V
CA_38C	2570/2620	16QAM	2570.137	2570	2619.992	2620	PASS	40°C/3.87V
CA_38C	2570/2620	64QAM	2570.075	2570	2619.923	2620	PASS	40°C/3.87V
CA_38C	2570/2620	256QAM	2570.148	2570	2619.859	2620	PASS	40°C/3.87V
CA_38C	2570/2620	QPSK	2570.151	2570	2619.822	2620	PASS	30°C/3.87V
CA_38C	2570/2620	16QAM	2570.165	2570	2619.844	2620	PASS	30°C/3.87V
CA_38C	2570/2620	64QAM	2570.102	2570	2619.818	2620	PASS	30°C/3.87V
CA_38C	2570/2620	256QAM	2570.071	2570	2619.938	2620	PASS	30°C/3.87V
CA_38C	2570/2620	QPSK	2570.089	2570	2619.805	2620	PASS	20°C/3.87V
CA_38C	2570/2620	16QAM	2570.080	2570	2619.953	2620	PASS	20°C/3.87V
CA_38C	2570/2620	64QAM	2570.137	2570	2619.813	2620	PASS	20°C/3.87V
CA_38C	2570/2620	256QAM	2570.017	2570	2619.803	2620	PASS	20°C/3.87V
CA_38C	2570/2620	QPSK	2570.154	2570	2619.998	2620	PASS	10°C/3.87V
CA_38C	2570/2620	16QAM	2570.072	2570	2619.990	2620	PASS	10°C/3.87V
CA_38C	2570/2620	64QAM	2570.023	2570	2619.956	2620	PASS	10°C/3.87V
CA_38C	2570/2620	256QAM	2570.183	2570	2619.845	2620	PASS	10°C/3.87V
CA_38C	2570/2620	QPSK	2570.101	2570	2619.819	2620	PASS	0°C/3.87V
CA_38C	2570/2620	16QAM	2570.163	2570	2619.814	2620	PASS	0°C/3.87V
CA_38C	2570/2620	64QAM	2570.059	2570	2619.981	2620	PASS	0°C/3.87V
CA_38C	2570/2620	256QAM	2570.124	2570	2619.992	2620	PASS	0°C/3.87V
CA_38C	2570/2620	QPSK	2570.147	2570	2619.863	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	16QAM	2570.175	2570	2619.823	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	64QAM	2570.058	2570	2619.866	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	256QAM	2570.082	2570	2619.881	2620	PASS	-10°C/3.87V

CA_38C	2570/2620	QPSK	2570.004	2570	2619.846	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	16QAM	2570.075	2570	2619.983	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	64QAM	2570.008	2570	2619.928	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	256QAM	2570.029	2570	2619.836	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	QPSK	2570.064	2570	2619.991	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	16QAM	2570.137	2570	2619.800	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	64QAM	2570.102	2570	2619.899	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	256QAM	2570.161	2570	2619.983	2620	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_41C	2496/2690	QPSK	2496.068	2496	2689.983	2690	PASS	20°C/3.45V
CA_41C	2496/2690	16QAM	2496.075	2496	2689.912	2690	PASS	20°C/3.45V
CA_41C	2496/2690	64QAM	2496.058	2496	2689.829	2690	PASS	20°C/3.45V
CA_41C	2496/2690	256QAM	2496.060	2496	2689.880	2690	PASS	20°C/3.45V
CA_41C	2496/2690	QPSK	2496.132	2496	2689.935	2690	PASS	20°C/4.45V
CA_41C	2496/2690	16QAM	2496.005	2496	2689.954	2690	PASS	20°C/4.45V
CA_41C	2496/2690	64QAM	2496.138	2496	2689.947	2690	PASS	20°C/4.45V
CA_41C	2496/2690	256QAM	2496.046	2496	2689.811	2690	PASS	20°C/4.45V
CA_41C	2496/2690	QPSK	2496.014	2496	2689.848	2690	PASS	50°C/3.87V
CA_41C	2496/2690	16QAM	2496.185	2496	2689.972	2690	PASS	50°C/3.87V
CA_41C	2496/2690	64QAM	2496.085	2496	2689.994	2690	PASS	50°C/3.87V
CA_41C	2496/2690	256QAM	2496.143	2496	2689.820	2690	PASS	50°C/3.87V
CA_41C	2496/2690	QPSK	2496.108	2496	2689.827	2690	PASS	40°C/3.87V
CA_41C	2496/2690	16QAM	2496.075	2496	2689.953	2690	PASS	40°C/3.87V
CA_41C	2496/2690	64QAM	2496.103	2496	2689.906	2690	PASS	40°C/3.87V
CA_41C	2496/2690	256QAM	2496.103	2496	2689.801	2690	PASS	40°C/3.87V
CA_41C	2496/2690	QPSK	2496.142	2496	2689.817	2690	PASS	30°C/3.87V
CA_41C	2496/2690	16QAM	2496.080	2496	2689.986	2690	PASS	30°C/3.87V
CA_41C	2496/2690	64QAM	2496.132	2496	2689.937	2690	PASS	30°C/3.87V
CA_41C	2496/2690	256QAM	2496.090	2496	2689.949	2690	PASS	30°C/3.87V
CA_41C	2496/2690	QPSK	2496.172	2496	2689.957	2690	PASS	20°C/3.87V
CA_41C	2496/2690	16QAM	2496.113	2496	2689.844	2690	PASS	20°C/3.87V
CA_41C	2496/2690	64QAM	2496.021	2496	2689.909	2690	PASS	20°C/3.87V
CA_41C	2496/2690	256QAM	2496.051	2496	2689.991	2690	PASS	20°C/3.87V
CA_41C	2496/2690	QPSK	2496.195	2496	2689.929	2690	PASS	10°C/3.87V
CA_41C	2496/2690	16QAM	2496.185	2496	2689.943	2690	PASS	10°C/3.87V
CA_41C	2496/2690	64QAM	2496.003	2496	2689.912	2690	PASS	10°C/3.87V
CA_41C	2496/2690	256QAM	2496.195	2496	2689.943	2690	PASS	10°C/3.87V
CA_41C	2496/2690	QPSK	2496.172	2496	2689.820	2690	PASS	0°C/3.87V
CA_41C	2496/2690	16QAM	2496.059	2496	2689.867	2690	PASS	0°C/3.87V
CA_41C	2496/2690	64QAM	2496.010	2496	2689.922	2690	PASS	0°C/3.87V
CA_41C	2496/2690	256QAM	2496.036	2496	2689.811	2690	PASS	0°C/3.87V
CA_41C	2496/2690	QPSK	2496.092	2496	2689.938	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	16QAM	2496.016	2496	2689.876	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	64QAM	2496.019	2496	2689.917	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	256QAM	2496.082	2496	2689.802	2690	PASS	-10°C/3.87V

CA_41C	2496/2690	QPSK	2496.102	2496	2689.987	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	16QAM	2496.052	2496	2689.926	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	64QAM	2496.164	2496	2689.871	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	256QAM	2496.010	2496	2689.925	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	QPSK	2496.141	2496	2689.919	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	16QAM	2496.006	2496	2689.891	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	64QAM	2496.038	2496	2689.822	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	256QAM	2496.191	2496	2689.979	2690	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_66C	1710/1780	QPSK	1710.122	1710	1779.986	1780	PASS	20°C/3.45V
CA_66C	1710/1780	16QAM	1710.199	1710	1779.853	1780	PASS	20°C/3.45V
CA_66C	1710/1780	64QAM	1710.023	1710	1779.997	1780	PASS	20°C/3.45V
CA_66C	1710/1780	256QAM	1710.001	1710	1779.818	1780	PASS	20°C/3.45V
CA_66C	1710/1780	QPSK	1710.089	1710	1779.851	1780	PASS	20°C/4.45V
CA_66C	1710/1780	16QAM	1710.009	1710	1779.807	1780	PASS	20°C/4.45V
CA_66C	1710/1780	64QAM	1710.192	1710	1779.875	1780	PASS	20°C/4.45V
CA_66C	1710/1780	256QAM	1710.132	1710	1779.963	1780	PASS	20°C/4.45V
CA_66C	1710/1780	QPSK	1710.139	1710	1779.903	1780	PASS	50°C/3.87V
CA_66C	1710/1780	16QAM	1710.025	1710	1779.911	1780	PASS	50°C/3.87V
CA_66C	1710/1780	64QAM	1710.128	1710	1779.955	1780	PASS	50°C/3.87V
CA_66C	1710/1780	256QAM	1710.151	1710	1779.855	1780	PASS	50°C/3.87V
CA_66C	1710/1780	QPSK	1710.117	1710	1779.874	1780	PASS	40°C/3.87V
CA_66C	1710/1780	16QAM	1710.016	1710	1779.959	1780	PASS	40°C/3.87V
CA_66C	1710/1780	64QAM	1710.027	1710	1779.952	1780	PASS	40°C/3.87V
CA_66C	1710/1780	256QAM	1710.013	1710	1779.881	1780	PASS	40°C/3.87V
CA_66C	1710/1780	QPSK	1710.172	1710	1779.968	1780	PASS	30°C/3.87V
CA_66C	1710/1780	16QAM	1710.112	1710	1779.904	1780	PASS	30°C/3.87V
CA_66C	1710/1780	64QAM	1710.026	1710	1779.807	1780	PASS	30°C/3.87V
CA_66C	1710/1780	256QAM	1710.178	1710	1779.955	1780	PASS	30°C/3.87V
CA_66C	1710/1780	QPSK	1710.166	1710	1779.844	1780	PASS	20°C/3.87V
CA_66C	1710/1780	16QAM	1710.176	1710	1779.861	1780	PASS	20°C/3.87V
CA_66C	1710/1780	64QAM	1710.016	1710	1779.998	1780	PASS	20°C/3.87V
CA_66C	1710/1780	256QAM	1710.166	1710	1779.836	1780	PASS	20°C/3.87V
CA_66C	1710/1780	QPSK	1710.110	1710	1779.927	1780	PASS	10°C/3.87V
CA_66C	1710/1780	16QAM	1710.066	1710	1779.902	1780	PASS	10°C/3.87V
CA_66C	1710/1780	64QAM	1710.030	1710	1779.832	1780	PASS	10°C/3.87V
CA_66C	1710/1780	256QAM	1710.059	1710	1779.937	1780	PASS	10°C/3.87V
CA_66C	1710/1780	QPSK	1710.091	1710	1779.893	1780	PASS	0°C/3.87V
CA_66C	1710/1780	16QAM	1710.113	1710	1779.935	1780	PASS	0°C/3.87V
CA_66C	1710/1780	64QAM	1710.013	1710	1779.924	1780	PASS	0°C/3.87V
CA_66C	1710/1780	256QAM	1710.051	1710	1779.817	1780	PASS	0°C/3.87V
CA_66C	1710/1780	QPSK	1710.086	1710	1779.939	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	16QAM	1710.109	1710	1779.907	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	64QAM	1710.024	1710	1779.958	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	256QAM	1710.025	1710	1779.819	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	QPSK	1710.085	1710	1779.870	1780	PASS	-20°C/3.87V

CA_66C	1710/1780	16QAM	1710.036	1710	1779.820	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	64QAM	1710.131	1710	1779.839	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	256QAM	1710.009	1710	1779.983	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	QPSK	1710.160	1710	1779.873	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	16QAM	1710.065	1710	1779.990	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	64QAM	1710.098	1710	1779.818	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	256QAM	1710.138	1710	1779.892	1780	PASS	-30°C/3.87V