




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.213	30	Pass
NVNT	BLE	2442	Ant1	-5.876	30	Pass
NVNT	BLE	2480	Ant1	-6.203	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.659	0.5	Pass
NVNT	BLE	2480	Ant1	0.662	0.5	Pass














## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.021879572	
NVNT	BLE	2442	Ant1	1.030967704	
NVNT	BLE	2480	Ant1	1.026035784	















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-12.33	8	Pass
NVNT	BLE	2442	Ant1	-11.912	8	Pass
NVNT	BLE	2480	Ant1	-12.826	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-41.59	-20	Pass
NVNT	BLE	2480	Ant1	-41.56	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-38.08	-20	Pass
NVNT	BLE	2442	Ant1	-38.13	-20	Pass
NVNT	BLE	2480	Ant1	-36.41	-20	Pass







