




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.49	30	Pass
NVNT	BLE	2442	Ant1	-3.168	30	Pass
NVNT	BLE	2480	Ant1	-3.163	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.689	0.5	Pass
NVNT	BLE	2442	Ant1	0.684	0.5	Pass
NVNT	BLE	2480	Ant1	0.683	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.051062298	
NVNT	BLE	2442	Ant1	1.054107302	
NVNT	BLE	2480	Ant1	1.056230938	









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.918	8	Pass
NVNT	BLE	2442	Ant1	-9.595	8	Pass
NVNT	BLE	2480	Ant1	-9.591	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.85	-20	Pass
NVNT	BLE	2480	Ant1	-45.11	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-39.94	-20	Pass
NVNT	BLE	2442	Ant1	-40.47	-20	Pass
NVNT	BLE	2480	Ant1	-40.32	-20	Pass











