



Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	2.491	30	Pass
NVNT	BLE	2442	Ant7	4.018	30	Pass
NVNT	BLE	2480	Ant7	3.514	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant7	0.698	0.5	Pass
NVNT	BLE	2442	Ant7	0.704	0.5	Pass
NVNT	BLE	2480	Ant7	0.708	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant7	1.043	
NVNT	BLE	2442	Ant7	1.045	
NVNT	BLE	2480	Ant7	1.045	

Project No.: JYTSZR2304043














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-12.559	8	Pass
NVNT	BLE	2442	Ant7	-10.983	8	Pass
NVNT	BLE	2480	Ant7	-11.51	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-57.57	-20	Pass
NVNT	BLE	2480	Ant7	-58.63	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-51.68	-20	Pass
NVNT	BLE	2442	Ant7	-53.04	-20	Pass
NVNT	BLE	2480	Ant7	-51.96	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant7 Ref

2.250 dBm

-52.83 dBm -53.94 dBm -54.47 dBm

-49.80 dBm

Function

Function Width

5 Marker Table

3 N 4 N 5 N

Mode

N N Trace

Scale

Function Value

2.452 GHz

4.999 GHz 7.221 GHz 9.668 GHz

23.876 GHz

Apr 26, 2023 2:44:29 PM



