




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	3.641	30	Pass
NVNT	BLE	2442	Ant6	5.144	30	Pass
NVNT	BLE	2480	Ant6	4.14	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant6	0.66	0.5	Pass
NVNT	BLE	2442	Ant6	0.663	0.5	Pass
NVNT	BLE	2480	Ant6	0.661	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant6	1.02	
NVNT	BLE	2442	Ant6	1.02	
NVNT	BLE	2480	Ant6	1.022	

Project No.: JYTSZR2304043









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-2.733	8	Pass
NVNT	BLE	2442	Ant6	-1.29	8	Pass
NVNT	BLE	2480	Ant6	-2.224	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-59.55	-20	Pass
NVNT	BLE	2480	Ant6	-58.94	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-53	-20	Pass
NVNT	BLE	2442	Ant6	-54.37	-20	Pass
NVNT	BLE	2480	Ant6	-54.03	-20	Pass











