




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	3.632	30	Pass
NVNT	BLE	2442	Ant6	5.116	30	Pass
NVNT	BLE	2480	Ant6	4.084	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant6	0.688	0.5	Pass
NVNT	BLE	2442	Ant6	0.687	0.5	Pass
NVNT	BLE	2480	Ant6	0.687	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant6	1.056	
NVNT	BLE	2442	Ant6	1.056	
NVNT	BLE	2480	Ant6	1.057	









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-2.662	8	Pass
NVNT	BLE	2442	Ant6	-1.216	8	Pass
NVNT	BLE	2480	Ant6	-2.17	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-56.45	-20	Pass
NVNT	BLE	2480	Ant6	-56.79	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-50.32	-20	Pass
NVNT	BLE	2442	Ant6	-51.42	-20	Pass
NVNT	BLE	2480	Ant6	-50.16	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant6 Ref

1.429 dBm

-52.40 dBm -54.28 dBm

-54.31 dBm

-49.98 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

4.924 GHz 7.171 GHz 9.743 GHz

22.728 GHz

Apr 25, 2023 4:53:33 PM



