




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	2.459	30	Pass
NVNT	BLE	2442	Ant7	3.97	30	Pass
NVNT	BLE	2480	Ant7	3.48	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant7	0.689	0.5	Pass
NVNT	BLE	2442	Ant7	0.688	0.5	Pass
NVNT	BLE	2480	Ant7	0.69	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant7	1.058	
NVNT	BLE	2442	Ant7	1.059	
NVNT	BLE	2480	Ant7	1.061	

Project No.: JYTSZR2304043













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant7	-3.805	8	Pass
NVNT	BLE	2442	Ant7	-2.3	8	Pass
NVNT	BLE	2480	Ant7	-2.793	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-55.77	-20	Pass
NVNT	BLE	2480	Ant7	-56.09	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant7	-49.22	-20	Pass
NVNT	BLE	2442	Ant7	-50.51	-20	Pass
NVNT	BLE	2480	Ant7	-48.12	-20	Pass









5 Marker Table Trace Scale Function **Function Width** Function Value Mode 0.3073 dBm 5.024 GHz 7.196 GHz 9.668 GHz -53.01 dBm -54.69 dBm N N 3 4 5 6 N 23.702 GHz -50.18 dBm Apr 26, 2023 2:52:29 PM

Tx. Spurious NVNT BLE 2480MHz Ant7 Ref



