

Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	4.73	30	Pass
NVNT	BLE	2442	Ant12	5.433	30	Pass
NVNT	BLE	2480	Ant12	5.838	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant12	0.692	0.5	Pass
NVNT	BLE	2442	Ant12	0.703	0.5	Pass
NVNT	BLE	2480	Ant12	0.697	0.5	Pass







Spectrum Analy Occupied BW	zer 1	• +					
KEYSIGHT	Input: RF Coupling: DC Align: Auto/No RF	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 2.480000000 GHz Avg Hold: 1000/1000 Radio Std: None		
1 Graph				Ref LvI Offset 2.	60 dB	Mkr3 2.4803	54000 GHz
Scale/Div 10.0	dB			Ref Value 22.60			-1.18 dBm
Log 12.6 2.60			2	1	3		
-7.40 -17.4 -27.4							
-37.4							
-57.4							
Center 2.48000 #Res BW 100.0				#Video BW 300.0	00 kHz	Sweep 1.33	Span 2 MHz ns (10001 pts)
2 Metrics							
	Occupied Ba	ndwidth					
		1.0496 MHz			Total Power	12.0 dBm	
	Transmit Free x dB Bandwid		5.807 kHz 697.0 kHz		% of OBW Power x dB	99.00 % -6.00 dB	
		Dec 15, 2023 4:45:29 PM	$\bigcirc \bigtriangleup$				



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant12	1.043
NVNT	BLE	2442	Ant12	1.046
NVNT	BLE	2480	Ant12	1.044













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	-10.255	8	Pass
NVNT	BLE	2442	Ant12	-9.547	8	Pass
NVNT	BLE	2480	Ant12	-9.15	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-60.3	-20	Pass
NVNT	BLE	2480	Ant12	-60.97	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-53.29	-20	Pass
NVNT	BLE	2442	Ant12	-54.04	-20	Pass
NVNT	BLE	2480	Ant12	-53.91	-20	Pass











