

RF power output

DC_5A_n66A

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.9(20.04 19.74)	18.651	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.5(20.04 16.05)	16.993	0.05	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.64(20.05 19.16)	18.344	0.068	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.93(20.22 19.6)	18.657	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.88(20.08 19.64)	18.614	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.87(20.05 19.67)	18.617	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.23(20.03 18.22)	17.869	0.061	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.89(20.06 19.7)	18.638	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.94(20.08 19.78)	18.691	0.074	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.87(20.07 19.63)	18.604	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.87(19.98 19.74)	18.625	0.073	1.00	Pass
10MHz 10MHz_15kHz_829MHz 1715 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.89(20.05 19.7)	18.634	0.073	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.48(19.5 19.44)	18.246	0.067	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.05(19.52 15.76)	16.554	0.045	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.19(19.49 18.85)	17.916	0.062	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.45(19.5 19.37)	18.206	0.066	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.4(19.51 19.27)	18.155	0.065	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.77(19.5 17.86)	17.42	0.055	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.45(19.5 19.37)	18.206	0.066	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.44(19.55 19.31)	18.195	0.066	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.41(19.49 19.31)	18.168	0.066	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	23(18.62 21.03)	18.935	0.078	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.04(18.61 17.36)	16.72	0.047	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	22.69(18.62 20.53)	18.592	0.072	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	22.82(18.62 20.74)	18.734	0.075	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	22.95(18.63 20.94)	18.875	0.077	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	22.97(18.63 20.98)	18.903	0.078	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.11(18.66 19.5)	17.94	0.062	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.07(18.61 21.14)	19.009	0.08	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	23.04(18.49 21.16)	18.988	0.079	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	22.94(18.6 20.94)	18.866	0.077	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	23.02(18.43 21.17)	18.978	0.079	1.00	Pass
10MHz 10MHz_15kHz_844MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	22.99(18.62 21.01)	18.921	0.078	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.77(19.72 19.8)	18.546	0.072	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.35(19.72 16.32)	16.887	0.049	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.58(19.83 19.29)	18.31	0.068	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.86(20 19.69)	18.606	0.073	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.83(19.87 19.76)	18.588	0.072	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.82(19.82 19.8)	18.589	0.072	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.14(19.86 18.26)	17.799	0.06	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.81(19.85 19.75)	18.573	0.072	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.96(20.04 19.86)	18.718	0.074	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.81(19.81 19.79)	18.579	0.072	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.97(20.07 19.84)	18.72	0.074	1.00	Pass
10MHz 15MHz_15kHz_829MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.82(19.84 19.77)	18.58	0.072	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.57(19.49 19.62)	18.345	0.068	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.15(19.51 16.12)	16.681	0.047	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.33(19.53 19.09)	18.064	0.064	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.53(19.52 19.52)	18.3	0.068	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.54(19.48 19.58)	18.318	0.068	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.84(19.5 18.03)	17.502	0.056	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.55(19.5 19.57)	18.32	0.068	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.53(19.49 19.54)	18.299	0.068	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.53(19.51 19.53)	18.302	0.068	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	22.96(18.65 20.95)	18.888	0.077	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.12(18.64 17.5)	16.806	0.048	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	22.66(18.65 20.46)	18.554	0.072	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	22.74(18.6 20.63)	18.653	0.073	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	22.96(18.64 20.95)	18.885	0.077	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	23(18.65 21.01)	18.93	0.078	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	22.05(18.65 19.4)	17.874	0.061	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	22.99(18.67 20.99)	18.922	0.078	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	23.21(18.61 21.36)	19.165	0.083	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	22.91(18.65 20.87)	18.833	0.076	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	23.19(18.56 21.36)	19.151	0.082	1.00	Pass
10MHz 15MHz_15kHz_844MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	22.92(18.63 20.89)	18.841	0.077	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.79(19.83 19.73)	18.553	0.072	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.33(19.76 16.15)	16.849	0.048	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.61(19.85 19.34)	18.346	0.068	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.86(20.1 19.59)	18.596	0.072	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.81(19.85 19.74)	18.568	0.072	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.82(19.88 19.74)	18.581	0.072	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.13(19.89 18.19)	17.781	0.06	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.78(19.72 19.81)	18.552	0.072	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.98(20.15 19.79)	18.728	0.075	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.83(19.88 19.76)	18.592	0.072	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.93(20.09 19.75)	18.679	0.074	1.00	Pass
10MHz 20MHz_15kHz_829MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.77(19.8 19.71)	18.529	0.071	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.57(19.53 19.58)	18.339	0.068	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.09(19.5 15.95)	16.611	0.046	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.36(19.49 19.21)	18.112	0.065	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.57(19.55 19.57)	18.342	0.068	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.56(19.54 19.56)	18.332	0.068	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.87(19.51 18.09)	17.536	0.057	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.58(19.53 19.6)	18.35	0.068	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.54(19.52 19.53)	18.306	0.068	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.54(19.5 19.56)	18.315	0.068	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	22.9(18.66 20.85)	18.822	0.076	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.03(18.66 17.26)	16.696	0.047	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	22.62(18.64 20.41)	18.518	0.071	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	22.8(18.61 20.72)	18.717	0.074	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	22.89(18.64 20.85)	18.816	0.076	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	22.89(18.67 20.83)	18.812	0.076	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.95(18.66 19.2)	17.757	0.06	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	22.89(18.67 20.82)	18.805	0.076	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	23.15(18.56 21.3)	19.108	0.081	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	22.81(18.62 20.73)	18.727	0.075	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.13(18.51 21.29)	19.087	0.081	1.00	Pass
10MHz 20MHz_15kHz_844MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	22.84(18.65 20.75)	18.751	0.075	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.73(19.78 19.66)	18.492	0.071	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.31(19.76 16.09)	16.827	0.048	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.58(19.88 19.23)	18.301	0.068	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.77(19.96 19.54)	18.505	0.071	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.8(19.88 19.69)	18.553	0.072	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.7(19.76 19.62)	18.461	0.07	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.13(19.88 18.2)	17.781	0.06	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.83(19.88 19.75)	18.586	0.072	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.83(19.94 19.69)	18.579	0.072	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	22.73(19.75 19.68)	18.49	0.071	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.83(19.95 19.68)	18.578	0.072	1.00	Pass
10MHz 25MHz_15kHz_829MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.81(19.87 19.72)	18.565	0.072	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.57(19.52 19.59)	18.34	0.068	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.13(19.53 16.02)	16.656	0.046	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.3(19.5 19.07)	18.04	0.064	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.55(19.53 19.54)	18.316	0.068	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.57(19.51 19.6)	18.342	0.068	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.85(19.49 18.07)	17.516	0.056	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.57(19.51 19.6)	18.342	0.068	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	22.56(19.54 19.55)	18.326	0.068	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 25MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.56(19.52 19.57)	18.329	0.068	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	22.74(18.66 20.59)	18.645	0.073	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	20.94(18.64 17.09)	16.603	0.046	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	22.47(18.62 20.16)	18.346	0.068	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	22.83(18.54 20.81)	18.758	0.075	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	22.7(18.64 20.54)	18.605	0.073	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	22.76(18.67 20.61)	18.662	0.073	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	21.89(18.62 19.12)	17.693	0.059	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	22.78(18.62 20.67)	18.686	0.074	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	23.12(18.55 21.25)	19.07	0.081	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	22.75(18.67 20.59)	18.648	0.073	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	23.18(18.75 21.24)	19.121	0.082	1.00	Pass
10MHz 25MHz_15kHz_844MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	22.75(18.64 20.62)	18.659	0.073	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	22.73(19.83 19.61)	18.486	0.071	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.4(19.9 16.05)	16.902	0.049	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	22.54(19.9 19.12)	18.252	0.067	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.85(20.18 19.48)	18.574	0.072	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	22.74(19.9 19.56)	18.489	0.071	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	22.76(19.88 19.61)	18.508	0.071	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	22.07(19.88 18.05)	17.71	0.059	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 30MHz_15kHz_829MHz 1725 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	22.68(19.78 19.56)	18.436	0.07	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.72(19.77 19.65)	18.482	0.071	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	22.7(19.76 19.62)	18.461	0.07	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.59(19.64 19.52)	18.352	0.068	1.00	Pass
10MHz 30MHz_15kHz_829MHz 1725 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	22.77(19.88 19.64)	18.525	0.071	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	22.56(19.52 19.57)	18.329	0.068	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.11(19.54 15.94)	16.632	0.046	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	22.33(19.54 19.08)	18.063	0.064	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	22.56(19.54 19.55)	18.326	0.068	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	22.53(19.52 19.51)	18.294	0.068	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	21.83(19.52 17.99)	17.493	0.056	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	22.53(19.5 19.53)	18.297	0.068	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	22.55(19.54 19.53)	18.314	0.068	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	22.55(19.51 19.57)	18.325	0.068	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	22.65(18.67 20.44)	18.548	0.072	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	20.89(18.68 16.89)	16.529	0.045	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	22.39(18.68 19.98)	18.25	0.067	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	22.82(18.59 20.76)	18.739	0.075	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	22.65(18.67 20.44)	18.548	0.072	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	22.67(18.65 20.48)	18.568	0.072	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	21.79(18.66 18.9)	17.579	0.057	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	22.67(18.67 20.47)	18.568	0.072	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159	23.06(18.58 21.14)	19	0.079	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40	22.64(18.67 20.42)	18.534	0.071	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	23.04(18.61 21.1)	18.981	0.079	1.00	Pass
10MHz 30MHz_15kHz_844MHz 1765 MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	22.69(18.66 20.51)	18.591	0.072	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	22.67(19.78 19.53)	18.419	0.069	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.34(19.81 16.08)	16.855	0.048	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.43(19.78 19.03)	18.147	0.065	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.73(20.2 19.17)	18.422	0.07	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	22.69(19.8 19.55)	18.439	0.07	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.67(19.78 19.53)	18.419	0.069	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.01(19.76 18.07)	17.656	0.058	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.69(19.79 19.57)	18.446	0.07	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.55(19.74 19.34)	18.296	0.068	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	22.67(19.78 19.54)	18.425	0.07	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.67(20.02 19.26)	18.382	0.069	1.00	Pass
10MHz 40MHz_15kHz_829MHz 1730 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.73(19.91 19.53)	18.477	0.07	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	22.55(19.53 19.54)	18.316	0.068	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.13(19.54 15.99)	16.651	0.046	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.29(19.53 19.01)	18.021	0.063	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	22.57(19.54 19.57)	18.337	0.068	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.56(19.55 19.54)	18.324	0.068	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.89(19.54 18.09)	17.551	0.057	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.54(19.54 19.51)	18.303	0.068	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	22.55(19.52 19.55)	18.317	0.068	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.56(19.53 19.56)	18.327	0.068	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54	22.49(18.67 20.17)	18.369	0.069	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54	20.79(18.68 16.64)	16.413	0.044	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54	22.19(18.68 19.62)	18.022	0.063	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215	22.69(18.6 20.54)	18.592	0.072	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54	22.48(18.66 20.15)	18.353	0.068	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	22.45(18.67 20.1)	18.324	0.068	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	21.7(18.65 18.73)	17.476	0.056	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	22.47(18.69 20.11)	18.337	0.068	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215	22.93(18.65 20.9)	18.854	0.077	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	22.48(18.65 20.16)	18.356	0.068	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215	22.88(18.57 20.87)	18.808	0.076	1.00	Pass
10MHz 40MHz_15kHz_844MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	22.46(18.66 20.11)	18.327	0.068	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.99(20.09 19.86)	18.74	0.075	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.62(20.07 16.39)	17.133	0.052	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.75(20.07 19.38)	18.469	0.07	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.94(20.07 19.78)	18.687	0.074	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.98(20.09 19.85)	18.735	0.075	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.99(20.09 19.86)	18.74	0.075	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.31(20.09 18.34)	17.957	0.062	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.06(20.07 20.03)	18.827	0.076	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.1(20.15 20.02)	18.856	0.077	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.03(20.06 19.98)	18.795	0.076	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.04(20.07 19.99)	18.805	0.076	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.02(20.06 19.96)	18.783	0.076	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.51(19.52 19.47)	18.272	0.067	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.13(19.53 16.01)	16.652	0.046	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.27(19.5 19)	18.001	0.063	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.54(19.54 19.52)	18.309	0.068	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.5(19.51 19.47)	18.267	0.067	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.81(19.52 17.93)	17.464	0.056	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.59(19.51 19.64)	18.365	0.069	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.52(19.5 19.51)	18.286	0.067	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 174.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.55(19.52 19.55)	18.317	0.068	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	23.28(18.62 21.46)	19.24	0.084	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.25(18.63 17.82)	16.966	0.05	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	22.87(18.61 20.83)	18.793	0.076	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	22.88(18.58 20.86)	18.804	0.076	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	23.18(18.63 21.31)	19.135	0.082	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.24(18.63 21.39)	19.193	0.083	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.27(18.65 19.79)	18.118	0.065	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.29(18.62 21.48)	19.254	0.084	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	23.19(18.61 21.33)	19.144	0.082	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.15(18.62 21.27)	19.104	0.081	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	23.24(18.55 21.44)	19.206	0.083	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.26(18.64 21.42)	19.217	0.084	1.00	Pass

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_5A_n66A:

n66:

1.Ant Gain =-3.65 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

5A:

1.Ant Gain =-4.90 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;