

RF power output**DC_5A_n77A**

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.23(20.44 19.99)	18.228	0.066	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	21.95(20.48 16.54)	16.99	0.05	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.03(20.49 19.5)	18.037	0.064	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.19(20.42 19.93)	18.19	0.066	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.24(20.47 19.98)	18.24	0.067	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.22(20.48 19.93)	18.222	0.066	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.67(20.49 18.62)	17.68	0.059	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.25(20.45 20.02)	18.247	0.067	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.16(20.58 19.67)	18.162	0.065	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.19(20.46 19.88)	18.189	0.066	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.16(20.43 19.85)	18.159	0.065	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.2(20.44 19.93)	18.201	0.066	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.29(20.27 20.29)	18.281	0.067	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	21.82(20.26 16.63)	16.859	0.049	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	22.97(20.26 19.64)	17.971	0.063	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.24(20.25 20.2)	18.227	0.066	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.23(20.26 20.17)	18.218	0.066	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.58(20.27 18.73)	17.589	0.057	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.26(20.29 20.21)	18.253	0.067	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.18(20.26 20.07)	18.17	0.066	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.25(20.28 20.2)	18.243	0.067	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	23.12(19.87 20.34)	18.107	0.065	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	21.62(19.86 16.84)	16.646	0.046	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	22.83(19.86 19.77)	17.818	0.061	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	23.04(19.79 20.25)	18.022	0.063	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	23.15(19.88 20.39)	18.138	0.065	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.14(19.89 20.36)	18.127	0.065	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.37(19.9 18.74)	17.375	0.055	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.09(19.88 20.27)	18.076	0.064	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	23.02(19.84 20.18)	18.011	0.063	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.11(19.88 20.31)	18.097	0.065	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	23.1(19.96 20.21)	18.085	0.064	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3975 MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.04(19.86 20.2)	18.031	0.064	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.29(20.47 20.09)	18.291	0.067	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	21.98(20.46 16.68)	17.015	0.05	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.08(20.45 19.65)	18.08	0.064	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.23(20.48 19.94)	18.227	0.066	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.32(20.46 20.15)	18.313	0.068	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.33(20.49 20.14)	18.325	0.068	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.63(20.45 18.6)	17.647	0.058	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.28(20.45 20.08)	18.275	0.067	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.32(20.62 19.97)	18.317	0.068	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	23.33(20.47 20.16)	18.323	0.068	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.13(20.39 19.84)	18.132	0.065	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.29(20.45 20.1)	18.285	0.067	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.24(20.26 20.19)	18.228	0.066	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	21.87(20.27 16.75)	16.901	0.049	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23(20.26 19.7)	17.998	0.063	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.27(20.27 20.24)	18.257	0.067	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.27(20.27 20.25)	18.262	0.067	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.59(20.27 18.77)	17.605	0.058	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.24(20.27 20.18)	18.228	0.066	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	23.23(20.27 20.17)	18.223	0.066	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.29(20.27 20.28)	18.277	0.067	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	23.03(19.86 20.18)	18.021	0.063	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	21.6(19.87 16.77)	16.63	0.046	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	22.8(19.88 19.69)	17.79	0.06	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	22.92(19.74 20.07)	17.906	0.062	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	23(19.87 20.1)	17.985	0.063	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	23.08(19.87 20.26)	18.066	0.064	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	22.35(19.89 18.71)	17.356	0.054	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	23.06(19.88 20.22)	18.051	0.064	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37	22.96(19.74 20.15)	17.946	0.062	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9	23.06(19.89 20.2)	18.046	0.064	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	22.98(19.8 20.14)	17.971	0.063	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	23.06(19.89 20.2)	18.046	0.064	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.28(20.46 20.08)	18.281	0.067	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	21.96(20.45 16.63)	16.994	0.05	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.08(20.45 19.66)	18.085	0.064	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.22(20.43 19.98)	18.218	0.066	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.34(20.45 20.21)	18.336	0.068	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.32(20.46 20.16)	18.318	0.068	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.67(20.46 18.68)	17.684	0.059	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.34(20.44 20.22)	18.336	0.068	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.32(20.65 19.94)	18.32	0.068	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.31(20.47 20.12)	18.305	0.068	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.23(20.53 19.88)	18.227	0.066	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710 .01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.31(20.46 20.13)	18.304	0.068	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.24(20.28 20.18)	18.233	0.067	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	21.85(20.26 16.73)	16.888	0.049	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.03(20.28 19.74)	18.027	0.063	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.28(20.27 20.27)	18.272	0.067	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.26(20.26 20.24)	18.252	0.067	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.6(20.25 18.8)	17.605	0.058	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.29(20.24 20.31)	18.276	0.067	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.23(20.25 20.19)	18.223	0.066	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.29(20.28 20.27)	18.277	0.067	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969 .99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	23.01(19.86 20.14)	18	0.063	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	21.6(19.87 16.77)	16.63	0.046	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	22.86(19.89 19.81)	17.853	0.061	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	23.14(20.05 20.21)	18.13	0.065	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	23.13(19.85 20.37)	18.113	0.065	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.06(19.85 20.25)	18.051	0.064	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.39(19.88 18.81)	17.393	0.055	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.13(19.87 20.36)	18.117	0.065	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50	23.04(19.95 20.11)	18.03	0.064	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	23.07(19.88 20.23)	18.056	0.064	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	23(19.81 20.16)	17.986	0.063	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.08(19.85 20.28)	18.067	0.064	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.31(20.42 20.17)	18.302	0.068	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.01(20.49 16.71)	17.045	0.051	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.1(20.43 19.73)	18.105	0.065	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.09(20.48 19.63)	18.088	0.064	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.32(20.45 20.17)	18.317	0.068	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.34(20.45 20.2)	18.332	0.068	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.68(20.46 18.71)	17.696	0.059	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.34(20.44 20.21)	18.331	0.068	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.08(20.54 19.55)	18.087	0.064	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.29(20.44 20.12)	18.289	0.067	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.01(20.41 19.55)	18.014	0.063	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.29(20.43 20.13)	18.288	0.067	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.28(20.25 20.28)	18.266	0.067	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.85(20.3 16.61)	16.881	0.049	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.03(20.24 19.79)	18.028	0.064	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.29(20.29 20.26)	18.277	0.067	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.31(20.27 20.32)	18.296	0.068	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.57(20.29 18.69)	17.585	0.057	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.3(20.26 20.32)	18.291	0.067	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.25(20.27 20.21)	18.243	0.067	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.26(20.26 20.24)	18.252	0.067	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.08(19.88 20.26)	18.071	0.064	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.55(19.81 16.75)	16.583	0.046	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	22.87(19.89 19.83)	17.863	0.061	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	23.01(20.04 19.96)	18.003	0.063	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.1(19.89 20.28)	18.086	0.064	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.1(19.89 20.29)	18.091	0.064	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.35(19.87 18.73)	17.353	0.054	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.09(19.89 20.26)	18.076	0.064	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	22.98(20.09 19.84)	17.972	0.063	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.11(19.9 20.29)	18.096	0.065	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	22.73(19.67 19.77)	17.721	0.059	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3960 MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.1(19.88 20.29)	18.086	0.064	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.36(20.46 20.23)	18.351	0.068	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22(20.42 16.85)	17.036	0.051	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.15(20.44 19.82)	18.151	0.065	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.27(20.55 19.94)	18.265	0.067	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.39(20.46 20.3)	18.384	0.069	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.36(20.44 20.26)	18.355	0.068	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.74(20.47 18.83)	17.749	0.06	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.39(20.45 20.3)	18.379	0.069	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.17(20.47 19.83)	18.172	0.066	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	23.36(20.43 20.26)	18.35	0.068	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.15(20.39 19.88)	18.151	0.065	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.36(20.45 20.24)	18.351	0.068	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.31(20.27 20.33)	18.301	0.068	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.84(20.28 16.65)	16.879	0.049	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.09(20.26 19.89)	18.085	0.064	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.28(20.27 20.27)	18.272	0.067	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.29(20.27 20.29)	18.281	0.067	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.56(20.29 18.66)	17.573	0.057	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.3(20.27 20.3)	18.286	0.067	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	23.28(20.29 20.24)	18.267	0.067	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.3(20.3 20.27)	18.287	0.067	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	23.11(19.91 20.29)	18.101	0.065	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	21.62(19.9 16.77)	16.651	0.046	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	22.87(19.9 19.82)	17.863	0.061	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	23.07(19.75 20.34)	18.049	0.064	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	23.07(19.88 20.23)	18.056	0.064	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	23.09(19.89 20.27)	18.081	0.064	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	22.36(19.88 18.75)	17.368	0.055	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	23.1(19.91 20.26)	18.086	0.064	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	23.1(20.08 20.1)	18.091	0.064	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	23.06(19.9 20.2)	18.05	0.064	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	22.93(19.77 20.06)	17.915	0.062	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	23.04(19.88 20.18)	18.03	0.064	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.39(20.42 20.34)	18.383	0.069	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22(20.45 16.79)	17.04	0.051	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.17(20.44 19.85)	18.164	0.066	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.13(20.38 19.84)	18.127	0.065	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.35(20.42 20.26)	18.344	0.068	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.4(20.44 20.33)	18.388	0.069	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	22.74(20.46 18.84)	17.747	0.06	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.37(20.43 20.29)	18.364	0.069	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.11(20.4 19.77)	18.106	0.065	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	23.35(20.42 20.26)	18.344	0.068	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.1(20.44 19.7)	18.097	0.065	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.38(20.47 20.26)	18.371	0.069	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.31(20.3 20.3)	18.302	0.068	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	21.8(20.26 16.56)	16.838	0.048	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.09(20.28 19.87)	18.087	0.064	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.29(20.29 20.26)	18.277	0.067	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.28(20.25 20.28)	18.266	0.067	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	22.59(20.28 18.74)	17.599	0.058	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.31(20.3 20.29)	18.297	0.068	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	23.27(20.27 20.24)	18.257	0.067	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.3(20.27 20.3)	18.286	0.067	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	23.14(19.9 20.35)	18.127	0.065	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	21.62(19.87 16.83)	16.649	0.046	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	22.9(19.88 19.89)	17.887	0.061	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	22.96(19.71 20.18)	17.947	0.062	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	23.1(19.89 20.29)	18.091	0.064	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	23.12(19.89 20.32)	18.107	0.065	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	22.36(19.81 18.84)	17.366	0.055	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	23.06(19.89 20.2)	18.046	0.064	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161	23.07(19.99 20.12)	18.056	0.064	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40	23.11(19.88 20.3)	18.091	0.064	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	22.98(19.87 20.06)	17.965	0.063	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	23.12(19.89 20.31)	18.101	0.065	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.31(20.42 20.18)	18.306	0.068	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	21.98(20.47 16.67)	17.02	0.05	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.13(20.42 19.79)	18.126	0.065	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.03(20.42 19.57)	18.028	0.064	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.41(20.47 20.32)	18.399	0.069	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.39(20.49 20.27)	18.386	0.069	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.71(20.45 18.8)	17.725	0.059	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.37(20.43 20.29)	18.364	0.069	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.07(20.47 19.61)	18.074	0.064	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23.38(20.42 20.32)	18.373	0.069	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.99(20.45 19.46)	17.997	0.063	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.37(20.43 20.29)	18.364	0.069	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.22(20.28 20.13)	18.209	0.066	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	21.85(20.28 16.68)	16.887	0.049	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.01(20.27 19.72)	18.012	0.063	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.22(20.28 20.14)	18.214	0.066	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.23(20.28 20.15)	18.219	0.066	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.59(20.29 18.73)	17.601	0.058	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.27(20.28 20.24)	18.262	0.067	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23.23(20.29 20.14)	18.219	0.066	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.27(20.34 20.17)	18.26	0.067	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	23.02(19.88 20.14)	18.01	0.063	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	21.59(19.87 16.75)	16.624	0.046	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	22.94(19.91 19.95)	17.931	0.062	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	22.88(19.81 19.92)	17.866	0.061	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	23.07(19.87 20.25)	18.061	0.064	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	23.06(19.84 20.25)	18.046	0.064	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	22.36(19.86 18.77)	17.365	0.055	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	23.08(19.89 20.25)	18.071	0.064	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216	22.97(20.07 19.85)	17.966	0.063	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	23.09(19.89 20.26)	18.076	0.064	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	22.77(19.78 19.74)	17.762	0.06	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	23.08(19.88 20.26)	18.071	0.064	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.17(20.15 20.17)	18.161	0.065	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	21.77(20.17 16.67)	16.807	0.048	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.04(20.22 19.83)	18.036	0.064	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.8(20.16 19.39)	17.803	0.06	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.22(20.21 20.21)	18.212	0.066	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.24(20.2 20.25)	18.226	0.066	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.54(20.19 18.74)	17.545	0.057	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.21(20.19 20.2)	18.197	0.066	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.85(20.3 19.33)	17.856	0.061	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	23.22(20.2 20.21)	18.207	0.066	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.81(20.24 19.31)	17.813	0.06	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.22(20.18 20.23)	18.206	0.066	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.22(20.28 20.13)	18.209	0.066	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	21.86(20.26 16.76)	16.897	0.049	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.04(20.27 19.77)	18.035	0.064	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.24(20.25 20.21)	18.232	0.067	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.24(20.29 20.17)	18.234	0.067	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.59(20.29 18.74)	17.605	0.058	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.26(20.28 20.22)	18.253	0.067	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	23.29(20.3 20.25)	18.277	0.067	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.28(20.29 20.24)	18.267	0.067	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	23.01(19.86 20.14)	18	0.063	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	21.57(19.88 16.64)	16.596	0.046	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	22.8(19.87 19.71)	17.794	0.06	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	22.92(19.95 19.87)	17.913	0.062	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	23.05(19.89 20.18)	18.035	0.064	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	23.06(19.88 20.22)	18.051	0.064	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	22.28(19.83 18.63)	17.288	0.054	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	23.06(19.89 20.2)	18.046	0.064	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244	22.78(19.79 19.75)	17.772	0.06	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60	23.07(19.89 20.22)	18.056	0.064	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	22.88(20.05 19.68)	17.875	0.061	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	23.03(19.89 20.15)	18.02	0.063	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.27(20.2 20.31)	18.256	0.067	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	21.83(20.23 16.72)	16.864	0.049	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.05(20.18 19.9)	18.047	0.064	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.79(20.21 19.31)	17.796	0.06	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.28(20.19 20.34)	18.265	0.067	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	23.27(20.21 20.31)	18.261	0.067	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	22.62(20.18 18.95)	17.626	0.058	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	23.22(20.13 20.29)	18.21	0.066	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.74(20.13 19.28)	17.738	0.059	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	23.25(20.2 20.27)	18.236	0.067	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.7(20.13 19.21)	17.708	0.059	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	23.26(20.19 20.3)	18.246	0.067	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.29(20.29 20.27)	18.282	0.067	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	21.88(20.28 16.78)	16.917	0.049	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.08(20.28 19.84)	18.073	0.064	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.3(20.3 20.27)	18.287	0.067	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	23.27(20.29 20.23)	18.263	0.067	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	22.57(20.27 18.72)	17.585	0.057	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	23.25(20.28 20.2)	18.243	0.067	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	23.25(20.27 20.2)	18.238	0.067	1.00	Pass
10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	23.27(20.29 20.22)	18.258	0.067	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	23.09(19.89 20.26)	18.076	0.064	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	21.62(19.92 16.72)	16.649	0.046	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	22.85(19.92 19.76)	17.844	0.061	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	22.7(19.72 19.66)	17.693	0.059	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	23.08(19.9 20.23)	18.066	0.064	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	23.07(19.89 20.22)	18.056	0.064	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	22.36(19.9 18.73)	17.371	0.055	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	23.05(19.9 20.17)	18.035	0.064	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272	22.75(19.74 19.73)	17.737	0.059	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67	23.08(19.87 20.27)	18.071	0.064	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	22.74(19.78 19.68)	17.733	0.059	1.00	Pass
10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	23.03(19.9 20.14)	18.02	0.063	1.00	Pass

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_5A_n77A:

n77:

1.Ant Gain =-5.12 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

5A:

1.Ant Gain =-4.90 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

DC_5A_n78A

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.67(20.49 20.83)	18.661	0.073	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.24(20.5 17.43)	17.27	0.053	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.56(20.48 20.61)	18.546	0.072	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.71(20.38 20.99)	18.69	0.074	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.69(20.5 20.85)	18.676	0.074	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.77(20.49 21.02)	18.758	0.075	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	23.04(20.51 19.49)	18.044	0.064	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.81(20.51 21.07)	18.794	0.076	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.73(20.56 20.87)	18.716	0.074	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.72(20.48 20.93)	18.707	0.074	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.78(20.49 21.03)	18.763	0.075	1.00	Pass
10MHz 10MHz_30kHz_829MHz 3705 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.75(20.51 20.96)	18.737	0.075	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.48(20.16 20.75)	18.459	0.07	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.04(20.17 17.47)	17.061	0.051	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.37(20.17 20.55)	18.361	0.069	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.57(20.17 20.91)	18.548	0.072	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.59(20.16 20.97)	18.575	0.072	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.9(20.16 19.6)	17.898	0.062	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.61(20.16 20.99)	18.586	0.072	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.62(20.15 21.02)	18.597	0.072	1.00	Pass
10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.64(20.14 21.07)	18.62	0.073	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	23.69(19.92 21.32)	18.66	0.073	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	22.07(19.93 17.98)	17.089	0.051	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	23.44(19.92 20.89)	18.421	0.07	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	23.73(19.93 21.39)	18.704	0.074	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	23.78(19.95 21.46)	18.753	0.075	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.72(19.95 21.36)	18.696	0.074	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.99(19.94 20.01)	17.976	0.063	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.84(19.91 21.59)	18.811	0.076	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	23.73(19.93 21.39)	18.704	0.074	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.75(19.95 21.41)	18.724	0.075	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	23.84(20.1 21.45)	18.812	0.076	1.00	Pass
10MHz 10MHz_30kHz_844MHz 3795 MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.79(19.94 21.48)	18.76	0.075	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.77(20.49 21.02)	18.758	0.075	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.23(20.51 17.39)	17.264	0.053	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.52(20.53 20.48)	18.507	0.071	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.73(20.57 20.86)	18.715	0.074	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.72(20.49 20.91)	18.701	0.074	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.74(20.51 20.94)	18.727	0.075	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.02(20.5 19.45)	18.022	0.063	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.75(20.5 20.96)	18.732	0.075	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.63(20.48 20.76)	18.62	0.073	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	23.71(20.48 20.91)	18.697	0.074	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.67(20.48 20.83)	18.656	0.073	1.00	Pass
10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.73(20.51 20.92)	18.716	0.074	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.81(20.56 21.02)	18.792	0.076	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.32(20.54 17.58)	17.345	0.054	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.55(20.56 20.52)	18.542	0.071	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.81(20.58 21)	18.791	0.076	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.81(20.53 21.05)	18.793	0.076	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.08(20.54 19.55)	18.087	0.064	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.83(20.57 21.05)	18.812	0.076	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	23.76(20.55 20.94)	18.746	0.075	1.00	Pass
10MHz 15MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.72(20.53 20.89)	18.711	0.074	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	23.73(19.95 21.37)	18.702	0.074	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	22.01(19.94 17.79)	17.025	0.05	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	23.42(19.95 20.83)	18.403	0.069	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	23.61(19.83 21.26)	18.587	0.072	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	23.71(19.96 21.33)	18.683	0.074	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	23.74(19.95 21.39)	18.713	0.074	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	22.89(19.95 19.81)	17.884	0.061	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	23.72(19.95 21.36)	18.696	0.074	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37	23.73(20.11 21.26)	18.71	0.074	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9	23.67(19.96 21.27)	18.649	0.073	1.00	Pass
10MHz 15MHz_30kHz_844MHz 3792 .48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	23.76(19.98 21.4)	18.732	0.075	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	23.7(19.91 21.35)	18.673	0.074	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.76(20.48 21)	18.743	0.075	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.24(20.52 17.4)	17.274	0.053	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.56(20.49 20.61)	18.551	0.072	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.77(20.63 20.88)	18.755	0.075	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.77(20.49 21.02)	18.758	0.075	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.68(20.48 20.85)	18.666	0.074	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	23.04(20.49 19.52)	18.046	0.064	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.75(20.49 20.97)	18.732	0.075	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.69(20.59 20.77)	18.68	0.074	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.74(20.54 20.91)	18.726	0.075	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.78(20.7 20.84)	18.77	0.075	1.00	Pass
10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.69(20.49 20.87)	18.681	0.074	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.81(20.53 21.06)	18.798	0.076	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.32(20.57 17.54)	17.352	0.054	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.61(20.55 20.64)	18.596	0.072	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.79(20.55 21)	18.777	0.075	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.85(20.59 21.07)	18.832	0.076	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	23.09(20.56 19.54)	18.094	0.064	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.83(20.59 21.04)	18.817	0.076	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.77(20.54 20.96)	18.751	0.075	1.00	Pass
10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.79(20.55 21)	18.777	0.075	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	23.65(19.94 21.25)	18.629	0.073	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	22.04(19.95 17.86)	17.057	0.051	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	23.45(19.93 20.89)	18.426	0.07	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	23.76(19.98 21.4)	18.732	0.075	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	23.74(19.96 21.38)	18.712	0.074	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.65(19.95 21.24)	18.628	0.073	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.95(19.95 19.92)	17.937	0.062	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.74(19.94 21.4)	18.714	0.074	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50	23.59(19.87 21.19)	18.565	0.072	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	23.67(19.95 21.27)	18.645	0.073	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	23.71(20 21.31)	18.689	0.074	1.00	Pass
10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.66(19.93 21.27)	18.636	0.073	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.76(20.38 21.09)	18.742	0.075	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.23(20.38 17.63)	17.254	0.053	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.56(20.4 20.69)	18.545	0.072	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.63(20.57 20.67)	18.621	0.073	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.75(20.4 21.05)	18.731	0.075	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.73(20.43 21)	18.719	0.074	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	23.01(20.38 19.58)	18.01	0.063	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.75(20.38 21.07)	18.732	0.075	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.51(20.6 20.39)	18.501	0.071	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.69(20.5 20.85)	18.676	0.074	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.52(20.6 20.42)	18.515	0.071	1.00	Pass
10MHz 40MHz_30kHz_829MHz 3720 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.78(20.52 21)	18.762	0.075	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.78(20.46 21.06)	18.764	0.075	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.27(20.44 17.63)	17.294	0.054	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.59(20.46 20.7)	18.58	0.072	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.79(20.43 21.11)	18.776	0.075	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.79(20.43 21.11)	18.776	0.075	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	23.06(20.48 19.57)	18.062	0.064	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.82(20.4 21.18)	18.799	0.076	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.82(20.42 21.17)	18.803	0.076	1.00	Pass
10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.77(20.42 21.08)	18.756	0.075	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.78(20.24 21.24)	18.758	0.075	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	22.18(20.22 17.78)	17.201	0.052	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.55(20.22 20.84)	18.535	0.071	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	23.73(20.26 21.14)	18.713	0.074	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.82(20.23 21.32)	18.797	0.076	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.82(20.21 21.34)	18.799	0.076	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	23.03(20.23 19.79)	18.023	0.063	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.81(20.21 21.31)	18.783	0.076	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	23.64(20.16 21.06)	18.624	0.073	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.79(20.23 21.27)	18.77	0.075	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.66(20.17 21.08)	18.639	0.073	1.00	Pass
10MHz 40MHz_30kHz_844MHz 3780 MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.82(20.22 21.33)	18.798	0.076	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.83(20.42 21.18)	18.809	0.076	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.29(20.41 17.76)	17.318	0.054	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.56(20.43 20.66)	18.545	0.072	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.66(20.42 20.86)	18.642	0.073	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.81(20.42 21.15)	18.793	0.076	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.78(20.41 21.1)	18.762	0.075	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23.09(20.43 19.7)	18.091	0.064	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.8(20.41 21.14)	18.783	0.076	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.63(20.4 20.83)	18.617	0.073	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	23.81(20.4 21.17)	18.794	0.076	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.63(20.36 20.87)	18.618	0.073	1.00	Pass
10MHz 50MHz_30kHz_829MHz 3725 .01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.8(20.41 21.14)	18.783	0.076	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 3750 MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.82(20.48 21.11)	18.8	0.076	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.31(20.5 17.64)	17.338	0.054	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.58(20.48 20.66)	18.57	0.072	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.83(20.48 21.14)	18.816	0.076	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.84(20.47 21.17)	18.827	0.076	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23.07(20.48 19.6)	18.075	0.064	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.83(20.47 21.14)	18.811	0.076	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	23.85(20.48 21.18)	18.837	0.077	1.00	Pass
10MHz 50MHz_30kHz_836.5MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.83(20.5 21.12)	18.815	0.076	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	23.84(20.27 21.33)	18.821	0.076	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	22.2(20.26 17.76)	17.22	0.053	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	23.58(20.28 20.84)	18.564	0.072	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	23.91(20.37 21.38)	18.893	0.078	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	23.8(20.26 21.26)	18.778	0.075	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	23.81(20.28 21.26)	18.787	0.076	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	23(20.23 19.74)	18	0.063	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	23.84(20.28 21.31)	18.814	0.076	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	23.83(20.39 21.21)	18.811	0.076	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	23.8(20.27 21.25)	18.777	0.075	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	23.88(20.39 21.31)	18.864	0.077	1.00	Pass
10MHz 50MHz_30kHz_844MHz 3774 .99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	23.78(20.27 21.22)	18.761	0.075	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.76(20.44 21.03)	18.739	0.075	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.28(20.43 17.67)	17.301	0.054	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.53(20.42 20.61)	18.515	0.071	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.57(20.45 20.67)	18.56	0.072	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.75(20.41 21.05)	18.735	0.075	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.78(20.49 21.04)	18.768	0.075	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23.06(20.44 19.62)	18.061	0.064	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.78(20.43 21.09)	18.766	0.075	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.66(20.61 20.68)	18.646	0.073	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	23.78(20.41 21.11)	18.767	0.075	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.6(20.42 20.75)	18.586	0.072	1.00	Pass
10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.76(20.42 21.05)	18.74	0.075	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.83(20.48 21.13)	18.811	0.076	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.3(20.49 17.62)	17.325	0.054	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.58(20.48 20.66)	18.57	0.072	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.83(20.5 21.12)	18.815	0.076	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.86(20.49 21.19)	18.847	0.077	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23.11(20.49 19.66)	18.107	0.065	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.89(20.5 21.23)	18.873	0.077	1.00	Pass
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	23.8(20.5 21.06)	18.784	0.076	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.83(20.5 21.11)	18.81	0.076	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	23.78(20.25 21.24)	18.762	0.075	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	22.2(20.26 17.76)	17.22	0.053	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	23.54(20.27 20.77)	18.523	0.071	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	23.83(20.39 21.21)	18.811	0.076	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	23.77(20.27 21.2)	18.75	0.075	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	23.77(20.26 21.2)	18.745	0.075	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	23.05(20.27 19.79)	18.044	0.064	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	23.78(20.27 21.22)	18.761	0.075	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161	23.68(20.21 21.08)	18.657	0.073	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40	23.79(20.28 21.23)	18.771	0.075	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	23.73(20.11 21.25)	18.705	0.074	1.00	Pass
10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	23.76(20.28 21.18)	18.744	0.075	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.83(20.41 21.19)	18.809	0.076	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.3(20.45 17.69)	17.321	0.054	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.63(20.44 20.79)	18.616	0.073	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.53(20.45 20.59)	18.52	0.071	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.84(20.44 21.18)	18.818	0.076	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.87(20.41 21.27)	18.852	0.077	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.1(20.43 19.73)	18.105	0.065	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.82(20.46 21.13)	18.801	0.076	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.63(20.57 20.67)	18.621	0.073	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23.87(20.42 21.26)	18.851	0.077	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.64(20.56 20.69)	18.626	0.073	1.00	Pass
10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.82(20.41 21.18)	18.804	0.076	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.88(20.47 21.23)	18.859	0.077	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.34(20.48 17.76)	17.364	0.055	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.64(20.49 20.76)	18.625	0.073	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.89(20.47 21.25)	18.869	0.077	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.9(20.47 21.27)	18.88	0.077	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.14(20.49 19.74)	18.142	0.065	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.94(20.49 21.33)	18.921	0.078	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23.91(20.52 21.24)	18.887	0.077	1.00	Pass
10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.91(20.51 21.25)	18.888	0.077	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	23.79(20.27 21.24)	18.771	0.075	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	22.19(20.27 17.72)	17.212	0.053	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	23.54(20.21 20.83)	18.525	0.071	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	23.7(20.23 21.11)	18.683	0.074	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	23.82(20.26 21.29)	18.794	0.076	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	23.76(20.27 21.18)	18.739	0.075	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	23.06(20.28 19.8)	18.054	0.064	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	23.77(20.26 21.21)	18.751	0.075	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216	23.76(20.36 21.11)	18.743	0.075	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	23.79(20.27 21.24)	18.771	0.075	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	23.72(20.31 21.08)	18.704	0.074	1.00	Pass
10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	23.78(20.26 21.22)	18.756	0.075	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.67(20.11 21.14)	18.644	0.073	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.08(20.14 17.66)	17.107	0.051	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.43(20.1 20.72)	18.415	0.069	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.39(20.17 20.58)	18.376	0.069	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.69(20.16 21.15)	18.672	0.074	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.69(20.09 21.2)	18.668	0.074	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.95(20.11 19.77)	17.949	0.062	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.7(20.1 21.2)	18.673	0.074	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.37(20.17 20.54)	18.356	0.068	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	23.67(20.11 21.15)	18.65	0.073	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.48(20.3 20.63)	18.466	0.07	1.00	Pass
10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.7(20.12 21.2)	18.682	0.074	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.84(20.48 21.16)	18.826	0.076	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.35(20.5 17.75)	17.374	0.055	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.66(20.5 20.79)	18.645	0.073	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.87(20.51 21.18)	18.851	0.077	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.9(20.49 21.25)	18.879	0.077	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	23.14(20.48 19.75)	18.141	0.065	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.88(20.51 21.21)	18.867	0.077	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	23.86(20.49 21.18)	18.842	0.077	1.00	Pass
10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.84(20.49 21.15)	18.826	0.076	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	23.63(19.96 21.2)	18.61	0.073	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	21.99(19.96 17.72)	17.012	0.05	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	23.35(19.95 20.7)	18.333	0.068	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	23.44(19.8 20.98)	18.417	0.069	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	23.61(19.96 21.15)	18.582	0.072	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	23.65(19.98 21.21)	18.625	0.073	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	22.83(19.96 19.68)	17.827	0.061	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	23.64(19.98 21.2)	18.619	0.073	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244	23.51(20.05 20.9)	18.487	0.071	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60	23.6(19.97 21.14)	18.581	0.072	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	23.54(20 21)	18.518	0.071	1.00	Pass
10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	23.61(19.96 21.15)	18.582	0.072	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.69(20.15 21.16)	18.673	0.074	1.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.07(20.13 17.65)	17.097	0.051	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.48(20.11 20.81)	18.467	0.07	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.29(20.14 20.41)	18.275	0.067	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.69(20.12 21.17)	18.665	0.074	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	23.69(20.12 21.17)	18.665	0.074	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	22.95(20.14 19.74)	17.951	0.062	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	23.72(20.11 21.24)	18.699	0.074	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.29(20.17 20.38)	18.275	0.067	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	23.73(20.13 21.24)	18.708	0.074	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.31(20.15 20.44)	18.295	0.068	1.00	Pass
10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	23.68(20.12 21.16)	18.66	0.073	1.00	Pass

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_5A_n78A:

n78:

1.Ant Gain =-5.12 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

5A:

1.Ant Gain =-4.90 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;