

RF power output

DC_5A_n7A

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.72(20.56 18.66)	19.171	0.083	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.75(20.59 15.47)	17.712	0.059	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.63(20.59 18.37)	19.027	0.08	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.71(20.49 18.73)	19.179	0.083	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.78(20.59 18.75)	19.235	0.084	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.8(20.61 18.77)	19.255	0.084	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.32(20.59 17.49)	18.577	0.072	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.81(20.61 18.81)	19.277	0.085	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.81(20.52 18.93)	19.306	0.085	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	22.8(20.59 18.81)	19.268	0.084	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.65(20.35 18.79)	19.153	0.082	2.00	Pass
10MHz 10MHz_15kHz_829MHz 2505 MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.81(20.62 18.8)	19.276	0.085	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	23.04(21.17 18.49)	19.366	0.086	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.18(21.2 15.25)	18.031	0.064	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.97(21.2 18.21)	19.241	0.084	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	23.05(21.15 18.55)	19.387	0.087	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.1(21.2 18.6)	19.437	0.088	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.66(21.17 17.29)	18.796	0.076	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.08(21.16 18.61)	19.423	0.088	2.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.07(21.15 18.61)	19.418	0.087	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.05(21.1 18.63)	19.404	0.087	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	23.72(21.29 20.03)	20.268	0.106	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	22.67(21.34 16.88)	18.719	0.074	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	23.6(21.25 19.8)	20.116	0.103	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	23.81(21.3 20.23)	20.391	0.109	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	23.74(21.25 20.14)	20.317	0.108	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.81(21.32 20.2)	20.381	0.109	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	23.25(21.27 18.89)	19.622	0.092	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.81(21.31 20.23)	20.395	0.11	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	23.72(21.05 20.33)	20.355	0.109	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	23.79(21.29 20.2)	20.369	0.109	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	24.11(21.64 20.48)	20.677	0.117	2.00	Pass
10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.77(21.26 20.2)	20.357	0.109	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.85(20.59 18.92)	19.33	0.086	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.77(20.61 15.46)	17.721	0.059	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.69(20.57 18.55)	19.115	0.082	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.68(20.4 18.8)	19.18	0.083	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.8(20.59 18.82)	19.274	0.085	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.82(20.56 18.91)	19.312	0.085	2.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.35(20.61 17.53)	18.607	0.073	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.85(20.59 18.93)	19.336	0.086	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.87(20.53 19.06)	19.385	0.087	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	22.86(20.58 18.96)	19.349	0.086	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.85(20.59 18.93)	19.336	0.086	2.00	Pass
10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.85(20.59 18.94)	19.342	0.086	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.15(21.17 18.78)	19.516	0.089	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.19(21.18 15.38)	18.061	0.064	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.02(21.16 18.45)	19.341	0.086	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.13(21.14 18.77)	19.497	0.089	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.12(21.11 18.81)	19.504	0.089	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.67(21.11 17.48)	18.848	0.077	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.08(21.08 18.76)	19.463	0.088	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	23.14(21.15 18.79)	19.512	0.089	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.15(21.2 18.74)	19.51	0.089	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	23.77(21.32 20.12)	20.333	0.108	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	22.6(21.27 16.82)	18.654	0.073	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	23.66(21.34 19.83)	20.172	0.104	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	23.74(21.51 19.79)	20.222	0.105	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	23.73(21.23 20.15)	20.315	0.108	2.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	23.75(21.21 20.22)	20.349	0.108	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	23.25(21.28 18.87)	19.616	0.092	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	23.79(21.26 20.25)	20.387	0.109	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	24.06(21.58 20.44)	20.629	0.116	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	23.79(21.3 20.18)	20.361	0.109	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	24.11(21.56 20.59)	20.711	0.118	2.00	Pass
10MHz 15MHz_15kHz_844MHz 2562.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	23.79(21.29 20.21)	20.375	0.109	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.81(20.58 18.84)	19.281	0.085	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.76(20.57 15.56)	17.733	0.059	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.69(20.59 18.53)	19.113	0.082	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.85(20.67 18.8)	19.298	0.085	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.84(20.63 18.85)	19.308	0.085	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.86(20.6 18.93)	19.34	0.086	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.3(20.56 17.49)	18.562	0.072	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.82(20.56 18.89)	19.3	0.085	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.87(20.57 19.02)	19.379	0.087	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	22.84(20.6 18.89)	19.318	0.085	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.67(20.38 18.8)	19.172	0.083	2.00	Pass
10MHz 20MHz_15kHz_829MHz 2510MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.85(20.59 18.93)	19.336	0.086	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.1(21.1 18.76)	19.473	0.089	2.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.22(21.18 15.51)	18.105	0.065	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.05(21.18 18.49)	19.371	0.087	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.16(21.16 18.84)	19.543	0.09	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.13(21.13 18.8)	19.508	0.089	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.72(21.17 17.48)	18.881	0.077	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.16(21.16 18.83)	19.538	0.09	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.15(21.15 18.83)	19.533	0.09	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.11(21.08 18.82)	19.495	0.089	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.77(21.33 20.11)	20.331	0.108	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	22.62(21.3 16.81)	18.667	0.074	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.58(21.26 19.74)	20.086	0.102	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	23.41(20.84 19.92)	20.022	0.1	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.75(21.29 20.11)	20.315	0.108	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.72(21.26 20.07)	20.279	0.107	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	23.21(21.29 18.75)	19.558	0.09	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.74(21.26 20.12)	20.309	0.107	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	23.92(21.28 20.51)	20.554	0.114	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.76(21.34 20.07)	20.312	0.107	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.67(21.11 20.16)	20.273	0.106	2.00	Pass
10MHz 20MHz_15kHz_844MHz 2560MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.72(21.25 20.09)	20.287	0.107	2.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.95(20.61 19.15)	19.471	0.089	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	21.85(20.61 15.8)	17.85	0.061	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.8(20.59 18.81)	19.268	0.084	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.95(20.59 19.17)	19.474	0.089	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.96(20.63 19.15)	19.479	0.089	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.97(20.64 19.15)	19.483	0.089	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.48(20.7 17.74)	18.756	0.075	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.93(20.62 19.08)	19.435	0.088	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	22.9(20.51 19.17)	19.441	0.088	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	22.98(20.68 19.12)	19.483	0.089	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.92(20.6 19.1)	19.438	0.088	2.00	Pass
10MHz 5MHz_15kHz_829MHz 2502.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.01(20.72 19.14)	19.512	0.089	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	23.16(21.15 18.84)	19.539	0.09	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.23(21.18 15.57)	18.126	0.065	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	23.03(21.15 18.49)	19.356	0.086	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	23.19(21.16 18.9)	19.575	0.091	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.21(21.22 18.85)	19.577	0.091	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.73(21.18 17.49)	18.891	0.077	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.2(21.21 18.86)	19.577	0.091	2.00	Pass
10MHz 5MHz_15kHz_836.5MHz 253.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.17(21.17 18.85)	19.553	0.09	2.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 5MHz_15kHz_836.5MHz 253 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.23(21.19 18.96)	19.621	0.092	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	23.9(21.29 20.45)	20.521	0.113	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	22.6(21.2 17)	18.688	0.074	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	23.7(21.22 20.08)	20.269	0.106	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	23.98(21.48 20.4)	20.565	0.114	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	23.96(21.33 20.54)	20.591	0.115	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.89(21.27 20.44)	20.507	0.112	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	23.36(21.29 19.14)	19.764	0.095	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.94(21.29 20.54)	20.576	0.114	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	24.06(21.6 20.43)	20.631	0.116	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.9(21.29 20.44)	20.514	0.113	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	24.1(21.51 20.63)	20.716	0.118	2.00	Pass
10MHz 5MHz_15kHz_844MHz 2567. 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.96(21.34 20.52)	20.583	0.114	2.00	Pass

Note:

P_Total(P_LTE | P_NR);

EIRP = P + Ant Gain – CL;

ERP = EIRP -2.15;

EIRP_NSA = EIRP_LTE + EIRP_NR;

ERP_NSA = ERP_LTE + ERP_NR

DC_5A_n7A:

n7:

1.Ant Gain =-2.05 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;

5A:

1.Ant Gain =-4.9 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;