

FCC Part 27

RF power output

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	20.39	12.43	0.017	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	16.90	8.94	0.008	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	19.86	11.9	0.015	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	21.82	13.86	0.024	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	21.92	13.96	0.025	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	21.96	14	0.025	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	20.33	12.37	0.017	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 16 QAM_RB25@0	21.52	13.56	0.023	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 256 QAM_RB25@0	19.02	11.06	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.90	12.94	0.02	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.44	15.48	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@23	23.47	15.51	0.036	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	23.45	15.49	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB25@0	22.94	14.98	0.031	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@1	23.35	15.39	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@23	23.39	15.43	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB12@6	23.41	15.45	0.035	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB25@0	22.44	14.48	0.028	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	20.43	12.47	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	16.91	8.95	0.008	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	19.94	11.98	0.016	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.86	13.9	0.025	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	21.85	13.89	0.024	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	21.94	13.98	0.025	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	20.41	12.45	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 16 QAM_RB25@0	21.55	13.59	0.023	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 256 QAM_RB25@0	19.01	11.05	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.96	13	0.02	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.46	15.5	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.47	15.51	0.036	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.43	15.47	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.94	14.98	0.031	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.36	15.4	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	23.36	15.4	0.035	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	23.47	15.51	0.036	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	22.48	14.52	0.028	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	20.52	12.56	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	16.96	9	0.008	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	19.91	11.95	0.016	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	22.28	14.32	0.027	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	22.11	14.15	0.026	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	22.01	14.05	0.025	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	20.56	12.6	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.46	13.5	0.022	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.08	11.12	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.99	13.03	0.02	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.45	15.49	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.37	15.41	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.42	15.46	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.92	14.96	0.031	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	23.31	15.35	0.034	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.34	15.38	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	23.40	15.44	0.035	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	22.38	14.42	0.028	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	20.32	12.36	0.017	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	16.83	8.87	0.008	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	19.89	11.93	0.016	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	21.72	13.76	0.024	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	21.74	13.78	0.024	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	21.85	13.89	0.024	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	20.34	12.38	0.017	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	21.30	13.34	0.022	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	18.89	10.93	0.012	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	20.84	12.88	0.019	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.38	15.42	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.21	15.25	0.033	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.39	15.43	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.84	14.88	0.031	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	23.32	15.36	0.034	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	23.20	15.24	0.033	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	23.44	15.48	0.035	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	22.39	14.43	0.028	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	20.30	12.34	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	16.77	8.81	0.008	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	19.89	11.93	0.016	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.08	14.12	0.026	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	21.92	13.96	0.025	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	21.82	13.86	0.024	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	20.24	12.28	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.35	13.39	0.022	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	18.87	10.91	0.012	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	20.81	12.85	0.019	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.30	15.34	0.034	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.31	15.35	0.034	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.36	15.4	0.035	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.88	14.92	0.031	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.26	15.3	0.034	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	23.22	15.26	0.034	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	23.41	15.45	0.035	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	22.34	14.38	0.027	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	20.30	12.34	0.017	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	16.77	8.81	0.008	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	19.81	11.85	0.015	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	21.85	13.89	0.024	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	21.70	13.74	0.024	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	21.84	13.88	0.024	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	20.28	12.32	0.017	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	21.32	13.36	0.022	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	18.80	10.84	0.012	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	20.80	12.84	0.019	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.39	15.43	0.035	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.26	15.3	0.034	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.35	15.39	0.035	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.84	14.88	0.031	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	23.23	15.27	0.034	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	23.18	15.22	0.033	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	23.36	15.4	0.035	3.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	22.33	14.37	0.027	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	20.47	12.51	0.018	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	16.96	9	0.008	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	19.96	12	0.016	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	21.78	13.82	0.024	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	21.75	13.79	0.024	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	22.08	14.12	0.026	3.00	Pass
15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	20.50	12.54	0.018	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.49	13.53	0.023	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.08	11.12	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.98	13.02	0.02	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.47	15.51	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.36	15.4	0.035	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.58	15.62	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.98	15.02	0.032	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	23.31	15.35	0.034	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.27	15.31	0.034	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	23.52	15.56	0.036	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	22.56	14.6	0.029	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	20.46	12.5	0.018	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	16.92	8.96	0.008	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	20.05	12.09	0.016	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.15	14.19	0.026	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	22.06	14.1	0.026	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.00	14.04	0.025	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	20.44	12.48	0.018	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.51	13.55	0.023	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.07	11.11	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.95	12.99	0.02	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	15.41	0.035	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.35	15.39	0.035	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.60	15.64	0.037	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.04	15.08	0.032	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.39	15.43	0.035	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.24	15.28	0.034	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.58	15.62	0.036	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.56	14.6	0.029	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	20.43	12.47	0.018	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	16.92	8.96	0.008	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	19.94	11.98	0.016	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	22.10	14.14	0.026	3.00	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	22.15	14.19	0.026	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	22.07	14.11	0.026	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	20.43	12.47	0.018	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.51	13.55	0.023	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.04	11.08	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.99	13.03	0.02	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.39	15.43	0.035	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.34	15.38	0.035	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.58	15.62	0.036	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.00	15.04	0.032	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	23.31	15.35	0.034	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	23.23	15.27	0.034	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	23.61	15.65	0.037	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	22.50	14.54	0.028	3.00	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd)= GT(dBi)-2.15

n12:

1.Ant Gain =-5.81 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	19.86	17.81	0.06	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	16.32	14.27	0.027	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	19.53	17.48	0.056	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	21.20	19.15	0.082	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	21.25	19.2	0.083	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	21.24	19.19	0.083	2.00	Pass
10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	19.79	17.74	0.059	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	20.91	18.86	0.077	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	18.49	16.44	0.044	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	20.38	18.33	0.068	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.85	20.8	0.12	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.80	20.75	0.119	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.80	20.75	0.119	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.46	20.41	0.11	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	22.71	20.66	0.116	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	22.71	20.66	0.116	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	22.80	20.75	0.119	2.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	21.88	19.83	0.096	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	19.85	17.8	0.06	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	16.32	14.27	0.027	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	19.44	17.39	0.055	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	21.26	19.21	0.083	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	21.37	19.32	0.086	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	21.26	19.21	0.083	2.00	Pass
10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	19.79	17.74	0.059	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	20.87	18.82	0.076	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	18.45	16.4	0.044	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	20.33	18.28	0.067	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.81	20.76	0.119	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.87	20.82	0.121	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.84	20.79	0.12	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.44	20.39	0.109	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	22.68	20.63	0.116	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	22.69	20.64	0.116	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	22.88	20.83	0.121	2.00	Pass
10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	21.89	19.84	0.096	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	20.05	18	0.063	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	16.54	14.49	0.028	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	19.64	17.59	0.057	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	21.52	19.47	0.089	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	21.43	19.38	0.087	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	21.46	19.41	0.087	2.00	Pass
10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	20.00	17.95	0.062	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	21.03	18.98	0.079	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	18.64	16.59	0.046	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	20.56	18.51	0.071	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.01	20.96	0.125	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.00	20.95	0.124	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.02	20.97	0.125	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.56	20.51	0.112	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	22.89	20.84	0.121	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	22.84	20.79	0.12	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	22.99	20.94	0.124	2.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	22.09	20.04	0.101	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	19.78	17.73	0.059	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	16.46	14.41	0.028	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	19.40	17.35	0.054	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	21.20	19.15	0.082	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	21.21	19.16	0.082	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	21.22	19.17	0.083	2.00	Pass
15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	19.68	17.63	0.058	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.76	18.71	0.074	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.47	16.42	0.044	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.33	18.28	0.067	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.80	20.75	0.119	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.84	20.79	0.12	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	22.85	20.8	0.12	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.36	20.31	0.107	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	22.67	20.62	0.115	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	22.61	20.56	0.114	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	22.84	20.79	0.12	2.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	21.88	19.83	0.096	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	19.79	17.74	0.059	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	16.49	14.44	0.028	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	19.44	17.39	0.055	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	21.22	19.17	0.083	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	21.34	19.29	0.085	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	21.20	19.15	0.082	2.00	Pass
15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	19.78	17.73	0.059	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	20.79	18.74	0.075	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	18.42	16.37	0.043	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	20.30	18.25	0.067	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.80	20.75	0.119	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.82	20.77	0.119	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	22.83	20.78	0.12	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.32	20.27	0.106	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	22.63	20.58	0.114	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	22.67	20.62	0.115	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	22.76	20.71	0.118	2.00	Pass
15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	21.83	19.78	0.095	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	19.94	17.89	0.062	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	16.49	14.44	0.028	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	19.59	17.54	0.057	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	21.29	19.24	0.084	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	21.39	19.34	0.086	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	21.42	19.37	0.086	2.00	Pass
15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	19.88	17.83	0.061	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.97	18.92	0.078	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.61	16.56	0.045	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.50	18.45	0.07	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.94	20.89	0.123	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.97	20.92	0.124	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.06	21.01	0.126	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.55	20.5	0.112	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	22.82	20.77	0.119	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	22.85	20.8	0.12	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	23.03	20.98	0.125	2.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	21.98	19.93	0.098	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	19.76	17.71	0.059	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	16.45	14.4	0.028	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	19.42	17.37	0.055	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	21.10	19.05	0.08	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	21.21	19.16	0.082	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	21.38	19.33	0.086	2.00	Pass
20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	19.71	17.66	0.058	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	20.78	18.73	0.075	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	18.39	16.34	0.043	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	20.32	18.27	0.067	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.59	20.54	0.113	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.74	20.69	0.117	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.75	20.7	0.117	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.37	20.32	0.108	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	22.65	20.6	0.115	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	22.59	20.54	0.113	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	22.81	20.76	0.119	2.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	21.78	19.73	0.094	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	19.70	17.65	0.058	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	16.42	14.37	0.027	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	19.42	17.37	0.055	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	21.13	19.08	0.081	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	21.26	19.21	0.083	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	21.28	19.23	0.084	2.00	Pass
20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	19.70	17.65	0.058	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	20.79	18.74	0.075	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	18.40	16.35	0.043	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	20.26	18.21	0.066	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.73	20.68	0.117	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.79	20.74	0.119	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.75	20.7	0.117	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.30	20.25	0.106	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	22.56	20.51	0.112	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	22.64	20.59	0.115	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	22.77	20.72	0.118	2.00	Pass
20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	21.79	19.74	0.094	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	19.88	17.83	0.061	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	16.49	14.44	0.028	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	19.53	17.48	0.056	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	21.29	19.24	0.084	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	21.30	19.25	0.084	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	21.55	19.5	0.089	2.00	Pass
20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	19.93	17.88	0.061	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	20.91	18.86	0.077	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	18.59	16.54	0.045	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	20.42	18.37	0.069	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.63	20.58	0.114	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.93	20.88	0.122	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.95	20.9	0.123	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.47	20.42	0.11	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	22.60	20.55	0.114	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	22.76	20.71	0.118	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	23.02	20.97	0.125	2.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	21.97	19.92	0.098	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n38:

1.Ant Gain =-2.05 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n40_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2310MHz_CP-OFDM 16 QAM_RB24@0	19.91	18.84	0.077	0.25	Pass
10MHz_30kHz_2310MHz_CP-OFDM 256 QAM_RB24@0	16.43	15.36	0.034	0.25	Pass
10MHz_30kHz_2310MHz_CP-OFDM 64 QAM_RB24@0	19.37	18.30	0.068	0.25	Pass
10MHz_30kHz_2310MHz_CP-OFDM QPSK_RB1@1	21.23	20.16	0.104	0.25	Pass
10MHz_30kHz_2310MHz_CP-OFDM QPSK_RB12@6	21.23	20.16	0.104	0.25	Pass
10MHz_30kHz_2310MHz_CP-OFDM QPSK_RB24@0	19.87	18.80	0.076	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM 16 QAM_RB24@0	20.80	19.73	0.094	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM 256 QAM_RB24@0	18.38	17.31	0.054	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM 64 QAM_RB24@0	20.32	19.25	0.084	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.82	21.75	0.150	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.68	21.61	0.145	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.84	21.77	0.150	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.30	21.23	0.133	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM QPSK_RB1@1	22.70	21.63	0.146	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM QPSK_RB1@22	22.70	21.63	0.146	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM QPSK_RB12@6	22.77	21.70	0.148	0.25	Pass
10MHz_30kHz_2310MHz_DFT-s-OFDM QPSK_RB24@0	21.85	20.78	0.120	0.25	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n40_1:

1.Ant Gain =-1.07 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n40_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2355MHz_CP-OFDM 16 QAM_RB24@0	19.92	18.85	0.077	0.25	Pass
10MHz_30kHz_2355MHz_CP-OFDM 256 QAM_RB24@0	16.55	15.48	0.035	0.25	Pass
10MHz_30kHz_2355MHz_CP-OFDM 64 QAM_RB24@0	19.39	18.32	0.068	0.25	Pass
10MHz_30kHz_2355MHz_CP-OFDM QPSK_RB1@1	21.39	20.32	0.108	0.25	Pass
10MHz_30kHz_2355MHz_CP-OFDM QPSK_RB1@22	21.29	20.22	0.105	0.25	Pass
10MHz_30kHz_2355MHz_CP-OFDM QPSK_RB12@6	21.39	20.32	0.108	0.25	Pass
10MHz_30kHz_2355MHz_CP-OFDM QPSK_RB24@0	19.86	18.79	0.076	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM 16 QAM_RB24@0	20.86	19.79	0.095	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM 256 QAM_RB24@0	18.33	17.26	0.053	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM 64 QAM_RB24@0	20.46	19.39	0.087	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.83	21.76	0.15	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.74	21.67	0.147	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.48	21.41	0.138	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM QPSK_RB1@1	22.87	21.8	0.151	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM QPSK_RB1@22	22.64	21.57	0.144	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM QPSK_RB12@6	22.92	21.85	0.153	0.25	Pass
10MHz_30kHz_2355MHz_DFT-s-OFDM QPSK_RB24@0	21.93	20.86	0.122	0.25	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n40_2:

1.Ant Gain =-1.07 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	19.63	17.58	0.057	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	16.08	14.03	0.025	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	19.09	17.04	0.051	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	21.18	19.13	0.082	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	21.07	19.02	0.08	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	21.13	19.08	0.081	2.00	Pass
10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	19.59	17.54	0.057	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	20.67	18.62	0.073	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	18.30	16.25	0.042	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	20.16	18.11	0.065	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.64	20.59	0.115	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	22.69	20.64	0.116	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.73	20.68	0.117	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.20	20.15	0.104	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	22.52	20.47	0.111	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	22.52	20.47	0.111	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	22.71	20.66	0.116	2.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	21.73	19.68	0.093	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	20.09	18.04	0.064	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	16.65	14.6	0.029	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	19.71	17.66	0.058	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.46	19.41	0.087	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	21.44	19.39	0.087	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	21.46	19.41	0.087	2.00	Pass
10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	19.98	17.93	0.062	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	21.05	19	0.079	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	18.58	16.53	0.045	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	20.53	18.48	0.07	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.00	20.95	0.124	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.12	21.07	0.128	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.08	21.03	0.127	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.54	20.49	0.112	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.84	20.79	0.12	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	22.94	20.89	0.123	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	22.99	20.94	0.124	2.00	Pass
10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	22.13	20.08	0.102	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	20.29	18.24	0.067	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	16.95	14.9	0.031	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	19.71	17.66	0.058	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	21.80	19.75	0.094	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	21.85	19.8	0.095	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	21.76	19.71	0.094	2.00	Pass
10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	20.34	18.29	0.067	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	21.28	19.23	0.084	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	18.95	16.9	0.049	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	20.88	18.83	0.076	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	21.16	0.131	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.34	21.29	0.135	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.35	21.3	0.135	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.82	20.77	0.119	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	23.10	21.05	0.127	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	23.35	21.3	0.135	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	23.36	21.31	0.135	2.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	22.36	20.31	0.107	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	19.54	17.49	0.056	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	16.27	14.22	0.026	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	19.04	16.99	0.05	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	21.07	19.02	0.08	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	21.05	19	0.079	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	21.08	19.03	0.08	2.00	Pass
15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	19.50	17.45	0.056	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.60	18.55	0.072	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.30	16.25	0.042	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.14	18.09	0.064	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.46	20.41	0.11	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	22.58	20.53	0.113	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	22.64	20.59	0.115	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2503.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.13	20.08	0.102	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	22.50	20.45	0.111	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	22.42	20.37	0.109	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	22.70	20.65	0.116	2.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	21.64	19.59	0.091	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	19.98	17.93	0.062	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	16.61	14.56	0.029	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	19.69	17.64	0.058	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.39	19.34	0.086	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	21.49	19.44	0.088	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	21.44	19.39	0.087	2.00	Pass
15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	19.97	17.92	0.062	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	20.95	18.9	0.078	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	18.68	16.63	0.046	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	20.50	18.45	0.07	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.93	20.88	0.122	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.06	21.01	0.126	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.03	20.98	0.125	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.56	20.51	0.112	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.78	20.73	0.118	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	22.89	20.84	0.121	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	23.02	20.97	0.125	2.00	Pass
15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	22.03	19.98	0.1	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	20.26	18.21	0.066	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	16.88	14.83	0.03	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	19.62	17.57	0.057	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	21.67	19.62	0.092	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	21.71	19.66	0.092	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	21.72	19.67	0.093	2.00	Pass
15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	20.18	18.13	0.065	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	21.23	19.18	0.083	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	18.98	16.93	0.049	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	20.81	18.76	0.075	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.17	21.12	0.129	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.29	21.24	0.133	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.30	21.25	0.133	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.81	20.76	0.119	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	22.99	20.94	0.124	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	23.17	21.12	0.129	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	23.27	21.22	0.132	2.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	22.35	20.3	0.107	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	19.58	17.53	0.057	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	16.12	14.07	0.026	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	19.17	17.12	0.052	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	20.98	18.93	0.078	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	20.86	18.81	0.076	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	21.13	19.08	0.081	2.00	Pass
20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	19.64	17.59	0.057	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	20.60	18.55	0.072	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	18.20	16.15	0.041	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	20.05	18	0.063	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.36	20.31	0.107	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.47	20.42	0.11	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.66	20.61	0.115	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.15	20.1	0.102	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	22.48	20.43	0.11	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	22.46	20.41	0.11	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	22.67	20.62	0.115	2.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	21.61	19.56	0.09	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	19.97	17.92	0.062	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	16.54	14.49	0.028	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	19.62	17.57	0.057	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.25	19.2	0.083	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	21.29	19.24	0.084	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	21.63	19.58	0.091	2.00	Pass
20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	19.91	17.86	0.061	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	20.93	18.88	0.077	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	18.62	16.57	0.045	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	20.43	18.38	0.069	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.71	20.66	0.116	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	22.96	20.91	0.123	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.00	20.95	0.124	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.53	20.48	0.112	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.73	20.68	0.117	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	22.86	20.81	0.121	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	23.06	21.01	0.126	2.00	Pass
20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	21.99	19.94	0.099	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	20.27	18.22	0.066	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	16.94	14.89	0.031	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	19.65	17.6	0.058	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	21.57	19.52	0.09	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	21.64	19.59	0.091	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	21.83	19.78	0.095	2.00	Pass
20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	20.22	18.17	0.066	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	21.25	19.2	0.083	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	18.92	16.87	0.049	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	20.70	18.65	0.073	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.98	20.93	0.124	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.26	21.21	0.132	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.28	21.23	0.133	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_2679.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.81	20.76	0.119	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	22.81	20.76	0.119	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	23.14	21.09	0.129	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	23.30	21.25	0.133	2.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	22.26	20.21	0.105	2.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	19.52	17.47	0.056	23.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	16.17	14.12	0.026	23.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	19.12	17.07	0.051	23.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	21.18	19.13	0.082	23.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	20.93	18.88	0.077	23.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	21.11	19.06	0.081	23.00	Pass
30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	19.59	17.54	0.057	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	20.64	18.59	0.072	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	18.24	16.19	0.042	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	20.07	18.02	0.063	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.52	20.47	0.111	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	22.36	20.31	0.107	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.70	20.65	0.116	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.17	20.12	0.103	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	22.36	20.31	0.107	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	22.29	20.24	0.106	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	22.69	20.64	0.116	23.00	Pass
30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	21.60	19.55	0.09	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	19.84	17.79	0.06	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	16.45	14.4	0.028	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	19.49	17.44	0.055	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.14	19.09	0.081	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	21.51	19.46	0.088	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	21.43	19.38	0.087	23.00	Pass
30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	19.83	17.78	0.06	23.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	20.87	18.82	0.076	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	18.54	16.49	0.045	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	20.36	18.31	0.068	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.55	20.5	0.112	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	22.85	20.8	0.12	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	22.96	20.91	0.123	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.42	20.37	0.109	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.38	20.33	0.108	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	22.75	20.7	0.117	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	22.93	20.88	0.122	23.00	Pass
30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	21.86	19.81	0.096	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	20.35	18.3	0.068	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	16.97	14.92	0.031	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	19.78	17.73	0.059	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	21.57	19.52	0.09	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	21.98	19.93	0.098	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	21.92	19.87	0.097	23.00	Pass
30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	20.33	18.28	0.067	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	21.33	19.28	0.085	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	19.03	16.98	0.05	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	20.83	18.78	0.076	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.01	20.96	0.125	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@76	23.23	21.18	0.131	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.43	21.38	0.137	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.87	20.82	0.121	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	22.83	20.78	0.12	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	23.06	21.01	0.126	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	23.44	21.39	0.138	23.00	Pass
30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	22.40	20.35	0.108	23.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	19.48	17.43	0.055	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	16.14	14.09	0.026	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	18.96	16.91	0.049	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	20.72	18.67	0.074	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	20.94	18.89	0.077	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	19.50	17.45	0.056	2.00	Pass
40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	21.08	19.03	0.08	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	20.58	18.53	0.071	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	18.17	16.12	0.041	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	20.02	17.97	0.063	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.22	20.17	0.104	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.45	20.4	0.11	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.09	20.04	0.101	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	22.70	20.65	0.116	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	22.05	20	0.1	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	22.31	20.26	0.106	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	21.59	19.54	0.09	2.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	22.66	20.61	0.115	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	19.87	17.82	0.061	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	16.49	14.44	0.028	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	19.51	17.46	0.056	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.06	19.01	0.08	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	21.15	19.1	0.081	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	19.87	17.82	0.061	2.00	Pass
40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	21.51	19.46	0.088	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	20.96	18.91	0.078	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	18.56	16.51	0.045	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	20.44	18.39	0.069	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.51	20.46	0.111	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.72	20.67	0.117	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.45	20.4	0.11	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.05	21	0.126	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.39	20.34	0.108	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	22.55	20.5	0.112	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	21.92	19.87	0.097	2.00	Pass
40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	23.07	21.02	0.126	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	20.01	17.96	0.063	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	16.67	14.62	0.029	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	19.51	17.46	0.056	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	20.86	18.81	0.076	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	21.30	19.25	0.084	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	20.01	17.96	0.063	2.00	Pass
40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	21.54	19.49	0.089	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	21.17	19.12	0.082	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	18.67	16.62	0.046	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	20.59	18.54	0.071	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.43	20.38	0.109	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.85	20.8	0.12	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.60	20.55	0.114	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.15	21.1	0.129	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	22.28	20.23	0.105	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	22.70	20.65	0.116	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	22.10	20.05	0.101	2.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	23.13	21.08	0.128	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	19.61	17.56	0.057	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	16.29	14.24	0.027	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	19.10	17.05	0.051	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	20.87	18.82	0.076	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	21.21	19.16	0.082	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	19.61	17.56	0.057	2.00	Pass
50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	21.25	19.2	0.083	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	20.66	18.61	0.073	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	18.36	16.31	0.043	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	20.16	18.11	0.065	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.03	19.98	0.1	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.78	20.73	0.118	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.19	20.14	0.103	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.70	20.65	0.116	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	22.34	20.29	0.107	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	22.72	20.67	0.117	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	21.65	19.6	0.091	2.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	22.73	20.68	0.117	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	19.89	17.84	0.061	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	16.54	14.49	0.028	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	19.59	17.54	0.057	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.11	19.06	0.081	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	21.37	19.32	0.086	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	19.91	17.86	0.061	2.00	Pass
50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	21.47	19.42	0.087	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	20.91	18.86	0.077	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	18.56	16.51	0.045	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	20.41	18.36	0.069	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.81	20.76	0.119	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	22.97	20.92	0.124	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.46	20.41	0.11	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	22.95	20.9	0.123	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.51	20.46	0.111	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	22.87	20.82	0.121	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	21.95	19.9	0.098	2.00	Pass
50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	23.00	20.95	0.124	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	20.24	18.19	0.066	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	16.92	14.87	0.031	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	19.73	17.68	0.059	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	21.34	19.29	0.085	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	21.70	19.65	0.092	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	20.26	18.21	0.066	2.00	Pass
50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	21.79	19.74	0.094	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	21.31	19.26	0.084	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	18.98	16.93	0.049	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	20.75	18.7	0.074	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.82	20.77	0.119	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.32	21.27	0.134	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.80	20.75	0.119	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.35	21.3	0.135	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	22.82	20.77	0.119	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	23.23	21.18	0.131	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	22.28	20.23	0.105	2.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	23.41	21.36	0.137	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	19.53	17.48	0.056	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	16.22	14.17	0.026	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	19.05	17	0.05	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	20.91	18.86	0.077	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	21.20	19.15	0.082	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	19.53	17.48	0.056	2.00	Pass
60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	21.09	19.04	0.08	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	20.62	18.57	0.072	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	18.23	16.18	0.041	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	20.09	18.04	0.064	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.35	20.3	0.107	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.66	20.61	0.115	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.15	20.1	0.102	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2526MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	22.70	20.65	0.116	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	22.27	20.22	0.105	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	22.57	20.52	0.113	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	21.60	19.55	0.09	2.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	22.70	20.65	0.116	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	19.84	17.79	0.06	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	16.47	14.42	0.028	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	19.54	17.49	0.056	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.13	19.08	0.081	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	21.40	19.35	0.086	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	19.89	17.84	0.061	2.00	Pass
60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	21.47	19.42	0.087	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	20.91	18.86	0.077	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	18.59	16.54	0.045	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	20.41	18.36	0.069	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.56	20.51	0.112	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	22.84	20.79	0.12	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.42	20.37	0.109	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.03	20.98	0.125	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.50	20.45	0.111	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	22.77	20.72	0.118	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	21.98	19.93	0.098	2.00	Pass
60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	23.04	20.99	0.126	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	20.15	18.1	0.065	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	16.78	14.73	0.03	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	19.61	17.56	0.057	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	21.25	19.2	0.083	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	21.64	19.59	0.091	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	20.12	18.07	0.064	2.00	Pass
60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	21.75	19.7	0.093	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	21.15	19.1	0.081	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	18.87	16.82	0.048	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	20.62	18.57	0.072	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.80	20.75	0.119	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.18	21.13	0.13	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.69	20.64	0.116	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.24	21.19	0.132	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	22.64	20.59	0.115	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	23.01	20.96	0.125	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	22.16	20.11	0.103	2.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	23.22	21.17	0.131	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	19.67	17.62	0.058	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	16.39	14.34	0.027	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	19.17	17.12	0.052	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	20.94	18.89	0.077	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	21.07	19.02	0.08	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	21.33	19.28	0.085	2.00	Pass
80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	19.63	17.58	0.057	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	20.72	18.67	0.074	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	18.42	16.37	0.043	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	20.28	18.23	0.067	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.20	20.15	0.104	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.36	20.31	0.107	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	22.87	20.82	0.121	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.20	20.15	0.104	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	22.19	20.14	0.103	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	22.31	20.26	0.106	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	22.80	20.75	0.119	2.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	21.73	19.68	0.093	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	19.82	17.77	0.06	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	16.63	14.58	0.029	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	19.38	17.33	0.054	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.14	19.09	0.081	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	21.31	19.26	0.084	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	21.53	19.48	0.089	2.00	Pass
80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	19.93	17.88	0.061	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	20.91	18.86	0.077	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	18.63	16.58	0.045	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	20.45	18.4	0.069	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.44	20.39	0.109	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	22.63	20.58	0.114	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.04	20.99	0.126	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.46	20.41	0.11	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.37	20.32	0.108	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	22.57	20.52	0.113	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	23.06	21.01	0.126	2.00	Pass
80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	21.95	19.9	0.098	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	20.09	18.04	0.064	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	16.74	14.69	0.029	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	19.56	17.51	0.056	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	21.17	19.12	0.082	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	21.45	19.4	0.087	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	21.63	19.58	0.091	2.00	Pass
80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	20.06	18.01	0.063	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	21.16	19.11	0.081	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	18.80	16.75	0.047	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	20.65	18.6	0.072	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.60	20.55	0.114	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.03	20.98	0.125	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.23	21.18	0.131	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_2649.99MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.66	20.61	0.115	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	22.50	20.45	0.111	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	22.89	20.84	0.121	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	23.20	21.15	0.13	2.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	22.18	20.13	0.103	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	19.65	17.6	0.058	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	16.34	14.29	0.027	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	19.10	17.05	0.051	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	20.72	18.67	0.074	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	20.84	18.79	0.076	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	21.31	19.26	0.084	2.00	Pass
90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	19.67	17.62	0.058	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	20.69	18.64	0.073	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	18.43	16.38	0.043	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	20.25	18.2	0.066	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.08	20.03	0.101	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.24	20.19	0.104	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	22.85	20.8	0.12	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.22	20.17	0.104	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	22.09	20.04	0.101	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	22.23	20.18	0.104	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	22.88	20.83	0.121	2.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	21.68	19.63	0.092	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	19.85	17.8	0.06	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	16.50	14.45	0.028	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	19.28	17.23	0.053	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.89	18.84	0.077	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	21.07	19.02	0.08	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	21.43	19.38	0.087	2.00	Pass
90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	19.80	17.75	0.06	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	20.83	18.78	0.076	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	18.57	16.52	0.045	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	20.30	18.25	0.067	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.35	20.3	0.107	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.49	20.44	0.111	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.01	20.96	0.125	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.39	20.34	0.108	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.16	20.11	0.103	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	22.40	20.35	0.108	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	23.02	20.97	0.125	2.00	Pass
90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	21.88	19.83	0.096	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	20.01	17.96	0.063	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	16.71	14.66	0.029	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	19.50	17.45	0.056	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	20.86	18.81	0.076	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	21.44	19.39	0.087	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	21.62	19.57	0.091	2.00	Pass
90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	20.02	17.97	0.063	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	21.04	18.99	0.079	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	18.77	16.72	0.047	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	20.54	18.49	0.071	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.39	20.34	0.108	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.88	20.83	0.121	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.17	21.12	0.129	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.61	20.56	0.114	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	22.26	20.21	0.105	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	22.72	20.67	0.117	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	23.19	21.14	0.13	2.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	22.08	20.03	0.101	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	19.62	17.57	0.057	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	16.29	14.24	0.027	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	19.10	17.05	0.051	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	20.46	18.41	0.069	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	20.79	18.74	0.075	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	21.31	19.26	0.084	2.00	Pass
100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	19.58	17.53	0.057	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	20.64	18.59	0.072	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	18.35	16.3	0.043	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	20.17	18.12	0.065	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.93	19.88	0.097	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.25	20.2	0.105	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	22.78	20.73	0.118	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.19	20.14	0.103	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	21.78	19.73	0.094	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	22.05	20	0.1	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	22.85	20.8	0.12	2.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	21.73	19.68	0.093	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	19.78	17.73	0.059	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	16.42	14.37	0.027	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	19.30	17.25	0.053	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.55	18.5	0.071	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	20.78	18.73	0.075	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	21.50	19.45	0.088	2.00	Pass
100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	19.77	17.72	0.059	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	20.84	18.79	0.076	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	18.59	16.54	0.045	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	20.36	18.31	0.068	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.00	19.95	0.099	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.27	20.22	0.105	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	22.99	20.94	0.124	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_2592.99MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.38	20.33	0.108	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.03	19.98	0.1	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	22.24	20.19	0.104	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	23.01	20.96	0.125	2.00	Pass
100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	21.83	19.78	0.095	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	19.96	17.91	0.062	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	16.58	14.53	0.028	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	19.37	17.32	0.054	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	20.87	18.82	0.076	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	21.76	19.71	0.094	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	21.64	19.59	0.091	2.00	Pass
100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	19.86	17.81	0.06	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	20.96	18.91	0.078	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	18.62	16.57	0.045	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	20.47	18.42	0.07	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.13	20.08	0.102	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.73	20.68	0.117	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.19	21.14	0.13	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.47	20.42	0.11	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	22.01	19.96	0.099	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	22.53	20.48	0.112	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	23.15	21.1	0.129	2.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	22.03	19.98	0.1	2.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n41:

1.Ant Gain =-2.05 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	20.90	17.25	0.053	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	17.18	13.53	0.023	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	20.27	16.62	0.046	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	22.45	18.80	0.076	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	22.50	18.85	0.077	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	22.50	18.85	0.077	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	20.90	17.25	0.053	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.96	18.31	0.068	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.34	15.69	0.037	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.39	17.74	0.059	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.93	20.28	0.107	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	24.02	20.37	0.109	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.99	20.34	0.108	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.44	19.79	0.095	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	24.02	20.37	0.109	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	24.10	20.45	0.111	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	24.07	20.42	0.110	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	22.88	19.23	0.084	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	21.13	17.48	0.056	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	17.52	13.87	0.024	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	20.57	16.92	0.049	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.74	19.09	0.081	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	22.99	19.34	0.086	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	22.68	19.03	0.080	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	21.14	17.49	0.056	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	22.18	18.53	0.071	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	19.64	15.99	0.040	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	21.68	18.03	0.064	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.30	20.65	0.116	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	24.25	20.60	0.115	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.25	20.60	0.115	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.68	20.03	0.101	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.21	20.56	0.114	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	24.17	20.52	0.113	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	24.24	20.59	0.115	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	23.19	19.54	0.090	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	21.15	17.50	0.056	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	17.37	13.72	0.024	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	20.53	16.88	0.049	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	22.50	18.85	0.077	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	22.67	19.02	0.080	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	22.74	19.09	0.081	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	21.10	17.45	0.056	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.28	18.63	0.073	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.51	15.86	0.039	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.60	17.95	0.062	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.26	20.61	0.115	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	24.29	20.64	0.116	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.24	20.59	0.115	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.71	20.06	0.101	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	24.19	20.54	0.113	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	24.13	20.48	0.112	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	24.30	20.65	0.116	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	23.21	19.56	0.090	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	20.78	17.13	0.052	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	17.00	13.35	0.022	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	20.18	16.53	0.045	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	22.20	18.55	0.072	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	22.34	18.69	0.074	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	22.31	18.66	0.073	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	20.68	17.03	0.050	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	21.70	18.05	0.064	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	19.08	15.43	0.035	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	21.21	17.56	0.057	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.73	20.08	0.102	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.94	20.29	0.107	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.84	20.19	0.104	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.29	19.64	0.092	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	23.67	20.02	0.100	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	23.81	20.16	0.104	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	23.82	20.17	0.104	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	22.77	19.12	0.082	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	21.03	17.38	0.055	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	17.26	13.61	0.023	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	20.38	16.73	0.047	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.37	18.72	0.074	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	22.48	18.83	0.076	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	22.55	18.90	0.078	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	20.92	17.27	0.053	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	21.98	18.33	0.068	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	19.38	15.73	0.037	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	21.50	17.85	0.061	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.01	20.36	0.109	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	24.05	20.40	0.110	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.02	20.37	0.109	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.52	19.87	0.097	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.95	20.30	0.107	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	23.97	20.32	0.108	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	24.02	20.37	0.109	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	22.97	19.32	0.086	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	20.94	17.29	0.054	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	17.12	13.47	0.022	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	20.40	16.75	0.047	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	22.45	18.80	0.076	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	22.42	18.77	0.075	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	22.56	18.91	0.078	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	20.91	17.26	0.053	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	21.89	18.24	0.067	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	19.25	15.60	0.036	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	21.38	17.73	0.059	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.06	20.41	0.110	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	24.06	20.41	0.110	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.10	20.45	0.111	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.45	19.80	0.095	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	23.99	20.34	0.108	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	23.95	20.30	0.107	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	24.05	20.40	0.110	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	22.94	19.29	0.085	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	20.91	17.26	0.053	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	17.14	13.49	0.022	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	20.40	16.75	0.047	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	22.28	18.63	0.073	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	22.57	18.92	0.078	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	22.49	18.84	0.077	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	20.87	17.22	0.053	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.91	18.26	0.067	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.24	15.59	0.036	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.36	17.71	0.059	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.87	20.22	0.105	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.94	20.29	0.107	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.01	20.36	0.109	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.50	19.85	0.097	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	23.79	20.14	0.103	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	24.02	20.37	0.109	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	24.11	20.46	0.111	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	22.95	19.30	0.085	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	21.13	17.48	0.056	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	17.45	13.80	0.024	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	20.60	16.95	0.050	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.70	19.05	0.080	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	22.54	18.89	0.077	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	22.64	18.99	0.079	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	21.13	17.48	0.056	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	22.13	18.48	0.070	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	19.53	15.88	0.039	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	21.60	17.95	0.062	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.97	20.32	0.108	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.10	20.45	0.111	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.16	20.51	0.112	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.67	20.02	0.100	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.03	20.38	0.109	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	24.04	20.39	0.109	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	24.26	20.61	0.115	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	23.19	19.54	0.090	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	21.08	17.43	0.055	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	17.40	13.75	0.024	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	20.51	16.86	0.049	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	22.54	18.89	0.077	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	22.57	18.92	0.078	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	22.70	19.05	0.080	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	21.10	17.45	0.056	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.07	18.42	0.070	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.51	15.86	0.039	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.55	17.90	0.062	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.12	20.47	0.111	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.18	20.53	0.113	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	24.24	20.59	0.115	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.70	20.05	0.101	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	24.06	20.41	0.110	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	24.10	20.45	0.111	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	24.34	20.69	0.117	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	23.15	19.50	0.089	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	20.87	17.22	0.053	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	17.13	13.48	0.022	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	20.34	16.69	0.047	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	22.57	18.92	0.078	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	22.63	18.98	0.079	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	20.86	17.21	0.053	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	22.60	18.95	0.079	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.94	18.29	0.067	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	19.20	15.55	0.036	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	21.38	17.73	0.059	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.80	20.15	0.104	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.05	20.40	0.110	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.38	19.73	0.094	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.11	20.46	0.111	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	23.77	20.12	0.103	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	23.97	20.32	0.108	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	22.91	19.26	0.084	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	24.14	20.49	0.112	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	21.13	17.48	0.056	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	17.45	13.80	0.024	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	20.59	16.94	0.049	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.50	18.85	0.077	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	22.53	18.88	0.077	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	21.12	17.47	0.056	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	22.71	19.06	0.081	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	22.17	18.52	0.071	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	19.55	15.90	0.039	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	21.60	17.95	0.062	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.09	20.44	0.111	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.11	20.46	0.111	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.72	20.07	0.102	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.23	20.58	0.114	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	24.05	20.40	0.110	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	24.05	20.40	0.110	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	23.17	19.52	0.090	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	24.30	20.65	0.116	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	21.09	17.44	0.055	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	17.30	13.65	0.023	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	20.49	16.84	0.048	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	22.36	18.71	0.074	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	22.44	18.79	0.076	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	20.99	17.34	0.054	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	22.70	19.05	0.080	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	22.12	18.47	0.070	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	19.38	15.73	0.037	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	21.58	17.93	0.062	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.13	20.48	0.112	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	24.12	20.47	0.111	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.63	19.98	0.100	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24.29	20.64	0.116	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	24.07	20.42	0.110	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	24.02	20.37	0.109	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	23.10	19.45	0.088	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	24.32	20.67	0.117	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	20.87	17.22	0.053	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	17.25	13.60	0.023	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	20.31	16.66	0.046	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	22.53	18.88	0.077	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	22.74	19.09	0.081	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	20.92	17.27	0.053	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	22.60	18.95	0.079	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.83	18.18	0.066	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.34	15.69	0.037	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.35	17.70	0.059	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	19.72	0.094	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.99	20.34	0.108	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.43	19.78	0.095	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.02	20.37	0.109	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	23.68	20.03	0.101	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	23.95	20.30	0.107	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	22.93	19.28	0.085	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	24.14	20.49	0.112	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	21.08	17.43	0.055	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	17.50	13.85	0.024	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	20.58	16.93	0.049	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.56	18.91	0.078	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	22.44	18.79	0.076	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	21.09	17.44	0.055	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	22.69	19.04	0.080	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	22.08	18.43	0.070	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	19.51	15.86	0.039	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	21.61	17.96	0.063	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	20.39	0.109	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.07	20.42	0.110	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.69	20.04	0.101	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.21	20.56	0.114	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.88	20.23	0.105	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	23.99	20.34	0.108	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	23.11	19.46	0.088	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	24.19	20.54	0.113	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	21.00	17.35	0.054	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	17.39	13.74	0.024	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	20.58	16.93	0.049	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	22.60	18.95	0.079	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	22.50	18.85	0.077	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	21.07	17.42	0.055	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	22.71	19.06	0.081	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	22.10	18.45	0.070	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.52	15.87	0.039	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.54	17.89	0.062	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.06	20.41	0.110	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	24.05	20.40	0.110	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.63	19.98	0.100	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	24.21	20.56	0.114	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	23.98	20.33	0.108	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	23.95	20.30	0.107	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	23.17	19.52	0.090	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	24.30	20.65	0.116	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	20.79	17.14	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	17.18	13.53	0.023	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	20.34	16.69	0.047	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	22.27	18.62	0.073	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	22.57	18.92	0.078	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	20.81	17.16	0.052	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	22.57	18.92	0.078	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	21.82	18.17	0.066	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	19.24	15.59	0.036	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	21.39	17.74	0.059	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.59	19.94	0.099	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.87	20.22	0.105	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.40	19.75	0.094	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	24.10	20.45	0.111	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	23.53	19.88	0.097	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	23.83	20.18	0.104	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	22.84	19.19	0.083	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	24.16	20.51	0.112	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	21.13	17.48	0.056	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	17.42	13.77	0.024	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	20.51	16.86	0.049	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.31	18.66	0.073	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	22.28	18.63	0.073	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	21.00	17.35	0.054	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	22.71	19.06	0.081	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	22.06	18.41	0.069	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	19.43	15.78	0.038	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	21.50	17.85	0.061	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.78	20.13	0.103	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.91	20.26	0.106	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.58	19.93	0.098	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	24.18	20.53	0.113	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.73	20.08	0.102	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	23.87	20.22	0.105	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	23.06	19.41	0.087	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	24.19	20.54	0.113	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	21.04	17.39	0.055	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	17.30	13.65	0.023	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	20.44	16.79	0.048	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	22.36	18.71	0.074	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	22.25	18.60	0.072	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	20.93	17.28	0.053	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	22.69	19.04	0.080	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	22.02	18.37	0.069	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	19.33	15.68	0.037	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	21.52	17.87	0.061	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.92	20.27	0.106	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.87	20.22	0.105	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.52	19.87	0.097	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	24.23	20.58	0.114	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	23.88	20.23	0.105	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	23.80	20.15	0.104	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	23.07	19.42	0.087	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	24.29	20.64	0.116	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	20.79	17.14	0.052	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	17.20	13.55	0.023	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	20.30	16.65	0.046	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	21.97	18.32	0.068	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	22.41	18.76	0.075	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	22.64	18.99	0.079	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	20.82	17.17	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	21.90	18.25	0.067	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	19.21	15.56	0.036	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	21.39	17.74	0.059	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	19.69	0.093	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.64	19.99	0.100	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.14	20.49	0.112	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.35	19.70	0.093	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	23.26	19.61	0.091	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	23.59	19.94	0.099	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	24.16	20.51	0.112	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	22.92	19.27	0.085	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	21.08	17.43	0.055	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	17.39	13.74	0.024	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	20.48	16.83	0.048	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.10	18.45	0.070	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	22.08	18.43	0.070	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	22.71	19.06	0.081	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	21.07	17.42	0.055	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	22.08	18.43	0.070	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	19.44	15.79	0.038	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	21.56	17.91	0.062	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.53	19.88	0.097	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.67	20.02	0.100	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.22	20.57	0.114	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.66	20.01	0.100	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.43	19.78	0.095	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	23.61	19.96	0.099	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	24.19	20.54	0.113	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	23.08	19.43	0.088	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	20.97	17.32	0.054	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	17.29	13.64	0.023	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	20.39	16.74	0.047	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	22.01	18.36	0.069	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	21.97	18.32	0.068	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	22.68	19.03	0.080	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	20.96	17.31	0.054	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	21.99	18.34	0.068	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	19.33	15.68	0.037	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	21.41	17.76	0.060	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.58	19.93	0.098	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.60	19.95	0.099	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.25	20.60	0.115	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.52	19.87	0.097	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	23.49	19.84	0.096	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	23.53	19.88	0.097	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	24.29	20.64	0.116	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	23.00	19.35	0.086	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n66:

1.Ant Gain =-3.65 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	20.24	18.19	0.066	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	16.79	14.74	0.03	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	19.57	17.52	0.056	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	21.61	19.56	0.09	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	21.57	19.52	0.09	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	21.70	19.65	0.092	2.00	Pass
5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	20.14	18.09	0.064	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.36	19.31	0.085	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.75	16.7	0.047	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.70	18.65	0.073	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	21.2	0.132	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.23	21.18	0.131	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.25	21.2	0.132	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.77	20.72	0.118	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	23.18	21.13	0.13	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	23.17	21.12	0.129	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	23.25	21.2	0.132	2.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	22.24	20.19	0.104	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	20.27	18.22	0.066	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	16.94	14.89	0.031	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	19.71	17.66	0.058	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.80	19.75	0.094	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	21.84	19.79	0.095	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	21.83	19.78	0.095	2.00	Pass
5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	20.32	18.27	0.067	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	21.45	19.4	0.087	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	18.97	16.92	0.049	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	20.81	18.76	0.075	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.32	21.27	0.134	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.40	21.35	0.136	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.34	21.29	0.135	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.88	20.83	0.121	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.19	21.14	0.13	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	23.26	21.21	0.132	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	23.31	21.26	0.134	2.00	Pass
5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	22.29	20.24	0.106	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	20.57	18.52	0.071	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	17.20	15.15	0.033	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	19.98	17.93	0.062	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	21.94	19.89	0.097	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	21.84	19.79	0.095	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	22.08	20.03	0.101	2.00	Pass
5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	20.53	18.48	0.07	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.63	19.58	0.091	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.32	17.27	0.053	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.10	19.05	0.08	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.58	21.53	0.142	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.57	21.52	0.142	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.54	21.49	0.141	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.07	21.02	0.126	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	23.43	21.38	0.137	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	23.54	21.49	0.141	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	23.57	21.52	0.142	2.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	22.58	20.53	0.113	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	20.03	17.98	0.063	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	16.56	14.51	0.028	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	19.46	17.41	0.055	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	21.42	19.37	0.086	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	21.38	19.33	0.086	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	21.46	19.41	0.087	2.00	Pass
10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	19.94	17.89	0.062	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	20.95	18.9	0.078	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	18.57	16.52	0.045	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	20.49	18.44	0.07	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.09	21.04	0.127	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.02	20.97	0.125	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.10	21.05	0.127	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2505MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.53	20.48	0.112	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	22.93	20.88	0.122	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	22.93	20.88	0.122	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	23.09	21.04	0.127	2.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	22.04	19.99	0.1	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	20.20	18.15	0.065	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	16.72	14.67	0.029	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	19.57	17.52	0.056	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.77	19.72	0.094	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	21.67	19.62	0.092	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	21.60	19.55	0.09	2.00	Pass
10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	20.10	18.05	0.064	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	21.12	19.07	0.081	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	18.71	16.66	0.046	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	20.60	18.55	0.072	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.95	20.9	0.123	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.13	21.08	0.128	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.14	21.09	0.129	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.68	20.63	0.116	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	22.97	20.92	0.124	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	23.05	21	0.126	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	23.14	21.09	0.129	2.00	Pass
10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	22.15	20.1	0.102	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	20.35	18.3	0.068	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	16.97	14.92	0.031	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	19.81	17.76	0.06	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	21.59	19.54	0.09	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	21.79	19.74	0.094	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	21.84	19.79	0.095	2.00	Pass
10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	20.31	18.26	0.067	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	21.35	19.3	0.085	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	19.00	16.95	0.05	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	20.83	18.78	0.076	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.28	21.23	0.133	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.37	21.32	0.136	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.38	21.33	0.136	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.87	20.82	0.121	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	23.24	21.19	0.132	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	23.29	21.24	0.133	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	23.36	21.31	0.135	2.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	22.37	20.32	0.108	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	20.13	18.08	0.064	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	16.75	14.7	0.03	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	19.60	17.55	0.057	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	21.78	19.73	0.094	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	21.69	19.64	0.092	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	21.66	19.61	0.091	2.00	Pass
15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	20.10	18.05	0.064	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.17	19.12	0.082	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.72	16.67	0.046	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.60	18.55	0.072	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.94	20.89	0.123	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	22.95	20.9	0.123	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.15	21.1	0.129	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.69	20.64	0.116	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	23.08	21.03	0.127	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	22.93	20.88	0.122	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	23.23	21.18	0.131	2.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	22.18	20.13	0.103	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	20.24	18.19	0.066	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	16.93	14.88	0.031	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	19.74	17.69	0.059	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.64	19.59	0.091	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	21.70	19.65	0.092	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	21.77	19.72	0.094	2.00	Pass
15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	20.26	18.21	0.066	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	21.22	19.17	0.083	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.92	16.87	0.049	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.77	18.72	0.074	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.00	20.95	0.124	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.21	21.16	0.131	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.29	21.24	0.133	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.81	20.76	0.119	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.06	21.01	0.126	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	23.20	21.15	0.13	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	23.30	21.25	0.133	2.00	Pass
15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	22.30	20.25	0.106	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	20.45	18.4	0.069	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	17.13	15.08	0.032	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	19.98	17.93	0.062	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	21.89	19.84	0.096	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	21.84	19.79	0.095	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	22.03	19.98	0.1	2.00	Pass
15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	20.44	18.39	0.069	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.50	19.45	0.088	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.14	17.09	0.051	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.96	18.91	0.078	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.29	21.24	0.133	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.46	21.41	0.138	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.50	21.45	0.14	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_2562.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.99	20.94	0.124	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	23.29	21.24	0.133	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	23.38	21.33	0.136	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	23.51	21.46	0.14	2.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	22.50	20.45	0.111	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	20.04	17.99	0.063	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	16.61	14.56	0.029	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	19.57	17.52	0.056	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	21.51	19.46	0.088	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	21.36	19.31	0.085	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	20.06	18.01	0.063	2.00	Pass
20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	21.53	19.48	0.089	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	21.08	19.03	0.08	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	18.72	16.67	0.046	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	20.61	18.56	0.072	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.85	20.8	0.12	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.94	20.89	0.123	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.61	20.56	0.114	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.19	21.14	0.13	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	23.00	20.95	0.124	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	22.86	20.81	0.121	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	22.15	20.1	0.102	2.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	23.20	21.15	0.13	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	20.17	18.12	0.065	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	16.82	14.77	0.03	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	19.67	17.62	0.058	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.76	19.71	0.094	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	21.93	19.88	0.097	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	20.22	18.17	0.066	2.00	Pass
20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	21.70	19.65	0.092	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	21.30	19.25	0.084	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	18.86	16.81	0.048	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	20.75	18.7	0.074	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.84	20.79	0.12	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.25	21.2	0.132	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.77	20.72	0.118	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.33	21.28	0.134	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	22.92	20.87	0.122	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	23.23	21.18	0.131	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	22.30	20.25	0.106	2.00	Pass
20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	23.36	21.31	0.135	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	20.46	18.41	0.069	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	17.18	15.13	0.033	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	19.90	17.85	0.061	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	21.68	19.63	0.092	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	21.74	19.69	0.093	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	20.44	18.39	0.069	2.00	Pass
20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	21.97	19.92	0.098	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	21.52	19.47	0.089	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	18.91	16.86	0.049	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	20.91	18.86	0.077	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	21.16	0.131	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.47	21.42	0.139	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.95	20.9	0.123	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.49	21.44	0.139	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	23.22	21.17	0.131	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	23.32	21.27	0.134	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	22.47	20.42	0.11	2.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	23.53	21.48	0.141	2.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
------	-----------------------	------------	----------	-----------	--------

Note:

$EIRP = \text{Conducted Power(dBm)} - LC(\text{dB}) + GT(\text{dBi})$

n7:

1.Ant Gain =-2.05 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3455MHz_CP-OFDM 16 QAM_RB52@0	20.82	15.7	0.037	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM 256 QAM_RB52@0	17.16	12.04	0.016	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM 64 QAM_RB52@0	20.19	15.07	0.032	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.87	16.75	0.047	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB1@50	21.99	16.87	0.049	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB26@13	21.95	16.83	0.048	1.00	Pass
10MHz_15kHz_3455MHz_CP-OFDM QPSK_RB52@0	20.65	15.53	0.036	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM 16 QAM_RB50@0	21.64	16.52	0.045	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM 256 QAM_RB50@0	19.25	14.13	0.026	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM 64 QAM_RB50@0	21.02	15.9	0.039	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	18.22	0.066	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.62	18.5	0.071	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.47	18.35	0.068	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.00	17.88	0.061	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	23.36	18.24	0.067	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB1@50	23.36	18.24	0.067	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB25@12	23.55	18.43	0.07	1.00	Pass
10MHz_15kHz_3455MHz_DFT-s-OFDM QPSK_RB50@0	22.52	17.4	0.055	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB52@0	20.93	15.81	0.038	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB52@0	17.26	12.14	0.016	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB52@0	20.36	15.24	0.033	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.07	16.95	0.05	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@50	22.00	16.88	0.049	1.00	Pass
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB26@13	22.17	17.05	0.051	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3500MHz_CP-OFDM QPSK_RB52@0	20.80	15.68	0.037	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	21.83	16.71	0.047	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	19.34	14.22	0.026	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	21.36	16.24	0.042	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.62	18.5	0.071	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.56	18.44	0.07	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.72	18.6	0.072	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.18	18.06	0.064	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.63	18.51	0.071	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@50	23.56	18.44	0.07	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	23.69	18.57	0.072	1.00	Pass
10MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	22.71	17.59	0.057	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 16 QAM_RB52@0	20.49	15.37	0.034	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 256 QAM_RB52@0	16.84	11.72	0.015	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM 64 QAM_RB52@0	19.88	14.76	0.03	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.68	16.56	0.045	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB1@50	21.58	16.46	0.044	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB26@13	21.74	16.62	0.046	1.00	Pass
10MHz_15kHz_3545MHz_CP-OFDM QPSK_RB52@0	20.41	15.29	0.034	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM 16 QAM_RB50@0	21.44	16.32	0.043	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM 256 QAM_RB50@0	18.94	13.82	0.024	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM 64 QAM_RB50@0	20.92	15.8	0.038	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.18	18.06	0.064	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.24	18.12	0.065	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.23	18.11	0.065	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.79	17.67	0.058	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	23.10	17.98	0.063	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB1@50	23.04	17.92	0.062	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB25@12	23.25	18.13	0.065	1.00	Pass
10MHz_15kHz_3545MHz_DFT-s-OFDM QPSK_RB50@0	22.27	17.15	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	21.18	16.06	0.04	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	17.47	12.35	0.017	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	20.65	15.53	0.036	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	22.43	17.31	0.054	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	22.41	17.29	0.054	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	22.56	17.44	0.055	1.00	Pass
10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	21.19	16.07	0.04	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	22.08	16.96	0.05	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	19.69	14.57	0.029	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	21.52	16.4	0.044	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.85	18.73	0.075	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.92	18.8	0.076	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.94	18.82	0.076	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.50	18.38	0.069	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	23.80	18.68	0.074	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	23.84	18.72	0.074	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	23.99	18.87	0.077	1.00	Pass
10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	23.03	17.91	0.062	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	21.26	16.14	0.041	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	17.70	12.58	0.018	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	20.72	15.6	0.036	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.50	17.38	0.055	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	22.45	17.33	0.054	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	22.46	17.34	0.054	1.00	Pass
10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	21.23	16.11	0.041	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	22.16	17.04	0.051	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	19.79	14.67	0.029	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	21.79	16.67	0.046	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.91	18.79	0.076	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	24.23	19.11	0.081	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	24.08	18.96	0.079	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.54	18.42	0.07	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.95	18.83	0.076	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	23.88	18.76	0.075	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	24.12	19	0.079	1.00	Pass
10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	23.13	18.01	0.063	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	20.88	15.76	0.038	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	17.28	12.16	0.016	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	20.32	15.2	0.033	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	22.05	16.93	0.049	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.97	16.85	0.048	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	22.13	17.01	0.05	1.00	Pass
10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	20.77	15.65	0.037	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	21.72	16.6	0.046	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	19.35	14.23	0.026	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	21.34	16.22	0.042	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.55	18.43	0.07	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.65	18.53	0.071	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.64	18.52	0.071	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.14	18.02	0.063	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	23.57	18.45	0.07	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	23.47	18.35	0.068	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	23.60	18.48	0.07	1.00	Pass
10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	22.62	17.5	0.056	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM 16 QAM_RB79@0	20.85	15.73	0.037	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM 256 QAM_RB79@0	17.32	12.2	0.017	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM 64 QAM_RB79@0	20.37	15.25	0.033	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.94	16.82	0.048	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB1@77	22.18	17.06	0.051	1.00	Pass
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB39@19	22.15	17.03	0.05	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3457.5MHz_CP-OFDM QPSK_RB79@0	20.85	15.73	0.037	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.88	16.76	0.047	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.35	14.23	0.026	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.34	16.22	0.042	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.44	18.32	0.068	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.27	18.15	0.065	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.71	18.59	0.072	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.19	18.07	0.064	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.45	18.33	0.068	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@77	23.67	18.55	0.072	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@18	23.66	18.54	0.071	1.00	Pass
15MHz_15kHz_3457.5MHz_DFT-s-OFDM QPSK_RB75@0	22.70	17.58	0.057	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB79@0	20.95	15.83	0.038	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB79@0	17.44	12.32	0.017	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB79@0	20.41	15.29	0.034	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.16	17.04	0.051	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@77	22.14	17.02	0.05	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB39@19	22.21	17.09	0.051	1.00	Pass
15MHz_15kHz_3500MHz_CP-OFDM QPSK_RB79@0	20.97	15.85	0.038	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	22.04	16.92	0.049	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	19.53	14.41	0.028	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	21.53	16.41	0.044	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.76	18.64	0.073	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.58	18.46	0.07	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.82	18.7	0.074	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.37	18.25	0.067	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.68	18.56	0.072	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@77	23.58	18.46	0.07	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	23.78	18.66	0.073	1.00	Pass
15MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	22.85	17.73	0.059	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3542.5MHz_CP-OFDM 16 QAM_RB79@0	20.62	15.5	0.035	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 256 QAM_RB79@0	17.03	11.91	0.016	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM 64 QAM_RB79@0	20.03	14.91	0.031	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.91	16.79	0.048	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB1@77	21.77	16.65	0.046	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB39@19	21.90	16.78	0.048	1.00	Pass
15MHz_15kHz_3542.5MHz_CP-OFDM QPSK_RB79@0	20.60	15.48	0.035	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.58	16.46	0.044	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.15	14.03	0.025	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.08	15.96	0.039	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.30	18.18	0.066	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.23	18.11	0.065	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.50	18.38	0.069	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.95	17.83	0.061	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	23.21	18.09	0.064	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@77	23.05	17.93	0.062	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@18	23.36	18.24	0.067	1.00	Pass
15MHz_15kHz_3542.5MHz_DFT-s-OFDM QPSK_RB75@0	22.38	17.26	0.053	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	21.07	15.95	0.039	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	17.61	12.49	0.018	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	20.58	15.46	0.035	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	22.25	17.13	0.052	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	22.37	17.25	0.053	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	22.35	17.23	0.053	1.00	Pass
15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	21.10	15.98	0.04	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	22.09	16.97	0.05	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.59	14.47	0.028	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.56	16.44	0.044	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.77	18.65	0.073	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.86	18.74	0.075	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.90	18.78	0.076	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.43	18.31	0.068	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.66	18.54	0.071	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	23.79	18.67	0.074	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	23.87	18.75	0.075	1.00	Pass
15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	22.98	17.86	0.061	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	21.25	16.13	0.041	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	17.76	12.64	0.018	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	20.66	15.54	0.036	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.49	17.37	0.055	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	22.36	17.24	0.053	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	22.39	17.27	0.053	1.00	Pass
15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	21.19	16.07	0.04	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	22.19	17.07	0.051	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	19.69	14.57	0.029	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	21.70	16.58	0.045	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.02	18.9	0.078	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	24.12	19	0.079	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	24.01	18.89	0.077	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.55	18.43	0.07	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.90	18.78	0.076	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	23.81	18.69	0.074	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	23.96	18.84	0.077	1.00	Pass
15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	23.03	17.91	0.062	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	20.86	15.74	0.037	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	17.15	12.03	0.016	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	20.20	15.08	0.032	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	22.07	16.95	0.05	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.91	16.79	0.048	1.00	Pass
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	22.08	16.96	0.05	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	20.72	15.6	0.036	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.77	16.65	0.046	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.31	14.19	0.026	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.22	16.1	0.041	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.67	18.55	0.072	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.43	18.31	0.068	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.55	18.43	0.07	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.13	18.01	0.063	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	23.54	18.42	0.07	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	23.33	18.21	0.066	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	23.54	18.42	0.07	1.00	Pass
15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	22.64	17.52	0.056	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 16 QAM_RB106@0	20.85	15.73	0.037	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 256 QAM_RB106@0	17.35	12.23	0.017	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM 64 QAM_RB106@0	20.33	15.21	0.033	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.90	16.78	0.048	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB1@104	22.02	16.9	0.049	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB106@0	20.80	15.68	0.037	1.00	Pass
20MHz_15kHz_3460MHz_CP-OFDM QPSK_RB53@26	22.16	17.04	0.051	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 16 QAM_RB100@0	21.79	16.67	0.046	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 256 QAM_RB100@0	19.42	14.3	0.027	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM 64 QAM_RB100@0	21.51	16.39	0.044	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.47	18.35	0.068	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.58	18.46	0.07	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.17	18.05	0.064	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.69	18.57	0.072	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23.37	18.25	0.067	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB1@104	23.47	18.35	0.068	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB100@0	22.65	17.53	0.057	1.00	Pass
20MHz_15kHz_3460MHz_DFT-s-OFDM QPSK_RB50@25	23.68	18.56	0.072	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.94	15.82	0.038	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	17.44	12.32	0.017	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	20.44	15.32	0.034	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.21	17.09	0.051	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@104	22.09	16.97	0.05	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.93	15.81	0.038	1.00	Pass
20MHz_15kHz_3500MHz_CP-OFDM QPSK_RB53@26	22.22	17.1	0.051	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.97	16.85	0.048	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	19.51	14.39	0.027	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	21.44	16.32	0.043	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.75	18.63	0.073	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.78	18.66	0.073	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.30	18.18	0.066	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.81	18.69	0.074	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.62	18.5	0.071	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	23.57	18.45	0.07	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.80	17.68	0.059	1.00	Pass
20MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.77	18.65	0.073	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 16 QAM_RB106@0	20.57	15.45	0.035	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 256 QAM_RB106@0	17.03	11.91	0.016	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM 64 QAM_RB106@0	20.06	14.94	0.031	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.75	16.63	0.046	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB1@104	21.65	16.53	0.045	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB106@0	20.59	15.47	0.035	1.00	Pass
20MHz_15kHz_3540MHz_CP-OFDM QPSK_RB53@26	21.85	16.73	0.047	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 16 QAM_RB100@0	21.59	16.47	0.044	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 256 QAM_RB100@0	19.12	14	0.025	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM 64 QAM_RB100@0	21.06	15.94	0.039	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.41	18.29	0.067	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.18	18.06	0.064	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.96	17.84	0.061	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.40	18.28	0.067	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	23.25	18.13	0.065	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB1@104	23.09	17.97	0.063	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB100@0	22.47	17.35	0.054	1.00	Pass
20MHz_15kHz_3540MHz_DFT-s-OFDM QPSK_RB50@25	23.43	18.31	0.068	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	21.11	15.99	0.04	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	17.62	12.5	0.018	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	20.57	15.45	0.035	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	22.18	17.06	0.051	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	22.37	17.25	0.053	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	22.42	17.3	0.054	1.00	Pass
20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	21.05	15.93	0.039	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	22.12	17	0.05	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	19.62	14.5	0.028	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	21.64	16.52	0.045	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.82	18.7	0.074	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.93	18.81	0.076	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.96	18.84	0.077	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.46	18.34	0.068	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23.67	18.55	0.072	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	23.80	18.68	0.074	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	23.89	18.77	0.075	1.00	Pass
20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	22.90	17.78	0.06	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	21.18	16.06	0.04	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	17.62	12.5	0.018	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	20.72	15.6	0.036	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.47	17.35	0.054	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	22.23	17.11	0.051	1.00	Pass
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	22.40	17.28	0.053	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	21.18	16.06	0.04	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	22.25	17.13	0.052	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	19.75	14.63	0.029	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	21.70	16.58	0.045	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.97	18.85	0.077	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.84	18.72	0.074	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	24.05	18.93	0.078	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.53	18.41	0.069	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.83	18.71	0.074	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	23.74	18.62	0.073	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	23.91	18.79	0.076	1.00	Pass
20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	23.04	17.92	0.062	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	20.73	15.61	0.036	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	17.23	12.11	0.016	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	20.29	15.17	0.033	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	22.00	16.88	0.049	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	21.91	16.79	0.048	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	22.21	17.09	0.051	1.00	Pass
20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	20.85	15.73	0.037	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	21.78	16.66	0.046	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	19.30	14.18	0.026	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	21.26	16.14	0.041	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.56	18.44	0.07	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.34	18.22	0.066	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.65	18.53	0.071	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.14	18.02	0.063	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	23.52	18.4	0.069	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	23.30	18.18	0.066	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	23.61	18.49	0.071	1.00	Pass
20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	22.64	17.52	0.056	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3465MHz_CP-OFDM 16 QAM_RB160@0	20.76	15.64	0.037	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 256 QAM_RB160@0	17.20	12.08	0.016	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM 64 QAM_RB160@0	20.22	15.1	0.032	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.91	16.79	0.048	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB1@158	21.96	16.84	0.048	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB160@0	20.76	15.64	0.037	1.00	Pass
30MHz_15kHz_3465MHz_CP-OFDM QPSK_RB80@40	22.30	17.18	0.052	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM 16 QAM_RB160@0	21.73	16.61	0.046	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM 256 QAM_RB160@0	19.27	14.15	0.026	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM 64 QAM_RB160@0	21.28	16.16	0.041	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.07	17.95	0.062	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM PI/2 BPSK_RB1@158	23.43	18.31	0.068	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM PI/2 BPSK_RB160@0	23.18	18.06	0.064	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM PI/2 BPSK_RB80@40	23.66	18.54	0.071	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM QPSK_RB1@1	23.21	18.09	0.064	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM QPSK_RB1@158	23.34	18.22	0.066	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM QPSK_RB160@0	22.59	17.47	0.056	1.00	Pass
30MHz_15kHz_3465MHz_DFT-s- OFDM QPSK_RB80@40	23.64	18.52	0.071	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB160@0	20.80	15.68	0.037	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB160@0	17.38	12.26	0.017	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB160@0	20.34	15.22	0.033	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.94	16.82	0.048	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@158	21.76	16.64	0.046	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB160@0	20.81	15.69	0.037	1.00	Pass
30MHz_15kHz_3500MHz_CP-OFDM QPSK_RB80@40	22.26	17.14	0.052	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s- OFDM 16 QAM_RB160@0	21.81	16.69	0.047	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s- OFDM 256 QAM_RB160@0	19.36	14.24	0.027	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s- OFDM 64 QAM_RB160@0	21.28	16.16	0.041	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.43	18.31	0.068	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@158	23.34	18.22	0.066	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	23.21	18.09	0.064	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.75	18.63	0.073	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.38	18.26	0.067	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@158	23.20	18.08	0.064	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB160@0	22.74	17.62	0.058	1.00	Pass
30MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB80@40	23.71	18.59	0.072	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 16 QAM_RB160@0	20.48	15.36	0.034	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 256 QAM_RB160@0	16.90	11.78	0.015	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM 64 QAM_RB160@0	19.92	14.8	0.03	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.83	16.71	0.047	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB1@158	21.45	16.33	0.043	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB160@0	20.40	15.28	0.034	1.00	Pass
30MHz_15kHz_3535MHz_CP-OFDM QPSK_RB80@40	22.02	16.9	0.049	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 16 QAM_RB160@0	21.44	16.32	0.043	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 256 QAM_RB160@0	19.06	13.94	0.025	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM 64 QAM_RB160@0	21.13	16.01	0.04	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.23	18.11	0.065	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	22.96	17.84	0.061	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.90	17.78	0.06	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.39	18.27	0.067	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	23.22	18.1	0.065	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB1@158	22.90	17.78	0.06	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB160@0	22.39	17.27	0.053	1.00	Pass
30MHz_15kHz_3535MHz_DFT-s-OFDM QPSK_RB80@40	23.39	18.27	0.067	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 16 QAM_RB216@0	20.73	15.61	0.036	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 256 QAM_RB216@0	17.28	12.16	0.016	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM 64 QAM_RB216@0	20.28	15.16	0.033	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.80	16.68	0.047	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB1@214	21.87	16.75	0.047	1.00	Pass
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB108@54	22.32	17.2	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3470MHz_CP-OFDM QPSK_RB216@0	20.82	15.7	0.037	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM 16 QAM_RB216@0	21.80	16.68	0.047	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM 256 QAM_RB216@0	19.29	14.17	0.026	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM 64 QAM_RB216@0	21.23	16.11	0.041	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.98	17.86	0.061	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.22	18.1	0.065	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.70	18.58	0.072	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.11	17.99	0.063	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	22.87	17.75	0.06	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB1@214	23.09	17.97	0.063	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB108@54	23.79	18.67	0.074	1.00	Pass
40MHz_15kHz_3470MHz_DFT-s-OFDM QPSK_RB216@0	22.71	17.59	0.057	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB216@0	20.77	15.65	0.037	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB216@0	17.28	12.16	0.016	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB216@0	20.29	15.17	0.033	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.71	16.59	0.046	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@214	21.59	16.47	0.044	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB108@54	22.21	17.09	0.051	1.00	Pass
40MHz_15kHz_3500MHz_CP-OFDM QPSK_RB216@0	20.75	15.63	0.037	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	21.78	16.66	0.046	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	19.32	14.2	0.026	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	21.30	16.18	0.041	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.42	18.3	0.068	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	23.07	17.95	0.062	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.79	18.67	0.074	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.16	18.04	0.064	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.25	18.13	0.065	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB1@214	22.92	17.8	0.06	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.76	18.64	0.073	1.00	Pass
40MHz_15kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.68	17.56	0.057	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3530MHz_CP-OFDM 16 QAM_RB216@0	20.46	15.34	0.034	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 256 QAM_RB216@0	16.93	11.81	0.015	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM 64 QAM_RB216@0	19.92	14.8	0.03	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.48	16.36	0.043	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB1@214	21.19	16.07	0.04	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB108@54	21.89	16.77	0.048	1.00	Pass
40MHz_15kHz_3530MHz_CP-OFDM QPSK_RB216@0	20.44	15.32	0.034	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM 16 QAM_RB216@0	21.63	16.51	0.045	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM 256 QAM_RB216@0	19.01	13.89	0.024	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM 64 QAM_RB216@0	21.01	15.89	0.039	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.17	18.05	0.064	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB1@214	22.92	17.8	0.06	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB108@54	23.53	18.41	0.069	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM PI/2 BPSK_RB216@0	22.93	17.81	0.06	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM QPSK_RB1@1	23.09	17.97	0.063	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM QPSK_RB1@214	22.75	17.63	0.058	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM QPSK_RB108@54	23.53	18.41	0.069	1.00	Pass
40MHz_15kHz_3530MHz_DFT-s- OFDM QPSK_RB216@0	22.43	17.31	0.054	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	20.96	15.84	0.038	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	17.49	12.37	0.017	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	20.42	15.3	0.034	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.93	16.81	0.048	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	22.04	16.92	0.049	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	20.91	15.79	0.038	1.00	Pass
40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	22.53	17.41	0.055	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s- OFDM 16 QAM_RB100@0	22.05	16.93	0.049	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s- OFDM 256 QAM_RB100@0	19.53	14.41	0.028	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s- OFDM 64 QAM_RB100@0	21.51	16.39	0.044	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.23	18.11	0.065	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s- OFDM PI/2 BPSK_RB1@104	23.53	18.41	0.069	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.39	18.27	0.067	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.96	18.84	0.077	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	23.21	18.09	0.064	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	23.46	18.34	0.068	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	22.86	17.74	0.059	1.00	Pass
40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	23.91	18.79	0.076	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.92	15.8	0.038	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	17.48	12.36	0.017	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	20.40	15.28	0.034	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.96	16.84	0.048	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.79	16.67	0.046	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.92	15.8	0.038	1.00	Pass
40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	22.36	17.24	0.053	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.97	16.85	0.048	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	19.55	14.43	0.028	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	21.51	16.39	0.044	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.51	18.39	0.069	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.28	18.16	0.065	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.42	18.3	0.068	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.97	18.85	0.077	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.38	18.26	0.067	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	23.30	18.18	0.066	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.87	17.75	0.06	1.00	Pass
40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.97	18.85	0.077	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	20.74	15.62	0.036	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	17.25	12.13	0.016	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	20.18	15.06	0.032	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.84	16.72	0.047	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	21.54	16.42	0.044	1.00	Pass
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	20.68	15.56	0.036	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	22.10	16.98	0.05	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	21.69	16.57	0.045	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	19.19	14.07	0.026	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	21.18	16.06	0.04	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.34	18.22	0.066	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.06	17.94	0.062	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.08	17.96	0.063	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.66	18.54	0.071	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	23.17	18.05	0.064	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	22.96	17.84	0.061	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	22.56	17.44	0.055	1.00	Pass
40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	23.69	18.57	0.072	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 16 QAM_RB270@0	20.98	15.86	0.039	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 256 QAM_RB270@0	17.46	12.34	0.017	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM 64 QAM_RB270@0	20.49	15.37	0.034	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB1@1	22.04	16.92	0.049	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB1@268	22.18	17.06	0.051	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB135@67	22.29	17.17	0.052	1.00	Pass
50MHz_15kHz_3475MHz_CP-OFDM QPSK_RB270@0	20.92	15.8	0.038	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM 16 QAM_RB270@0	21.76	16.64	0.046	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM 256 QAM_RB270@0	19.31	14.19	0.026	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM 64 QAM_RB270@0	21.29	16.17	0.041	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.19	18.07	0.064	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.46	18.34	0.068	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.69	18.57	0.072	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.07	17.95	0.062	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.24	18.12	0.065	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB1@268	23.39	18.27	0.067	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB135@67	23.67	18.55	0.072	1.00	Pass
50MHz_15kHz_3475MHz_DFT-s-OFDM QPSK_RB270@0	22.61	17.49	0.056	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3500MHz_CP-OFDM 16 QAM_RB270@0	20.79	15.67	0.037	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 256 QAM_RB270@0	17.43	12.31	0.017	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM 64 QAM_RB270@0	20.46	15.34	0.034	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.34	17.22	0.053	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB1@268	21.91	16.79	0.048	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB135@67	22.14	17.02	0.05	1.00	Pass
50MHz_15kHz_3500MHz_CP-OFDM QPSK_RB270@0	20.92	15.8	0.038	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM 16 QAM_RB270@0	21.78	16.66	0.046	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM 256 QAM_RB270@0	19.31	14.19	0.026	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM 64 QAM_RB270@0	21.46	16.34	0.043	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.63	18.51	0.071	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB1@268	23.43	18.31	0.068	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB135@67	23.86	18.74	0.075	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM PI/2 BPSK_RB270@0	23.35	18.23	0.067	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB1@1	23.32	18.2	0.066	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB1@268	23.33	18.21	0.066	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB135@67	23.90	18.78	0.076	1.00	Pass
50MHz_15kHz_3500MHz_DFT-s- OFDM QPSK_RB270@0	22.82	17.7	0.059	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 16 QAM_RB270@0	20.74	15.62	0.036	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 256 QAM_RB270@0	17.23	12.11	0.016	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM 64 QAM_RB270@0	20.25	15.13	0.033	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB1@1	22.19	17.07	0.051	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB1@268	21.60	16.48	0.044	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB135@67	22.10	16.98	0.05	1.00	Pass
50MHz_15kHz_3525MHz_CP-OFDM QPSK_RB270@0	20.74	15.62	0.036	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s- OFDM 16 QAM_RB270@0	21.77	16.65	0.046	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s- OFDM 256 QAM_RB270@0	19.27	14.15	0.026	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s- OFDM 64 QAM_RB270@0	21.27	16.15	0.041	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.54	18.42	0.07	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s- OFDM PI/2 BPSK_RB1@268	22.97	17.85	0.061	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.70	18.58	0.072	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.11	17.99	0.063	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.54	18.42	0.07	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB1@268	23.11	17.99	0.063	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB135@67	23.70	18.58	0.072	1.00	Pass
50MHz_15kHz_3525MHz_DFT-s-OFDM QPSK_RB270@0	22.62	17.5	0.056	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	21.03	15.91	0.039	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	17.50	12.38	0.017	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	20.59	15.47	0.035	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	22.33	17.21	0.053	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	22.31	17.19	0.052	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	21.01	15.89	0.039	1.00	Pass
50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	22.54	17.42	0.055	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	22.06	16.94	0.049	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	19.56	14.44	0.028	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	21.56	16.44	0.044	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.53	18.41	0.069	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.71	18.59	0.072	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.45	18.33	0.068	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.97	18.85	0.077	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.47	18.35	0.068	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	23.65	18.53	0.071	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	22.90	17.78	0.06	1.00	Pass
50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	23.97	18.85	0.077	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	21.01	15.89	0.039	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	17.55	12.43	0.017	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	20.57	15.45	0.035	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.53	17.41	0.055	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	22.07	16.95	0.05	1.00	Pass
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	20.97	15.85	0.038	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	22.43	17.31	0.054	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	22.01	16.89	0.049	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	19.62	14.5	0.028	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	21.57	16.45	0.044	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.66	18.54	0.071	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.42	18.3	0.068	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.39	18.27	0.067	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.98	18.86	0.077	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.58	18.46	0.07	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	23.41	18.29	0.067	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	22.92	17.8	0.06	1.00	Pass
50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	24.01	18.89	0.077	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	20.77	15.65	0.037	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	17.33	12.21	0.017	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	20.40	15.28	0.034	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	22.21	17.09	0.051	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.87	16.75	0.047	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	20.79	15.67	0.037	1.00	Pass
50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	22.19	17.07	0.051	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	21.83	16.71	0.047	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	19.43	14.31	0.027	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	21.34	16.22	0.042	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.61	18.49	0.071	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.30	18.18	0.066	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.23	18.11	0.065	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.68	18.56	0.072	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.51	18.39	0.069	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	23.20	18.08	0.064	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	22.71	17.59	0.057	1.00	Pass
50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	23.69	18.57	0.072	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	21.00	15.88	0.039	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	17.52	12.4	0.017	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	20.54	15.42	0.035	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	22.03	16.91	0.049	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.94	16.82	0.048	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	21.05	15.93	0.039	1.00	Pass
60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	22.54	17.42	0.055	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	22.08	16.96	0.05	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	19.52	14.4	0.028	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	21.51	16.39	0.044	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	18.25	0.067	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.45	18.33	0.068	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.44	18.32	0.068	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.99	18.87	0.077	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	23.32	18.2	0.066	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	23.39	18.27	0.067	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	22.86	17.74	0.059	1.00	Pass
60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	23.96	18.84	0.077	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	20.95	15.83	0.038	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	17.42	12.3	0.017	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	20.45	15.33	0.034	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.11	16.99	0.05	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.77	16.65	0.046	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	20.93	15.81	0.038	1.00	Pass
60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	22.36	17.24	0.053	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	22.00	16.88	0.049	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	19.48	14.36	0.027	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	21.48	16.36	0.043	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.52	18.4	0.069	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.28	18.16	0.065	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.34	18.22	0.066	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.92	18.8	0.076	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.45	18.33	0.068	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	23.22	18.1	0.065	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	22.81	17.69	0.059	1.00	Pass
60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	23.95	18.83	0.076	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	20.78	15.66	0.037	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	17.30	12.18	0.017	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	20.34	15.22	0.033	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	22.02	16.9	0.049	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.46	16.34	0.043	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	20.80	15.68	0.037	1.00	Pass
60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	22.19	17.07	0.051	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	21.87	16.75	0.047	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	19.36	14.24	0.027	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	21.31	16.19	0.042	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.56	18.44	0.07	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.13	18.01	0.063	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.17	18.05	0.064	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.73	18.61	0.073	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	23.49	18.37	0.069	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	23.10	17.98	0.063	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	22.68	17.56	0.057	1.00	Pass
60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	23.77	18.65	0.073	1.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	20.87	15.75	0.038	23.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	17.17	12.05	0.016	23.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	20.26	15.14	0.033	23.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	21.90	16.78	0.048	23.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	22.03	16.91	0.049	23.00	Pass
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	20.85	15.73	0.037	23.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	22.36	17.24	0.053	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	21.81	16.69	0.047	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	19.24	14.12	0.026	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	21.30	16.18	0.041	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.47	18.35	0.068	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.71	18.59	0.072	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.30	18.18	0.066	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.86	18.74	0.075	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	23.45	18.33	0.068	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	23.63	18.51	0.071	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	22.77	17.65	0.058	23.00	Pass
70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	23.94	18.82	0.076	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	20.84	15.72	0.037	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	17.26	12.14	0.016	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	20.28	15.16	0.033	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.02	16.9	0.049	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.98	16.86	0.049	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	20.77	15.65	0.037	23.00	Pass
70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	22.33	17.21	0.053	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	21.75	16.63	0.046	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	19.27	14.15	0.026	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	21.33	16.21	0.042	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.70	18.58	0.072	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.57	18.45	0.07	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.30	18.18	0.066	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.95	18.83	0.076	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.53	18.41	0.069	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	23.52	18.4	0.069	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	22.79	17.67	0.058	23.00	Pass
70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	23.93	18.81	0.076	23.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	20.71	15.59	0.036	23.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	17.13	12.01	0.016	23.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	20.21	15.09	0.032	23.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	22.04	16.92	0.049	23.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.97	16.85	0.048	23.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	20.75	15.63	0.037	23.00	Pass
70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	22.26	17.14	0.052	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM 16 QAM_RB180@0	21.78	16.66	0.046	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM 256 QAM_RB180@0	19.29	14.17	0.026	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM 64 QAM_RB180@0	21.18	16.06	0.04	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.85	18.73	0.075	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB1@187	23.43	18.31	0.068	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB180@0	23.41	18.29	0.067	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM PI/2 BPSK_RB90@45	23.78	18.66	0.073	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB1@1	23.72	18.6	0.072	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB1@187	23.49	18.37	0.069	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB180@0	22.66	17.54	0.057	23.00	Pass
70MHz_30kHz_3515MHz_DFT-s- OFDM QPSK_RB90@45	23.79	18.67	0.074	23.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	21.07	15.95	0.039	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	17.52	12.4	0.017	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	20.48	15.36	0.034	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.76	16.64	0.046	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	21.67	16.55	0.045	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	22.47	17.35	0.054	1.00	Pass
80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	21.05	15.93	0.039	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 16 QAM_RB216@0	22.13	17.01	0.05	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 256 QAM_RB216@0	19.60	14.48	0.028	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM 64 QAM_RB216@0	21.55	16.43	0.044	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.27	18.15	0.065	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s- OFDM PI/2 BPSK_RB1@215	23.15	18.03	0.064	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	24.04	18.92	0.078	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.34	18.22	0.066	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	23.16	18.04	0.064	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	23.06	17.94	0.062	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	24.05	18.93	0.078	1.00	Pass
80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	22.82	17.7	0.059	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	21.01	15.89	0.039	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	17.49	12.37	0.017	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	20.42	15.3	0.034	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.86	16.74	0.047	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	21.60	16.48	0.044	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	22.43	17.31	0.054	1.00	Pass
80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	21.01	15.89	0.039	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	22.06	16.94	0.049	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	19.53	14.41	0.028	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	21.53	16.41	0.044	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	18.28	0.067	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.19	18.07	0.064	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.97	18.85	0.077	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.33	18.21	0.066	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.24	18.12	0.065	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	22.99	17.87	0.061	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	24.06	18.94	0.078	1.00	Pass
80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.91	17.79	0.06	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.92	15.8	0.038	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	17.42	12.3	0.017	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	20.45	15.33	0.034	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.92	16.8	0.048	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	21.42	16.3	0.043	1.00	Pass
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	22.31	17.19	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.93	15.81	0.038	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	21.91	16.79	0.048	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	19.44	14.32	0.027	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	21.45	16.33	0.043	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.37	18.25	0.067	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.02	17.9	0.062	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.92	18.8	0.076	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.25	18.13	0.065	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	23.31	18.19	0.066	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.93	17.81	0.06	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	23.93	18.81	0.076	1.00	Pass
80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	22.73	17.61	0.058	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	20.91	15.79	0.038	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	17.40	12.28	0.017	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	20.44	15.32	0.034	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.48	16.36	0.043	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	21.38	16.26	0.042	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	22.37	17.25	0.053	1.00	Pass
90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	20.95	15.83	0.038	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	21.99	16.87	0.049	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	19.47	14.35	0.027	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	21.60	16.48	0.044	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.10	17.98	0.063	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.85	17.73	0.059	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.92	18.8	0.076	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.27	18.15	0.065	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	23.02	17.9	0.062	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	22.82	17.7	0.059	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	23.93	18.81	0.076	1.00	Pass
90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	22.73	17.61	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.89	15.77	0.038	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	17.41	12.29	0.017	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	20.38	15.26	0.034	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.46	16.34	0.043	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	21.31	16.19	0.042	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	22.29	17.17	0.052	1.00	Pass
90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.90	15.78	0.038	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	21.95	16.83	0.048	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	19.46	14.34	0.027	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	21.42	16.3	0.043	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.05	17.93	0.062	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.92	17.8	0.06	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.90	18.78	0.076	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.22	18.1	0.065	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.00	17.88	0.061	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	22.80	17.68	0.059	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	23.90	18.78	0.076	1.00	Pass
90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	22.70	17.58	0.057	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.89	15.77	0.038	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	17.32	12.2	0.017	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	20.33	15.21	0.033	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.62	16.5	0.045	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	21.22	16.1	0.041	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	22.28	17.16	0.052	1.00	Pass
90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.89	15.77	0.038	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	21.97	16.85	0.048	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	19.45	14.33	0.027	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	21.40	16.28	0.042	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.15	18.03	0.064	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.81	17.69	0.059	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.82	18.7	0.074	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.21	18.09	0.064	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	23.06	17.94	0.062	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	22.71	17.59	0.057	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	23.81	18.69	0.074	1.00	Pass
90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	22.67	17.55	0.057	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	20.78	15.66	0.037	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	17.24	12.12	0.016	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	20.29	15.17	0.033	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.13	16.01	0.04	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	21.00	15.88	0.039	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	22.31	17.19	0.052	1.00	Pass
100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	20.78	15.66	0.037	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	21.79	16.67	0.046	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	19.31	14.19	0.026	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	21.33	16.21	0.042	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.85	17.73	0.059	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.63	17.51	0.056	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.84	18.72	0.074	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	23.10	17.98	0.063	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.75	17.63	0.058	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	22.56	17.44	0.055	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.86	18.74	0.075	1.00	Pass
100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.61	17.49	0.056	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n77_1:

1.Ant Gain =-5.12 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
------	-----------------------	------------	----------	-----------	--------

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3705MHz_CP-OFDM 16 QAM_RB52@0	20.38	15.26	0.034	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 256 QAM_RB52@0	16.83	11.71	0.015	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM 64 QAM_RB52@0	19.84	14.72	0.03	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.63	16.51	0.045	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB1@50	21.62	16.5	0.045	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB26@13	21.70	16.58	0.045	1.00	Pass
10MHz_15kHz_3705MHz_CP-OFDM QPSK_RB52@0	20.32	15.2	0.033	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 16 QAM_RB50@0	21.18	16.06	0.04	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 256 QAM_RB50@0	18.82	13.7	0.023	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM 64 QAM_RB50@0	20.81	15.69	0.037	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.13	18.01	0.063	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.11	17.99	0.063	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.24	18.12	0.065	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.66	17.54	0.057	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.07	17.95	0.062	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB1@50	23.08	17.96	0.063	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB25@12	23.21	18.09	0.064	1.00	Pass
10MHz_15kHz_3705MHz_DFT-s-OFDM QPSK_RB50@0	22.22	17.1	0.051	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB52@0	20.55	15.43	0.035	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB52@0	17.16	12.04	0.016	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB52@0	20.10	14.98	0.031	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.90	16.78	0.048	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@50	21.79	16.67	0.046	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB26@13	21.85	16.73	0.047	1.00	Pass
10MHz_15kHz_3840MHz_CP-OFDM QPSK_RB52@0	20.54	15.42	0.035	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	21.48	16.36	0.043	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	19.17	14.05	0.025	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	20.80	15.68	0.037	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	18.28	0.067	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.36	18.24	0.067	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.50	18.38	0.069	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.95	17.83	0.061	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.44	18.32	0.068	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@50	23.37	18.25	0.067	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	23.46	18.34	0.068	1.00	Pass
10MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	22.51	17.39	0.055	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 16 QAM_RB52@0	20.47	15.35	0.034	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 256 QAM_RB52@0	16.92	11.80	0.015	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM 64 QAM_RB52@0	19.91	14.79	0.030	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB1@1	21.72	16.60	0.046	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB1@50	21.58	16.46	0.044	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB26@13	21.80	16.68	0.047	1.00	Pass
10MHz_15kHz_3975MHz_CP-OFDM QPSK_RB52@0	20.45	15.33	0.034	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM 16 QAM_RB50@0	21.26	16.14	0.041	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM 256 QAM_RB50@0	18.99	13.87	0.024	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM 64 QAM_RB50@0	21.00	15.88	0.039	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.30	18.18	0.066	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.20	18.08	0.064	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.34	18.22	0.066	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.77	17.65	0.058	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	23.15	18.03	0.064	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB1@50	23.21	18.09	0.064	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB25@12	23.28	18.16	0.065	1.00	Pass
10MHz_15kHz_3975MHz_DFT-s-OFDM QPSK_RB50@0	22.29	17.17	0.052	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	20.65	15.53	0.036	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	17.06	11.94	0.016	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	20.04	14.92	0.031	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.87	16.75	0.047	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	21.79	16.67	0.046	1.00	Pass
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	21.89	16.77	0.048	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	20.56	15.44	0.035	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	21.35	16.23	0.042	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	19.06	13.94	0.025	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	21.08	15.96	0.039	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	18.28	0.067	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.40	18.28	0.067	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.49	18.37	0.069	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.95	17.83	0.061	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	23.26	18.14	0.065	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	23.33	18.21	0.066	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	23.54	18.42	0.07	1.00	Pass
10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	22.46	17.34	0.054	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	20.83	15.71	0.037	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	17.37	12.25	0.017	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	20.31	15.19	0.033	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.25	17.13	0.052	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	22.13	17.01	0.050	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	22.24	17.12	0.052	1.00	Pass
10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	20.91	15.79	0.038	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	21.72	16.60	0.046	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	19.44	14.32	0.027	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	21.17	16.05	0.040	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.69	18.57	0.072	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.68	18.56	0.072	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.78	18.66	0.073	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	23.21	18.09	0.064	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.67	18.55	0.072	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	23.64	18.52	0.071	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	23.70	18.58	0.072	1.00	Pass
10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	22.80	17.68	0.059	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	20.68	15.56	0.036	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	17.15	12.03	0.016	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	20.10	14.98	0.031	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	22.07	16.95	0.050	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	22.12	17.00	0.050	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	22.04	16.92	0.049	1.00	Pass
10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	20.70	15.58	0.036	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	21.54	16.42	0.044	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	19.27	14.15	0.026	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	21.24	16.12	0.041	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.49	18.37	0.069	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB1@22	23.45	18.33	0.068	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.54	18.42	0.070	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM PI/2 BPSK_RB24@0	22.99	17.87	0.061	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	23.36	18.24	0.067	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	23.44	18.32	0.068	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	23.40	18.28	0.067	1.00	Pass
10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	22.52	17.40	0.055	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 16 QAM_RB79@0	20.60	15.48	0.035	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 256 QAM_RB79@0	17.10	11.98	0.016	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM 64 QAM_RB79@0	19.99	14.87	0.031	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.71	16.59	0.046	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB1@77	21.76	16.64	0.046	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB39@19	21.92	16.80	0.048	1.00	Pass
15MHz_15kHz_3707.5MHz_CP-OFDM QPSK_RB79@0	20.58	15.46	0.035	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.42	16.30	0.043	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.08	13.96	0.025	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.08	15.96	0.039	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.21	18.09	0.064	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.30	18.18	0.066	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.40	18.28	0.067	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.92	17.8	0.06	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.19	18.07	0.064	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.20	18.08	0.064	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.43	18.31	0.068	1.00	Pass
15MHz_15kHz_3707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.39	17.27	0.053	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB79@0	20.76	15.64	0.037	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB79@0	17.34	12.22	0.017	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB79@0	20.22	15.1	0.032	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.92	16.8	0.048	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@77	21.91	16.79	0.048	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB39@19	21.98	16.86	0.049	1.00	Pass
15MHz_15kHz_3840MHz_CP-OFDM QPSK_RB79@0	20.72	15.6	0.036	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	21.63	16.51	0.045	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	19.43	14.31	0.027	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	21.15	16.03	0.04	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.52	18.4	0.069	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.62	18.5	0.071	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.67	18.55	0.072	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.17	18.05	0.064	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.33	18.21	0.066	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@77	23.47	18.35	0.068	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	23.59	18.47	0.07	1.00	Pass
15MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	22.60	17.48	0.056	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 16 QAM_RB79@0	20.48	15.36	0.034	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 256 QAM_RB79@0	17.10	11.98	0.016	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM 64 QAM_RB79@0	19.99	14.87	0.031	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.70	16.58	0.045	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB1@77	21.91	16.79	0.048	1.00	Pass
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB39@19	21.86	16.74	0.047	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_15kHz_3972.5MHz_CP-OFDM QPSK_RB79@0	20.53	15.41	0.035	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.28	16.16	0.041	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.31	14.19	0.026	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.04	15.92	0.039	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.26	18.14	0.065	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.28	18.16	0.065	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.43	18.31	0.068	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.92	17.8	0.06	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	23.23	18.11	0.065	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@77	23.23	18.11	0.065	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@18	23.33	18.21	0.066	1.00	Pass
15MHz_15kHz_3972.5MHz_DFT-s-OFDM QPSK_RB75@0	22.36	17.24	0.053	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	20.70	15.58	0.036	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	17.17	12.05	0.016	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	20.10	14.98	0.031	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.94	16.82	0.048	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	22.03	16.91	0.049	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	22.01	16.89	0.049	1.00	Pass
15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	20.60	15.48	0.035	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.57	16.45	0.044	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.18	14.06	0.025	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.18	16.06	0.04	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.39	18.27	0.067	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.45	18.33	0.068	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.49	18.37	0.069	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.06	17.94	0.062	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.33	18.21	0.066	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	23.39	18.27	0.067	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	23.51	18.39	0.069	1.00	Pass
15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	22.50	17.38	0.055	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	21.00	15.88	0.039	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	17.44	12.32	0.017	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	20.38	15.26	0.034	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.29	17.17	0.052	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	22.22	17.1	0.051	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	22.17	17.05	0.051	1.00	Pass
15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	20.90	15.78	0.038	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	21.76	16.64	0.046	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	19.49	14.37	0.027	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	21.28	16.16	0.041	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.61	18.49	0.071	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.61	18.49	0.071	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.79	18.67	0.074	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	23.22	18.1	0.065	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.60	18.48	0.07	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	23.62	18.5	0.071	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	23.76	18.64	0.073	1.00	Pass
15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	22.71	17.59	0.057	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	20.65	15.53	0.036	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	17.08	11.96	0.016	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	20.11	14.99	0.032	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.96	16.84	0.048	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	21.85	16.73	0.047	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	21.97	16.85	0.048	1.00	Pass
15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	20.64	15.52	0.036	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.48	16.36	0.043	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.15	14.03	0.025	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.09	15.97	0.04	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.35	18.23	0.067	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@36	23.39	18.27	0.067	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB18@9	23.47	18.35	0.068	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@0	22.93	17.81	0.06	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	23.32	18.2	0.066	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	23.33	18.21	0.066	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	23.45	18.33	0.068	1.00	Pass
15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	22.45	17.33	0.054	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 16 QAM_RB106@0	20.52	15.4	0.035	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 256 QAM_RB106@0	17.04	11.92	0.016	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM 64 QAM_RB106@0	20.00	14.88	0.031	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.68	16.56	0.045	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB1@104	21.67	16.55	0.045	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB106@0	20.46	15.34	0.034	1.00	Pass
20MHz_15kHz_3710MHz_CP-OFDM QPSK_RB53@26	21.88	16.76	0.047	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 16 QAM_RB100@0	21.34	16.22	0.042	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 256 QAM_RB100@0	19.04	13.92	0.025	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM 64 QAM_RB100@0	21.05	15.93	0.039	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.15	18.03	0.064	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.26	18.14	0.065	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.88	17.76	0.06	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.32	18.2	0.066	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	22.99	17.87	0.061	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB1@104	23.15	18.03	0.064	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB100@0	22.40	17.28	0.053	1.00	Pass
20MHz_15kHz_3710MHz_DFT-s-OFDM QPSK_RB50@25	23.32	18.2	0.066	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	20.72	15.6	0.036	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	17.24	12.12	0.016	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	20.21	15.09	0.032	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.90	16.78	0.048	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@104	21.95	16.83	0.048	1.00	Pass
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB106@0	20.72	15.6	0.036	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_15kHz_3840MHz_CP-OFDM QPSK_RB53@26	22.05	16.93	0.049	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	21.67	16.55	0.045	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	19.34	14.22	0.026	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	21.07	15.95	0.039	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.48	18.36	0.069	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.42	18.3	0.068	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.18	18.06	0.064	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.64	18.52	0.071	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.31	18.19	0.066	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	23.34	18.22	0.066	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	22.66	17.54	0.057	1.00	Pass
20MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	23.61	18.49	0.071	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 16 QAM_RB106@0	20.52	15.4	0.035	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 256 QAM_RB106@0	17.03	11.91	0.016	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM 64 QAM_RB106@0	19.95	14.83	0.03	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.73	16.61	0.046	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB1@104	21.66	16.54	0.045	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB106@0	20.57	15.45	0.035	1.00	Pass
20MHz_15kHz_3970MHz_CP-OFDM QPSK_RB53@26	21.85	16.73	0.047	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 16 QAM_RB100@0	21.32	16.2	0.042	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 256 QAM_RB100@0	19.14	14.02	0.025	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM 64 QAM_RB100@0	21.08	15.96	0.039	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.24	18.12	0.065	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.26	18.14	0.065	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.94	17.82	0.061	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.42	18.3	0.068	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	23.13	18.01	0.063	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB1@104	23.13	18.01	0.063	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB100@0	22.41	17.29	0.054	1.00	Pass
20MHz_15kHz_3970MHz_DFT-s-OFDM QPSK_RB50@25	23.34	18.22	0.066	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	20.51	15.39	0.035	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	17.02	11.9	0.015	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	20.06	14.94	0.031	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.92	16.8	0.048	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	21.82	16.7	0.047	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	21.92	16.8	0.048	1.00	Pass
20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	20.54	15.42	0.035	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	21.42	16.3	0.043	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	19.07	13.95	0.025	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	21.15	16.03	0.04	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.26	18.14	0.065	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.42	18.3	0.068	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.49	18.37	0.069	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.97	17.85	0.061	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	23.27	18.15	0.065	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	23.28	18.16	0.065	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	23.43	18.31	0.068	1.00	Pass
20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	22.43	17.31	0.054	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	20.78	15.66	0.037	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	17.29	12.17	0.016	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	20.18	15.06	0.032	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.00	16.88	0.049	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	22.13	17.01	0.05	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	22.13	17.01	0.05	1.00	Pass
20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	20.86	15.74	0.037	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	21.69	16.57	0.045	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	19.31	14.19	0.026	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	21.21	16.09	0.041	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.60	18.48	0.07	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.62	18.5	0.071	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.70	18.58	0.072	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.24	18.12	0.065	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.50	18.38	0.069	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	23.50	18.38	0.069	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	23.68	18.56	0.072	1.00	Pass
20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	22.78	17.66	0.058	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	20.51	15.39	0.035	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	17.06	11.94	0.016	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	20.03	14.91	0.031	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.82	16.7	0.047	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	21.83	16.71	0.047	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	21.89	16.77	0.048	1.00	Pass
20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	20.58	15.46	0.035	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	21.31	16.19	0.042	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	19.11	13.99	0.025	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	21.09	15.97	0.04	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.35	18.23	0.067	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB1@49	23.46	18.34	0.068	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.47	18.35	0.068	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.92	17.8	0.06	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	23.26	18.14	0.065	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	23.25	18.13	0.065	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	23.38	18.26	0.067	1.00	Pass
20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	22.39	17.27	0.053	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 16 QAM_RB160@0	20.45	15.33	0.034	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 256 QAM_RB160@0	16.90	11.78	0.015	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM 64 QAM_RB160@0	19.95	14.83	0.03	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.53	16.41	0.044	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB1@158	21.60	16.48	0.044	1.00	Pass
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB160@0	20.44	15.32	0.034	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3715MHz_CP-OFDM QPSK_RB80@40	21.80	16.68	0.047	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 16 QAM_RB160@0	21.38	16.26	0.042	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 256 QAM_RB160@0	18.97	13.85	0.024	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM 64 QAM_RB160@0	20.99	15.87	0.039	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.98	17.86	0.061	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.11	17.99	0.063	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.89	17.77	0.06	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.38	18.26	0.067	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	22.86	17.74	0.059	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB1@158	23.07	17.95	0.062	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB160@0	22.30	17.18	0.052	1.00	Pass
30MHz_15kHz_3715MHz_DFT-s-OFDM QPSK_RB80@40	23.35	18.23	0.067	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB160@0	20.56	15.44	0.035	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB160@0	17.16	12.04	0.016	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB160@0	20.12	15	0.032	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.58	16.46	0.044	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@158	21.56	16.44	0.044	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB160@0	20.55	15.43	0.035	1.00	Pass
30MHz_15kHz_3840MHz_CP-OFDM QPSK_RB80@40	21.97	16.85	0.048	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB160@0	21.51	16.39	0.044	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB160@0	19.10	13.98	0.025	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB160@0	21.05	15.93	0.039	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.19	18.07	0.064	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.20	18.08	0.064	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.97	17.85	0.061	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.55	18.43	0.07	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.02	17.9	0.062	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@158	23.06	17.94	0.062	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB160@0	22.46	17.34	0.054	1.00	Pass
30MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB80@40	23.57	18.45	0.07	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
30MHz_15kHz_3965MHz_CP-OFDM 16 QAM_RB160@0	20.42	15.3	0.034	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 256 QAM_RB160@0	16.90	11.78	0.015	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM 64 QAM_RB160@0	19.90	14.78	0.03	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB1@1	21.56	16.44	0.044	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB1@158	21.44	16.32	0.043	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB160@0	20.37	15.25	0.033	1.00	Pass
30MHz_15kHz_3965MHz_CP-OFDM QPSK_RB80@40	21.79	16.67	0.046	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 16 QAM_RB160@0	21.27	16.15	0.041	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 256 QAM_RB160@0	18.95	13.83	0.024	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM 64 QAM_RB160@0	20.93	15.81	0.038	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.07	17.95	0.062	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	23.05	17.93	0.062	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	22.86	17.74	0.059	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	23.33	18.21	0.066	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	22.89	17.77	0.06	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB1@158	22.98	17.86	0.061	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB160@0	22.30	17.18	0.052	1.00	Pass
30MHz_15kHz_3965MHz_DFT-s-OFDM QPSK_RB80@40	23.41	18.29	0.067	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 16 QAM_RB216@0	20.33	15.21	0.033	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 256 QAM_RB216@0	16.94	11.82	0.015	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM 64 QAM_RB216@0	19.87	14.75	0.03	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.13	16.01	0.04	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB1@214	21.38	16.26	0.042	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB108@54	21.88	16.76	0.047	1.00	Pass
40MHz_15kHz_3720MHz_CP-OFDM QPSK_RB216@0	20.34	15.22	0.033	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 16 QAM_RB216@0	21.21	16.09	0.041	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 256 QAM_RB216@0	18.90	13.78	0.024	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM 64 QAM_RB216@0	20.92	15.8	0.038	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.69	17.57	0.057	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.90	17.78	0.06	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.36	18.24	0.067	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.79	17.67	0.058	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.66	17.54	0.057	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB1@214	22.85	17.73	0.059	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB108@54	23.37	18.25	0.067	1.00	Pass
40MHz_15kHz_3720MHz_DFT-s-OFDM QPSK_RB216@0	22.23	17.11	0.051	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB216@0	20.47	15.35	0.034	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB216@0	17.06	11.94	0.016	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB216@0	20.01	14.89	0.031	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.27	16.15	0.041	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@214	21.35	16.23	0.042	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB108@54	21.96	16.84	0.048	1.00	Pass
40MHz_15kHz_3840MHz_CP-OFDM QPSK_RB216@0	20.48	15.36	0.034	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	21.38	16.26	0.042	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	19.14	14.02	0.025	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	20.99	15.87	0.039	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.92	17.8	0.06	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.98	17.86	0.061	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.60	18.48	0.07	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.90	17.78	0.06	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.79	17.67	0.058	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@214	22.78	17.66	0.058	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	23.53	18.41	0.069	1.00	Pass
40MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	22.36	17.24	0.053	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 16 QAM_RB216@0	20.30	15.18	0.033	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 256 QAM_RB216@0	16.84	11.72	0.015	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM 64 QAM_RB216@0	19.82	14.7	0.03	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB1@1	21.24	16.12	0.041	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB1@214	21.30	16.18	0.041	1.00	Pass
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB108@54	21.80	16.68	0.047	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_15kHz_3960MHz_CP-OFDM QPSK_RB216@0	20.28	15.16	0.033	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 16 QAM_RB216@0	21.21	16.09	0.041	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 256 QAM_RB216@0	18.95	13.83	0.024	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM 64 QAM_RB216@0	20.89	15.77	0.038	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.75	17.63	0.058	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	22.79	17.67	0.058	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.34	18.22	0.066	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.70	17.58	0.057	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	22.74	17.62	0.058	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB1@214	22.64	17.52	0.056	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB108@54	23.36	18.24	0.067	1.00	Pass
40MHz_15kHz_3960MHz_DFT-s-OFDM QPSK_RB216@0	22.23	17.11	0.051	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	20.60	15.48	0.035	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	16.97	11.85	0.015	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	20.02	14.9	0.031	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.29	16.17	0.041	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	21.44	16.32	0.043	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	20.42	15.3	0.034	1.00	Pass
40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	21.90	16.78	0.048	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.33	16.21	0.042	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	19.00	13.88	0.024	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	21.01	15.89	0.039	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.93	17.81	0.06	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.00	17.88	0.061	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.89	17.77	0.06	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.44	18.32	0.068	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.82	17.7	0.059	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	22.98	17.86	0.061	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	22.40	17.28	0.053	1.00	Pass
40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	23.43	18.31	0.068	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	20.56	15.44	0.035	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	17.13	12.01	0.016	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	20.07	14.95	0.031	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.64	16.52	0.045	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	21.57	16.45	0.044	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	20.58	15.46	0.035	1.00	Pass
40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	22.05	16.93	0.049	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	21.44	16.32	0.043	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	19.17	14.05	0.025	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	21.09	15.97	0.04	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.12	18	0.063	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.16	18.04	0.064	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.11	17.99	0.063	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.65	18.53	0.071	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.04	17.92	0.062	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	23.06	17.94	0.062	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	22.51	17.39	0.055	1.00	Pass
40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	23.56	18.44	0.07	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	20.43	15.31	0.034	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	17.00	11.88	0.015	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	19.93	14.81	0.03	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	21.38	16.26	0.042	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	21.48	16.36	0.043	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	20.42	15.3	0.034	1.00	Pass
40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	21.88	16.76	0.047	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	21.28	16.16	0.041	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	19.01	13.89	0.024	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	20.98	15.86	0.039	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.91	17.79	0.06	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	22.97	17.85	0.061	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	22.83	17.71	0.059	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.38	18.26	0.067	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	22.87	17.75	0.06	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	22.88	17.76	0.06	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	22.30	17.18	0.052	1.00	Pass
40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	23.37	18.25	0.067	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 16 QAM_RB270@0	20.46	15.34	0.034	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 256 QAM_RB270@0	17.02	11.9	0.015	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM 64 QAM_RB270@0	20.00	14.88	0.031	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.51	16.39	0.044	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB1@268	21.75	16.63	0.046	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB135@67	21.85	16.73	0.047	1.00	Pass
50MHz_15kHz_3725MHz_CP-OFDM QPSK_RB270@0	20.46	15.34	0.034	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 16 QAM_RB270@0	21.37	16.25	0.042	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 256 QAM_RB270@0	19.04	13.92	0.025	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM 64 QAM_RB270@0	21.00	15.88	0.039	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.05	17.93	0.062	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.28	18.16	0.065	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.37	18.25	0.067	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.89	17.77	0.06	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	22.92	17.8	0.06	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB1@268	23.26	18.14	0.065	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB135@67	23.43	18.31	0.068	1.00	Pass
50MHz_15kHz_3725MHz_DFT-s-OFDM QPSK_RB270@0	22.36	17.24	0.053	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 16 QAM_RB270@0	20.55	15.43	0.035	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 256 QAM_RB270@0	17.13	12.01	0.016	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM 64 QAM_RB270@0	20.14	15.02	0.032	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.67	16.55	0.045	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB1@268	21.80	16.68	0.047	1.00	Pass
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB135@67	22.03	16.91	0.049	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_15kHz_3840MHz_CP-OFDM QPSK_RB270@0	20.67	15.55	0.036	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	21.47	16.35	0.043	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	19.24	14.12	0.026	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	21.11	15.99	0.04	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	18.13	0.065	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.24	18.12	0.065	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.61	18.49	0.071	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.99	17.87	0.061	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.10	17.98	0.063	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB1@268	23.23	18.11	0.065	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	23.56	18.44	0.07	1.00	Pass
50MHz_15kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	22.51	17.39	0.055	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 16 QAM_RB270@0	20.40	15.28	0.034	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 256 QAM_RB270@0	17.17	12.05	0.016	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM 64 QAM_RB270@0	19.93	14.81	0.03	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB1@1	21.65	16.53	0.045	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB1@268	21.62	16.5	0.045	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB135@67	21.81	16.69	0.047	1.00	Pass
50MHz_15kHz_3955MHz_CP-OFDM QPSK_RB270@0	20.39	15.27	0.034	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 16 QAM_RB270@0	21.25	16.13	0.041	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 256 QAM_RB270@0	18.92	13.8	0.024	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM 64 QAM_RB270@0	20.95	15.83	0.038	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.07	17.95	0.062	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@268	23.20	18.08	0.064	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.41	18.29	0.067	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.80	17.68	0.059	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	22.96	17.84	0.061	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB1@268	23.08	17.96	0.063	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB135@67	23.39	18.27	0.067	1.00	Pass
50MHz_15kHz_3955MHz_DFT-s-OFDM QPSK_RB270@0	22.30	17.18	0.052	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	20.56	15.44	0.035	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	17.05	11.93	0.016	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	20.08	14.96	0.031	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.59	16.47	0.044	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.79	16.67	0.046	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	20.53	15.41	0.035	1.00	Pass
50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	21.93	16.81	0.048	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	21.43	16.31	0.043	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	19.03	13.91	0.025	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	21.08	15.96	0.039	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.30	18.18	0.066	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.52	18.4	0.069	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.14	18.02	0.063	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.69	18.57	0.072	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	23.01	17.89	0.062	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	23.29	18.17	0.066	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	22.42	17.3	0.054	1.00	Pass
50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	23.49	18.37	0.069	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	20.70	15.58	0.036	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	17.14	12.02	0.016	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	20.25	15.13	0.033	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	22.25	17.13	0.052	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	21.75	16.63	0.046	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	20.68	15.56	0.036	1.00	Pass
50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	22.09	16.97	0.05	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	21.56	16.44	0.044	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	19.23	14.11	0.026	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	21.20	16.08	0.041	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.40	18.28	0.067	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.26	18.14	0.065	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	23.06	17.94	0.062	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.63	18.51	0.071	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.22	18.1	0.065	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	23.29	18.17	0.066	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	22.60	17.48	0.056	1.00	Pass
50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	23.69	18.57	0.072	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	20.46	15.34	0.034	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	16.97	11.85	0.015	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	19.99	14.87	0.031	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	21.96	16.84	0.048	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	22.27	17.15	0.052	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	20.44	15.32	0.034	1.00	Pass
50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	21.88	16.76	0.047	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	21.34	16.22	0.042	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	18.98	13.86	0.024	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	21.00	15.88	0.039	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.09	17.97	0.063	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	23.29	18.17	0.066	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	22.87	17.75	0.06	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	23.47	18.35	0.068	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	22.99	17.87	0.061	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	23.26	18.14	0.065	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	22.40	17.28	0.053	1.00	Pass
50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	23.43	18.31	0.068	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	20.67	15.55	0.036	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	17.17	12.05	0.016	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	20.17	15.05	0.032	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	21.66	16.54	0.045	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.95	16.83	0.048	1.00	Pass
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	20.69	15.57	0.036	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	22.17	17.05	0.051	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	21.33	16.21	0.042	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	18.95	13.83	0.024	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	21.21	16.09	0.041	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.14	18.02	0.063	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.39	18.27	0.067	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.91	17.79	0.06	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.50	18.38	0.069	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	22.97	17.85	0.061	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	23.13	18.01	0.063	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	22.59	17.47	0.056	1.00	Pass
60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	23.70	18.58	0.072	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	20.63	15.51	0.036	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	17.21	12.09	0.016	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	20.12	15	0.032	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.67	16.55	0.045	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	21.52	16.4	0.044	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	20.58	15.46	0.035	1.00	Pass
60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	22.09	16.97	0.05	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	21.53	16.41	0.044	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	19.15	14.03	0.025	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	21.21	16.09	0.041	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.25	18.13	0.065	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.10	17.98	0.063	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	23.06	17.94	0.062	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.65	18.53	0.071	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.14	18.02	0.063	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	23.04	17.92	0.062	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	22.48	17.36	0.054	1.00	Pass
60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	23.57	18.45	0.07	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	20.38	15.26	0.034	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	16.96	11.84	0.015	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	19.91	14.79	0.03	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	21.40	16.28	0.042	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	21.53	16.41	0.044	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	20.38	15.26	0.034	1.00	Pass
60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	21.80	16.68	0.047	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	21.25	16.13	0.041	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	18.99	13.87	0.024	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	20.93	15.81	0.038	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.89	17.77	0.06	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB1@160	23.14	18.02	0.063	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB162@0	22.76	17.64	0.058	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM PI/2 BPSK_RB81@40	23.37	18.25	0.067	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	22.82	17.7	0.059	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	23.04	17.92	0.062	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	22.32	17.2	0.052	1.00	Pass
60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	23.35	18.23	0.067	1.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	20.70	15.58	0.036	23.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	17.00	11.88	0.015	23.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	20.15	15.03	0.032	23.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	21.48	16.36	0.043	23.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.94	16.82	0.048	23.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	20.59	15.47	0.035	23.00	Pass
70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	22.03	16.91	0.049	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	21.47	16.35	0.043	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	19.18	14.06	0.025	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	21.19	16.07	0.04	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.99	17.87	0.061	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.36	18.24	0.067	23.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	23.01	17.89	0.062	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.63	18.51	0.071	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	22.85	17.73	0.059	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	23.16	18.04	0.064	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	22.43	17.31	0.054	23.00	Pass
70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	23.63	18.51	0.071	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	20.85	15.73	0.037	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	17.23	12.11	0.016	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	20.39	15.27	0.034	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.82	16.7	0.047	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	22.34	17.22	0.053	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	20.86	15.74	0.037	23.00	Pass
70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	22.27	17.15	0.052	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	21.75	16.63	0.046	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	19.51	14.39	0.027	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	21.27	16.15	0.041	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.57	18.45	0.07	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	23.35	18.23	0.067	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.94	17.82	0.061	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.41	18.29	0.067	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.41	18.29	0.067	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	23.72	18.6	0.072	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	22.75	17.63	0.058	23.00	Pass
70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	23.74	18.62	0.073	23.00	Pass
70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	20.35	15.23	0.033	23.00	Pass
70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	17.04	11.92	0.016	23.00	Pass
70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	19.91	14.79	0.03	23.00	Pass
70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	22.04	16.92	0.049	23.00	Pass
70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	21.02	15.9	0.039	23.00	Pass
70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	20.46	15.34	0.034	23.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	21.81	16.69	0.047	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	21.20	16.08	0.041	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	18.98	13.86	0.024	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	20.93	15.81	0.038	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.50	18.38	0.069	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM PI/2 BPSK_RB1@187	22.56	17.44	0.055	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM PI/2 BPSK_RB180@0	22.78	17.66	0.058	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM PI/2 BPSK_RB90@45	23.24	18.12	0.065	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	23.36	18.24	0.067	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	22.29	17.17	0.052	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	22.25	17.13	0.052	23.00	Pass
70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	23.28	18.16	0.065	23.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	20.79	15.67	0.037	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	17.28	12.16	0.016	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	20.26	15.14	0.033	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	21.46	16.34	0.043	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	21.70	16.58	0.045	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	22.28	17.16	0.052	1.00	Pass
80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	20.78	15.66	0.037	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	21.56	16.44	0.044	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	19.25	14.13	0.026	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	21.32	16.2	0.042	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.97	17.85	0.061	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.32	18.2	0.066	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.81	18.69	0.074	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.12	18	0.063	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	22.85	17.73	0.059	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	23.15	18.03	0.064	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	23.82	18.7	0.074	1.00	Pass
80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	22.60	17.48	0.056	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	20.67	15.55	0.036	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	17.19	12.07	0.016	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	20.15	15.03	0.032	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.73	16.61	0.046	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	21.79	16.67	0.046	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	22.10	16.98	0.05	1.00	Pass
80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	20.61	15.49	0.035	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	21.50	16.38	0.043	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	19.16	14.04	0.025	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	20.98	15.86	0.039	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.24	18.12	0.065	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.11	17.99	0.063	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.37	18.25	0.067	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	23.03	17.91	0.062	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.02	17.9	0.062	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	22.86	17.74	0.059	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	23.63	18.51	0.071	1.00	Pass
80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	22.61	17.49	0.056	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	20.46	15.34	0.034	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	16.94	11.82	0.015	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	19.96	14.84	0.03	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	21.49	16.37	0.043	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	21.72	16.6	0.046	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	21.85	16.73	0.047	1.00	Pass
80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	20.45	15.33	0.034	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	21.30	16.18	0.041	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	19.04	13.92	0.025	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	20.73	15.61	0.036	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.79	17.67	0.058	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB1@215	23.00	17.88	0.061	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	23.38	18.26	0.067	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	22.75	17.63	0.058	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	22.68	17.56	0.057	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	22.86	17.74	0.059	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	23.37	18.25	0.067	1.00	Pass
80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	22.29	17.17	0.052	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	20.72	15.6	0.036	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	17.19	12.07	0.016	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	20.18	15.06	0.032	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	21.42	16.3	0.043	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	21.81	16.69	0.047	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	22.20	17.08	0.051	1.00	Pass
90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	20.73	15.61	0.036	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	21.56	16.44	0.044	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	19.21	14.09	0.026	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	21.29	16.17	0.041	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.83	17.71	0.059	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	23.10	17.98	0.063	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.73	18.61	0.073	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	23.04	17.92	0.062	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	22.74	17.62	0.058	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	23.06	17.94	0.062	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	23.74	18.62	0.073	1.00	Pass
90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	22.59	17.47	0.056	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	20.59	15.47	0.035	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	17.07	11.95	0.016	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	20.09	14.97	0.031	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.68	16.56	0.045	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	21.48	16.36	0.043	1.00	Pass
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	22.09	16.97	0.05	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	20.61	15.49	0.035	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	21.40	16.28	0.042	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	19.18	14.06	0.025	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	20.90	15.78	0.038	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.08	17.96	0.063	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.81	17.69	0.059	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.61	18.49	0.071	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.98	17.86	0.061	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.92	17.8	0.06	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	22.71	17.59	0.057	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	23.61	18.49	0.071	1.00	Pass
90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	22.45	17.33	0.054	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	20.46	15.34	0.034	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	16.89	11.77	0.015	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	19.89	14.77	0.03	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	21.12	16	0.04	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	21.14	16.02	0.04	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	21.74	16.62	0.046	1.00	Pass
90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	20.47	15.35	0.034	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	21.11	15.99	0.04	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	18.92	13.8	0.024	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	20.72	15.6	0.036	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.71	17.59	0.057	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB1@243	22.74	17.62	0.058	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB120@60	23.27	18.15	0.065	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM PI/2 BPSK_RB243@0	22.74	17.62	0.058	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	22.68	17.56	0.057	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	22.50	17.38	0.055	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	23.31	18.19	0.066	1.00	Pass
90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	22.17	17.05	0.051	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	20.55	15.43	0.035	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	16.99	11.87	0.015	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	19.97	14.85	0.031	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.98	15.86	0.039	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.21	16.09	0.041	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	22.02	16.9	0.049	1.00	Pass
100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	20.49	15.37	0.034	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	21.28	16.16	0.041	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	19.02	13.9	0.025	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	20.97	15.85	0.038	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.47	17.35	0.054	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.73	17.61	0.058	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.52	18.4	0.069	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.77	17.65	0.058	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.26	17.14	0.052	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	22.57	17.45	0.056	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	23.53	18.41	0.069	1.00	Pass
100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	22.31	17.19	0.052	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	20.58	15.46	0.035	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	17.03	11.91	0.016	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	19.99	14.87	0.031	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.18	16.06	0.04	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	21.22	16.1	0.041	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	21.98	16.86	0.049	1.00	Pass
100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	20.50	15.38	0.035	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	21.31	16.19	0.042	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	19.11	13.99	0.025	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	21.07	15.95	0.039	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.69	17.57	0.057	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.73	17.61	0.058	1.00	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.59	18.47	0.07	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.84	17.72	0.059	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.50	17.38	0.055	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	22.52	17.4	0.055	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	23.56	18.44	0.07	1.00	Pass
100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	22.33	17.21	0.053	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	20.39	15.27	0.034	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	16.91	11.79	0.015	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	19.81	14.69	0.029	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	21.04	15.92	0.039	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	20.99	15.87	0.039	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	21.84	16.72	0.047	1.00	Pass
100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	20.38	15.26	0.034	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	21.16	16.04	0.04	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	18.91	13.79	0.024	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	20.66	15.54	0.036	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.67	17.55	0.057	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB1@271	22.57	17.45	0.056	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB135@67	23.40	18.28	0.067	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM PI/2 BPSK_RB270@0	22.70	17.58	0.057	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	22.54	17.42	0.055	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	22.45	17.33	0.054	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	23.39	18.27	0.067	1.00	Pass
100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	22.26	17.14	0.052	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n77_2:

1.Ant Gain =-5.12 dBi;

2.LC = signal attenuation in the connecting cable between the transmitter and antenna in 0dB