

Appendix

1. Bandwidth

1.1 OBW

1.1.1 Test Result

-26dB Bandwidth

| Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|-------|-----------------|---------|------------------------|------------------------------|---------|
| a | 5180 | Ant1 | 23.268 | 0.5 | Pass |
| a | 5240 | Ant1 | 22.461 | 0.5 | Pass |
| a | 5260 | Ant1 | 22.164 | 0.5 | Pass |
| a | 5320 | Ant1 | 22.993 | 0.5 | Pass |
| a | 5500 | Ant1 | 22.797 | 0.5 | Pass |
| a | 5700 | Ant1 | 23.683 | 0.5 | Pass |
| n20 | 5180 | Ant1 | 23.319 | 0.5 | Pass |
| n20 | 5240 | Ant1 | 22.946 | 0.5 | Pass |
| n20 | 5260 | Ant1 | 22.99 | 0.5 | Pass |
| n20 | 5320 | Ant1 | 23.124 | 0.5 | Pass |
| n20 | 5500 | Ant1 | 23.425 | 0.5 | Pass |
| n20 | 5700 | Ant1 | 22.927 | 0.5 | Pass |
| n40 | 5190 | Ant1 | 41.109 | 0.5 | Pass |
| n40 | 5230 | Ant1 | 41.67 | 0.5 | Pass |
| n40 | 5270 | Ant1 | 42.365 | 0.5 | Pass |
| n40 | 5310 | Ant1 | 42.065 | 0.5 | Pass |
| n40 | 5510 | Ant1 | 41.611 | 0.5 | Pass |
| n40 | 5670 | Ant1 | 41.759 | 0.5 | Pass |
| ac20 | 5180 | Ant1 | 23.329 | 0.5 | Pass |
| ac20 | 5240 | Ant1 | 23.205 | 0.5 | Pass |
| ac20 | 5260 | Ant1 | 23 | 0.5 | Pass |
| ac20 | 5320 | Ant1 | 23.253 | 0.5 | Pass |
| ac20 | 5500 | Ant1 | 22.438 | 0.5 | Pass |
| ac20 | 5700 | Ant1 | 23.13 | 0.5 | Pass |
| ac40 | 5190 | Ant1 | 43.071 | 0.5 | Pass |
| ac40 | 5230 | Ant1 | 42.01 | 0.5 | Pass |
| ac40 | 5270 | Ant1 | 43.218 | 0.5 | Pass |
| ac40 | 5310 | Ant1 | 42.106 | 0.5 | Pass |
| ac40 | 5510 | Ant1 | 43.297 | 0.5 | Pass |
| ac40 | 5670 | Ant1 | 42.702 | 0.5 | Pass |
| ac80 | 5210 | Ant1 | 81.858 | 0.5 | Pass |
| ac80 | 5290 | Ant1 | 81.816 | 0.5 | Pass |
| ac80 | 5530 | Ant1 | 83.291 | 0.5 | Pass |
| ac80 | 5610 | Ant1 | 83.593 | 0.5 | Pass |
| ax160 | 5250 | Ant1 | 160.812 | 0.5 | Pass |
| ax160 | 5570 | Ant1 | 161.02 | 0.5 | Pass |
| ax20 | 5180 | Ant1 | 22.25 | 0.5 | Pass |
| ax20 | 5240 | Ant1 | 22.439 | 0.5 | Pass |
| ax20 | 5260 | Ant1 | 23.018 | 0.5 | Pass |
| ax20 | 5320 | Ant1 | 22.278 | 0.5 | Pass |
| ax20 | 5500 | Ant1 | 22.881 | 0.5 | Pass |
| ax20 | 5700 | Ant1 | 22.274 | 0.5 | Pass |
| ax40 | 5190 | Ant1 | 42.087 | 0.5 | Pass |
| ax40 | 5230 | Ant1 | 42.462 | 0.5 | Pass |
| ax40 | 5270 | Ant1 | 42.24 | 0.5 | Pass |
| ax40 | 5310 | Ant1 | 42.551 | 0.5 | Pass |
| ax40 | 5510 | Ant1 | 42.103 | 0.5 | Pass |
| ax40 | 5670 | Ant1 | 41.048 | 0.5 | Pass |
| ax80 | 5210 | Ant1 | 81.537 | 0.5 | Pass |
| ax80 | 5290 | Ant1 | 82.098 | 0.5 | Pass |
| ax80 | 5530 | Ant1 | 80.522 | 0.5 | Pass |
| ax80 | 5610 | Ant1 | 80.285 | 0.5 | Pass |



-6dB Bandwidth



| Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|------|-----------------|---------|-----------------------|-----------------------------|---------|
| a | 5745 | Ant1 | 16.315 | 0.5 | Pass |



| | | | | | |
|------|------|------|--------|-----|------|
| a | 5825 | Ant1 | 16.316 | 0.5 | Pass |
| n20 | 5745 | Ant1 | 17.558 | 0.5 | Pass |
| n20 | 5825 | Ant1 | 17.328 | 0.5 | Pass |
| n40 | 5755 | Ant1 | 36.334 | 0.5 | Pass |
| n40 | 5795 | Ant1 | 36.282 | 0.5 | Pass |
| ac20 | 5745 | Ant1 | 17.557 | 0.5 | Pass |
| ac20 | 5825 | Ant1 | 17.533 | 0.5 | Pass |
| ac40 | 5755 | Ant1 | 36.307 | 0.5 | Pass |
| ac40 | 5795 | Ant1 | 36.307 | 0.5 | Pass |
| ac80 | 5775 | Ant1 | 75.061 | 0.5 | Pass |
| ax20 | 5745 | Ant1 | 18.63 | 0.5 | Pass |
| ax20 | 5825 | Ant1 | 18.247 | 0.5 | Pass |
| ax40 | 5755 | Ant1 | 37.665 | 0.5 | Pass |
| ax40 | 5795 | Ant1 | 37.853 | 0.5 | Pass |
| ax80 | 5775 | Ant1 | 74.998 | 0.5 | Pass |



1.1.2 Test Graph

































































-26dB Bandwidth NVNT ax160 5250MHz Ant1







-26dB Bandwidth NVNT ax160 5570MHz Ant1





































-6dB Bandwidth























2. Maximum Conducted Output Power

2.1 Power

2.1.1 Test Result

ANT1

| Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a | 5180 | 12.49 | 0 | 12.49 | 24 | Pass |
| a | 5240 | 12.15 | 0 | 12.15 | 24 | Pass |
| a | 5260 | 12.31 | 0 | 12.31 | 24 | Pass |
| a | 5320 | 12.2 | 0 | 12.2 | 24 | Pass |
| a | 5500 | 12.13 | 0 | 12.13 | 24 | Pass |
| a | 5700 | 12.88 | 0 | 12.88 | 24 | Pass |
| a | 5745 | 12.57 | 0 | 12.57 | 30 | Pass |
| a | 5825 | 12.26 | 0 | 12.26 | 30 | Pass |
| n20 | 5180 | 12.49 | 0 | 12.49 | 24 | Pass |
| n20 | 5240 | 12.1 | 0 | 12.1 | 24 | Pass |
| n20 | 5260 | 12.3 | 0 | 12.3 | 24 | Pass |
| n20 | 5320 | 12.01 | 0 | 12.01 | 24 | Pass |
| n20 | 5500 | 12.01 | 0 | 12.01 | 24 | Pass |
| n20 | 5700 | 12.73 | 0 | 12.73 | 24 | Pass |
| n20 | 5745 | 12.57 | 0 | 12.57 | 30 | Pass |
| n20 | 5825 | 12.12 | 0 | 12.12 | 30 | Pass |
| n40 | 5190 | 13.26 | 0 | 13.26 | 24 | Pass |
| n40 | 5230 | 13.74 | 0 | 13.74 | 24 | Pass |
| n40 | 5270 | 13.86 | 0 | 13.86 | 24 | Pass |
| n40 | 5310 | 12.67 | 0 | 12.67 | 24 | Pass |
| n40 | 5510 | 12.23 | 0 | 12.23 | 24 | Pass |
| n40 | 5670 | 14.07 | 0 | 14.07 | 24 | Pass |
| n40 | 5755 | 13.83 | 0 | 13.83 | 30 | Pass |
| n40 | 5795 | 13.73 | 0 | 13.73 | 30 | Pass |
| ac20 | 5180 | 12.33 | 0 | 12.33 | 24 | Pass |
| ac20 | 5240 | 11.93 | 0 | 11.93 | 24 | Pass |
| ac20 | 5260 | 12.08 | 0 | 12.08 | 24 | Pass |
| ac20 | 5320 | 11.98 | 0 | 11.98 | 24 | Pass |
| ac20 | 5500 | 11.96 | 0 | 11.96 | 24 | Pass |
| ac20 | 5700 | 12.71 | 0 | 12.71 | 24 | Pass |
| ac20 | 5745 | 12.52 | 0 | 12.52 | 30 | Pass |
| ac20 | 5825 | 12.09 | 0 | 12.09 | 30 | Pass |
| ac40 | 5190 | 13.19 | 0 | 13.19 | 24 | Pass |
| ac40 | 5230 | 13.7 | 0 | 13.7 | 24 | Pass |
| ac40 | 5270 | 13.71 | 0 | 13.71 | 24 | Pass |
| ac40 | 5310 | 12.63 | 0 | 12.63 | 24 | Pass |
| ac40 | 5510 | 12.31 | 0 | 12.31 | 24 | Pass |
| ac40 | 5670 | 14.01 | 0 | 14.01 | 24 | Pass |
| ac40 | 5755 | 13.83 | 0 | 13.83 | 30 | Pass |
| ac40 | 5795 | 13.61 | 0 | 13.61 | 30 | Pass |
| ac80 | 5210 | 13.46 | 0 | 13.46 | 24 | Pass |
| ac80 | 5290 | 11.82 | 0 | 11.82 | 24 | Pass |
| ac80 | 5530 | 12.55 | 0 | 12.55 | 24 | Pass |
| ac80 | 5610 | 14.5 | 0 | 14.5 | 24 | Pass |
| ac80 | 5775 | 13.22 | 0 | 13.22 | 30 | Pass |
| ax160 | 5250 | 8.24 | 0 | 8.24 | 24 | Pass |
| ax160 | 5570 | 10.31 | 0 | 10.31 | 24 | Pass |
| ax20 | 5180 | 12.29 | 0 | 12.29 | 24 | Pass |
| ax20 | 5240 | 11.89 | 0 | 11.89 | 24 | Pass |
| ax20 | 5260 | 12.04 | 0 | 12.04 | 24 | Pass |
| ax20 | 5320 | 12 | 0 | 12 | 24 | Pass |
| ax20 | 5500 | 12.02 | 0 | 12.02 | 24 | Pass |
| ax20 | 5700 | 12.65 | 0 | 12.65 | 24 | Pass |
| ax20 | 5745 | 12.43 | 0 | 12.43 | 30 | Pass |
| ax20 | 5825 | 12 | 0 | 12 | 30 | Pass |
| ax40 | 5190 | 13.23 | 0 | 13.23 | 24 | Pass |
| ax40 | 5230 | 13.7 | 0 | 13.7 | 24 | Pass |
| ax40 | 5270 | 13.81 | 0 | 13.81 | 24 | Pass |

| | | | | | | |
|------|------|-------|---|-------|----|------|
| ax40 | 5310 | 12.67 | 0 | 12.67 | 24 | Pass |
| ax40 | 5510 | 12.33 | 0 | 12.33 | 24 | Pass |
| ax40 | 5670 | 14.11 | 0 | 14.11 | 24 | Pass |
| ax40 | 5755 | 13.9 | 0 | 13.9 | 30 | Pass |
| ax40 | 5795 | 13.69 | 0 | 13.69 | 30 | Pass |
| ax80 | 5210 | 13.17 | 0 | 13.17 | 24 | Pass |
| ax80 | 5290 | 11.48 | 0 | 11.48 | 24 | Pass |
| ax80 | 5530 | 12.2 | 0 | 12.2 | 24 | Pass |
| ax80 | 5610 | 14.25 | 0 | 14.25 | 24 | Pass |
| ax80 | 5775 | 12.95 | 0 | 12.95 | 30 | Pass |

ANT2

| Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a | 5180 | 12.64 | 0 | 12.64 | 24 | Pass |
| a | 5240 | 12.4 | 0 | 12.4 | 24 | Pass |
| a | 5260 | 12.38 | 0 | 12.38 | 24 | Pass |
| a | 5320 | 12.53 | 0 | 12.53 | 24 | Pass |
| a | 5500 | 12.08 | 0 | 12.08 | 24 | Pass |
| a | 5700 | 13.09 | 0 | 13.09 | 24 | Pass |
| a | 5745 | 12.56 | 0 | 12.56 | 30 | Pass |

| | | | | | | |
|-------|------|-------|---|-------|----|------|
| a | 5825 | 12.39 | 0 | 12.39 | 30 | Pass |
| n20 | 5180 | 12.62 | 0 | 12.62 | 24 | Pass |
| n20 | 5240 | 12.33 | 0 | 12.33 | 24 | Pass |
| n20 | 5260 | 12.32 | 0 | 12.32 | 24 | Pass |
| n20 | 5320 | 12.52 | 0 | 12.52 | 24 | Pass |
| n20 | 5500 | 12.05 | 0 | 12.05 | 24 | Pass |
| n20 | 5700 | 13.07 | 0 | 13.07 | 24 | Pass |
| n20 | 5745 | 12.6 | 0 | 12.6 | 30 | Pass |
| n20 | 5825 | 12.36 | 0 | 12.36 | 30 | Pass |
| n40 | 5190 | 13.59 | 0 | 13.59 | 24 | Pass |
| n40 | 5230 | 14.12 | 0 | 14.12 | 24 | Pass |
| n40 | 5270 | 14.03 | 0 | 14.03 | 24 | Pass |
| n40 | 5310 | 13.15 | 0 | 13.15 | 24 | Pass |
| n40 | 5510 | 12.38 | 0 | 12.38 | 24 | Pass |
| n40 | 5670 | 14.27 | 0 | 14.27 | 24 | Pass |
| n40 | 5755 | 13.85 | 0 | 13.85 | 30 | Pass |
| n40 | 5795 | 13.87 | 0 | 13.87 | 30 | Pass |
| ac20 | 5180 | 12.59 | 0 | 12.59 | 24 | Pass |
| ac20 | 5240 | 12.32 | 0 | 12.32 | 24 | Pass |
| ac20 | 5260 | 12.32 | 0 | 12.32 | 24 | Pass |
| ac20 | 5320 | 12.47 | 0 | 12.47 | 24 | Pass |
| ac20 | 5500 | 11.95 | 0 | 11.95 | 24 | Pass |
| ac20 | 5700 | 13.03 | 0 | 13.03 | 24 | Pass |
| ac20 | 5745 | 12.6 | 0 | 12.6 | 30 | Pass |
| ac20 | 5825 | 12.38 | 0 | 12.38 | 30 | Pass |
| ac40 | 5190 | 13.48 | 0 | 13.48 | 24 | Pass |
| ac40 | 5230 | 13.99 | 0 | 13.99 | 24 | Pass |
| ac40 | 5270 | 13.94 | 0 | 13.94 | 24 | Pass |
| ac40 | 5310 | 13.06 | 0 | 13.06 | 24 | Pass |
| ac40 | 5510 | 12.24 | 0 | 12.24 | 24 | Pass |
| ac40 | 5670 | 14.22 | 0 | 14.22 | 24 | Pass |
| ac40 | 5755 | 13.74 | 0 | 13.74 | 30 | Pass |
| ac40 | 5795 | 13.77 | 0 | 13.77 | 30 | Pass |
| ac80 | 5210 | 13.93 | 0 | 13.93 | 24 | Pass |
| ac80 | 5290 | 12.24 | 0 | 12.24 | 24 | Pass |
| ac80 | 5530 | 12.71 | 0 | 12.71 | 24 | Pass |
| ac80 | 5610 | 14.49 | 0 | 14.49 | 24 | Pass |
| ac80 | 5775 | 13.37 | 0 | 13.37 | 30 | Pass |
| ax160 | 5250 | 9.37 | 0 | 9.37 | 24 | Pass |
| ax160 | 5570 | 10.9 | 0 | 10.9 | 24 | Pass |
| ax20 | 5180 | 12.58 | 0 | 12.58 | 24 | Pass |
| ax20 | 5240 | 12.27 | 0 | 12.27 | 24 | Pass |
| ax20 | 5260 | 12.23 | 0 | 12.23 | 24 | Pass |
| ax20 | 5320 | 12.46 | 0 | 12.46 | 24 | Pass |
| ax20 | 5500 | 11.98 | 0 | 11.98 | 24 | Pass |
| ax20 | 5700 | 13.03 | 0 | 13.03 | 24 | Pass |
| ax20 | 5745 | 12.56 | 0 | 12.56 | 30 | Pass |
| ax20 | 5825 | 12.39 | 0 | 12.39 | 30 | Pass |
| ax40 | 5190 | 13.17 | 0 | 13.17 | 24 | Pass |
| ax40 | 5230 | 13.76 | 0 | 13.76 | 24 | Pass |
| ax40 | 5270 | 13.61 | 0 | 13.61 | 24 | Pass |
| ax40 | 5310 | 12.73 | 0 | 12.73 | 24 | Pass |
| ax40 | 5510 | 12.01 | 0 | 12.01 | 24 | Pass |
| ax40 | 5670 | 14.01 | 0 | 14.01 | 24 | Pass |
| ax40 | 5755 | 13.51 | 0 | 13.51 | 30 | Pass |
| ax40 | 5795 | 13.55 | 0 | 13.55 | 30 | Pass |
| ax80 | 5210 | 13.59 | 0 | 13.59 | 24 | Pass |
| ax80 | 5290 | 11.93 | 0 | 11.93 | 24 | Pass |
| ax80 | 5530 | 12.51 | 0 | 12.51 | 24 | Pass |
| ax80 | 5610 | 14.24 | 0 | 14.24 | 24 | Pass |
| ax80 | 5775 | 13.09 | 0 | 13.09 | 30 | Pass |

MIMO Mode


| Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a | 5180 | 15.42 | 0 | 15.58 | 24 | Pass |
| a | 5240 | 15.14 | 0 | 15.29 | 24 | Pass |
| a | 5260 | 15.23 | 0 | 15.36 | 24 | Pass |
| a | 5320 | 15.27 | 0 | 15.38 | 24 | Pass |
| a | 5500 | 15.09 | 0 | 15.12 | 24 | Pass |
| a | 5700 | 15.90 | 0 | 16.00 | 24 | Pass |
| a | 5745 | 15.47 | 0 | 15.58 | 30 | Pass |
| a | 5825 | 15.19 | 0 | 15.34 | 30 | Pass |
| n20 | 5180 | 15.45 | 0 | 15.57 | 24 | Pass |
| n20 | 5240 | 15.12 | 0 | 15.23 | 24 | Pass |
| n20 | 5260 | 15.22 | 0 | 15.32 | 24 | Pass |
| n20 | 5320 | 15.34 | 0 | 15.28 | 24 | Pass |
| n20 | 5500 | 15.07 | 0 | 15.04 | 24 | Pass |
| n20 | 5700 | 15.87 | 0 | 15.91 | 24 | Pass |
| n20 | 5745 | 15.56 | 0 | 15.60 | 30 | Pass |

| | | | | | | |
|-------|------|-------|---|-------|----|------|
| n20 | 5825 | 15.19 | 0 | 15.25 | 30 | Pass |
| n40 | 5190 | 16.37 | 0 | 16.44 | 24 | Pass |
| n40 | 5230 | 16.91 | 0 | 16.94 | 24 | Pass |
| n40 | 5270 | 16.92 | 0 | 16.96 | 24 | Pass |
| n40 | 5310 | 15.93 | 0 | 15.93 | 24 | Pass |
| n40 | 5510 | 15.40 | 0 | 15.32 | 24 | Pass |
| n40 | 5670 | 17.24 | 0 | 17.18 | 24 | Pass |
| n40 | 5755 | 16.93 | 0 | 16.85 | 30 | Pass |
| n40 | 5795 | 16.81 | 0 | 16.81 | 30 | Pass |
| ac20 | 5180 | 15.41 | 0 | 15.47 | 24 | Pass |
| ac20 | 5240 | 15.11 | 0 | 15.14 | 24 | Pass |
| ac20 | 5260 | 15.18 | 0 | 15.21 | 24 | Pass |
| ac20 | 5320 | 15.27 | 0 | 15.24 | 24 | Pass |
| ac20 | 5500 | 15.06 | 0 | 14.97 | 24 | Pass |
| ac20 | 5700 | 15.85 | 0 | 15.88 | 24 | Pass |
| ac20 | 5745 | 15.52 | 0 | 15.57 | 30 | Pass |
| ac20 | 5825 | 15.16 | 0 | 15.25 | 30 | Pass |
| ac40 | 5190 | 16.26 | 0 | 16.35 | 24 | Pass |
| ac40 | 5230 | 16.86 | 0 | 16.86 | 24 | Pass |
| ac40 | 5270 | 16.85 | 0 | 16.84 | 24 | Pass |
| ac40 | 5310 | 15.85 | 0 | 15.86 | 24 | Pass |
| ac40 | 5510 | 15.32 | 0 | 15.29 | 24 | Pass |
| ac40 | 5670 | 17.16 | 0 | 17.13 | 24 | Pass |
| ac40 | 5755 | 16.79 | 0 | 16.80 | 30 | Pass |
| ac40 | 5795 | 16.72 | 0 | 16.70 | 30 | Pass |
| ac80 | 5210 | 16.72 | 0 | 16.71 | 24 | Pass |
| ac80 | 5290 | 15.02 | 0 | 15.05 | 24 | Pass |
| ac80 | 5530 | 15.64 | 0 | 15.64 | 24 | Pass |
| ac80 | 5610 | 17.53 | 0 | 17.51 | 24 | Pass |
| ac80 | 5775 | 16.32 | 0 | 16.31 | 30 | Pass |
| ax160 | 5250 | 11.89 | 0 | 11.85 | 24 | Pass |
| ax160 | 5570 | 13.73 | 0 | 13.63 | 24 | Pass |
| ax20 | 5180 | 15.43 | 0 | 15.45 | 24 | Pass |
| ax20 | 5240 | 15.08 | 0 | 15.09 | 24 | Pass |
| ax20 | 5260 | 15.17 | 0 | 15.15 | 24 | Pass |
| ax20 | 5320 | 15.27 | 0 | 15.25 | 24 | Pass |
| ax20 | 5500 | 15.03 | 0 | 15.01 | 24 | Pass |
| ax20 | 5700 | 15.82 | 0 | 15.85 | 24 | Pass |
| ax20 | 5745 | 15.56 | 0 | 15.51 | 30 | Pass |
| ax20 | 5825 | 15.23 | 0 | 15.21 | 30 | Pass |
| ax40 | 5190 | 16.09 | 0 | 16.21 | 24 | Pass |
| ax40 | 5230 | 16.67 | 0 | 16.74 | 24 | Pass |
| ax40 | 5270 | 16.65 | 0 | 16.72 | 24 | Pass |
| ax40 | 5310 | 15.58 | 0 | 15.71 | 24 | Pass |
| ax40 | 5510 | 15.02 | 0 | 15.18 | 24 | Pass |
| ax40 | 5670 | 16.91 | 0 | 17.07 | 24 | Pass |
| ax40 | 5755 | 16.54 | 0 | 16.72 | 30 | Pass |
| ax40 | 5795 | 16.49 | 0 | 16.63 | 30 | Pass |
| ax80 | 5210 | 16.45 | 0 | 16.40 | 24 | Pass |
| ax80 | 5290 | 14.76 | 0 | 14.72 | 24 | Pass |
| ax80 | 5530 | 15.36 | 0 | 15.37 | 24 | Pass |
| ax80 | 5610 | 17.31 | 0 | 17.26 | 24 | Pass |
| ax80 | 5775 | 16.03 | 0 | 16.03 | 30 | Pass |


2.1.2 Test Graph

ANT1


| |
|---------------------------|
| Test Graphs |
| Power NVNT a 5180MHz Ant1 |



Power NVNT a 5240MHz Ant1



Power NVNT a 5260MHz Ant1



Power NVNT a 5320MHz Ant1

