


# Annex A.5 Spurious Emission at Antenna Terminals

# 1. GSM\_GSM850


## 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-29.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-30.95	-13	Pass	2986
30	500	0.1	Peak	475	-42.34	-13	Pass	4701
500	1000	0.1	Peak	824.1	31.89	-13	N/A	5001
1000	10000	1	Peak	7384	-40.09	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.01	-13	Pass	2986
30	500	0.1	Peak	495.7	-43.12	-13	Pass	4701
500	1000	0.1	Peak	836.6	31.97	-13	N/A	5001
1000	10000	1	Peak	7376	-40.03	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.17	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.22	-13	Pass	2986
30	500	0.1	Peak	498.9	-42.94	-13	Pass	4701
500	1000	0.1	Peak	848.7	31.76	-13	N/A	5001
1000	10000	1	Peak	7768	-39.46	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.91	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.41	-13	Pass	2986
30	1000	0.1	Peak	832.1	-46.64	-13	Pass	9701
1000	3000	1	Peak	1851	24.01	-13	N/A	2001
3000	20000	1	Peak	19976	-39.24	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.87	-13	Pass	2986
30	1000	0.1	Peak	829.4	-46.64	-13	Pass	9701
1000	3000	1	Peak	1880	26.29	-13	N/A	2001
3000	20000	1	Peak	19368	-39.08	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.96	-13	Pass	2986
30	1000	0.1	Peak	730.7	-47.05	-13	Pass	9701
1000	3000	1	Peak	1909	23.56	-13	N/A	2001
3000	20000	1	Peak	19966	-39.48	-13	Pass	17001



## 1. EGPRS\_GSM850


### 1.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.97	-13	Pass	2986
30	500	0.1	Peak	400.6	-42.96	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.83	-13	N/A	5001
1000	10000	1	Peak	7730	-39.52	-13	Pass	9001




## 1.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-30.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.61	-13	Pass	2986
30	500	0.1	Peak	455	-43.2	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.97	-13	N/A	5001
1000	10000	1	Peak	7791	-40.14	-13	Pass	9001



### 1.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.53	-13	Pass	2986
30	500	0.1	Peak	428.5	-42.85	-13	Pass	4701
500	1000	0.1	Peak	848.9	28.41	-13	N/A	5001
1000	10000	1	Peak	9535	-39.59	-13	Pass	9001



## 2. EGPRS\_PCS


### 2.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.07	-13	Pass	2986
30	1000	0.1	Peak	898.6	-46.95	-13	Pass	9701
1000	3000	1	Peak	1850	29.39	-13	N/A	2001
3000	20000	1	Peak	19794	-39.21	-13	Pass	17001




## 2.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.14	-13	Pass	2986
30	1000	0.1	Peak	924.3	-46.82	-13	Pass	9701
1000	3000	1	Peak	1879	24.44	-13	N/A	2001
3000	20000	1	Peak	19744	-39.59	-13	Pass	17001



### 2.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.1	-13	Pass	2986
30	1000	0.1	Peak	927.3	-47.13	-13	Pass	9701
1000	3000	1	Peak	1910	29.42	-13	N/A	2001
3000	20000	1	Peak	19986	-39.44	-13	Pass	17001



## 1. WCDMA\_Band2


### 1.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.55	-13	Pass	2986
30	1000	0.1	Peak	901.1	-51.12	-13	Pass	9701
1000	3000	1	Peak	1854	23.07	-13	N/A	2001
3000	20000	1	Peak	19947	-25.67	-13	Pass	17001




## 1.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.71	-13	Pass	2986
30	1000	0.1	Peak	914.7	-51.23	-13	Pass	9701
1000	3000	1	Peak	1879	23.12	-13	N/A	2001
3000	20000	1	Peak	19713	-24.98	-13	Pass	17001



### 1.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.93	-13	Pass	2986
30	1000	0.1	Peak	723.3	-50.75	-13	Pass	9701
1000	3000	1	Peak	1906	23.28	-13	N/A	2001
3000	20000	1	Peak	19961	-25.32	-13	Pass	17001



## 2. WCDMA\_Band4


### 2.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.75	-13	Pass	2986
30	1000	0.1	Peak	928.4	-51.2	-13	Pass	9701
1000	3000	1	Peak	1714	23.12	-13	N/A	2001
3000	20000	1	Peak	19975	-24.66	-13	Pass	17001




## 2.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.9	-13	Pass	2986
30	1000	0.1	Peak	794.5	-50.85	-13	Pass	9701
1000	3000	1	Peak	1731	23.24	-13	N/A	2001
3000	20000	1	Peak	19994	-24.92	-13	Pass	17001



### 2.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.16	-13	Pass	2986
30	1000	0.1	Peak	989.3	-51.3	-13	Pass	9701
1000	3000	1	Peak	1751	22.97	-13	N/A	2001
3000	20000	1	Peak	19989	-25.75	-13	Pass	17001



### 3. WCDMA\_Band5


#### 3.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.19	-13	Pass	2986
30	500	0.1	Peak	454.8	-53.08	-13	Pass	4701
500	1000	0.1	Peak	827.4	17.99	-13	N/A	5001
1000	10000	1	Peak	7712	-29.88	-13	Pass	9001




### 3.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.35	-13	Pass	2986
30	500	0.1	Peak	416.1	-52.95	-13	Pass	4701
500	1000	0.1	Peak	835.9	17.49	-13	N/A	5001
1000	10000	1	Peak	7759	-30.64	-13	Pass	9001



### 3.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.73	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.69	-13	Pass	2986
30	500	0.1	Peak	435.4	-52.45	-13	Pass	4701
500	1000	0.1	Peak	848.1	17.51	-13	N/A	5001
1000	10000	1	Peak	8322	-30.53	-13	Pass	9001



## 1. LTE\_Band2


**1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.26	-13	Pass	2986
30	1000	0.1	RMS	926.3	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1850.2	22.91	60	Pass	401
1920	3000	1	RMS	2650	-46.65	-13	Pass	1081
3000	12000	1	RMS	5551	-31.93	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.49	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1850.2	21.96	60	Pass	401
1920	3000	1	RMS	2659	-46.68	-13	Pass	1081
3000	12000	1	RMS	5551	-32.88	-13	Pass	9001
12000	20000	1	RMS	19999	-27.94	-13	Pass	8001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.34	-13	Pass	2986
30	1000	0.1	RMS	893.8	-62.07	-13	Pass	9701
1000	1840	1	RMS	1839	-50.52	-13	Pass	841
1840	1920	1	RMS	1879.6	22.86	60	Pass	401
1920	3000	1	RMS	2655	-46.61	-13	Pass	1081
3000	12000	1	RMS	5639	-32.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	908.4	-62.05	-13	Pass	9701
1000	1840	1	RMS	1832	-50.6	-13	Pass	841
1840	1920	1	RMS	1879.6	21.87	60	Pass	401
1920	3000	1	RMS	2644	-46.59	-13	Pass	1081
3000	12000	1	RMS	5639	-33.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.05	-13	Pass	9701
1000	1840	1	RMS	1836	-50.53	-13	Pass	841
1840	1920	1	RMS	1908.8	22.86	60	Pass	401
1920	3000	1	RMS	2655	-46.61	-13	Pass	1081
3000	12000	1	RMS	5727	-31.28	-13	Pass	9001
12000	20000	1	RMS	19998	-27.91	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	905.8	-62.05	-13	Pass	9701
1000	1840	1	RMS	1836	-50.52	-13	Pass	841
1840	1920	1	RMS	1908.8	21.85	60	Pass	401
1920	3000	1	RMS	2652	-46.64	-13	Pass	1081
3000	12000	1	RMS	5727	-32.39	-13	Pass	9001
12000	20000	1	RMS	19995	-27.96	-13	Pass	8001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	927.4	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1920	1	RMS	1850.2	23.13	60	Pass	401
1920	3000	1	RMS	2652	-46.63	-13	Pass	1081
3000	12000	1	RMS	5551	-31.98	-13	Pass	9001
12000	20000	1	RMS	20000	-27.94	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.48	-13	Pass	2986
30	1000	0.1	RMS	986.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1850.2	22.23	60	Pass	401
1920	3000	1	RMS	2651	-46.64	-13	Pass	1081
3000	12000	1	RMS	5551	-32.53	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.02	-13	Pass	9701
1000	1840	1	RMS	1831	-50.53	-13	Pass	841
1840	1920	1	RMS	1878.8	23	60	Pass	401
1920	3000	1	RMS	2645	-46.61	-13	Pass	1081
3000	12000	1	RMS	5636	-31.65	-13	Pass	9001
12000	20000	1	RMS	19993	-27.92	-13	Pass	8001



### 1.10. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.29	-13	Pass	2986
30	1000	0.1	RMS	927.1	-62.01	-13	Pass	9701
1000	1840	1	RMS	1838	-50.55	-13	Pass	841
1840	1920	1	RMS	1878.8	22.03	60	Pass	401
1920	3000	1	RMS	2659	-46.6	-13	Pass	1081
3000	12000	1	RMS	5636	-32.55	-13	Pass	9001
12000	20000	1	RMS	20000	-27.92	-13	Pass	8001



### 1.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2986
30	1000	0.1	RMS	911.4	-62.12	-13	Pass	9701
1000	1840	1	RMS	1833	-50.55	-13	Pass	841
1840	1920	1	RMS	1907.2	23.05	60	Pass	401
1920	3000	1	RMS	2662	-46.64	-13	Pass	1081
3000	12000	1	RMS	5722	-30.87	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001



### 1.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.74	-13	Pass	2986
30	1000	0.1	RMS	933.6	-61.99	-13	Pass	9701
1000	1840	1	RMS	1836	-50.59	-13	Pass	841
1840	1920	1	RMS	1907.2	22.06	60	Pass	401
1920	3000	1	RMS	2658	-46.66	-13	Pass	1081
3000	12000	1	RMS	5722	-31.85	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001



### 1.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-13	Pass	2986
30	1000	0.1	RMS	882.6	-61.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1850.4	23.1	60	Pass	401
1920	3000	1	RMS	2644	-46.62	-13	Pass	1081
3000	12000	1	RMS	5551	-31.45	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001



### 1.14. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.42	-13	Pass	2986
30	1000	0.1	RMS	947.2	-61.99	-13	Pass	9701
1000	1840	1	RMS	1840	-50.36	-13	Pass	841
1840	1920	1	RMS	1850.4	22.14	60	Pass	401
1920	3000	1	RMS	2649	-46.69	-13	Pass	1081
3000	12000	1	RMS	5551	-32.4	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001



### 1.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.01	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1877.8	23.09	60	Pass	401
1920	3000	1	RMS	2652	-46.63	-13	Pass	1081
3000	12000	1	RMS	5634	-32.84	-13	Pass	9001
12000	20000	1	RMS	19994	-27.96	-13	Pass	8001



### 1.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.04	-13	Pass	9701
1000	1840	1	RMS	1835	-50.52	-13	Pass	841
1840	1920	1	RMS	1877.8	22.26	60	Pass	401
1920	3000	1	RMS	2650	-46.54	-13	Pass	1081
3000	12000	1	RMS	5634	-33.83	-13	Pass	9001
12000	20000	1	RMS	19997	-27.95	-13	Pass	8001



### 1.17. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.66	-13	Pass	2986
30	1000	0.1	RMS	917.9	-62.03	-13	Pass	9701
1000	1840	1	RMS	1838	-50.54	-13	Pass	841
1840	1920	1	RMS	1905.4	23.04	60	Pass	401
1920	3000	1	RMS	2660	-46.63	-13	Pass	1081
3000	12000	1	RMS	5716	-30.55	-13	Pass	9001
12000	20000	1	RMS	19998	-27.89	-13	Pass	8001



### 1.18. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.73	-13	Pass	2986
30	1000	0.1	RMS	908.6	-61.95	-13	Pass	9701
1000	1840	1	RMS	1833	-50.53	-13	Pass	841
1840	1920	1	RMS	1905.4	22.23	60	Pass	401
1920	3000	1	RMS	2649	-46.62	-13	Pass	1081
3000	12000	1	RMS	5716	-31.45	-13	Pass	9001
12000	20000	1	RMS	19995	-27.92	-13	Pass	8001



### 1.19. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	1000	0.1	RMS	967.7	-61.92	-13	Pass	9701
1000	1840	1	RMS	1833	-47.68	-13	Pass	841
1840	1920	1	RMS	1850.6	23.34	60	Pass	401
1920	3000	1	RMS	2653	-46.61	-13	Pass	1081
3000	12000	1	RMS	5552	-31.69	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



### 1.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.17	-13	Pass	2986
30	1000	0.1	RMS	952.6	-62.09	-13	Pass	9701
1000	1840	1	RMS	1833	-48.57	-13	Pass	841
1840	1920	1	RMS	1850.6	22.55	60	Pass	401
1920	3000	1	RMS	2642	-46.65	-13	Pass	1081
3000	12000	1	RMS	5552	-32.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



### 1.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.99	-13	Pass	2986
30	1000	0.1	RMS	885.9	-62.09	-13	Pass	9701
1000	1840	1	RMS	1837	-50.52	-13	Pass	841
1840	1920	1	RMS	1875.6	23.33	60	Pass	401
1920	3000	1	RMS	2650	-46.61	-13	Pass	1081
3000	12000	1	RMS	5627	-31.44	-13	Pass	9001
12000	20000	1	RMS	19996	-27.96	-13	Pass	8001



### 1.22. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.06	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.02	-13	Pass	9701
1000	1840	1	RMS	1835	-50.49	-13	Pass	841
1840	1920	1	RMS	1875.6	22.33	60	Pass	401
1920	3000	1	RMS	2648	-46.62	-13	Pass	1081
3000	12000	1	RMS	5627	-32.57	-13	Pass	9001
12000	20000	1	RMS	19995	-27.87	-13	Pass	8001



### 1.23. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.08	-13	Pass	9701
1000	1840	1	RMS	1837	-50.54	-13	Pass	841
1840	1920	1	RMS	1900.6	23.32	60	Pass	401
1920	3000	1	RMS	2650	-46.63	-13	Pass	1081
3000	12000	1	RMS	5702	-30.53	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001



### 1.24. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.17	-13	Pass	2986
30	1000	0.1	RMS	880.2	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1900.6	22.36	60	Pass	401
1920	3000	1	RMS	2652	-46.61	-13	Pass	1081
3000	12000	1	RMS	5702	-31.6	-13	Pass	9001
12000	20000	1	RMS	20000	-27.98	-13	Pass	8001



### 1.25. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.71	-13	Pass	2986
30	1000	0.1	RMS	917.8	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-47.89	-13	Pass	841
1840	1920	1	RMS	1850.8	23.33	60	Pass	401
1920	3000	1	RMS	2655	-46.62	-13	Pass	1081
3000	12000	1	RMS	5553	-32.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



### 1.26. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	1000	0.1	RMS	947.2	-61.96	-13	Pass	9701
1000	1840	1	RMS	1840	-48.07	-13	Pass	841
1840	1920	1	RMS	1850.8	22.49	60	Pass	401
1920	3000	1	RMS	2645	-46.61	-13	Pass	1081
3000	12000	1	RMS	5553	-33.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



### 1.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	942.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1831	-50.56	-13	Pass	841
1840	1920	1	RMS	1873.4	23.27	60	Pass	401
1920	3000	1	RMS	3000	-46.69	-13	Pass	1081
3000	12000	1	RMS	5620	-31.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001



### 1.28. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	952	-62.02	-13	Pass	9701
1000	1840	1	RMS	1830	-50.56	-13	Pass	841
1840	1920	1	RMS	1873.4	22.33	60	Pass	401
1920	3000	1	RMS	2650	-46.6	-13	Pass	1081
3000	12000	1	RMS	5620	-32.17	-13	Pass	9001
12000	20000	1	RMS	19997	-27.96	-13	Pass	8001



### 1.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	937.5	-61.88	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1895.8	23.24	60	Pass	401
1920	3000	1	RMS	1922	-42.89	-13	Pass	1081
3000	12000	1	RMS	5688	-31.49	-13	Pass	9001
12000	20000	1	RMS	19994	-27.94	-13	Pass	8001



### 1.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	888.1	-62.02	-13	Pass	9701
1000	1840	1	RMS	1834	-50.56	-13	Pass	841
1840	1920	1	RMS	1895.8	22.34	60	Pass	401
1920	3000	1	RMS	1922	-43.75	-13	Pass	1081
3000	12000	1	RMS	5688	-32.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



### 1.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.9	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-48.61	-13	Pass	841
1840	1920	1	RMS	1851	23.11	60	Pass	401
1920	3000	1	RMS	2653	-46.63	-13	Pass	1081
3000	12000	1	RMS	5553	-32.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



### 1.32. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-13	Pass	2986
30	1000	0.1	RMS	937.5	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-48.78	-13	Pass	841
1840	1920	1	RMS	1851	22.25	60	Pass	401
1920	3000	1	RMS	2655	-46.64	-13	Pass	1081
3000	12000	1	RMS	5553	-33.01	-13	Pass	9001
12000	20000	1	RMS	19997	-27.9	-13	Pass	8001



### 1.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	886.7	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1871	23.05	60	Pass	401
1920	3000	1	RMS	2654	-46.65	-13	Pass	1081
3000	12000	1	RMS	5613	-31.48	-13	Pass	9001
12000	20000	1	RMS	19998	-27.95	-13	Pass	8001



### 1.34. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.74	-13	Pass	2986
30	1000	0.1	RMS	936.2	-61.99	-13	Pass	9701
1000	1840	1	RMS	1837	-50.55	-13	Pass	841
1840	1920	1	RMS	1871	22.12	60	Pass	401
1920	3000	1	RMS	2652	-46.62	-13	Pass	1081
3000	12000	1	RMS	5613	-32.74	-13	Pass	9001
12000	20000	1	RMS	19995	-27.81	-13	Pass	8001



### 1.35. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.29	-13	Pass	2986
30	1000	0.1	RMS	942	-61.96	-13	Pass	9701
1000	1840	1	RMS	1829	-50.54	-13	Pass	841
1840	1920	1	RMS	1891	23.03	60	Pass	401
1920	3000	1	RMS	2651	-46.63	-13	Pass	1081
3000	12000	1	RMS	5673	-30.87	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001



### 1.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2986
30	1000	0.1	RMS	920.3	-61.93	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1920	1	RMS	1891	22.06	60	Pass	401
1920	3000	1	RMS	2653	-46.64	-13	Pass	1081
3000	12000	1	RMS	5673	-31.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001



## 2. LTE\_Band4


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.35	-13	Pass	2986
30	1000	0.1	RMS	912.8	-60.32	-13	Pass	9701
1000	1700	1	RMS	1698	-49.46	-13	Pass	701
1700	1765	1	RMS	1710.238	24.83	60	Pass	401
1765	3000	1	RMS	2662	-45.1	-13	Pass	1236
3000	12000	1	RMS	11929	-38.69	-13	Pass	9001
12000	20000	1	RMS	19998	-26.28	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.11	-13	Pass	2986
30	1000	0.1	RMS	921.6	-60.57	-13	Pass	9701
1000	1700	1	RMS	1700	-49.42	-13	Pass	701
1700	1765	1	RMS	1710.238	23.87	60	Pass	401
1765	3000	1	RMS	2650	-45.07	-13	Pass	1236
3000	12000	1	RMS	11944	-38.61	-13	Pass	9001
12000	20000	1	RMS	20000	-26.33	-13	Pass	8001




**2.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.63	-13	Pass	2986
30	1000	0.1	RMS	957.2	-60.43	-13	Pass	9701
1000	1700	1	RMS	1607	-49.54	-13	Pass	701
1700	1765	1	RMS	1732.013	24.86	60	Pass	401
1765	3000	1	RMS	2648	-45.05	-13	Pass	1236
3000	12000	1	RMS	11922	-38.7	-13	Pass	9001
12000	20000	1	RMS	19998	-26.31	-13	Pass	8001




**2.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.35	-13	Pass	2986
30	1000	0.1	RMS	958.9	-60.49	-13	Pass	9701
1000	1700	1	RMS	1613	-49.53	-13	Pass	701
1700	1765	1	RMS	1732.013	23.86	60	Pass	401
1765	3000	1	RMS	2642	-45.11	-13	Pass	1236
3000	12000	1	RMS	11970	-38.71	-13	Pass	9001
12000	20000	1	RMS	19998	-26.33	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.12	-13	Pass	2986
30	1000	0.1	RMS	933.8	-60.5	-13	Pass	9701
1000	1700	1	RMS	1606	-49.55	-13	Pass	701
1700	1765	1	RMS	1753.788	24.84	60	Pass	401
1765	3000	1	RMS	2650	-45.04	-13	Pass	1236
3000	12000	1	RMS	11838	-38.7	-13	Pass	9001
12000	20000	1	RMS	20000	-26.3	-13	Pass	8001




**2.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	983	-60.52	-13	Pass	9701
1000	1700	1	RMS	1606	-49.59	-13	Pass	701
1700	1765	1	RMS	1753.788	23.8	60	Pass	401
1765	3000	1	RMS	2647	-45.11	-13	Pass	1236
3000	12000	1	RMS	11947	-38.64	-13	Pass	9001
12000	20000	1	RMS	20000	-26.25	-13	Pass	8001




**2.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.81	-13	Pass	2986
30	1000	0.1	RMS	934	-60.45	-13	Pass	9701
1000	1700	1	RMS	1700	-49.14	-13	Pass	701
1700	1765	1	RMS	1710.238	24.97	60	Pass	401
1765	3000	1	RMS	2650	-45.05	-13	Pass	1236
3000	12000	1	RMS	11977	-38.66	-13	Pass	9001
12000	20000	1	RMS	19991	-26.36	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.91	-13	Pass	2986
30	1000	0.1	RMS	900.2	-60.51	-13	Pass	9701
1000	1700	1	RMS	1700	-49.33	-13	Pass	701
1700	1765	1	RMS	1710.238	24.08	60	Pass	401
1765	3000	1	RMS	2650	-45.09	-13	Pass	1236
3000	12000	1	RMS	11952	-38.62	-13	Pass	9001
12000	20000	1	RMS	19999	-26.19	-13	Pass	8001



**2.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.74	-13	Pass	2986
30	1000	0.1	RMS	959.4	-60.42	-13	Pass	9701
1000	1700	1	RMS	1699	-49.47	-13	Pass	701
1700	1765	1	RMS	1731.2	24.96	60	Pass	401
1765	3000	1	RMS	2650	-45.03	-13	Pass	1236
3000	12000	1	RMS	11944	-38.69	-13	Pass	9001
12000	20000	1	RMS	19996	-26.29	-13	Pass	8001



## 2.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.41	-13	Pass	2986
30	1000	0.1	RMS	926.8	-60.49	-13	Pass	9701
1000	1700	1	RMS	1584	-49.57	-13	Pass	701
1700	1765	1	RMS	1731.2	23.96	60	Pass	401
1765	3000	1	RMS	2651	-45.07	-13	Pass	1236
3000	12000	1	RMS	11949	-38.7	-13	Pass	9001
12000	20000	1	RMS	19997	-26.27	-13	Pass	8001



## 2.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.5	-13	Pass	2986
30	1000	0.1	RMS	927.7	-60.49	-13	Pass	9701
1000	1700	1	RMS	1612	-49.54	-13	Pass	701
1700	1765	1	RMS	1752.163	24.94	60	Pass	401
1765	3000	1	RMS	2648	-45.01	-13	Pass	1236
3000	12000	1	RMS	11974	-38.72	-13	Pass	9001
12000	20000	1	RMS	19998	-26.31	-13	Pass	8001



## 2.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.42	-13	Pass	2986
30	1000	0.1	RMS	919.6	-60.46	-13	Pass	9701
1000	1700	1	RMS	1699	-49.56	-13	Pass	701
1700	1765	1	RMS	1752.163	23.91	60	Pass	401
1765	3000	1	RMS	2655	-45.07	-13	Pass	1236
3000	12000	1	RMS	11832	-38.73	-13	Pass	9001
12000	20000	1	RMS	19995	-26.22	-13	Pass	8001



### 2.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.61	-13	Pass	2986
30	1000	0.1	RMS	961.1	-60.52	-13	Pass	9701
1000	1700	1	RMS	1700	-49.02	-13	Pass	701
1700	1765	1	RMS	1710.4	24.84	60	Pass	401
1765	3000	1	RMS	2649	-45	-13	Pass	1236
3000	12000	1	RMS	11947	-38.67	-13	Pass	9001
12000	20000	1	RMS	19997	-26.32	-13	Pass	8001



## 2.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.22	-13	Pass	2986
30	1000	0.1	RMS	924.9	-60.51	-13	Pass	9701
1000	1700	1	RMS	1700	-49.27	-13	Pass	701
1700	1765	1	RMS	1710.4	23.87	60	Pass	401
1765	3000	1	RMS	2649	-45.07	-13	Pass	1236
3000	12000	1	RMS	11950	-38.71	-13	Pass	9001
12000	20000	1	RMS	19999	-26.24	-13	Pass	8001



## 2.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.59	-13	Pass	2986
30	1000	0.1	RMS	924.9	-60.29	-13	Pass	9701
1000	1700	1	RMS	1700	-49.53	-13	Pass	701
1700	1765	1	RMS	1730.388	24.88	60	Pass	401
1765	3000	1	RMS	2650	-45.03	-13	Pass	1236
3000	12000	1	RMS	11943	-38.65	-13	Pass	9001
12000	20000	1	RMS	19999	-26.28	-13	Pass	8001



## 2.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.84	-13	Pass	2986
30	1000	0.1	RMS	890.9	-60.52	-13	Pass	9701
1000	1700	1	RMS	1698	-49.54	-13	Pass	701
1700	1765	1	RMS	1730.388	24.05	60	Pass	401
1765	3000	1	RMS	2652	-45.03	-13	Pass	1236
3000	12000	1	RMS	11951	-38.63	-13	Pass	9001
12000	20000	1	RMS	19999	-26.3	-13	Pass	8001



## 2.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.61	-13	Pass	2986
30	1000	0.1	RMS	926	-60.38	-13	Pass	9701
1000	1700	1	RMS	1584	-49.56	-13	Pass	701
1700	1765	1	RMS	1750.375	24.87	60	Pass	401
1765	3000	1	RMS	2650	-45.06	-13	Pass	1236
3000	12000	1	RMS	11957	-38.65	-13	Pass	9001
12000	20000	1	RMS	19999	-26.27	-13	Pass	8001



## 2.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.23	-13	Pass	2986
30	1000	0.1	RMS	932.6	-60.47	-13	Pass	9701
1000	1700	1	RMS	1587	-49.55	-13	Pass	701
1700	1765	1	RMS	1750.375	24.02	60	Pass	401
1765	3000	1	RMS	2659	-45.02	-13	Pass	1236
3000	12000	1	RMS	11964	-38.65	-13	Pass	9001
12000	20000	1	RMS	19989	-26.3	-13	Pass	8001



## 2.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.09	-13	Pass	2986
30	1000	0.1	RMS	930.2	-60.55	-13	Pass	9701
1000	1700	1	RMS	1693	-44.05	-13	Pass	701
1700	1765	1	RMS	1710.563	25	60	Pass	401
1765	3000	1	RMS	2657	-45.01	-13	Pass	1236
3000	12000	1	RMS	11952	-38.7	-13	Pass	9001
12000	20000	1	RMS	19999	-26.2	-13	Pass	8001



## 2.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.46	-13	Pass	2986
30	1000	0.1	RMS	911.9	-60.39	-13	Pass	9701
1000	1700	1	RMS	1693	-45.34	-13	Pass	701
1700	1765	1	RMS	1710.563	24.12	60	Pass	401
1765	3000	1	RMS	2657	-45.1	-13	Pass	1236
3000	12000	1	RMS	11849	-38.68	-13	Pass	9001
12000	20000	1	RMS	20000	-26.29	-13	Pass	8001



## 2.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.33	-13	Pass	2986
30	1000	0.1	RMS	908.7	-60.4	-13	Pass	9701
1000	1700	1	RMS	1608	-49.54	-13	Pass	701
1700	1765	1	RMS	1728.113	25.01	60	Pass	401
1765	3000	1	RMS	2657	-45.06	-13	Pass	1236
3000	12000	1	RMS	11947	-38.69	-13	Pass	9001
12000	20000	1	RMS	19999	-26.27	-13	Pass	8001



## 2.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.67	-13	Pass	2986
30	1000	0.1	RMS	945.7	-60.42	-13	Pass	9701
1000	1700	1	RMS	1700	-49.55	-13	Pass	701
1700	1765	1	RMS	1728.113	24.06	60	Pass	401
1765	3000	1	RMS	2660	-45.1	-13	Pass	1236
3000	12000	1	RMS	11958	-38.71	-13	Pass	9001
12000	20000	1	RMS	19998	-26.23	-13	Pass	8001



### 2.23. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.63	-13	Pass	2986
30	1000	0.1	RMS	934.7	-60.54	-13	Pass	9701
1000	1700	1	RMS	1644	-49.55	-13	Pass	701
1700	1765	1	RMS	1745.663	24.97	60	Pass	401
1765	3000	1	RMS	2647	-45.05	-13	Pass	1236
3000	12000	1	RMS	11935	-38.64	-13	Pass	9001
12000	20000	1	RMS	20000	-26.33	-13	Pass	8001



## 2.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.37	-13	Pass	2986
30	1000	0.1	RMS	933.3	-60.39	-13	Pass	9701
1000	1700	1	RMS	1593	-49.53	-13	Pass	701
1700	1765	1	RMS	1745.663	24.02	60	Pass	401
1765	3000	1	RMS	2653	-45.03	-13	Pass	1236
3000	12000	1	RMS	11935	-38.64	-13	Pass	9001
12000	20000	1	RMS	20000	-26.22	-13	Pass	8001



## 2.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.25	-13	Pass	2986
30	1000	0.1	RMS	921	-60.43	-13	Pass	9701
1000	1700	1	RMS	1700	-45.25	-13	Pass	701
1700	1765	1	RMS	1710.888	24.9	60	Pass	401
1765	3000	1	RMS	2653	-45.09	-13	Pass	1236
3000	12000	1	RMS	11979	-38.69	-13	Pass	9001
12000	20000	1	RMS	20000	-26.29	-13	Pass	8001



## 2.26. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.51	-13	Pass	2986
30	1000	0.1	RMS	926.4	-60.39	-13	Pass	9701
1000	1700	1	RMS	1700	-45.68	-13	Pass	701
1700	1765	1	RMS	1710.888	24.03	60	Pass	401
1765	3000	1	RMS	2653	-45.08	-13	Pass	1236
3000	12000	1	RMS	11952	-38.71	-13	Pass	9001
12000	20000	1	RMS	19998	-26.17	-13	Pass	8001



## 2.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.7	-13	Pass	2986
30	1000	0.1	RMS	928	-60.49	-13	Pass	9701
1000	1700	1	RMS	1699	-39.41	-13	Pass	701
1700	1765	1	RMS	1725.838	24.94	60	Pass	401
1765	3000	1	RMS	2650	-45.09	-13	Pass	1236
3000	12000	1	RMS	11933	-38.67	-13	Pass	9001
12000	20000	1	RMS	19999	-26.34	-13	Pass	8001



## 2.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.19	-13	Pass	2986
30	1000	0.1	RMS	928.7	-60.49	-13	Pass	9701
1000	1700	1	RMS	1699	-42.24	-13	Pass	701
1700	1765	1	RMS	1725.838	23.94	60	Pass	401
1765	3000	1	RMS	2656	-45.09	-13	Pass	1236
3000	12000	1	RMS	11960	-38.68	-13	Pass	9001
12000	20000	1	RMS	20000	-26.31	-13	Pass	8001



## 2.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.08	-13	Pass	2986
30	1000	0.1	RMS	915.3	-60.47	-13	Pass	9701
1000	1700	1	RMS	1700	-49.57	-13	Pass	701
1700	1765	1	RMS	1740.788	24.89	60	Pass	401
1765	3000	1	RMS	1767	-26.06	-13	Pass	1236
3000	12000	1	RMS	11952	-38.63	-13	Pass	9001
12000	20000	1	RMS	19996	-26.27	-13	Pass	8001



### 2.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.82	-13	Pass	2986
30	1000	0.1	RMS	930.9	-60.57	-13	Pass	9701
1000	1700	1	RMS	1669	-49.58	-13	Pass	701
1700	1765	1	RMS	1740.788	24.02	60	Pass	401
1765	3000	1	RMS	1767	-27.41	-13	Pass	1236
3000	12000	1	RMS	11949	-38.7	-13	Pass	9001
12000	20000	1	RMS	20000	-26.29	-13	Pass	8001



### 2.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.69	-13	Pass	2986
30	1000	0.1	RMS	931.8	-60.46	-13	Pass	9701
1000	1700	1	RMS	1700	-46.17	-13	Pass	701
1700	1765	1	RMS	1711.05	24.74	60	Pass	401
1765	3000	1	RMS	2651	-45.06	-13	Pass	1236
3000	12000	1	RMS	11956	-38.69	-13	Pass	9001
12000	20000	1	RMS	20000	-26.19	-13	Pass	8001



### 2.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.15	-13	Pass	2986
30	1000	0.1	RMS	926.6	-60.54	-13	Pass	9701
1000	1700	1	RMS	1700	-46.45	-13	Pass	701
1700	1765	1	RMS	1711.05	23.88	60	Pass	401
1765	3000	1	RMS	2651	-45.08	-13	Pass	1236
3000	12000	1	RMS	11916	-38.66	-13	Pass	9001
12000	20000	1	RMS	19997	-26.29	-13	Pass	8001



### 2.33. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.83	-13	Pass	2986
30	1000	0.1	RMS	949.9	-60.57	-13	Pass	9701
1000	1700	1	RMS	1700	-49.33	-13	Pass	701
1700	1765	1	RMS	1723.563	24.76	60	Pass	401
1765	3000	1	RMS	2649	-45.05	-13	Pass	1236
3000	12000	1	RMS	11960	-38.7	-13	Pass	9001
12000	20000	1	RMS	19999	-26.35	-13	Pass	8001



### 2.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.15	-13	Pass	2986
30	1000	0.1	RMS	927.1	-60.49	-13	Pass	9701
1000	1700	1	RMS	1699	-49.46	-13	Pass	701
1700	1765	1	RMS	1723.563	23.79	60	Pass	401
1765	3000	1	RMS	2653	-45.07	-13	Pass	1236
3000	12000	1	RMS	11935	-38.71	-13	Pass	9001
12000	20000	1	RMS	19997	-26.26	-13	Pass	8001



### 2.35. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.4	-13	Pass	2986
30	1000	0.1	RMS	921.8	-60.52	-13	Pass	9701
1000	1700	1	RMS	1700	-42.54	-13	Pass	701
1700	1765	1	RMS	1736.075	24.74	60	Pass	401
1765	3000	1	RMS	1772	-27	-13	Pass	1236
3000	12000	1	RMS	11962	-38.62	-13	Pass	9001
12000	20000	1	RMS	20000	-26.29	-13	Pass	8001



### 2.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.05	-13	Pass	2986
30	1000	0.1	RMS	930	-60.47	-13	Pass	9701
1000	1700	1	RMS	1700	-42.92	-13	Pass	701
1700	1765	1	RMS	1736.075	23.81	60	Pass	401
1765	3000	1	RMS	1772	-28.2	-13	Pass	1236
3000	12000	1	RMS	11937	-38.71	-13	Pass	9001
12000	20000	1	RMS	20000	-26.32	-13	Pass	8001



### 3. LTE\_Band5


**3.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.75	-13	Pass	2986
30	814	0.1	RMS	792.2	-60.65	-13	Pass	7841
814	860	0.1	RMS	824.2	21.67	60	Pass	461
860	1000	0.1	RMS	990.6	-60.77	-13	Pass	1401
1000	3000	1	RMS	2473	-44.59	-13	Pass	2001
3000	10000	1	RMS	7735	-40.38	-13	Pass	7001




**3.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.54	-13	Pass	2986
30	814	0.1	RMS	808.1	-60.81	-13	Pass	7841
814	860	0.1	RMS	824.3	20.76	60	Pass	461
860	1000	0.1	RMS	933.2	-60.85	-13	Pass	1401
1000	3000	1	RMS	2473	-45	-13	Pass	2001
3000	10000	1	RMS	7738	-40.41	-13	Pass	7001




**3.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.49	-13	Pass	2986
30	814	0.1	RMS	780.2	-60.7	-13	Pass	7841
814	860	0.1	RMS	836.1	21.71	60	Pass	461
860	1000	0.1	RMS	938.4	-60.66	-13	Pass	1401
1000	3000	1	RMS	2508	-43.6	-13	Pass	2001
3000	10000	1	RMS	7731	-40.45	-13	Pass	7001




### 3.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.22	-13	Pass	2986
30	814	0.1	RMS	806.8	-60.73	-13	Pass	7841
814	860	0.1	RMS	836.1	20.68	60	Pass	461
860	1000	0.1	RMS	995.9	-60.8	-13	Pass	1401
1000	3000	1	RMS	2508	-44.43	-13	Pass	2001
3000	10000	1	RMS	7735	-40.44	-13	Pass	7001




**3.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.51	-13	Pass	2986
30	814	0.1	RMS	812.5	-60.63	-13	Pass	7841
814	860	0.1	RMS	847.9	21.71	60	Pass	461
860	1000	0.1	RMS	876.3	-60.71	-13	Pass	1401
1000	3000	1	RMS	1696	-43.77	-13	Pass	2001
3000	10000	1	RMS	7730	-40.4	-13	Pass	7001




**3.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.36	-13	Pass	2986
30	814	0.1	RMS	788.7	-60.72	-13	Pass	7841
814	860	0.1	RMS	847.9	20.85	60	Pass	461
860	1000	0.1	RMS	922.3	-60.65	-13	Pass	1401
1000	3000	1	RMS	1696	-44.82	-13	Pass	2001
3000	10000	1	RMS	7738	-40.43	-13	Pass	7001




**3.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.2	-13	Pass	2986
30	814	0.1	RMS	813.4	-60.71	-13	Pass	7841
814	860	0.1	RMS	824.2	22.09	60	Pass	461
860	1000	0.1	RMS	936.2	-60.63	-13	Pass	1401
1000	3000	1	RMS	2473	-44.52	-13	Pass	2001
3000	10000	1	RMS	7751	-40.39	-13	Pass	7001




**3.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	814	0.1	RMS	788.7	-60.8	-13	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	Pass	461
860	1000	0.1	RMS	951.4	-60.81	-13	Pass	1401
1000	3000	1	RMS	2473	-44.97	-13	Pass	2001
3000	10000	1	RMS	7752	-40.37	-13	Pass	7001



**3.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	814	0.1	RMS	811	-60.7	-13	Pass	7841
814	860	0.1	RMS	835.2	21.96	60	Pass	461
860	1000	0.1	RMS	939.6	-60.62	-13	Pass	1401
1000	3000	1	RMS	2506	-43.98	-13	Pass	2001
3000	10000	1	RMS	7729	-40.43	-13	Pass	7001



### 3.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.6	-13	Pass	2986
30	814	0.1	RMS	813.2	-60.75	-13	Pass	7841
814	860	0.1	RMS	835.2	20.95	60	Pass	461
860	1000	0.1	RMS	916.9	-60.84	-13	Pass	1401
1000	3000	1	RMS	2506	-44.56	-13	Pass	2001
3000	10000	1	RMS	9542	-40.41	-13	Pass	7001



### 3.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.46	-13	Pass	2986
30	814	0.1	RMS	804.2	-60.7	-13	Pass	7841
814	860	0.1	RMS	846.2	22.06	60	Pass	461
860	1000	0.1	RMS	916.9	-60.69	-13	Pass	1401
1000	3000	1	RMS	2539	-44.17	-13	Pass	2001
3000	10000	1	RMS	7735	-40.37	-13	Pass	7001



### 3.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.53	-13	Pass	2986
30	814	0.1	RMS	796.1	-60.77	-13	Pass	7841
814	860	0.1	RMS	846.2	21.13	60	Pass	461
860	1000	0.1	RMS	933.4	-60.82	-13	Pass	1401
1000	3000	1	RMS	2539	-44.53	-13	Pass	2001
3000	10000	1	RMS	7741	-40.38	-13	Pass	7001



### 3.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-13	Pass	2986
30	814	0.1	RMS	781.8	-60.81	-13	Pass	7841
814	860	0.1	RMS	824.3	21.91	60	Pass	461
860	1000	0.1	RMS	953	-60.72	-13	Pass	1401
1000	3000	1	RMS	2473	-44.44	-13	Pass	2001
3000	10000	1	RMS	7744	-40.44	-13	Pass	7001



### 3.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.73	-13	Pass	2986
30	814	0.1	RMS	814	-60.66	-13	Pass	7841
814	860	0.1	RMS	824.3	20.92	60	Pass	461
860	1000	0.1	RMS	931.1	-60.84	-13	Pass	1401
1000	3000	1	RMS	2473	-44.85	-13	Pass	2001
3000	10000	1	RMS	7723	-40.49	-13	Pass	7001



### 3.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.66	-13	Pass	2986
30	814	0.1	RMS	804.4	-60.79	-13	Pass	7841
814	860	0.1	RMS	834.3	21.73	60	Pass	461
860	1000	0.1	RMS	969.6	-60.77	-13	Pass	1401
1000	3000	1	RMS	2503	-44.01	-13	Pass	2001
3000	10000	1	RMS	7740	-40.41	-13	Pass	7001



### 3.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.67	-13	Pass	2986
30	814	0.1	RMS	812.1	-60.64	-13	Pass	7841
814	860	0.1	RMS	834.3	21.1	60	Pass	461
860	1000	0.1	RMS	960.9	-60.83	-13	Pass	1401
1000	3000	1	RMS	2503	-44.52	-13	Pass	2001
3000	10000	1	RMS	7744	-40.41	-13	Pass	7001



### 3.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.85	-13	Pass	2986
30	814	0.1	RMS	809.8	-60.72	-13	Pass	7841
814	860	0.1	RMS	844.3	21.99	60	Pass	461
860	1000	0.1	RMS	901	-60.83	-13	Pass	1401
1000	3000	1	RMS	2533	-44.78	-13	Pass	2001
3000	10000	1	RMS	7729	-40.45	-13	Pass	7001



### 3.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.77	-13	Pass	2986
30	814	0.1	RMS	797.2	-60.84	-13	Pass	7841
814	860	0.1	RMS	844.3	21.12	60	Pass	461
860	1000	0.1	RMS	934.2	-60.71	-13	Pass	1401
1000	3000	1	RMS	2533	-45.07	-13	Pass	2001
3000	10000	1	RMS	7740	-40.41	-13	Pass	7001



### 3.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.23	-13	Pass	2986
30	814	0.1	RMS	791.7	-60.69	-13	Pass	7841
814	860	0.1	RMS	824.6	22.49	60	Pass	461
860	1000	0.1	RMS	918.9	-60.59	-13	Pass	1401
1000	3000	1	RMS	2474	-44.61	-13	Pass	2001
3000	10000	1	RMS	7735	-40.45	-13	Pass	7001



### 3.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-13	Pass	2986
30	814	0.1	RMS	800.1	-60.74	-13	Pass	7841
814	860	0.1	RMS	824.6	21.59	60	Pass	461
860	1000	0.1	RMS	913.5	-60.86	-13	Pass	1401
1000	3000	1	RMS	2474	-44.93	-13	Pass	2001
3000	10000	1	RMS	7727	-40.44	-13	Pass	7001



### 3.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.89	-13	Pass	2986
30	814	0.1	RMS	791.5	-60.66	-13	Pass	7841
814	860	0.1	RMS	832.1	22.42	60	Pass	461
860	1000	0.1	RMS	900.9	-60.79	-13	Pass	1401
1000	3000	1	RMS	1664	-43.79	-13	Pass	2001
3000	10000	1	RMS	7733	-40.43	-13	Pass	7001



### 3.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-13	Pass	2986
30	814	0.1	RMS	805.7	-60.67	-13	Pass	7841
814	860	0.1	RMS	832.1	21.41	60	Pass	461
860	1000	0.1	RMS	962.8	-60.73	-13	Pass	1401
1000	3000	1	RMS	1664	-44.72	-13	Pass	2001
3000	10000	1	RMS	7736	-40.38	-13	Pass	7001



### 3.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2986
30	814	0.1	RMS	808.6	-60.7	-13	Pass	7841
814	860	0.1	RMS	839.6	22.45	60	Pass	461
860	1000	0.1	RMS	928.6	-60.74	-13	Pass	1401
1000	3000	1	RMS	2519	-44.89	-13	Pass	2001
3000	10000	1	RMS	7732	-40.44	-13	Pass	7001



### 3.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.35	-13	Pass	2986
30	814	0.1	RMS	786.3	-60.81	-13	Pass	7841
814	860	0.1	RMS	839.6	21.5	60	Pass	461
860	1000	0.1	RMS	927.3	-60.78	-13	Pass	1401
1000	3000	1	RMS	2649	-45.1	-13	Pass	2001
3000	10000	1	RMS	7732	-40.41	-13	Pass	7001



## 4. LTE\_Band7


### 4.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.66	-25	Pass	2986
30	1000	0.1	RMS	952.3	-60.42	-25	Pass	9701
1000	2490	1	RMS	2490	-46.13	-25	Pass	1491
2490	2580	1	RMS	2500.35	24.44	60	Pass	401
2580	3000	1	RMS	2651	-45.09	-25	Pass	421
3000	12000	1	RMS	10001	-61.45	-25	Pass	9001
12000	26000	1	RMS	25011	-44.32	-25	Pass	14001




**4.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.33	-25	Pass	2986
30	1000	0.1	RMS	894.6	-60.46	-25	Pass	9701
1000	2490	1	RMS	2490	-46.17	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.58	60	Pass	401
2580	3000	1	RMS	2650	-45.12	-25	Pass	421
3000	12000	1	RMS	10001	-62.1	-25	Pass	9001
12000	26000	1	RMS	25012	-39.58	-25	Pass	14001




**4.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.8	-25	Pass	2986
30	1000	0.1	RMS	928.1	-60.37	-25	Pass	9701
1000	2490	1	RMS	2490	-46.23	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.44	60	Pass	401
2580	3000	1	RMS	2656	-45.11	-25	Pass	421
3000	12000	1	RMS	10131	-61.96	-25	Pass	9001
12000	26000	1	RMS	25010	-39.63	-25	Pass	14001




**4.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.51	-25	Pass	2986
30	1000	0.1	RMS	925.2	-60.29	-25	Pass	9701
1000	2490	1	RMS	2486	-46.34	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.53	60	Pass	401
2580	3000	1	RMS	2651	-45.1	-25	Pass	421
3000	12000	1	RMS	10131	-62.25	-25	Pass	9001
12000	26000	1	RMS	25012	-39.59	-25	Pass	14001




**4.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.99	-25	Pass	2986
30	1000	0.1	RMS	943.3	-60.49	-25	Pass	9701
1000	2490	1	RMS	2490	-46.29	-25	Pass	1491
2490	2580	1	RMS	2565.375	24.62	60	Pass	401
2580	3000	1	RMS	2647	-45.08	-25	Pass	421
3000	12000	1	RMS	10261	-60.52	-25	Pass	9001
12000	26000	1	RMS	25012	-39.66	-25	Pass	14001




**4.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-25	Pass	2986
30	1000	0.1	RMS	940.3	-60.47	-25	Pass	9701
1000	2490	1	RMS	2489	-46.23	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.81	60	Pass	401
2580	3000	1	RMS	2654	-45.08	-25	Pass	421
3000	12000	1	RMS	10261	-61.11	-25	Pass	9001
12000	26000	1	RMS	25018	-39.68	-25	Pass	14001




**4.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-25	Pass	2986
30	1000	0.1	RMS	944.2	-60.51	-25	Pass	9701
1000	2490	1	RMS	2483	-40.42	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.56	60	Pass	401
2580	3000	1	RMS	2654	-45.13	-25	Pass	421
3000	12000	1	RMS	10002	-61.21	-25	Pass	9001
12000	26000	1	RMS	25009	-39.76	-25	Pass	14001




**4.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.26	-25	Pass	2986
30	1000	0.1	RMS	977	-60.47	-25	Pass	9701
1000	2490	1	RMS	2483	-42.7	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.81	60	Pass	401
2580	3000	1	RMS	2653	-45.12	-25	Pass	421
3000	12000	1	RMS	10002	-62.07	-25	Pass	9001
12000	26000	1	RMS	25015	-39.59	-25	Pass	14001



**4.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.18	-25	Pass	2986
30	1000	0.1	RMS	914.4	-60.56	-25	Pass	9701
1000	2490	1	RMS	2490	-46.29	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.52	60	Pass	401
2580	3000	1	RMS	2654	-45.07	-25	Pass	421
3000	12000	1	RMS	10122	-61.8	-25	Pass	9001
12000	26000	1	RMS	25012	-39.66	-25	Pass	14001



#### 4.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.79	-25	Pass	2986
30	1000	0.1	RMS	940.2	-60.52	-25	Pass	9701
1000	2490	1	RMS	2484	-46.31	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.5	60	Pass	401
2580	3000	1	RMS	2653	-45.09	-25	Pass	421
3000	12000	1	RMS	10122	-62.19	-25	Pass	9001
12000	26000	1	RMS	25014	-39.68	-25	Pass	14001



#### 4.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.39	-25	Pass	2986
30	1000	0.1	RMS	911	-60.55	-25	Pass	9701
1000	2490	1	RMS	2490	-46.31	-25	Pass	1491
2490	2580	1	RMS	2560.65	24.67	60	Pass	401
2580	3000	1	RMS	2580	-44.23	-25	Pass	421
3000	12000	1	RMS	10242	-60.68	-25	Pass	9001
12000	26000	1	RMS	25015	-39.53	-25	Pass	14001



#### 4.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.15	-25	Pass	2986
30	1000	0.1	RMS	910	-60.51	-25	Pass	9701
1000	2490	1	RMS	2490	-46.31	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.77	60	Pass	401
2580	3000	1	RMS	2580	-44.65	-25	Pass	421
3000	12000	1	RMS	10242	-61.25	-25	Pass	9001
12000	26000	1	RMS	25016	-39.72	-25	Pass	14001



### 4.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.44	-25	Pass	2986
30	1000	0.1	RMS	962.7	-60.5	-25	Pass	9701
1000	2490	1	RMS	2490	-43.86	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.56	60	Pass	401
2580	3000	1	RMS	2650	-45.11	-25	Pass	421
3000	12000	1	RMS	10003	-61.35	-25	Pass	9001
12000	26000	1	RMS	25011	-39.64	-25	Pass	14001



#### 4.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.22	-25	Pass	2986
30	1000	0.1	RMS	921.3	-60.35	-25	Pass	9701
1000	2490	1	RMS	2490	-44.36	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.72	60	Pass	401
2580	3000	1	RMS	2649	-45.11	-25	Pass	421
3000	12000	1	RMS	10003	-62.06	-25	Pass	9001
12000	26000	1	RMS	25012	-39.65	-25	Pass	14001



#### 4.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.69	-25	Pass	2986
30	1000	0.1	RMS	925	-60.49	-25	Pass	9701
1000	2490	1	RMS	2490	-46.3	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.48	60	Pass	401
2580	3000	1	RMS	2653	-45.11	-25	Pass	421
3000	12000	1	RMS	10113	-61.89	-25	Pass	9001
12000	26000	1	RMS	25008	-39.73	-25	Pass	14001



#### 4.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.36	-25	Pass	2986
30	1000	0.1	RMS	942.4	-60.45	-25	Pass	9701
1000	2490	1	RMS	2488	-46.32	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.48	60	Pass	401
2580	3000	1	RMS	2652	-45.11	-25	Pass	421
3000	12000	1	RMS	10113	-62.28	-25	Pass	9001
12000	26000	1	RMS	25009	-39.62	-25	Pass	14001



#### 4.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.44	-25	Pass	2986
30	1000	0.1	RMS	921.2	-60.51	-25	Pass	9701
1000	2490	1	RMS	2487	-46.33	-25	Pass	1491
2490	2595	1	RMS	2555.888	24.58	60	Pass	401
2595	3000	1	RMS	2652	-45.1	-25	Pass	406
3000	12000	1	RMS	10223	-61.44	-25	Pass	9001
12000	26000	1	RMS	25012	-39.6	-25	Pass	14001



#### 4.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-48.94	-25	Pass	2986
30	1000	0.1	RMS	918.4	-60.44	-25	Pass	9701
1000	2490	1	RMS	2489	-46.25	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.75	60	Pass	401
2595	3000	1	RMS	2648	-45.1	-25	Pass	406
3000	12000	1	RMS	10223	-61.76	-25	Pass	9001
12000	26000	1	RMS	25012	-39.71	-25	Pass	14001



#### 4.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-25	Pass	2986
30	1000	0.1	RMS	920.4	-60.56	-25	Pass	9701
1000	2490	1	RMS	2483	-44.29	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.33	60	Pass	401
2580	3000	1	RMS	2651	-45.09	-25	Pass	421
3000	12000	1	RMS	10004	-61.38	-25	Pass	9001
12000	26000	1	RMS	25014	-39.46	-25	Pass	14001



#### 4.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.36	-25	Pass	2986
30	1000	0.1	RMS	943.2	-60.62	-25	Pass	9701
1000	2490	1	RMS	2490	-44.56	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.51	60	Pass	401
2580	3000	1	RMS	2648	-45.15	-25	Pass	421
3000	12000	1	RMS	10004	-61.82	-25	Pass	9001
12000	26000	1	RMS	25011	-39.68	-25	Pass	14001



#### 4.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.25	-25	Pass	2986
30	1000	0.1	RMS	938	-60.46	-25	Pass	9701
1000	2490	1	RMS	2490	-42.77	-25	Pass	1491
2490	2580	1	RMS	2526	24.32	60	Pass	401
2580	3000	1	RMS	2650	-45.12	-25	Pass	421
3000	12000	1	RMS	10104	-61.83	-25	Pass	9001
12000	26000	1	RMS	25012	-39.63	-25	Pass	14001



#### 4.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.94	-25	Pass	2986
30	1000	0.1	RMS	912.9	-60.46	-25	Pass	9701
1000	2490	1	RMS	2490	-42.53	-25	Pass	1491
2490	2580	1	RMS	2526	23.36	60	Pass	401
2580	3000	1	RMS	2655	-45.12	-25	Pass	421
3000	12000	1	RMS	10104	-62.32	-25	Pass	9001
12000	26000	1	RMS	25012	-39.7	-25	Pass	14001



### 4.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-48.31	-25	Pass	2986
30	1000	0.1	RMS	927.5	-60.5	-25	Pass	9701
1000	2490	1	RMS	2489	-46.26	-25	Pass	1491
2490	2595	1	RMS	2551.163	24.38	60	Pass	401
2595	3000	1	RMS	2661	-45.12	-25	Pass	406
3000	12000	1	RMS	10204	-61.49	-25	Pass	9001
12000	26000	1	RMS	25013	-39.61	-25	Pass	14001



#### 4.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.96	-25	Pass	2986
30	1000	0.1	RMS	895.7	-60.55	-25	Pass	9701
1000	2490	1	RMS	2488	-46.3	-25	Pass	1491
2490	2595	1	RMS	2551.163	23.4	60	Pass	401
2595	3000	1	RMS	2652	-45.12	-25	Pass	406
3000	12000	1	RMS	10204	-61.96	-25	Pass	9001
12000	26000	1	RMS	25012	-39.65	-25	Pass	14001



## 5. LTE\_Band12


**5.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.23	-13	Pass	2986
30	689	0.1	RMS	681.2	-63.17	-13	Pass	6591
689	726	0.1	RMS	699.268	21.18	60	Pass	401
726	1000	0.1	RMS	943.9	-61.86	-13	Pass	2741
1000	3000	1	RMS	2645	-46.61	-13	Pass	2001
3000	10000	1	RMS	7730	-41.98	-13	Pass	7001




**5.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.06	-13	Pass	2986
30	689	0.1	RMS	516.3	-63.13	-13	Pass	6591
689	726	0.1	RMS	699.268	19.96	60	Pass	401
726	1000	0.1	RMS	924.3	-62.1	-13	Pass	2741
1000	3000	1	RMS	2651	-46.62	-13	Pass	2001
3000	10000	1	RMS	7738	-41.9	-13	Pass	7001




**5.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.33	-13	Pass	2986
30	689	0.1	RMS	510.2	-63.2	-13	Pass	6591
689	726	0.1	RMS	707.038	21.22	60	Pass	401
726	1000	0.1	RMS	930.2	-62.03	-13	Pass	2741
1000	3000	1	RMS	1414	-45.17	-13	Pass	2001
3000	10000	1	RMS	7745	-41.93	-13	Pass	7001




**5.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.51	-13	Pass	2986
30	689	0.1	RMS	496	-63.17	-13	Pass	6591
689	726	0.1	RMS	707.038	20.08	60	Pass	401
726	1000	0.1	RMS	925.3	-62.21	-13	Pass	2741
1000	3000	1	RMS	1414	-46.32	-13	Pass	2001
3000	10000	1	RMS	7725	-41.95	-13	Pass	7001




**5.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.34	-13	Pass	2986
30	689	0.1	RMS	513	-63.19	-13	Pass	6591
689	726	0.1	RMS	714.808	20.74	60	Pass	401
726	1000	0.1	RMS	899.5	-62.02	-13	Pass	2741
1000	3000	1	RMS	1430	-45.04	-13	Pass	2001
3000	10000	1	RMS	7729	-41.95	-13	Pass	7001




**5.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-13	Pass	2986
30	689	0.1	RMS	505.2	-63.25	-13	Pass	6591
689	726	0.1	RMS	714.808	19.73	60	Pass	401
726	1000	0.1	RMS	910	-62.17	-13	Pass	2741
1000	3000	1	RMS	1430	-46.17	-13	Pass	2001
3000	10000	1	RMS	7738	-41.94	-13	Pass	7001




**5.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	689	0.1	RMS	682.6	-63.15	-13	Pass	6591
689	726	0.1	RMS	699.268	21.07	60	Pass	401
726	1000	0.1	RMS	936.1	-62.07	-13	Pass	2741
1000	3000	1	RMS	2659	-46.56	-13	Pass	2001
3000	10000	1	RMS	7730	-41.99	-13	Pass	7001




**5.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.77	-13	Pass	2986
30	689	0.1	RMS	687.6	-63.26	-13	Pass	6591
689	726	0.1	RMS	699.268	20.19	60	Pass	401
726	1000	0.1	RMS	906	-62.07	-13	Pass	2741
1000	3000	1	RMS	2658	-46.59	-13	Pass	2001
3000	10000	1	RMS	7735	-41.93	-13	Pass	7001



**5.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.53	-13	Pass	2986
30	689	0.1	RMS	671	-63.18	-13	Pass	6591
689	726	0.1	RMS	706.205	20.94	60	Pass	401
726	1000	0.1	RMS	924.3	-61.98	-13	Pass	2741
1000	3000	1	RMS	2658	-46.58	-13	Pass	2001
3000	10000	1	RMS	7742	-41.95	-13	Pass	7001



### 5.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.33	-13	Pass	2986
30	689	0.1	RMS	505.8	-63.31	-13	Pass	6591
689	726	0.1	RMS	706.205	19.88	60	Pass	401
726	1000	0.1	RMS	887.2	-62.02	-13	Pass	2741
1000	3000	1	RMS	2652	-46.55	-13	Pass	2001
3000	10000	1	RMS	7736	-41.93	-13	Pass	7001



### 5.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.17	-13	Pass	2986
30	689	0.1	RMS	515	-63.1	-13	Pass	6591
689	726	0.1	RMS	713.235	21.36	60	Pass	401
726	1000	0.1	RMS	889.5	-61.9	-13	Pass	2741
1000	3000	1	RMS	1426	-46.32	-13	Pass	2001
3000	10000	1	RMS	7742	-41.95	-13	Pass	7001



### 5.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.7	-13	Pass	2986
30	689	0.1	RMS	520.3	-63.17	-13	Pass	6591
689	726	0.1	RMS	713.235	20.33	60	Pass	401
726	1000	0.1	RMS	940.2	-61.98	-13	Pass	2741
1000	3000	1	RMS	2649	-46.61	-13	Pass	2001
3000	10000	1	RMS	7727	-41.93	-13	Pass	7001



### 5.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2986
30	689	0.1	RMS	682.1	-63.19	-13	Pass	6591
689	726	0.1	RMS	699.36	20.89	60	Pass	401
726	1000	0.1	RMS	912.8	-62.06	-13	Pass	2741
1000	3000	1	RMS	2651	-46.53	-13	Pass	2001
3000	10000	1	RMS	7746	-41.96	-13	Pass	7001



### 5.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.13	-13	Pass	2986
30	689	0.1	RMS	688.4	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.36	20.06	60	Pass	401
726	1000	0.1	RMS	896.6	-62.07	-13	Pass	2741
1000	3000	1	RMS	2650	-46.56	-13	Pass	2001
3000	10000	1	RMS	7736	-41.96	-13	Pass	7001



### 5.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.43	-13	Pass	2986
30	689	0.1	RMS	518.7	-63.19	-13	Pass	6591
689	726	0.1	RMS	705.373	20.83	60	Pass	401
726	1000	0.1	RMS	913.8	-61.75	-13	Pass	2741
1000	3000	1	RMS	2643	-46.58	-13	Pass	2001
3000	10000	1	RMS	7742	-41.97	-13	Pass	7001



### 5.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	689	0.1	RMS	502.3	-63.15	-13	Pass	6591
689	726	0.1	RMS	705.373	19.94	60	Pass	401
726	1000	0.1	RMS	905.2	-62.12	-13	Pass	2741
1000	3000	1	RMS	2649	-46.56	-13	Pass	2001
3000	10000	1	RMS	7736	-41.97	-13	Pass	7001



### 5.17. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.02	-13	Pass	2986
30	689	0.1	RMS	682.6	-63.08	-13	Pass	6591
689	726	0.1	RMS	711.293	20.58	60	Pass	401
726	1000	0.1	RMS	892.6	-61.9	-13	Pass	2741
1000	3000	1	RMS	1423	-46.49	-13	Pass	2001
3000	10000	1	RMS	7751	-41.96	-13	Pass	7001



### 5.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	689	0.1	RMS	506.3	-63.13	-13	Pass	6591
689	726	0.1	RMS	711.385	19.66	60	Pass	401
726	1000	0.1	RMS	919.1	-62.13	-13	Pass	2741
1000	3000	1	RMS	2651	-46.6	-13	Pass	2001
3000	10000	1	RMS	7732	-41.95	-13	Pass	7001



### 5.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-13	Pass	2986
30	689	0.1	RMS	687.8	-63.19	-13	Pass	6591
689	726	0.1	RMS	699.545	20.65	60	Pass	401
726	1000	0.1	RMS	907.7	-62.07	-13	Pass	2741
1000	3000	1	RMS	1399	-46.35	-13	Pass	2001
3000	10000	1	RMS	7730	-41.93	-13	Pass	7001



### 5.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.65	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.545	19.7	60	Pass	401
726	1000	0.1	RMS	910.3	-62.05	-13	Pass	2741
1000	3000	1	RMS	2653	-46.59	-13	Pass	2001
3000	10000	1	RMS	7728	-41.93	-13	Pass	7001



### 5.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	689	0.1	RMS	688.1	-63.06	-13	Pass	6591
689	726	0.1	RMS	703.06	21.09	60	Pass	401
726	1000	0.1	RMS	908.3	-61.94	-13	Pass	2741
1000	3000	1	RMS	1406	-46.03	-13	Pass	2001
3000	10000	1	RMS	7736	-41.95	-13	Pass	7001



### 5.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-13	Pass	2986
30	689	0.1	RMS	509	-63.16	-13	Pass	6591
689	726	0.1	RMS	703.06	19.94	60	Pass	401
726	1000	0.1	RMS	937.1	-62.11	-13	Pass	2741
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7749	-41.92	-13	Pass	7001



### 5.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2986
30	689	0.1	RMS	689	-60.6	-13	Pass	6591
689	726	0.1	RMS	706.575	21.27	60	Pass	401
726	1000	0.1	RMS	932.6	-61.88	-13	Pass	2741
1000	3000	1	RMS	1413	-46.05	-13	Pass	2001
3000	10000	1	RMS	7742	-41.95	-13	Pass	7001



### 5.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	689	0.1	RMS	689	-61.56	-13	Pass	6591
689	726	0.1	RMS	706.575	20.24	60	Pass	401
726	1000	0.1	RMS	936.3	-62.05	-13	Pass	2741
1000	3000	1	RMS	2648	-46.59	-13	Pass	2001
3000	10000	1	RMS	7743	-41.97	-13	Pass	7001



## 6. LTE\_Band17


### 6.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2986
30	694	0.1	RMS	688.9	-63.08	-13	Pass	6641
694	726	0.1	RMS	704.32	20.99	60	Pass	401
726	1000	0.1	RMS	918.9	-61.93	-13	Pass	2741
1000	3000	1	RMS	1409	-46.05	-13	Pass	2001
3000	10000	1	RMS	7749	-41.97	-13	Pass	7001




**6.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	694	0.1	RMS	693.5	-63.03	-13	Pass	6641
694	726	0.1	RMS	704.32	20.04	60	Pass	401
726	1000	0.1	RMS	939.9	-62.06	-13	Pass	2741
1000	3000	1	RMS	2652	-46.6	-13	Pass	2001
3000	10000	1	RMS	7724	-41.95	-13	Pass	7001




**6.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	694	0.1	RMS	690.6	-63.15	-13	Pass	6641
694	726	0.1	RMS	707.84	21.17	60	Pass	401
726	1000	0.1	RMS	910.1	-61.77	-13	Pass	2741
1000	3000	1	RMS	1416	-46.39	-13	Pass	2001
3000	10000	1	RMS	7732	-41.92	-13	Pass	7001




**6.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	694	0.1	RMS	677.3	-63.07	-13	Pass	6641
694	726	0.1	RMS	707.84	20.32	60	Pass	401
726	1000	0.1	RMS	914.5	-62.05	-13	Pass	2741
1000	3000	1	RMS	2654	-46.59	-13	Pass	2001
3000	10000	1	RMS	7732	-41.89	-13	Pass	7001




**6.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.97	-13	Pass	2986
30	694	0.1	RMS	693.5	-62.87	-13	Pass	6641
694	726	0.1	RMS	711.36	20.9	60	Pass	401
726	1000	0.1	RMS	883.9	-61.96	-13	Pass	2741
1000	3000	1	RMS	1423	-46.5	-13	Pass	2001
3000	10000	1	RMS	7731	-41.92	-13	Pass	7001




**6.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-13	Pass	2986
30	694	0.1	RMS	538.7	-63.22	-13	Pass	6641
694	726	0.1	RMS	711.36	20.27	60	Pass	401
726	1000	0.1	RMS	916.5	-61.83	-13	Pass	2741
1000	3000	1	RMS	2648	-46.59	-13	Pass	2001
3000	10000	1	RMS	7744	-41.95	-13	Pass	7001




**6.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.93	-13	Pass	6641
694	726	0.1	RMS	704.56	21.1	60	Pass	401
726	1000	0.1	RMS	894.5	-62.13	-13	Pass	2741
1000	3000	1	RMS	1409	-45.53	-13	Pass	2001
3000	10000	1	RMS	7747	-41.98	-13	Pass	7001




**6.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.1	-13	Pass	2986
30	694	0.1	RMS	694	-62.06	-13	Pass	6641
694	726	0.1	RMS	704.56	20.12	60	Pass	401
726	1000	0.1	RMS	900.2	-62	-13	Pass	2741
1000	3000	1	RMS	1409	-46.5	-13	Pass	2001
3000	10000	1	RMS	7734	-41.94	-13	Pass	7001



**6.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.69	-13	Pass	2986
30	694	0.1	RMS	688	-60.33	-13	Pass	6641
694	726	0.1	RMS	705.6	21.31	60	Pass	401
726	1000	0.1	RMS	926	-61.96	-13	Pass	2741
1000	3000	1	RMS	1411	-46.17	-13	Pass	2001
3000	10000	1	RMS	7738	-41.91	-13	Pass	7001



### 6.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	694	0.1	RMS	687.9	-61.57	-13	Pass	6641
694	726	0.1	RMS	705.6	20.26	60	Pass	401
726	1000	0.1	RMS	903	-61.93	-13	Pass	2741
1000	3000	1	RMS	2651	-46.58	-13	Pass	2001
3000	10000	1	RMS	7729	-41.95	-13	Pass	7001



### 6.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	694	0.1	RMS	689	-60.66	-13	Pass	6641
694	726	0.1	RMS	706.56	21.1	60	Pass	401
726	1000	0.1	RMS	915.7	-61.95	-13	Pass	2741
1000	3000	1	RMS	1413	-46.08	-13	Pass	2001
3000	10000	1	RMS	7739	-41.99	-13	Pass	7001



### 6.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2986
30	694	0.1	RMS	689	-61.71	-13	Pass	6641
694	726	0.1	RMS	706.56	20.08	60	Pass	401
726	1000	0.1	RMS	938.6	-62.13	-13	Pass	2741
1000	3000	1	RMS	2651	-46.61	-13	Pass	2001
3000	10000	1	RMS	7723	-41.97	-13	Pass	7001



## 8. LTE\_Band38


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.75	-25	Pass	2986
30	1000	0.1	RMS	937.9	-58.02	-25	Pass	9701
1000	2560	1	RMS	2531	-43.73	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.41	60	Pass	401
2630	3000	1	RMS	2648.5	-42.68	-25	Pass	401
3000	12000	1	RMS	11845	-59.64	-25	Pass	9001
12000	26500	1	RMS	25013	-41.56	-25	Pass	14501




**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.27	-25	Pass	2986
30	1000	0.1	RMS	944.7	-57.94	-25	Pass	9701
1000	2560	1	RMS	2537	-43.67	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.96	60	Pass	401
2630	3000	1	RMS	2656.825	-42.72	-25	Pass	401
3000	12000	1	RMS	11850	-59.65	-25	Pass	9001
12000	26500	1	RMS	25013	-41.59	-25	Pass	14501




### 8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-25	Pass	2986
30	1000	0.1	RMS	886.4	-58.16	-25	Pass	9701
1000	2560	1	RMS	2542	-43.7	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.65	60	Pass	401
2630	3000	1	RMS	2647.575	-42.74	-25	Pass	401
3000	12000	1	RMS	5186	-58.4	-25	Pass	9001
12000	26500	1	RMS	25011	-41.66	-25	Pass	14501




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.47	-25	Pass	2986
30	1000	0.1	RMS	941.6	-57.94	-25	Pass	9701
1000	2560	1	RMS	2503	-43.72	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.18	60	Pass	401
2630	3000	1	RMS	2654.05	-42.71	-25	Pass	401
3000	12000	1	RMS	5186	-59.44	-25	Pass	9001
12000	26500	1	RMS	25019	-41.67	-25	Pass	14501




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.18	-25	Pass	2986
30	1000	0.1	RMS	911	-58.14	-25	Pass	9701
1000	2560	1	RMS	2506	-43.73	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.48	60	Pass	401
2630	3000	1	RMS	2649.425	-42.71	-25	Pass	401
3000	12000	1	RMS	11847	-59.69	-25	Pass	9001
12000	26500	1	RMS	25015	-41.62	-25	Pass	14501




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.53	-25	Pass	2986
30	1000	0.1	RMS	933.9	-58.08	-25	Pass	9701
1000	2560	1	RMS	2522	-43.75	-25	Pass	1561
2560	2630	1	RMS	2615.3	21.9	60	Pass	401
2630	3000	1	RMS	2650.35	-42.7	-25	Pass	401
3000	12000	1	RMS	11837	-59.71	-25	Pass	9001
12000	26500	1	RMS	25010	-41.58	-25	Pass	14501




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-44.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.52	-25	Pass	2986
30	1000	0.1	RMS	928.8	-58.03	-25	Pass	9701
1000	2560	1	RMS	2554	-42.37	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.48	60	Pass	401
2630	3000	1	RMS	2647.575	-42.71	-25	Pass	401
3000	12000	1	RMS	11872	-59.71	-25	Pass	9001
12000	26500	1	RMS	25012	-41.58	-25	Pass	14501




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.77	-25	Pass	2986
30	1000	0.1	RMS	939.5	-58.05	-25	Pass	9701
1000	2560	1	RMS	2553	-42.46	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.85	60	Pass	401
2630	3000	1	RMS	2651.275	-42.71	-25	Pass	401
3000	12000	1	RMS	11848	-59.68	-25	Pass	9001
12000	26500	1	RMS	25016	-41.68	-25	Pass	14501



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.06	-25	Pass	2986
30	1000	0.1	RMS	950.5	-57.92	-25	Pass	9701
1000	2560	1	RMS	2533	-43.64	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.25	60	Pass	401
2630	3000	1	RMS	2651.275	-42.66	-25	Pass	401
3000	12000	1	RMS	11850	-59.61	-25	Pass	9001
12000	26500	1	RMS	25012	-41.55	-25	Pass	14501



### 8.10. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.85	-25	Pass	2986
30	1000	0.1	RMS	894.3	-58.05	-25	Pass	9701
1000	2560	1	RMS	2503	-43.75	-25	Pass	1561
2560	2630	1	RMS	2590.625	21.82	60	Pass	401
2630	3000	1	RMS	2652.2	-42.72	-25	Pass	401
3000	12000	1	RMS	11847	-59.65	-25	Pass	9001
12000	26500	1	RMS	25014	-41.66	-25	Pass	14501



### 8.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-25	Pass	2986
30	1000	0.1	RMS	933	-58.08	-25	Pass	9701
1000	2560	1	RMS	2497	-43.72	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.99	60	Pass	401
2630	3000	1	RMS	2630	-42.1	-25	Pass	401
3000	12000	1	RMS	11851	-59.68	-25	Pass	9001
12000	26500	1	RMS	25016	-41.67	-25	Pass	14501



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-25	Pass	2986
30	1000	0.1	RMS	947.6	-58.22	-25	Pass	9701
1000	2560	1	RMS	2542	-43.73	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.47	60	Pass	401
2630	3000	1	RMS	2630	-42.48	-25	Pass	401
3000	12000	1	RMS	11867	-59.66	-25	Pass	9001
12000	26500	1	RMS	25009	-41.62	-25	Pass	14501



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.93	-25	Pass	2986
30	1000	0.1	RMS	919.7	-58.08	-25	Pass	9701
1000	2560	1	RMS	2544	-40.64	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.55	60	Pass	401
2630	3000	1	RMS	2653.125	-42.67	-25	Pass	401
3000	12000	1	RMS	11855	-59.71	-25	Pass	9001
12000	26500	1	RMS	25015	-41.59	-25	Pass	14501



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.91	-25	Pass	2986
30	1000	0.1	RMS	940.9	-58.07	-25	Pass	9701
1000	2560	1	RMS	2558	-41.96	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.57	60	Pass	401
2630	3000	1	RMS	2653.125	-42.67	-25	Pass	401
3000	12000	1	RMS	11852	-59.7	-25	Pass	9001
12000	26500	1	RMS	25011	-41.7	-25	Pass	14501



### 8.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-25	Pass	2986
30	1000	0.1	RMS	927.5	-58.14	-25	Pass	9701
1000	2560	1	RMS	2525	-43.72	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.57	60	Pass	401
2630	3000	1	RMS	2653.125	-42.69	-25	Pass	401
3000	12000	1	RMS	11853	-59.7	-25	Pass	9001
12000	26500	1	RMS	25013	-41.63	-25	Pass	14501



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.14	-25	Pass	2986
30	1000	0.1	RMS	913.9	-58.05	-25	Pass	9701
1000	2560	1	RMS	2533	-43.69	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.16	60	Pass	401
2630	3000	1	RMS	2653.125	-42.7	-25	Pass	401
3000	12000	1	RMS	5177	-59	-25	Pass	9001
12000	26500	1	RMS	25015	-41.62	-25	Pass	14501



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.24	-25	Pass	2986
30	1000	0.1	RMS	931.9	-58.12	-25	Pass	9701
1000	2560	1	RMS	2540	-43.72	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.36	60	Pass	401
2645	3000	1	RMS	2653.875	-42.69	-25	Pass	401
3000	12000	1	RMS	11852	-59.7	-25	Pass	9001
12000	26500	1	RMS	25015	-41.55	-25	Pass	14501



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.62	-25	Pass	2986
30	1000	0.1	RMS	913.6	-57.97	-25	Pass	9701
1000	2560	1	RMS	2538	-43.75	-25	Pass	1561
2560	2645	1	RMS	2605.688	21.9	60	Pass	401
2645	3000	1	RMS	2651.213	-42.67	-25	Pass	401
3000	12000	1	RMS	11865	-59.68	-25	Pass	9001
12000	26500	1	RMS	25012	-41.58	-25	Pass	14501



### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-25	Pass	2986
30	1000	0.1	RMS	924.8	-58.12	-25	Pass	9701
1000	2560	1	RMS	2559	-41.39	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.2	60	Pass	401
2630	3000	1	RMS	2648.5	-42.67	-25	Pass	401
3000	12000	1	RMS	11855	-59.69	-25	Pass	9001
12000	26500	1	RMS	25012	-41.55	-25	Pass	14501



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.43	-25	Pass	2986
30	1000	0.1	RMS	917.8	-58.08	-25	Pass	9701
1000	2560	1	RMS	2560	-40.67	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.68	60	Pass	401
2630	3000	1	RMS	2656.825	-42.7	-25	Pass	401
3000	12000	1	RMS	11853	-59.68	-25	Pass	9001
12000	26500	1	RMS	25008	-41.61	-25	Pass	14501



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.92	-25	Pass	2986
30	1000	0.1	RMS	946.7	-57.95	-25	Pass	9701
1000	2560	1	RMS	2551	-41.66	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.38	60	Pass	401
2630	3000	1	RMS	2654.05	-42.66	-25	Pass	401
3000	12000	1	RMS	11852	-59.61	-25	Pass	9001
12000	26500	1	RMS	25011	-41.59	-25	Pass	14501



## 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-25	Pass	2986
30	1000	0.1	RMS	935.4	-58.05	-25	Pass	9701
1000	2560	1	RMS	2550	-42.2	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.06	60	Pass	401
2630	3000	1	RMS	2650.35	-42.65	-25	Pass	401
3000	12000	1	RMS	5172	-59.38	-25	Pass	9001
12000	26500	1	RMS	25012	-41.48	-25	Pass	14501



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.08	-25	Pass	2986
30	1000	0.1	RMS	943.7	-58.05	-25	Pass	9701
1000	2560	1	RMS	2556	-43.7	-25	Pass	1561
2560	2645	1	RMS	2601.225	23.34	60	Pass	401
2645	3000	1	RMS	2647.663	-42.7	-25	Pass	401
3000	12000	1	RMS	11853	-59.7	-25	Pass	9001
12000	26500	1	RMS	25014	-41.59	-25	Pass	14501



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.17	-25	Pass	2986
30	1000	0.1	RMS	944.3	-57.96	-25	Pass	9701
1000	2560	1	RMS	2534	-43.7	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.41	60	Pass	401
2645	3000	1	RMS	2646.775	-42.69	-25	Pass	401
3000	12000	1	RMS	11851	-59.66	-25	Pass	9001
12000	26500	1	RMS	25013	-41.63	-25	Pass	14501



## 9. LTE\_Band41 120M


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.27	-25	Pass	2986
30	1000	0.1	RMS	917.9	-58	-25	Pass	9701
1000	2525	1	RMS	2525	-43.46	-25	Pass	1526
2525	2665	1	RMS	2535.15	23.26	60	Pass	401
2665	3000	1	RMS	3000	-42.7	-25	Pass	401
3000	12000	1	RMS	5070	-59.38	-25	Pass	9001
12000	27000	1	RMS	25017	-36.87	-25	Pass	15001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.09	-25	Pass	9701
1000	2525	1	RMS	2525	-43.65	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.44	60	Pass	401
2665	3000	1	RMS	2998.325	-42.75	-25	Pass	401
3000	12000	1	RMS	11851	-59.59	-25	Pass	9001
12000	27000	1	RMS	25011	-36.82	-25	Pass	15001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.89	-25	Pass	2986
30	1000	0.1	RMS	923.7	-58.1	-25	Pass	9701
1000	2525	1	RMS	2520	-43.69	-25	Pass	1526
2525	2665	1	RMS	2592.9	23.21	60	Pass	401
2665	3000	1	RMS	3000	-42.71	-25	Pass	401
3000	12000	1	RMS	11849	-59.63	-25	Pass	9001
12000	27000	1	RMS	25013	-36.96	-25	Pass	15001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-25	Pass	2986
30	1000	0.1	RMS	905	-58.05	-25	Pass	9701
1000	2525	1	RMS	2506	-43.7	-25	Pass	1526
2525	2665	1	RMS	2592.9	22.53	60	Pass	401
2665	3000	1	RMS	3000	-42.72	-25	Pass	401
3000	12000	1	RMS	11858	-59.6	-25	Pass	9001
12000	27000	1	RMS	25012	-36.88	-25	Pass	15001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-25	Pass	2986
30	1000	0.1	RMS	918.7	-58.07	-25	Pass	9701
1000	2525	1	RMS	2500	-43.68	-25	Pass	1526
2525	2665	1	RMS	2650.3	22.25	60	Pass	401
2665	3000	1	RMS	3000	-42.72	-25	Pass	401
3000	12000	1	RMS	11849	-59.64	-25	Pass	9001
12000	27000	1	RMS	25010	-36.94	-25	Pass	15001




**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.74	-25	Pass	2986
30	1000	0.1	RMS	922.4	-57.99	-25	Pass	9701
1000	2525	1	RMS	2524	-43.72	-25	Pass	1526
2525	2665	1	RMS	2650.3	21.85	60	Pass	401
2665	3000	1	RMS	2665.838	-42.73	-25	Pass	401
3000	12000	1	RMS	11855	-59.61	-25	Pass	9001
12000	27000	1	RMS	25017	-36.99	-25	Pass	15001




**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.86	-25	Pass	2986
30	1000	0.1	RMS	933.6	-57.92	-25	Pass	9701
1000	2525	1	RMS	2518	-41.4	-25	Pass	1526
2525	2665	1	RMS	2535.5	23.73	60	Pass	401
2665	3000	1	RMS	3000	-42.68	-25	Pass	401
3000	12000	1	RMS	5071	-55.92	-25	Pass	9001
12000	27000	1	RMS	25014	-36.89	-25	Pass	15001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.89	-25	Pass	2986
30	1000	0.1	RMS	937.7	-57.97	-25	Pass	9701
1000	2525	1	RMS	2518	-40.21	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.62	60	Pass	401
2665	3000	1	RMS	2998.325	-42.71	-25	Pass	401
3000	12000	1	RMS	11848	-59.65	-25	Pass	9001
12000	27000	1	RMS	25010	-36.9	-25	Pass	15001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.63	-25	Pass	2986
30	1000	0.1	RMS	936.3	-58.03	-25	Pass	9701
1000	2525	1	RMS	2521	-43.65	-25	Pass	1526
2525	2665	1	RMS	2590.45	23.12	60	Pass	401
2665	3000	1	RMS	3000	-42.65	-25	Pass	401
3000	12000	1	RMS	5181	-59.19	-25	Pass	9001
12000	27000	1	RMS	25012	-36.83	-25	Pass	15001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.68	-25	Pass	2986
30	1000	0.1	RMS	950.3	-58.06	-25	Pass	9701
1000	2525	1	RMS	2510	-43.66	-25	Pass	1526
2525	2665	1	RMS	2590.45	22.43	60	Pass	401
2665	3000	1	RMS	3000	-42.73	-25	Pass	401
3000	12000	1	RMS	11851	-59.57	-25	Pass	9001
12000	27000	1	RMS	25014	-36.94	-25	Pass	15001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.81	-25	Pass	2986
30	1000	0.1	RMS	940.5	-58.09	-25	Pass	9701
1000	2525	1	RMS	2506	-43.62	-25	Pass	1526
2525	2665	1	RMS	2645.75	22.61	60	Pass	401
2665	3000	1	RMS	2665	-42.43	-25	Pass	401
3000	12000	1	RMS	11848	-59.58	-25	Pass	9001
12000	27000	1	RMS	25012	-36.84	-25	Pass	15001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.07	-25	Pass	2986
30	1000	0.1	RMS	914.2	-57.97	-25	Pass	9701
1000	2525	1	RMS	2508	-43.66	-25	Pass	1526
2525	2665	1	RMS	2645.75	21.9	60	Pass	401
2665	3000	1	RMS	2665	-42.45	-25	Pass	401
3000	12000	1	RMS	5291	-57.62	-25	Pass	9001
12000	27000	1	RMS	25014	-36.87	-25	Pass	15001



### 9.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.93	-25	Pass	2986
30	1000	0.1	RMS	929.8	-57.99	-25	Pass	9701
1000	2525	1	RMS	2523	-41.67	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.53	60	Pass	401
2665	3000	1	RMS	2665	-42.74	-25	Pass	401
3000	12000	1	RMS	11855	-59.59	-25	Pass	9001
12000	27000	1	RMS	25011	-36.84	-25	Pass	15001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.65	-25	Pass	2986
30	1000	0.1	RMS	940	-57.99	-25	Pass	9701
1000	2525	1	RMS	2523	-41.48	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.25	60	Pass	401
2665	3000	1	RMS	2996.65	-42.72	-25	Pass	401
3000	12000	1	RMS	5071	-59.35	-25	Pass	9001
12000	27000	1	RMS	25011	-36.85	-25	Pass	15001



### 9.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.37	-25	Pass	2986
30	1000	0.1	RMS	932.8	-57.96	-25	Pass	9701
1000	2525	1	RMS	2506	-43.62	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.25	60	Pass	401
2665	3000	1	RMS	2999.163	-42.7	-25	Pass	401
3000	12000	1	RMS	5177	-59.43	-25	Pass	9001
12000	27000	1	RMS	25010	-36.87	-25	Pass	15001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.05	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.04	-25	Pass	9701
1000	2525	1	RMS	2505	-43.69	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.33	60	Pass	401
2665	3000	1	RMS	3000	-42.72	-25	Pass	401
3000	12000	1	RMS	11852	-59.57	-25	Pass	9001
12000	27000	1	RMS	25006	-36.89	-25	Pass	15001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.77	-25	Pass	2986
30	1000	0.1	RMS	917.6	-58.1	-25	Pass	9701
1000	2525	1	RMS	2519	-43.88	-25	Pass	1526
2525	2680	1	RMS	2640.475	21.37	60	Pass	401
2680	3000	1	RMS	3000	-42.88	-25	Pass	401
3000	12000	1	RMS	11863	-59.73	-25	Pass	9001
12000	27000	1	RMS	25010	-37.04	-25	Pass	15001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.86	-25	Pass	2986
30	1000	0.1	RMS	941.4	-58.13	-25	Pass	9701
1000	2525	1	RMS	2516	-43.83	-25	Pass	1526
2525	2680	1	RMS	2640.863	20.61	60	Pass	401
2680	3000	1	RMS	2999.2	-42.89	-25	Pass	401
3000	12000	1	RMS	5282	-59.61	-25	Pass	9001
12000	27000	1	RMS	25012	-36.98	-25	Pass	15001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-25	Pass	2986
30	1000	0.1	RMS	916	-58.1	-25	Pass	9701
1000	2525	1	RMS	2524	-41.91	-25	Pass	1526
2525	2665	1	RMS	2536.2	22.62	60	Pass	401
2665	3000	1	RMS	2999.163	-42.74	-25	Pass	401
3000	12000	1	RMS	5072	-58.46	-25	Pass	9001
12000	27000	1	RMS	25015	-36.87	-25	Pass	15001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.91	-25	Pass	2986
30	1000	0.1	RMS	949	-58.13	-25	Pass	9701
1000	2525	1	RMS	2523	-42.03	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.03	60	Pass	401
2665	3000	1	RMS	3000	-42.7	-25	Pass	401
3000	12000	1	RMS	11850	-59.59	-25	Pass	9001
12000	27000	1	RMS	25012	-36.91	-25	Pass	15001



### 9.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-25	Pass	2986
30	1000	0.1	RMS	896.4	-57.95	-25	Pass	9701
1000	2525	1	RMS	2505	-43.69	-25	Pass	1526
2525	2665	1	RMS	2585.9	22.99	60	Pass	401
2665	3000	1	RMS	2998.325	-42.68	-25	Pass	401
3000	12000	1	RMS	5172	-58.89	-25	Pass	9001
12000	27000	1	RMS	25014	-36.8	-25	Pass	15001



## 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-25	Pass	2986
30	1000	0.1	RMS	916.2	-57.87	-25	Pass	9701
1000	2525	1	RMS	2508	-43.6	-25	Pass	1526
2525	2665	1	RMS	2586.25	22.21	60	Pass	401
2665	3000	1	RMS	3000	-42.72	-25	Pass	401
3000	12000	1	RMS	5172	-59.39	-25	Pass	9001
12000	27000	1	RMS	25015	-36.85	-25	Pass	15001



### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.1	-25	Pass	2986
30	1000	0.1	RMS	922.9	-58.01	-25	Pass	9701
1000	2525	1	RMS	2497	-43.81	-25	Pass	1526
2525	2680	1	RMS	2636.213	22.29	60	Pass	401
2680	3000	1	RMS	2998.4	-42.86	-25	Pass	401
3000	12000	1	RMS	11840	-59.77	-25	Pass	9001
12000	27000	1	RMS	25015	-37	-25	Pass	15001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-25	Pass	2986
30	1000	0.1	RMS	924	-57.95	-25	Pass	9701
1000	2525	1	RMS	2502	-43.83	-25	Pass	1526
2525	2680	1	RMS	2636.213	21.4	60	Pass	401
2680	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	11848	-59.68	-25	Pass	9001
12000	27000	1	RMS	25012	-36.96	-25	Pass	15001



## 7. LTE\_Band66


**7.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.75	-13	Pass	2986
30	1000	0.1	RMS	939.9	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1710.35	23.27	60	Pass	401
1790	3000	1	RMS	2652	-46.6	-13	Pass	1211
3000	12000	1	RMS	11936	-40.18	-13	Pass	9001
12000	20000	1	RMS	19998	-27.73	-13	Pass	8001




**7.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	1000	0.1	RMS	908	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1790	1	RMS	1710.35	22.27	60	Pass	401
1790	3000	1	RMS	2644	-46.56	-13	Pass	1211
3000	12000	1	RMS	11842	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.77	-13	Pass	8001




**7.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.03	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62	-13	Pass	9701
1000	1700	1	RMS	1679	-51.06	-13	Pass	701
1700	1790	1	RMS	1744.55	23.38	60	Pass	401
1790	3000	1	RMS	2638	-46.6	-13	Pass	1211
3000	12000	1	RMS	11965	-40.16	-13	Pass	9001
12000	20000	1	RMS	19992	-27.85	-13	Pass	8001




**7.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.74	-13	Pass	2986
30	1000	0.1	RMS	918.9	-61.9	-13	Pass	9701
1000	1700	1	RMS	1611	-51.09	-13	Pass	701
1700	1790	1	RMS	1744.55	22.35	60	Pass	401
1790	3000	1	RMS	2656	-46.61	-13	Pass	1211
3000	12000	1	RMS	11840	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.62	-13	Pass	8001




**7.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.01	-13	Pass	9701
1000	1700	1	RMS	1613	-51.09	-13	Pass	701
1700	1790	1	RMS	1778.75	23.29	60	Pass	401
1790	3000	1	RMS	2645	-46.62	-13	Pass	1211
3000	12000	1	RMS	11990	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001




**7.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2986
30	1000	0.1	RMS	915	-61.95	-13	Pass	9701
1000	1700	1	RMS	1599	-51.08	-13	Pass	701
1700	1790	1	RMS	1778.75	22.23	60	Pass	401
1790	3000	1	RMS	2654	-46.55	-13	Pass	1211
3000	12000	1	RMS	11947	-40.17	-13	Pass	9001
12000	20000	1	RMS	19994	-27.73	-13	Pass	8001




**7.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.66	-13	Pass	2986
30	1000	0.1	RMS	920.8	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1790	1	RMS	1710.35	23.35	60	Pass	401
1790	3000	1	RMS	2658	-46.62	-13	Pass	1211
3000	12000	1	RMS	11962	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001




**7.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.86	-13	Pass	2986
30	1000	0.1	RMS	920.6	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1710.35	22.45	60	Pass	401
1790	3000	1	RMS	2651	-46.6	-13	Pass	1211
3000	12000	1	RMS	11947	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



**7.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	932.5	-61.86	-13	Pass	9701
1000	1700	1	RMS	1580	-51.04	-13	Pass	701
1700	1790	1	RMS	1743.65	23.39	60	Pass	401
1790	3000	1	RMS	2654	-46.57	-13	Pass	1211
3000	12000	1	RMS	11848	-40.16	-13	Pass	9001
12000	20000	1	RMS	19993	-27.77	-13	Pass	8001



### 7.10. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2986
30	1000	0.1	RMS	947.1	-61.95	-13	Pass	9701
1000	1700	1	RMS	1603	-51.09	-13	Pass	701
1700	1790	1	RMS	1743.65	22.37	60	Pass	401
1790	3000	1	RMS	2648	-46.59	-13	Pass	1211
3000	12000	1	RMS	11847	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.72	-13	Pass	8001



**7.11. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.14	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62	-13	Pass	9701
1000	1700	1	RMS	1586	-51.06	-13	Pass	701
1700	1790	1	RMS	1777.175	23.45	60	Pass	401
1790	3000	1	RMS	2652	-46.54	-13	Pass	1211
3000	12000	1	RMS	11970	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



### 7.12. LTE Spurious Emission at Antenna


Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	1000	0.1	RMS	905.2	-62.08	-13	Pass	9701
1000	1700	1	RMS	1695	-51.11	-13	Pass	701
1700	1790	1	RMS	1777.175	22.43	60	Pass	401
1790	3000	1	RMS	2646	-46.62	-13	Pass	1211
3000	12000	1	RMS	11928	-40.23	-13	Pass	9001
12000	20000	1	RMS	19999	-27.72	-13	Pass	8001



**7.13. LTE Spurious Emission at Antenna**  
**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,**  
**Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1790	1	RMS	1710.35	23.39	60	Pass	401
1790	3000	1	RMS	2651	-46.6	-13	Pass	1211
3000	12000	1	RMS	11980	-40.23	-13	Pass	9001
12000	20000	1	RMS	19998	-27.84	-13	Pass	8001



### 7.14. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.83	-13	Pass	2986
30	1000	0.1	RMS	898.9	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1790	1	RMS	1710.35	22.39	60	Pass	401
1790	3000	1	RMS	2660	-46.6	-13	Pass	1211
3000	12000	1	RMS	11957	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.68	-13	Pass	8001



### 7.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.04	-13	Pass	701
1700	1790	1	RMS	1742.75	23.29	60	Pass	401
1790	3000	1	RMS	2645	-46.61	-13	Pass	1211
3000	12000	1	RMS	11946	-40.23	-13	Pass	9001
12000	20000	1	RMS	19998	-27.74	-13	Pass	8001



### 7.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.44	-13	Pass	2986
30	1000	0.1	RMS	915.1	-61.85	-13	Pass	9701
1000	1700	1	RMS	1595	-51.08	-13	Pass	701
1700	1790	1	RMS	1742.75	22.41	60	Pass	401
1790	3000	1	RMS	2653	-46.6	-13	Pass	1211
3000	12000	1	RMS	11933	-40.21	-13	Pass	9001
12000	20000	1	RMS	19994	-27.82	-13	Pass	8001



### 7.17. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62	-13	Pass	9701
1000	1700	1	RMS	1589	-51.09	-13	Pass	701
1700	1790	1	RMS	1775.375	23.3	60	Pass	401
1790	3000	1	RMS	2655	-46.61	-13	Pass	1211
3000	12000	1	RMS	11856	-40.18	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001



### 7.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.43	-13	Pass	2986
30	1000	0.1	RMS	914	-62.09	-13	Pass	9701
1000	1700	1	RMS	1696	-51.07	-13	Pass	701
1700	1790	1	RMS	1775.375	22.41	60	Pass	401
1790	3000	1	RMS	2649	-46.61	-13	Pass	1211
3000	12000	1	RMS	11945	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.71	-13	Pass	8001



### 7.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.41	-13	Pass	2986
30	1000	0.1	RMS	949.4	-62	-13	Pass	9701
1000	1700	1	RMS	1693	-45.66	-13	Pass	701
1700	1790	1	RMS	1710.575	23.51	60	Pass	401
1790	3000	1	RMS	2647	-46.58	-13	Pass	1211
3000	12000	1	RMS	11954	-40.22	-13	Pass	9001
12000	20000	1	RMS	19998	-27.8	-13	Pass	8001



### 7.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	1000	0.1	RMS	925	-62	-13	Pass	9701
1000	1700	1	RMS	1693	-46.66	-13	Pass	701
1700	1790	1	RMS	1710.575	22.61	60	Pass	401
1790	3000	1	RMS	2656	-46.57	-13	Pass	1211
3000	12000	1	RMS	11858	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001



### 7.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.53	-13	Pass	2986
30	1000	0.1	RMS	919.3	-61.94	-13	Pass	9701
1000	1700	1	RMS	1607	-51.08	-13	Pass	701
1700	1790	1	RMS	1740.5	23.41	60	Pass	401
1790	3000	1	RMS	2654	-46.59	-13	Pass	1211
3000	12000	1	RMS	11854	-40.2	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001



## 7.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.82	-13	Pass	2986
30	1000	0.1	RMS	946.3	-62.02	-13	Pass	9701
1000	1700	1	RMS	1661	-51.09	-13	Pass	701
1700	1790	1	RMS	1740.5	22.38	60	Pass	401
1790	3000	1	RMS	2649	-46.59	-13	Pass	1211
3000	12000	1	RMS	11941	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.77	-13	Pass	8001



### 7.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2986
30	1000	0.1	RMS	998.5	-62.04	-13	Pass	9701
1000	1700	1	RMS	1609	-51.02	-13	Pass	701
1700	1790	1	RMS	1770.65	23.45	60	Pass	401
1790	3000	1	RMS	2651	-46.59	-13	Pass	1211
3000	12000	1	RMS	11936	-40.09	-13	Pass	9001
12000	20000	1	RMS	19998	-27.77	-13	Pass	8001



### 7.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-13	Pass	2986
30	1000	0.1	RMS	928.3	-61.93	-13	Pass	9701
1000	1700	1	RMS	1585	-51.1	-13	Pass	701
1700	1790	1	RMS	1770.65	22.39	60	Pass	401
1790	3000	1	RMS	2649	-46.58	-13	Pass	1211
3000	12000	1	RMS	11963	-40.15	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001



### 7.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.93	-13	Pass	2986
30	1000	0.1	RMS	913.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-46.93	-13	Pass	701
1700	1790	1	RMS	1710.8	23.38	60	Pass	401
1790	3000	1	RMS	2645	-46.63	-13	Pass	1211
3000	12000	1	RMS	11850	-40.16	-13	Pass	9001
12000	20000	1	RMS	19996	-27.86	-13	Pass	8001



### 7.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	907.3	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-47.37	-13	Pass	701
1700	1790	1	RMS	1710.8	22.52	60	Pass	401
1790	3000	1	RMS	2650	-46.57	-13	Pass	1211
3000	12000	1	RMS	11852	-40.2	-13	Pass	9001
12000	20000	1	RMS	19991	-27.8	-13	Pass	8001



### 7.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	957.2	-61.98	-13	Pass	9701
1000	1700	1	RMS	1606	-51.02	-13	Pass	701
1700	1790	1	RMS	1738.25	23.32	60	Pass	401
1790	3000	1	RMS	2653	-46.57	-13	Pass	1211
3000	12000	1	RMS	11946	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001



### 7.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.05	-13	Pass	2986
30	1000	0.1	RMS	943.1	-62.03	-13	Pass	9701
1000	1700	1	RMS	1626	-51.08	-13	Pass	701
1700	1790	1	RMS	1738.25	22.33	60	Pass	401
1790	3000	1	RMS	2654	-46.54	-13	Pass	1211
3000	12000	1	RMS	11954	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-27.75	-13	Pass	8001



### 7.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	1000	0.1	RMS	925	-62	-13	Pass	9701
1000	1700	1	RMS	1695	-51.05	-13	Pass	701
1700	1790	1	RMS	1765.925	23.37	60	Pass	401
1790	3000	1	RMS	1792	-29.53	-13	Pass	1211
3000	12000	1	RMS	11851	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001



### 7.30. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-13	Pass	2986
30	1000	0.1	RMS	935.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1583	-51.06	-13	Pass	701
1700	1790	1	RMS	1765.925	22.38	60	Pass	401
1790	3000	1	RMS	1792	-31.19	-13	Pass	1211
3000	12000	1	RMS	11949	-40.17	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001



### 7.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-13	Pass	2986
30	1000	0.1	RMS	919.8	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-47.79	-13	Pass	701
1700	1790	1	RMS	1711.025	23.2	60	Pass	401
1790	3000	1	RMS	2655	-46.57	-13	Pass	1211
3000	12000	1	RMS	11862	-40.19	-13	Pass	9001
12000	20000	1	RMS	19994	-27.77	-13	Pass	8001



### 7.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.2	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-47.92	-13	Pass	701
1700	1790	1	RMS	1711.025	22.38	60	Pass	401
1790	3000	1	RMS	2651	-46.61	-13	Pass	1211
3000	12000	1	RMS	11843	-40.19	-13	Pass	9001
12000	20000	1	RMS	19991	-27.81	-13	Pass	8001



### 7.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.49	-13	Pass	2986
30	1000	0.1	RMS	917.6	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-44.02	-13	Pass	701
1700	1790	1	RMS	1736	23.16	60	Pass	401
1790	3000	1	RMS	2645	-46.55	-13	Pass	1211
3000	12000	1	RMS	11953	-40.12	-13	Pass	9001
12000	20000	1	RMS	19991	-27.77	-13	Pass	8001



### 7.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.86	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-46.25	-13	Pass	701
1700	1790	1	RMS	1736	22.18	60	Pass	401
1790	3000	1	RMS	2656	-46.6	-13	Pass	1211
3000	12000	1	RMS	11848	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-27.78	-13	Pass	8001



### 7.35. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.86	-13	Pass	2986
30	1000	0.1	RMS	950	-62.03	-13	Pass	9701
1000	1700	1	RMS	1613	-51.08	-13	Pass	701
1700	1790	1	RMS	1761.2	23.1	60	Pass	401
1790	3000	1	RMS	1797	-31.7	-13	Pass	1211
3000	12000	1	RMS	11825	-40.17	-13	Pass	9001
12000	20000	1	RMS	20000	-27.73	-13	Pass	8001



### 7.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.56	-13	Pass	2986
30	1000	0.1	RMS	919.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1685	-51.07	-13	Pass	701
1700	1790	1	RMS	1760.975	22.02	60	Pass	401
1790	3000	1	RMS	1797	-33.75	-13	Pass	1211
3000	12000	1	RMS	11944	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.73	-13	Pass	8001



--BLANK BELOW--