

Frequency Stability

Band	PCC Freq (MHz)	SCC Freq (MHz)	Modulation	PCC_Deviation (Hz)	PCC_Deviation(ppm)	SCC_Deviation (Hz)	SCC_Deviation (ppm)	Limit (ppm)	Verdict	Environment
CA_5B	831.6	841.5	QPSK	60.64	0.07292	98.33	0.11824	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	16QAM	-34.74	-0.04177	49.14	0.05909	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	64QAM	54.86	0.06597	28.91	0.03476	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	256QAM	-45.98	-0.05529	76.97	0.09256	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	QPSK	-13.34	-0.01605	-27.12	-0.03262	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	16QAM	97.49	0.11724	-49.39	-0.05940	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	64QAM	-90.52	-0.10885	28.64	0.03444	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	256QAM	26.78	0.03221	32.25	0.03878	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	QPSK	-69.88	-0.08403	41.55	0.04996	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	16QAM	40.31	0.04847	55.69	0.06696	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	64QAM	-57.85	-0.06957	-80.69	-0.09704	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	256QAM	86.07	0.10350	-17.08	-0.02054	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	QPSK	42.20	0.05075	-30.63	-0.03684	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	16QAM	74.55	0.08965	-99.73	-0.11993	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	64QAM	79.03	0.09503	-1.71	-0.00205	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	256QAM	-19.58	-0.02354	3.14	0.00378	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	QPSK	62.66	0.07535	18.43	0.02216	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	16QAM	77.78	0.09354	-74.23	-0.08926	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	64QAM	-35.21	-0.04234	-34.78	-0.04183	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	256QAM	-20.00	-0.02405	13.14	0.01580	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	QPSK	41.23	0.04958	24.01	0.02887	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	16QAM	-34.67	-0.04169	42.75	0.05141	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	64QAM	18.47	0.02221	23.33	0.02805	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	256QAM	-37.15	-0.04467	-57.90	-0.06963	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	QPSK	-9.64	-0.01159	58.50	0.07035	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	16QAM	-66.50	-0.07996	-10.06	-0.01210	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	64QAM	52.98	0.06371	-44.76	-0.05382	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	256QAM	50.71	0.06098	-66.94	-0.08049	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	QPSK	19.32	0.02323	17.83	0.02144	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	16QAM	1.62	0.00194	-32.09	-0.03859	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	64QAM	41.87	0.05035	37.51	0.04511	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	256QAM	82.79	0.09956	66.94	0.08050	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	QPSK	-91.74	-0.11032	-4.40	-0.00529	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	16QAM	-2.76	-0.00331	42.55	0.05117	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	64QAM	10.89	0.01309	-92.28	-0.11097	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	256QAM	-43.69	-0.05253	21.38	0.02571	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	QPSK	51.93	0.06245	-65.97	-0.07933	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	16QAM	37.68	0.04531	84.08	0.10111	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	64QAM	79.71	0.09585	-92.01	-0.11064	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	256QAM	-26.09	-0.03138	-81.80	-0.09837	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	QPSK	-48.81	-0.05870	-12.05	-0.01449	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	16QAM	81.72	0.09827	-84.12	-0.10116	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	64QAM	-67.42	-0.08107	-13.96	-0.01678	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	256QAM	76.43	0.09191	-49.13	-0.05908	±2.5	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_7C	2500/2570	QPSK	2500.041	2500	2569.881	2570	PASS	20°C/3.45V
CA_7C	2500/2570	16QAM	2500.167	2500	2569.992	2570	PASS	20°C/3.45V
CA_7C	2500/2570	64QAM	2500.136	2500	2569.981	2570	PASS	20°C/3.45V
CA_7C	2500/2570	256QAM	2500.096	2500	2569.861	2570	PASS	20°C/3.45V
CA_7C	2500/2570	QPSK	2500.160	2500	2569.804	2570	PASS	20°C/4.45V
CA_7C	2500/2570	16QAM	2500.118	2500	2569.980	2570	PASS	20°C/4.45V
CA_7C	2500/2570	64QAM	2500.113	2500	2569.852	2570	PASS	20°C/4.45V
CA_7C	2500/2570	256QAM	2500.092	2500	2569.917	2570	PASS	20°C/4.45V
CA_7C	2500/2570	QPSK	2500.112	2500	2569.868	2570	PASS	50°C/3.87V
CA_7C	2500/2570	16QAM	2500.031	2500	2569.863	2570	PASS	50°C/3.87V
CA_7C	2500/2570	64QAM	2500.039	2500	2569.989	2570	PASS	50°C/3.87V
CA_7C	2500/2570	256QAM	2500.173	2500	2569.989	2570	PASS	50°C/3.87V
CA_7C	2500/2570	QPSK	2500.109	2500	2569.920	2570	PASS	40°C/3.87V
CA_7C	2500/2570	16QAM	2500.105	2500	2569.938	2570	PASS	40°C/3.87V
CA_7C	2500/2570	64QAM	2500.072	2500	2569.942	2570	PASS	40°C/3.87V
CA_7C	2500/2570	256QAM	2500.011	2500	2569.925	2570	PASS	40°C/3.87V
CA_7C	2500/2570	QPSK	2500.118	2500	2569.859	2570	PASS	30°C/3.87V
CA_7C	2500/2570	16QAM	2500.033	2500	2569.844	2570	PASS	30°C/3.87V
CA_7C	2500/2570	64QAM	2500.155	2500	2569.908	2570	PASS	30°C/3.87V
CA_7C	2500/2570	256QAM	2500.033	2500	2569.860	2570	PASS	30°C/3.87V
CA_7C	2500/2570	QPSK	2500.057	2500	2569.945	2570	PASS	20°C/3.87V
CA_7C	2500/2570	16QAM	2500.045	2500	2569.914	2570	PASS	20°C/3.87V
CA_7C	2500/2570	64QAM	2500.072	2500	2569.971	2570	PASS	20°C/3.87V
CA_7C	2500/2570	256QAM	2500.062	2500	2569.967	2570	PASS	20°C/3.87V
CA_7C	2500/2570	QPSK	2500.068	2500	2569.873	2570	PASS	10°C/3.87V
CA_7C	2500/2570	16QAM	2500.081	2500	2569.901	2570	PASS	10°C/3.87V
CA_7C	2500/2570	64QAM	2500.126	2500	2569.954	2570	PASS	10°C/3.87V
CA_7C	2500/2570	256QAM	2500.122	2500	2569.909	2570	PASS	10°C/3.87V
CA_7C	2500/2570	QPSK	2500.075	2500	2569.933	2570	PASS	0°C/3.87V
CA_7C	2500/2570	16QAM	2500.043	2500	2569.919	2570	PASS	0°C/3.87V
CA_7C	2500/2570	64QAM	2500.121	2500	2569.854	2570	PASS	0°C/3.87V
CA_7C	2500/2570	256QAM	2500.052	2500	2569.989	2570	PASS	0°C/3.87V
CA_7C	2500/2570	QPSK	2500.008	2500	2569.821	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	16QAM	2500.141	2500	2569.994	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	64QAM	2500.173	2500	2569.972	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	256QAM	2500.060	2500	2569.817	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	QPSK	2500.052	2500	2569.852	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	16QAM	2500.127	2500	2569.823	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	64QAM	2500.056	2500	2569.899	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	256QAM	2500.180	2500	2569.914	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	QPSK	2500.021	2500	2569.835	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	16QAM	2500.088	2500	2569.937	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	64QAM	2500.040	2500	2569.814	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	256QAM	2500.008	2500	2569.833	2570	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA 38C	2570/2620	QPSK	2570.070	2570	2619.839	2620	PASS	20°C/3.45V
CA 38C	2570/2620	16QAM	2570.098	2570	2619.926	2620	PASS	20°C/3.45V
CA 38C	2570/2620	64QAM	2570.144	2570	2619.855	2620	PASS	20°C/3.45V
CA 38C	2570/2620	256QAM	2570.088	2570	2619.959	2620	PASS	20°C/3.45V
CA 38C	2570/2620	QPSK	2570.041	2570	2619.965	2620	PASS	20°C/4.45V
CA 38C	2570/2620	16QAM	2570.153	2570	2619.834	2620	PASS	20°C/4.45V
CA 38C	2570/2620	64QAM	2570.164	2570	2619.822	2620	PASS	20°C/4.45V
CA 38C	2570/2620	256QAM	2570.186	2570	2619.890	2620	PASS	20°C/4.45V
CA 38C	2570/2620	QPSK	2570.000	2570	2619.825	2620	PASS	50°C/3.87V
CA 38C	2570/2620	16QAM	2570.045	2570	2619.930	2620	PASS	50°C/3.87V
CA 38C	2570/2620	64QAM	2570.100	2570	2619.875	2620	PASS	50°C/3.87V
CA 38C	2570/2620	256QAM	2570.129	2570	2619.899	2620	PASS	50°C/3.87V
CA 38C	2570/2620	QPSK	2570.135	2570	2619.870	2620	PASS	40°C/3.87V
CA 38C	2570/2620	16QAM	2570.033	2570	2619.846	2620	PASS	40°C/3.87V
CA 38C	2570/2620	64QAM	2570.048	2570	2619.897	2620	PASS	40°C/3.87V
CA 38C	2570/2620	256QAM	2570.190	2570	2619.847	2620	PASS	40°C/3.87V
CA 38C	2570/2620	QPSK	2570.068	2570	2619.964	2620	PASS	30°C/3.87V
CA 38C	2570/2620	16QAM	2570.184	2570	2619.802	2620	PASS	30°C/3.87V
CA 38C	2570/2620	64QAM	2570.140	2570	2619.937	2620	PASS	30°C/3.87V
CA 38C	2570/2620	256QAM	2570.036	2570	2619.859	2620	PASS	30°C/3.87V
CA 38C	2570/2620	QPSK	2570.156	2570	2619.973	2620	PASS	20°C/3.87V
CA 38C	2570/2620	16QAM	2570.117	2570	2619.921	2620	PASS	20°C/3.87V
CA 38C	2570/2620	64QAM	2570.169	2570	2619.913	2620	PASS	20°C/3.87V
CA 38C	2570/2620	256QAM	2570.106	2570	2619.889	2620	PASS	20°C/3.87V
CA 38C	2570/2620	QPSK	2570.114	2570	2619.960	2620	PASS	10°C/3.87V
CA 38C	2570/2620	16QAM	2570.196	2570	2619.862	2620	PASS	10°C/3.87V
CA 38C	2570/2620	64QAM	2570.125	2570	2619.878	2620	PASS	10°C/3.87V
CA 38C	2570/2620	256QAM	2570.085	2570	2619.901	2620	PASS	10°C/3.87V
CA 38C	2570/2620	QPSK	2570.116	2570	2619.923	2620	PASS	0°C/3.87V
CA 38C	2570/2620	16QAM	2570.044	2570	2619.860	2620	PASS	0°C/3.87V
CA 38C	2570/2620	64QAM	2570.103	2570	2619.963	2620	PASS	0°C/3.87V
CA 38C	2570/2620	256QAM	2570.149	2570	2619.945	2620	PASS	0°C/3.87V
CA 38C	2570/2620	QPSK	2570.087	2570	2619.864	2620	PASS	-10°C/3.87V
CA 38C	2570/2620	16QAM	2570.056	2570	2619.991	2620	PASS	-10°C/3.87V
CA 38C	2570/2620	64QAM	2570.023	2570	2619.961	2620	PASS	-10°C/3.87V
CA 38C	2570/2620	256QAM	2570.059	2570	2619.990	2620	PASS	-10°C/3.87V
CA 38C	2570/2620	QPSK	2570.017	2570	2619.967	2620	PASS	-20°C/3.87V
CA 38C	2570/2620	16QAM	2570.114	2570	2619.845	2620	PASS	-20°C/3.87V
CA 38C	2570/2620	64QAM	2570.127	2570	2619.896	2620	PASS	-20°C/3.87V
CA 38C	2570/2620	256QAM	2570.047	2570	2619.931	2620	PASS	-20°C/3.87V
CA 38C	2570/2620	QPSK	2570.051	2570	2619.881	2620	PASS	-30°C/3.87V
CA 38C	2570/2620	16QAM	2570.137	2570	2619.906	2620	PASS	-30°C/3.87V
CA 38C	2570/2620	64QAM	2570.002	2570	2619.872	2620	PASS	-30°C/3.87V
CA 38C	2570/2620	256QAM	2570.124	2570	2619.859	2620	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_41C	2496/2690	QPSK	2496.086	2496	2689.996	2690	PASS	20°C/3.45V
CA_41C	2496/2690	16QAM	2496.004	2496	2689.836	2690	PASS	20°C/3.45V
CA_41C	2496/2690	64QAM	2496.031	2496	2689.924	2690	PASS	20°C/3.45V
CA_41C	2496/2690	256QAM	2496.176	2496	2689.876	2690	PASS	20°C/3.45V
CA_41C	2496/2690	QPSK	2496.079	2496	2689.936	2690	PASS	20°C/4.45V
CA_41C	2496/2690	16QAM	2496.171	2496	2689.989	2690	PASS	20°C/4.45V
CA_41C	2496/2690	64QAM	2496.190	2496	2689.805	2690	PASS	20°C/4.45V
CA_41C	2496/2690	256QAM	2496.192	2496	2689.981	2690	PASS	20°C/4.45V
CA_41C	2496/2690	QPSK	2496.167	2496	2689.810	2690	PASS	50°C/3.87V
CA_41C	2496/2690	16QAM	2496.040	2496	2689.984	2690	PASS	50°C/3.87V
CA_41C	2496/2690	64QAM	2496.046	2496	2689.948	2690	PASS	50°C/3.87V
CA_41C	2496/2690	256QAM	2496.021	2496	2689.952	2690	PASS	50°C/3.87V
CA_41C	2496/2690	QPSK	2496.069	2496	2689.855	2690	PASS	40°C/3.87V
CA_41C	2496/2690	16QAM	2496.199	2496	2689.967	2690	PASS	40°C/3.87V
CA_41C	2496/2690	64QAM	2496.020	2496	2689.844	2690	PASS	40°C/3.87V
CA_41C	2496/2690	256QAM	2496.096	2496	2689.899	2690	PASS	40°C/3.87V
CA_41C	2496/2690	QPSK	2496.157	2496	2689.919	2690	PASS	30°C/3.87V
CA_41C	2496/2690	16QAM	2496.151	2496	2689.803	2690	PASS	30°C/3.87V
CA_41C	2496/2690	64QAM	2496.157	2496	2689.922	2690	PASS	30°C/3.87V
CA_41C	2496/2690	256QAM	2496.061	2496	2689.974	2690	PASS	30°C/3.87V
CA_41C	2496/2690	QPSK	2496.077	2496	2689.878	2690	PASS	20°C/3.87V
CA_41C	2496/2690	16QAM	2496.013	2496	2689.996	2690	PASS	20°C/3.87V
CA_41C	2496/2690	64QAM	2496.096	2496	2689.936	2690	PASS	20°C/3.87V
CA_41C	2496/2690	256QAM	2496.150	2496	2689.949	2690	PASS	20°C/3.87V
CA_41C	2496/2690	QPSK	2496.054	2496	2689.915	2690	PASS	10°C/3.87V
CA_41C	2496/2690	16QAM	2496.160	2496	2689.956	2690	PASS	10°C/3.87V
CA_41C	2496/2690	64QAM	2496.082	2496	2689.989	2690	PASS	10°C/3.87V
CA_41C	2496/2690	256QAM	2496.052	2496	2689.889	2690	PASS	10°C/3.87V
CA_41C	2496/2690	QPSK	2496.181	2496	2689.997	2690	PASS	0°C/3.87V
CA_41C	2496/2690	16QAM	2496.161	2496	2689.876	2690	PASS	0°C/3.87V
CA_41C	2496/2690	64QAM	2496.168	2496	2689.956	2690	PASS	0°C/3.87V
CA_41C	2496/2690	256QAM	2496.065	2496	2689.813	2690	PASS	0°C/3.87V
CA_41C	2496/2690	QPSK	2496.157	2496	2689.914	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	16QAM	2496.097	2496	2689.816	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	64QAM	2496.163	2496	2689.859	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	256QAM	2496.105	2496	2689.875	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	QPSK	2496.080	2496	2689.922	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	16QAM	2496.171	2496	2689.986	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	64QAM	2496.016	2496	2689.810	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	256QAM	2496.101	2496	2689.973	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	QPSK	2496.104	2496	2689.950	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	16QAM	2496.125	2496	2689.987	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	64QAM	2496.131	2496	2689.925	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	256QAM	2496.037	2496	2689.850	2690	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA 66C	1710/1780	QPSK	1710.189	1710	1779.805	1780	PASS	20°C/3.45V
CA 66C	1710/1780	16QAM	1710.097	1710	1779.840	1780	PASS	20°C/3.45V
CA 66C	1710/1780	64QAM	1710.090	1710	1779.926	1780	PASS	20°C/3.45V
CA 66C	1710/1780	256QAM	1710.151	1710	1779.807	1780	PASS	20°C/3.45V
CA 66C	1710/1780	QPSK	1710.121	1710	1779.852	1780	PASS	20°C/4.45V
CA 66C	1710/1780	16QAM	1710.082	1710	1779.815	1780	PASS	20°C/4.45V
CA 66C	1710/1780	64QAM	1710.107	1710	1779.936	1780	PASS	20°C/4.45V
CA 66C	1710/1780	256QAM	1710.167	1710	1779.885	1780	PASS	20°C/4.45V
CA 66C	1710/1780	QPSK	1710.106	1710	1779.920	1780	PASS	50°C/3.87V
CA 66C	1710/1780	16QAM	1710.103	1710	1779.827	1780	PASS	50°C/3.87V
CA 66C	1710/1780	64QAM	1710.012	1710	1779.845	1780	PASS	50°C/3.87V
CA 66C	1710/1780	256QAM	1710.092	1710	1779.860	1780	PASS	50°C/3.87V
CA 66C	1710/1780	QPSK	1710.131	1710	1779.995	1780	PASS	40°C/3.87V
CA 66C	1710/1780	16QAM	1710.044	1710	1779.812	1780	PASS	40°C/3.87V
CA 66C	1710/1780	64QAM	1710.008	1710	1779.839	1780	PASS	40°C/3.87V
CA 66C	1710/1780	256QAM	1710.109	1710	1779.938	1780	PASS	40°C/3.87V
CA 66C	1710/1780	QPSK	1710.032	1710	1779.967	1780	PASS	30°C/3.87V
CA 66C	1710/1780	16QAM	1710.179	1710	1779.830	1780	PASS	30°C/3.87V
CA 66C	1710/1780	64QAM	1710.021	1710	1779.957	1780	PASS	30°C/3.87V
CA 66C	1710/1780	256QAM	1710.109	1710	1779.802	1780	PASS	30°C/3.87V
CA 66C	1710/1780	QPSK	1710.200	1710	1779.814	1780	PASS	20°C/3.87V
CA 66C	1710/1780	16QAM	1710.113	1710	1779.908	1780	PASS	20°C/3.87V
CA 66C	1710/1780	64QAM	1710.058	1710	1779.911	1780	PASS	20°C/3.87V
CA 66C	1710/1780	256QAM	1710.008	1710	1779.819	1780	PASS	20°C/3.87V
CA 66C	1710/1780	QPSK	1710.090	1710	1779.996	1780	PASS	10°C/3.87V
CA 66C	1710/1780	16QAM	1710.125	1710	1779.839	1780	PASS	10°C/3.87V
CA 66C	1710/1780	64QAM	1710.119	1710	1779.925	1780	PASS	10°C/3.87V
CA 66C	1710/1780	256QAM	1710.090	1710	1779.895	1780	PASS	10°C/3.87V
CA 66C	1710/1780	QPSK	1710.163	1710	1779.811	1780	PASS	0°C/3.87V
CA 66C	1710/1780	16QAM	1710.173	1710	1779.897	1780	PASS	0°C/3.87V
CA 66C	1710/1780	64QAM	1710.020	1710	1779.879	1780	PASS	0°C/3.87V
CA 66C	1710/1780	256QAM	1710.172	1710	1779.805	1780	PASS	0°C/3.87V
CA 66C	1710/1780	QPSK	1710.007	1710	1779.886	1780	PASS	-10°C/3.87V
CA 66C	1710/1780	16QAM	1710.187	1710	1779.908	1780	PASS	-10°C/3.87V
CA 66C	1710/1780	64QAM	1710.118	1710	1779.831	1780	PASS	-10°C/3.87V
CA 66C	1710/1780	256QAM	1710.166	1710	1779.991	1780	PASS	-10°C/3.87V
CA 66C	1710/1780	QPSK	1710.186	1710	1779.898	1780	PASS	-20°C/3.87V
CA 66C	1710/1780	16QAM	1710.186	1710	1779.970	1780	PASS	-20°C/3.87V
CA 66C	1710/1780	64QAM	1710.019	1710	1779.914	1780	PASS	-20°C/3.87V
CA 66C	1710/1780	256QAM	1710.059	1710	1779.972	1780	PASS	-20°C/3.87V
CA 66C	1710/1780	QPSK	1710.117	1710	1779.902	1780	PASS	-30°C/3.87V
CA 66C	1710/1780	16QAM	1710.093	1710	1779.837	1780	PASS	-30°C/3.87V
CA 66C	1710/1780	64QAM	1710.099	1710	1779.888	1780	PASS	-30°C/3.87V
CA 66C	1710/1780	256QAM	1710.170	1710	1779.923	1780	PASS	-30°C/3.87V