



Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	4.211	30	Pass
NVNT	BLE	2442	Ant14	4.797	30	Pass
NVNT	BLE	2480	Ant14	4.86	30	Pass






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant14	0.663	0.5	Pass
NVNT	BLE	2442	Ant14	0.659	0.5	Pass
NVNT	BLE	2480	Ant14	0.66	0.5	Pass





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant14	1.02
NVNT	BLE	2442	Ant14	1.023
NVNT	BLE	2480	Ant14	1.021






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant14	-2.259	8	Pass
NVNT	BLE	2442	Ant14	-1.605	8	Pass
NVNT	BLE	2480	Ant14	-1.524	8	Pass







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-60.13	-20	Pass
NVNT	BLE	2480	Ant14	-59.71	-20	Pass






Band Edge NVNT BLE 2480MHz Ant14 Emission



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant14	-54.46	-20	Pass
NVNT	BLE	2442	Ant14	-54.32	-20	Pass
NVNT	BLE	2480	Ant14	-54.4	-20	Pass






Tx. Spurious NVNT BLE 2442MHz Ant14 Emission



Tx. Spurious NVNT BLE 2480MHz Ant14 Ref



Tx. Spurious NVNT BLE 2480MHz Ant14 Emission

