

QUICK GUIDE

CHANNEL SWITCHING

Click UP or DOWN to switch the menu options on the transmitter or receiver, click OK to confirm the channel, then the receiver and transmitter channel will be synchronized automatically.

ENTER MENU

Long press OK for three seconds to enter the menu. Click UP or DOWN to switch menu options and click OK to confirm.

APP INSTALLATION and CONNECTION

1. Download the HollyView App



2. Connecting Method:

Enter the WiFi connection interface of mobile phone and find out the WiFi named as "HLD + DEVICE ID", and input the WiFi password to connect (Factory Default Password is: 12345678). After successful connection, you can have the APP monitoring.

PARAMETERS

	Transmitter	Receiver
Interface	Antenna Port (RP-SMA Male) HDM Input (Type A Female) SDI Input DC Input USB Type-C	Antenna Port (RP-SMA Male) HDMI Output (Type A Female) SDI Output DC Input USB-C
Power Supply	DC Power Input: 6~16V USB Type-C Power Supply: 5V/2.5A Battery Power Supply: 6.8~8.4V	DC Power Input: 6~16V USB-C Power Supply: 5V/2.5A Battery Power Supply: 6.8~8.4V
Power Consumption	<11W	<7W
Weight	223g (Without Exterior Antenna)	223g (Without Exterior Antenna)
Dimension	(L*W*H): 115*65*32mm (Excluding The Battery Plate)	(L*W*H): 115*65*32mm (Excluding The Battery Plate)
Frequency	5GHz	5GHz
Transmission Power	Maximum 21dBm	Maximum 21dBm
Receiver Sensitivity	\	-80dBm
Transmission Latency	About 66ms	
Bandwidth	20MHz	20MHz
HDMI Input Format	HDMI Output Format	SDI Output Format
720p50/59.94/60	720p50/60	720p50/60
1080i50/59.94/60	1080i50/60	1080i50/60
1080p23.98/24/25/29.97/30	1080p24/25/30	1080p24/25/30
1080p50/59.94/60	1080p50/60	1080p50/60
3840*2160 24/25/30	3840*2160 24/25/30	1080P24/25/30
SDI Output Format	SDI Output Format	HDMI Input Format
1080p50/59.94/60(Level A)	1080p50/59.94/60(Level A)	1080p50/59.94/60
1080p50/59.94/60(Level B)		
1080i50/59.94/60	1080i50/59.94/60	1080i50/59.94/60
1080p23.98/24/25/29.97/30	1080p23.98/24/25/29.97/30	1080p23.98/24/25/29.97/30
1080psf23.98/24	1080p23.98/24	1080p23.98/24
1080psf25/29.97/30	1080i50/59.94/60	1080i50/59.94/60
720p50/59.94/60	720p50/59.94/60	720p50/59.94/60

SUPPORT

If encounter any problems in using the product or need any help, please follow these ways to get more technical support:

 Hollyland Products User Group

 HollylandTech

 HollylandTech

 Support@hollyland-tech.com

 www.hollyland-tech.com

Note: The frequency range and wireless transmit power of the device vary based on the regulations of different countries and regions.

Safety Precautions

Do not place the product near or inside heating devices (including but not limited to microwave ovens, induction cookers, electric ovens, electric heaters, pressure cookers, water heaters, gas stoves) to prevent the battery from overheating and exploding.

Never use non-original charging cases, cables, and batteries with the product.

The use of non-original spare parts may cause electric shock, fire, explosion, or other dangers.

FCC Requirement

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference.
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.