




W3469
WIFI_Antenna1



Features & Applications:

-  PCB+Cable antenna
-  WIFI band 2400-2500; 5150-5850MHz

Manufacture: Pulse (Suzhou) Wireless Products Co., Ltd.

ELECTRICAL SPECIFICATIONS @ 25°C

General Specifications

Antenna type	Nominal Impedance	Polarization	Radiation pattern	Power withstanding	DC Ground
Dipole	50Ω	Line	Omni	5W	No

W3469 Antenna

Frequency (MHz)	2400-2500	5150-5850
Return Loss	<-10 dB(on equipment)	<-10 dB(on equipment)

MECHANICAL SPECIFICATIONS

W3469 band Antenna

Dimension (Length x Width x Height)	Material	Color	Weight	Fixing System	Mounting Hole Diameter
34.8x10x0.55mm	PCB+Cable	PCB: Green Cable: Black	1g	Adhesive	N/A
Wireless Technology	No. of Port	Cable Length	Cable Color	Cable Type	Connector Type
WiFi	N/A	70mm	Black	1.13 coaxial cable	IPEX 1 compatible


ENVIRONMENTAL SPECIFICATIONS

W3469

Operating Temperature	RoHS Compliant
-40/+85° C	Yes

Mechanical Drawing


W3469



Dimensions: mm (inches) Unless otherwise specified, all tolerances are ± 0.25 mm (± 0.010)

Passive Test Picture


W3469




Return Loss

Efficiency and Peak Gain

W3469




Efficiency



Peak Gain


2D Radiation Pattern

W3469



15

2G_2D Radiation Pattern



16

5G_2D Radiation Pattern

Notes:

1. Please contact sales for availability, lead time, and/or any special requests. Samples available upon request.

For More Information:

Americas - antennas.us@pulseelectronics.com | Europe – antennas.eu@pulseelectronics.com | Asia – antennas.as@pulseelectronics.com | Questions? +1-800-ANTENNA
Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright , 2020. Pulse Electronics, Inc. All rights reserved.