



FR1 N41AA / 90MHz+20MHz / CP-OFDM

QPSK

16QAM

Middle Channel

Middle Channel



Date: 13 JUN 2023 11:47:48



Date: 13 JUN 2023 11:48:20

64QAM

256QAM

Middle Channel

Middle Channel



Date: 13 JUN 2023 11:48:46

Date: 13 JUN 2023 11:49:14



FR1 N41AA / 100MHz+20MHz / CP-OFDM

QPSK

16QAM

Middle Channel

Middle Channel



Date: 13 JUN 2023 06:15:07



Date: 13 JUN 2023 06:21:27

64QAM

256QAM

Middle Channel

Middle Channel




Date: 13 JUN 2023 06:21:42

Date: 13 JUN 2023 06:21:56

Conducted Band Edge


FR1 N41AA / 10MHz+20MHz / DFT-S OFDM BPSK

Lowest Band Edge / 1 RB




Date: 13 JUN 2023 01:27:56

Highest Band Edge / 1 RB




Date: 13 JUN 2023 11:55:29

Lowest Band Edge / Full RB



Date: 13 JUN 2023 01:26:31


Highest Band Edge / Full RB



Date: 13 JUN 2023 01:50:33


FR1 N41AA / 10MHz+20MHz / DFT-S OFDM QPSK

Lowest Band Edge / 1 RB




Date: 13 JUN 2023 01:27:41

Highest Band Edge / 1 RB




Date: 13 JUN 2023 11:54:18

Lowest Band Edge / Full RB



Date: 13 JUN 2023 01:26:53


Highest Band Edge / Full RB



Date: 13 JUN 2023 01:50:21


FR1 N41AA / 50MHz+20MHz / DFT-S OFDM BPSK

Lowest Band Edge / 1 RB




Date: 13 JUN 2023 01:32:37

Highest Band Edge / 1 RB




Date: 13 JUN 2023 11:57:50

Lowest Band Edge / Full RB



Date: 13 JUN 2023 01:33:19


Highest Band Edge / Full RB



Date: 13 JUN 2023 01:48:09


FR1 N41AA / 50MHz+20MHz / DFT-S OFDM QPSK

Lowest Band Edge / 1 RB




Date: 13 JUN 2023 01:32:27

Highest Band Edge / 1 RB




Date: 13 JUN 2023 11:58:42

Lowest Band Edge / Full RB



Date: 13 JUN 2023 01:33:29


Highest Band Edge / Full RB



Date: 13 JUN 2023 01:47:51

FR1 N41AA / 100MHz+20MHz / DFT-S OFDM BPSK

Lowest Band Edge / 1 RB




Date: 13 JUN 2023 01:41:35

Highest Band Edge / 1 RB




Date: 13 JUN 2023 13:04:24

Lowest Band Edge / Full RB



Date: 13 JUN 2023 01:40:58


Highest Band Edge / Full RB



Date: 13 JUN 2023 01:45:34

FR1 N41AA / 100MHz+20MHz / DFT-S OFDM QPSK

Lowest Band Edge / 1 RB




Date: 13 JUN 2023 01:41:26

Highest Band Edge / 1 RB




Date: 13 JUN 2023 12:00:33

Lowest Band Edge / Full RB



Date: 13 JUN 2023 01:41:08

Highest Band Edge / Full RB





Date: 13 JUN 2023 01:45:24

Conducted Spurious Emission

FR1 N41AA / 10MHz+20MHz / DFT-S OFDM / BPSK

Lowest Channel / 1RB

Middle Channel / 1RB




Date: 13 JUN 2023 01:57:54

Date: 13 JUN 2023 02:05:02

Highest Channel / 1RB

NA





Date: 13 JUN 2023 02:09:00

NA

FR1 N41AA / 10MHz+20MHz / DFT-S OFDM / QPSK


Lowest Channel / 1RB

Middle Channel / 1RB



Highest Channel / 1RB

NA





NA

FR1 N41AA / 50MHz+20MHz / DFT-S OFDM / BPSK

Lowest Channel / 1RB

Middle Channel / 1RB




Date: 13 JUN 2023 03:13:32

Date: 13 JUN 2023 03:16:28

Highest Channel / 1RB

NA





Date: 13 JUN 2023 03:19:35

NA

FR1 N41AA / 50MHz+20MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB

Middle Channel / 1RB




Date: 13 JUN 2023 03:11:22

Date: 13 JUN 2023 03:17:29

Highest Channel / 1RB

NA





Date: 13 JUN 2023 03:18:46

NA

FR1 N41AA / 100MHz+20MHz / DFT-S OFDM / BPSK

Lowest Channel / 1RB

Middle Channel / 1RB




Date: 13 JUN 2023 03:21:17

Date: 13 JUN 2023 03:25:19

Highest Channel / 1RB

NA





Date: 13 JUN 2023 03:28:13

NA

FR1 N41AA / 100MHz+20MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB

Middle Channel / 1RB




Date: 13 JUN 2023 03:22:08

Date: 13 JUN 2023 03:23:46

Highest Channel / 1RB

NA



Date: 13 JUN 2023 03:29:02

NA

Frequency Stability

Test Conditions		NR n41AA (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz+20MHz	Within Band
		Deviation (ppm)	Result
50	Normal Voltage	0.0023	PASS
40	Normal Voltage	0.0072	
30	Normal Voltage	0.0058	
20(Ref.)	Normal Voltage	0.0084	
10	Normal Voltage	0.0079	
0	Normal Voltage	0.0064	
-10	Normal Voltage	0.0036	
-20	Normal Voltage	0.0072	
-30	Normal Voltage	0.0058	
20	Maximum Voltage	0.0036	
20	Normal Voltage	0.0034	
20	Minimum Voltage	0.0062	

Note:

1. Normal Voltage =54 V. ; Minimum Voltage =48 V. ; Maximum Voltage =57 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

FR1 N66 (ANT0) – SCS 15k

Transmitter Conducted Output Power And EIRP,(G_T-L_C)=13.72dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	15.14	28.86	0.7691
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	14.39	28.11	0.6471
66	15	5	346500	1732.5	DFT-s-OFDM QPSK	1@1	15.15	28.87	0.7709
66	15	5	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.21	27.93	0.6209
66	15	5	350500	1752.5	DFT-s-OFDM QPSK	1@1	15.33	29.05	0.8035
66	15	5	350500	1752.5	DFT-s-OFDM 16 QAM	1@1	14.52	28.24	0.6668
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	15.23	28.95	0.7852
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	14.36	28.08	0.6427
66	15	10	346500	1732.5	DFT-s-OFDM QPSK	1@1	15.13	28.85	0.7674
66	15	10	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.28	28	0.6310
66	15	10	350000	1750	DFT-s-OFDM QPSK	1@1	15.37	29.09	0.8110
66	15	10	350000	1750	DFT-s-OFDM 16 QAM	1@1	14.47	28.19	0.6592
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	15.21	28.93	0.7816
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	14.3	28.02	0.6339
66	15	15	346500	1732.5	DFT-s-OFDM QPSK	1@1	15.18	28.9	0.7762
66	15	15	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.19	27.91	0.6180
66	15	15	349500	1747.5	DFT-s-OFDM QPSK	1@1	15.14	28.86	0.7691
66	15	15	349500	1747.5	DFT-s-OFDM 16 QAM	1@1	14.32	28.04	0.6368
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	15.19	28.91	0.7780
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	14.35	28.07	0.6412
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	1@1	15.16	28.88	0.7727
66	15	20	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.32	28.04	0.6368
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	15.17	28.89	0.7745
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	14.31	28.03	0.6353
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	14.9	28.62	0.7278
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	14.18	27.9	0.6166
66	15	25	346500	1732.5	DFT-s-OFDM QPSK	1@1	15.01	28.73	0.7464
66	15	25	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.26	27.98	0.6281
66	15	25	348500	1742.5	DFT-s-OFDM QPSK	1@1	15	28.72	0.7447
66	15	25	348500	1742.5	DFT-s-OFDM 16 QAM	1@1	14.05	27.77	0.5984
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	14.98	28.7	0.7413
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	14.12	27.84	0.6081
66	15	30	346500	1732.5	DFT-s-OFDM QPSK	1@1	14.93	28.65	0.7328
66	15	30	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.1	27.82	0.6053
66	15	30	348000	1740	DFT-s-OFDM QPSK	1@1	14.95	28.67	0.7362
66	15	30	348000	1740	DFT-s-OFDM 16 QAM	1@1	14.05	27.77	0.5984
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@1	14.92	28.64	0.7311
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@1	14.13	27.85	0.6095
66	15	35	346500	1732.5	DFT-s-OFDM QPSK	1@1	14.84	28.56	0.7178
66	15	35	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14	27.72	0.5916

66	15	35	347500	1737.5	DFT-s-OFDM QPSK	1@1	15.05	28.77	0.7534
66	15	35	347500	1737.5	DFT-s-OFDM 16 QAM	1@1	13.92	27.64	0.5808
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	15.01	28.73	0.7464
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	13.91	27.63	0.5794
66	15	40	346500	1732.5	DFT-s-OFDM QPSK	1@1	14.9	28.62	0.7278
66	15	40	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	13.84	27.56	0.5702
66	15	40	347000	1735	DFT-s-OFDM QPSK	1@1	14.95	28.67	0.7362
66	15	40	347000	1735	DFT-s-OFDM 16 QAM	1@1	13.91	27.63	0.5794
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	120@60	15.2	28.92	0.7798
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@1	15.13	28.85	0.7674
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@240	15.43	29.15	0.8222
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	120@60	15.3	29.02	0.7980
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@1	15.11	28.83	0.7638
66	15	45	346500	1732.5	DFT-s-OFDM QPSK	1@240	15.36	29.08	0.8091
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	120@60	14.27	27.99	0.6295
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	1@1	14.16	27.88	0.6138
66	15	45	346500	1732.5	DFT-s-OFDM 16 QAM	1@240	14.26	27.98	0.6281
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	120@60	12.75	26.47	0.4436
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	1@1	12.9	26.62	0.4592
66	15	45	346500	1732.5	DFT-s-OFDM 64 QAM	1@240	13.1	26.82	0.4808
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	120@60	10.8	24.52	0.2831
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	1@1	10.65	24.37	0.2735
66	15	45	346500	1732.5	DFT-s-OFDM 256 QAM	1@240	10.79	24.51	0.2825
66	15	45	346500	1732.5	CP-OFDM QPSK	121@60	13.92	27.64	0.5808
66	15	45	346500	1732.5	CP-OFDM QPSK	1@1	13.86	27.58	0.5728
66	15	45	346500	1732.5	CP-OFDM QPSK	1@240	13.89	27.61	0.5768

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0026	PASS	NV
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0031	PASS	LV
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0031	PASS	HV
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0023	PASS	-30°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0028	PASS	-20°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0032	PASS	-10°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0036	PASS	0°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0028	PASS	10°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0026	PASS	20°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0036	PASS	30°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0038	PASS	40°C
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	0.0041	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	344000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	5.1	13	PASS
66	15	20	344000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.86	13	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	5.94	13	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	5.85	13	PASS
66	15	20	346500	1732.5	DFT-s-OFDM PI/2 BPSK	100@0	4.14	13	PASS
66	15	20	346500	1732.5	DFT-s-OFDM PI/2 BPSK	1@0	4.83	13	PASS
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	5.43	13	PASS
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	1@0	5.97	13	PASS
66	15	20	349500	1747.5	DFT-s-OFDM PI/2 BPSK	100@0	5.0	13	PASS
66	15	20	349500	1747.5	DFT-s-OFDM PI/2 BPSK	1@0	3.7	13	PASS
66	15	20	349500	1747.5	DFT-s-OFDM QPSK	100@0	6.02	13	PASS
66	15	20	349500	1747.5	DFT-s-OFDM QPSK	1@0	5.88	13	PASS

N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	346500	1732.5	DFT-s-OFDM PI/2 BPSK	25@0	4.4786	4.799
66	15	5	346500	1732.5	DFT-s-OFDM QPSK	25@0	4.4621	4.828
66	15	5	346500	1732.5	CP-OFDM QPSK	25@0	4.4636	4.831
66	15	5	346500	1732.5	CP-OFDM 16 QAM	25@0	4.4661	4.753
66	15	5	346500	1732.5	CP-OFDM 64 QAM	25@0	4.4597	4.771
66	15	5	346500	1732.5	CP-OFDM 256 QAM	25@0	4.4626	4.829
66	15	10	346500	1732.5	DFT-s-OFDM PI/2 BPSK	50@0	8.8923	9.344
66	15	10	346500	1732.5	DFT-s-OFDM QPSK	50@0	8.9014	9.36
66	15	10	346500	1732.5	CP-OFDM QPSK	52@0	9.2719	9.648
66	15	10	346500	1732.5	CP-OFDM 16 QAM	52@0	9.2477	9.749
66	15	10	346500	1732.5	CP-OFDM 64 QAM	52@0	9.2384	9.672
66	15	10	346500	1732.5	CP-OFDM 256 QAM	52@0	9.2629	9.738
66	15	15	346500	1732.5	DFT-s-OFDM PI/2 BPSK	75@0	13.321	13.89
66	15	15	346500	1732.5	DFT-s-OFDM QPSK	75@0	13.344	13.93
66	15	15	346500	1732.5	CP-OFDM QPSK	79@0	14.045	14.75
66	15	15	346500	1732.5	CP-OFDM 16 QAM	79@0	14.069	14.68
66	15	15	346500	1732.5	CP-OFDM 64 QAM	79@0	14.055	14.69
66	15	15	346500	1732.5	CP-OFDM 256 QAM	79@0	14.053	14.65
66	15	20	346500	1732.5	DFT-s-OFDM PI/2 BPSK	100@0	17.836	18.53
66	15	20	346500	1732.5	DFT-s-OFDM QPSK	100@0	17.814	18.55
66	15	20	346500	1732.5	CP-OFDM QPSK	106@0	18.837	19.54
66	15	20	346500	1732.5	CP-OFDM 16 QAM	106@0	18.889	19.62
66	15	20	346500	1732.5	CP-OFDM 64 QAM	106@0	18.835	19.61
66	15	20	346500	1732.5	CP-OFDM 256 QAM	106@0	18.828	19.55

66	15	25	346500	1732.5	DFT-s-OFDM PI/2 BPSK	128@0	22.752	23.6
66	15	25	346500	1732.5	DFT-s-OFDM QPSK	128@0	22.712	23.63
66	15	25	346500	1732.5	CP-OFDM QPSK	133@0	23.582	24.53
66	15	25	346500	1732.5	CP-OFDM 16 QAM	133@0	23.544	24.47
66	15	25	346500	1732.5	CP-OFDM 64 QAM	133@0	23.598	24.5
66	15	25	346500	1732.5	CP-OFDM 256 QAM	133@0	23.601	24.54
66	15	30	346500	1732.5	DFT-s-OFDM PI/2 BPSK	160@0	28.43	29.53
66	15	30	346500	1732.5	DFT-s-OFDM QPSK	160@0	28.523	29.49
66	15	30	346500	1732.5	CP-OFDM QPSK	160@0	28.326	29.54
66	15	30	346500	1732.5	CP-OFDM 16 QAM	160@0	28.431	29.46
66	15	30	346500	1732.5	CP-OFDM 64 QAM	160@0	28.349	29.49
66	15	30	346500	1732.5	CP-OFDM 256 QAM	160@0	28.345	29.44
66	15	35	346500	1732.5	DFT-s-OFDM PI/2 BPSK	180@0	31.984	33.17
66	15	35	346500	1732.5	DFT-s-OFDM QPSK	180@0	31.909	33.16
66	15	35	346500	1732.5	CP-OFDM QPSK	188@0	33.313	34.58
66	15	35	346500	1732.5	CP-OFDM 16 QAM	188@0	33.367	34.61
66	15	35	346500	1732.5	CP-OFDM 64 QAM	188@0	33.301	34.6
66	15	35	346500	1732.5	CP-OFDM 256 QAM	188@0	33.316	34.58
66	15	40	346500	1732.5	DFT-s-OFDM PI/2 BPSK	216@0	38.323	39.8
66	15	40	346500	1732.5	DFT-s-OFDM QPSK	216@0	38.345	39.75
66	15	40	346500	1732.5	CP-OFDM QPSK	216@0	38.259	39.89
66	15	40	346500	1732.5	CP-OFDM 16 QAM	216@0	38.35	39.87
66	15	40	346500	1732.5	CP-OFDM 64 QAM	216@0	38.308	39.86
66	15	40	346500	1732.5	CP-OFDM 256 QAM	216@0	38.395	39.8
66	15	45	346500	1732.5	DFT-s-OFDM PI/2 BPSK	240@0	42.652	44.25
66	15	45	346500	1732.5	DFT-s-OFDM	240@0	42.674	44.18

QPSK								
66	15	45	346500	1732.5	CP-OFDM QPSK	242@0	43.137	44.54
66	15	45	346500	1732.5	CP-OFDM 16 QAM	242@0	42.942	44.48
66	15	45	346500	1732.5	CP-OFDM 64 QAM	242@0	42.957	44.63
66	15	45	346500	1732.5	CP-OFDM 256 QAM	242@0	42.953	44.58


N66(5M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N66(5M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



N66(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N66(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N66(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH

